



2384 Cranberry Highway
 Unit 2
 West Wareham, MA 02576
 Tel: 508-384-0033 Fax: 508-384-0044

RPR Seroconversion Panel SCP-RPR-8050

DESCRIPTION	DONOR NO.	PANEL NO.	BLEED DATE	ASI RPR Carbon Pos =1+ RPR Titer	Index Values - Neg is <0.9; Equiv is 0.9-1.1; Pos is >1.1		VOLUME
					Trinity EIA Index (S/CO) TP IgM	Trinity EIA Index (S/CO) TP IgG	
RPR	8050	8050-01	2/22/2012	NEGATIVE	0.5	0.4	1 ml
RPR	8050	8050-02	2/27/2012	NEGATIVE	0.5	0.4	1 ml
RPR	8050	8050-03	3/3/2012	NEGATIVE	0.5	0.4	1 ml
RPR	8050	8050-04	3/6/2012	NEGATIVE	0.5	0.4	1 ml
RPR	8050	8050-05	3/24/2012	1:1	0.9	0.3	1 ml
RPR	8050	8050-06	4/7/2012	1:8	1.4	0.8	1 ml
RPR	8050	8050-07	4/10/2012	1:16	1.6	1.1	1 ml
RPR	8050	8050-08	4/14/2012	1:32	1.9	1.6	1 ml
RPR	8050	8050-09	4/21/2012	1:64	2.6	1.7	1 ml