Council Meeting - Regular September 9, 2024 Lumberport Community Building 6:00

#### **Present**

Mayor Lexie Mayfield Valeria Ellis Judy Cleavenger Tom Exline

Michael Stire

Richard Desist

**Recorder Shannon Lopez** 

#### Workers

**Bill Davisson** 

**Code Enforcer Randall Jaggie** 

Officer Jim Rigsby

**Stephanie and Allen Westfall** 

#### **Lawyer - Trey Simmerman**

## Visitors signed up to speak

Clark Ellis

Shannon Lopez

**George Skinner** 

**Kenny Harris** 

Linda Harris

**Terry McKinney** 

Dave Bennett

William Dobinesz

**Holly Berrish** 

Ally Maxwell

Jackie Yeager

**Cliff Timek** 

Leigh Holt

Randy Swiger

Betty Odell

Valerie Trott

John Cleavenger.

#### **WDTV Present**

## Visitors not speaking

Becky Harris Lloyd Spry

Dale Oliverio and wife

Jim Lopez

Melissa Palmer

**Christie Harbert** 

Prayer – Tom Exline Pledge – Everyone

## Mayor opens meeting for signup up visitors Trey Zimmerman gives rules on Robert's Rules during discussion time

Clark Ellis – spoke
Shannon Lopez - spoke
George Skinner - spoke
Kenny Harris - spoke
Linda Harris - passed
Ferry McKinney - spoke
Holly Berrish - spoke
Ally Maxwell – no show
Jackie Yeager – spoke
Cliff Timek – passed
Leigh Holt – spoke
Randy Swiger – spoke
Betty O'Dell – spoke
Valerie Trott – spoke
John Cleavenger – spoke

#### Action(s) taken by council:

Code Enforcer(Randall Jaggie) will talk with Holly Berrish on property issue. Valerie Trott wanted printed history of account. Paperwork will be available

## Mayor Lexie Mayfield asked council to accept agenda

1<sup>st</sup> - Judy Cleavenger 2<sup>nd</sup> - Michael Stire Approved - 5 Opposed - 0 Carried

## Mayor Lexie Mayfield asked council to accept minutes

1<sup>st</sup> – Valeria Ellis 2<sup>nd</sup> – Tom Exline Approved – 5 Opposed – 0 Carried

# Water and Sewer Report Stephanie and Allen Westfall – Quality Water Gave Written Report

120-day Sanitary Finding from health department New ordinance - next month Craig - Copies of report Background WV requirements January - May received action plan Sept 17th Council to proceed Backflow ordinance – definancy contamination August 5th - passed on books for backflow ordinance Craig - slides to consider Split software cost with town Currently out of compliance Backflow plan WV state law required Upgrade all at once

Town Attorney Trey Simmerman asked Quality Water why did they wait until now to present an issue. No communication or warning to the council. Where is the proactive work? Seems like a lot of money. Knew this information for months but gave no warning.

Sanitary survey
EPA deficiencies
Upgrade installed – massive upgrades
Backflow prevented when upgrades installed
Health Dept violations
Fairmont district office
Whole record
Proactive relation
Active relation – 2018 – 2024
Denied to fix
Ordinance already acted on
Quality Water said previous mayor refused to act on back flow issue

Water samples - no issue

Drought - OEAHS - Fairmont district

After house water leak number needs to be published

Drinking water plant - checking level of reservoir

Currently not over spill way

3-4 inches up at night

Water into reservoir

Health dept concern - updated

Resources - leak detection - free leak detection

Water plant hours – 40 hours

Extra pumping

Limited resources

Help find leaks

9 hours to 13 hours

Follow up tanks

Locks installed

Pass ordinance/backflow report and pictures

Ryan, Thrasher, update system

Activator is in - valve installed

Butterfly valve is needed

High Magnesium – drought – adjust chemicals.

## Waste water plant

Pumps good

Duckweed/ treated pond

Manual now

**Cut grass** 

4 feet sludge / 14 feet water

Great shape - sludge pond

More drainage into pond

EPA - mineral help to effect water

Samples are fine

Chemical delivery

Water plant - basin - sludge 1st section cleared

Charleston – fill up truck – 3-hour drive here – Lexie on top of calling Charleston Conserve water request Bottled water from Charleston an option.

## Mayor Lexie Mayfield requests council to approve water and sewer report

1<sup>st</sup> – Michael Stire 2<sup>nd</sup> – Tom Exline

## Mayor Lexie Mayfield reads report from Ryan Holcomb - email

Meters "zeroed" out
Newly installed were at zero
Ferguson final meter reading

1st difference — final old meter
Add reading
Middle of billing cycle
Oct — Nov 2023
Back to normal even if above computations did not occur

Mayor Lexie Mayfield reports
Automatic reading
Estimated next month
Unauthorized adjustments
Credit for estimates
2,000 gallons for water/3,000 gallons for sewage

Walnut Street – Allen sent worker Lola Raddish old house – lid ran over with lawnmower

## **Public Works Report**

Bill Davisson Gave Written Report Garbage
Meter reading
Brush water tank
Leak Jack's Run by pumps
Septic Tank
Patched roads
Looking for leaks
Flush hydrants with Rick Scott
Flush to fix color of water

Bill and men were to work sludge pond as discussed prior Time and ½ at sludge pond Bill said rock was a concern – do not use sewage truck We need to contract a company

Looking for leak for 5 days. No leak found.

Mayor Lexie Mayfield asks for downtown to be weed eated.

## Mayor Lexie Mayfield requests to accept the public works report

1<sup>st</sup> – Valeria Ellis 2<sup>nd</sup> – Judy Cleavenger Approved – 5 Opposed – 0 Carried

#### **Town Inspector**

Mr. Jaggie

Problem houses noted
Condemn – DEP grant to help
Badge on hand
Paperwork added
2018 Code – ICC codes
2023 codes – older
Every 3 years adopt new codes
Order the book
Property maintenance, grass, trash

Houses as storage buildings Court house will have documentation Region 6 can help with grant writing

## Mayor Lexie Mayfield request for council to accept town inspector's report

1<sup>st</sup> – Judy Cleavenger 2<sup>nd</sup> – Michael Stire Approved – 5 Opposed – 0 Carried

#### **Police Report:**

Officer Rigsby
Gave Written Report

3 stops
2 citations
Call services
5 calls
Bank deposits
School traffic
Cherry Street
Radar Daily
Intersection daily

## Mayor Lexie Mayfield requests approval of police report

1<sup>st</sup> – Valeria Ellis 2<sup>nd</sup> – Judy Cleavenger Approved – 5 Opposed – 0 Carried

#### **New business**

Accept resignation of Brenda Stark as of 8-26-24 1<sup>st</sup> – Valeria Elllis 2<sup>nd</sup> – Judy Cleavenger

```
Approved – 5
Opposed – 0
Carried
```

Accept applications for City clerk with Quick books experience, organizational skills, record keeping.... See duty list

1<sup>st</sup> – Valeria Ellis

2<sup>nd</sup> - Tom Exline

Approved - 5

Opposed -0

Carried

Accept applications for water clerk with organizational skills, record keeping....

See duty list

1<sup>st</sup> - Michael Stire

2<sup>nd</sup> - Tom Exline

Approved – 5

Opposed - 0

Carried

Accept applications for community building cleaning after events

1<sup>st</sup> – Michael Stire

2<sup>nd</sup> – Richard Desist

Approved – 5

Opposed - 0

Carried

Approve support contract with JayHawk

\$725.00 renewal

15 hours

Present to Sept 2025

1<sup>st</sup> – Valeria Ellis

2<sup>nd</sup> – Tom Exline

Approved - 5

Opposed-0

Carried

Purchase a check scanner for the office Connie from Wesbanco will assist 1<sup>st</sup> – Tom Exline 2<sup>nd</sup> – Judy Cleavenger Approved – 5 Opposed – 0 Carried

Free dump day (3<sup>rd</sup> one)
8:00 to 12:00, September 28, 2024
Kenny Harris
1 worker
Across from cemetery
Tires extra cost \$3.00 per tire to dispose and dump
1<sup>st</sup> – Michael Stire
2<sup>nd</sup> – Tom Exline
Approved – 5
Opposed – 0
Carried

Region 6 Hazard Plan Rosanne Rashella Action Item Adopt to approve Needed for funding 1<sup>st</sup> – Valeria Ellis 2<sup>nd</sup> – Richard Desist Approved – 5 Opposed – 0 Carried

Condemning buildings
Utility unsafe
Town will board up
Demo
Hazard to public safety
Check for asbestos

Grant money needed
Participate with county
Move on this action per Trey Simmerman

New updated office forms to begin using Water – Sewer Agreement
Dumpster Agreement
Community Building Agreement
Waste Management invoice

1<sup>st</sup> – Valeria Ellis
2<sup>nd</sup> – Richard Desist
Approved – 5
Opposed – 0
Carried

Recovery Center Update – Old high school
On hold – state required a Sprinkler System
Not open

## Mayor Lexie Mayfield requests council to approve Mayor's Report

1<sup>st</sup>- Judy Cleaventer 2<sup>nd</sup> – Michael Stire Approved – 5 Opposed – 0 Carried

## Mayor Lexie Mayfield requests council to approve paying finances

1<sup>st</sup> – 2<sup>nd</sup> –

Approved - 5

Opposed – 0

Carried

## Mayor Lexie Mayfield request the council to approve adjournment of meeting

1<sup>st</sup> –Valeria Ellis

2<sup>nd</sup> -Tom Exline

Approved - 5

Opposed – 0

Carried

**Shannon Lopez** 

Lumberport Recorder