

**Town of Lumberport
Regular Council Meeting
September 9, 2026**

Agenda

Call Meeting to Order

Prayer

Pledge of Allegiance

*Acceptance of Agenda

*Acceptance of Minutes of Regular Council Meeting of August 3 and August 12, 2026.

Thrasher Engineering Report

Quality Water Report

Public Works Report

Police Report

FYI

*As of 9/9/26, one employee remains on Workers' Compensation.

*The Town remains without a Police Judge.

*The pipe at the Wastewater Plant is still not repaired (Precision Pump is stalling at every avenue.

*Second Street will be paved September 8, 2026. Church Street was milled down. Mr. Amos states he will pave for an additional \$17,000.

*First and Water Streets has been patched. Walnut Street was patched.

*The \$12,500 from Thrasher will not refunded to the Town as it was an adjustment to the invoice.

Old Business:

- *New lien has been filed with the Magistrate's Office with regard to the water bill owed by the Middle School Owner. Note – School was put up for auction once more on August 31, 2026 (No Sale).
- *No response from DOH regarding clean out of drains both front and rear of the Office.
- *Regarding antennas if broken by property owner – Town will pay for first antenna; Property Owner will pay for any further broken antennas.
- *Further discussion regarding Frontier change-over from cooper to fiber lines (with cost saving).

New Business:

- *Review/Consider/Discuss – Rental of Town's dump trailer (pros/cons).
- *Review/Consider/Discuss – Proposed Ordinance outline for trash collection (pros/cons).
- *Review/Consider/Discuss – Set date for Fall Cleanup.
- *Review/Consider/Discuss – Lloyd Spry has expressed interest in the property between his property and the Bates' house. (Deed available for viewing in your packet.)
- *Review/Consider/Discuss – three of Public Works has been drug tested per DOT guidelines.
- *Review/Consider/Discuss – The Town will need to write a request for proposal for Outside Auditors to audit our books for fiscal years 2024 thru 2026 (probably will be costly) ordered by WV State Auditor and Chief Inspector.
- *Review/Consider/Discuss – FEMA Grant was submitted on Sept. 2, 2026 for the water and wastewater plant dam repair requesting 1.5 million dollars.
- *Review/Consider/Discuss – Collection Agency v. LexusNexus

Financial Report
Mayor's Report

Adjournment