



JACKS

Import & Domestic Made

Most Jack Sizes & Styles Available

(Below Are Most Popular)

(Many Jack Accessories Available. Caster Wheels, Jack Foot, Etc)

Square Jacks

Type Of Wind	Length of Travel	Overall Retracted Length	Mounting Style
2000 Lbs.			
Topwind	10"	15"	Tube
Topwind	15"	24.5"	Tube
Sidewind	10"	17.125"	Tube
Sidewind	15"	26.57"	Tube
5000 Lbs.			
Topwind	10"	15.10"	Tube
Topwind	15"	24.5"	Tube

Sidewind	10"	16.8"	Tube
Sidewind	15"	21.8"	Tube
Topwind	15"	24"	Swivel
Sidewind	15"	24"	Swivel
7000 Lbs.			
Topwind	10"	16.5"	Tube
Topwind	15"	22.7"	Tube
Sidewind	10"	17.5"	Tube
Sidewind	15"	24.75"	Tube
8000 Lbs.			
Topwind	15"	23.5	Direct Weld
Sidewind	15"	25.5	Direct Weld
Sidewind	15"	25.5	Swivel
12000 Lbs.			
Topwind	12.5"	23.5"	Direct Weld
Sidewind	12.5"	28.5"	Direct Weld

Round Jack

Type Of Wind	Length of Travel	Overall Retracted Length	Mounting Style
2000 Lbs.			
Topwind	10"	21"	Tube
Topwind	15"	29.5"	Tube
Sidewind	10"	20.75"	Tube
Sidewind	15"	29.25"	Tube
5000 Lbs			
Topwind	10"	21"	Tube
Topwind	15"	29.5"	Tube
Sidewind	10"	20.75"	Tube
Sidewind	15"	29.25"	Tube
2000 Lbs.			
Topwind	10"	15"	Swivel
Topwind	15"	18.5"	Swivel
Sidewind	10"	18"	Swivel
Sidewind	15"	27"	Swivel
5000 Lbs			
Topwind	10"	15.25"	Swivel
Topwind	15"	20.25"	Swivel
Sidewind	10"	17.5"	Swivel
Sidewind	15"	23.25"	Swivel

A-Frame Jacks

2000 Lbs.

Type of Wind	Length of Travel	Overall Retracted Length
Topwind	14"	20"
Topwind	15"	24.5"
Sidewind	14.5"	25"

5000 Lbs.

Topwind	14"	20"
Topwind	15"	24.5"



COUPLERS

Import & Domestic Made
Most Coupler Sizes & Styles Available
(Below Are Most Popular)

(We carry most coupler accessories. Balls Mounts, Hitch Balls, Hooks, Etc.)

Straight Tongue Couplers

Ball Size	Channel Width	Capacity
1 7/8"	2"	2000 lbs
1 7/8"	2 1/2"	2000 lbs
1 7/8"	3"	2000 lbs
2"	2"	3500 lbs
2"	2 1/2"	3500 lbs
2"	3"	3500 lbs
2"	3"	5000 lbs

Adjustable & Flat Mount Couplers

Ball Size	Trailer GVW
2"	8000 lbs
2 5/16"	14000 lbs
2"	7000 lbs
2 5/16"	12500 lbs
2 5/19"	15000 lbs

Gooseneck Couplers

Ball Size	Capacity	Outer Tube Size	Inner Tube Wall	Retracted Height
Round Tube, with Set Screws				
2 5/16"	20000 lbs	4.5"	.215"	30"
2 5/16"	24000 lbs	4.5"	.24"	30"
2 5/16"	30000 lbs	4.5"	.30"	30"
Round Tube, with 3/4" Load Bearing Pin				
2 5/16"	20000 lbs	4.5"	.215"	29.2"
2 5/16"	25000 lbs	4.5"	.24"	29.2"
2 5/16"	30000 lbs	4.5"	.30"	29.5"
Square Tube, with 3/4" Load Bearing Pin				
2 5/16"	24000 lbs	4"	.24"	32"
2 5/16"	25000 lbs	4.5"	.24"	32"
Square Tube, Topwind Crank				
2 5/16"	30000 lbs	4.5"	.275"	32"

A-Frame Couplers

Ball Size	Trailer GVW
Stamped Easy Lock	
2"	5000 lbs
2 5/16"	10000 lbs
2 5/16"	14000 lbs
Yoke Style Helmet	
2"	5000 lbs
2"	8000 lbs
Sleeve Lock	
2"	7000 lbs
2 5/16"	12500 lbs
Heavy Duty Cast	
2 5/16"	15000 lbs

WINCHES

Import & Domestic Made
Most Jack Sizes & Styles Available
(Below Are Most Popular)

Winch accessories available
 (Cable/Hook, Strap/Hook, & Repair Kits Available)

Pulling Trailer Winches (Made for pulling)

Rated Capacity	Gear Ratio	Max Drum Capacity
Standard Duty		
400 lbs	1:1	1/8" x 87'
600 lbs	3.2:1	5/32" x 61'
900 lbs	3.2:1	3/16" x 40'
1100 lbs	3.7:1	3/16" x 79'
1300 lbs	4.4:1	7/32" x 56'
Medium Duty		
1400 lbs	4.4:1	1/4" x 40'
1600 lbs	5.4:1	1/4" x 58'
1800 lbs	5.4:1	9/32" x 58'
2100 lbs	5.4:1	9/32" x 58'
Heavy Duty		
1800 lbs	10.3:1 / 5.4:1	9/32" x 58'
2000 lbs	12.4:1 / 5.4:1	9/32" x 58'
2500 lbs	17.3:1 / 5.4:1	5/16" x 47'
3200 lbs	17.3:1 / 5.4:1	3/8" x 30'
3500 lbs	12:1 / 6:1	3/8" x 37'

Brake Winches (Made for lifting & pulling)

Rated Capacity	Gear Ratio	Max Drum Capacity
350 lbs	3.2:1	1/8" x 84'
800 lbs	4.4:1	3/16" x 68'
1200 lbs	5.4:1	7/32" x 69'
1200 lbs	4:1	7/32" x 57' / 46'
1500 lbs	5.4:1	1/4" x 60'

1500 lbs	6:1	1/4" x 52' / 45'
2500 lbs	17.3:1	5/16" x 34'
2500 lbs	12:1	5/16" x 51' / 45' / 40'
3500 lbs	18.75:1	3/8" x 28'
4000 lbs	41:1	9/32" x 54'

Worm Gear Winches

(Made for hauling & lifting)

Rated Capacity	Gear Ratio	Max Drum Capacity
1500 lbs (Handle & Loop Drives Available)	30:1	1/4" x 43'
1500 lbs (Split Real Handle & Loop Drives Available)	30:1	1/4" x 43' 21.5' per side
2000 lbs (Handle & Loop Drives Available)	40:1	9/32" x 49'
2000 lbs (Split Real Handle & Loop Drives Available)	40:1	9/32" x 49' 24.5' per side

BEARINGS & BUSHINGS

(Most Style, Sizes, Models Available)

CYLINDERS

(Most Style, Sizes, Models Available)

HOSES

(Most Style, Sizes, Models Available)

INDUSTRIAL & AG FASTENERS

(Most Style, Sizes, Models Available)

LIGHTS & FLAGS

(Most Style, Sizes, Models Available)