



This document will introduce you to the comprehensive and challenging worlds of the Current Procedural Terminology (CPT) codes and the International Classification of Diseases (ICD)! The beginning of this document will summarize the most common codes used by psychiatric mental health nurse practitioners (PMHNP)s and then provide you with a searchable comprehensive database for all.

---

### Common ICD 10 Codes Used for Mental Health Providers

Code	Description
F32.9	Major depressive disorder, single episode, unspecified
F32.0	Major depressive disorder, single episode, mild
F32.1	Major depressive disorder, single episode, mild
F32.1	Major depressive disorder, single episode, moderate
F32.2	Major depressive disorder, single episode, severe without psychotic features
F32.3	Major depressive disorder, single episode, severe with psychotic features
F32.4	Major depressive disorder, single episode, in partial remission
F32.5	Major depressive disorder, single episode, in full remission
F32.8	Other depressive episodes
F33.1	Major depressive disorder, recurrent, moderate
F33.2	Major depressive disorder, recurrent severe without psychotic features
F33.3	Major depressive disorder, recurrent, severe with psychotic symptoms
F39	Unspecified mood [affective] disorder
F25.9	Schizoaffective disorder, unspecified
F25.0	Schizoaffective disorder, bipolar type
F25.1	Schizoaffective disorder, depressive type
F25.8	Other schizoaffective disorders
F29	Unspecified psychosis not due to a substance or known physiological condition

F41.9	Anxiety disorder, unspecified
F41.1	Generalized anxiety disorder
F41.8	Other specified anxiety disorders
F41.0	Panic disorder without agoraphobia
F41.1	Generalized anxiety disorder
F42	Obsessive-compulsive disorder
F32.1	Agoraphobia with panic disorder
F90.0	ADHD, predominantly inattentive type
F90.1	ADHD, predominantly hyperactive type
F90.2	ADHD, combined type
F90.8	ADHD, other type
F90.9	ADHD, unspecified type
G30.0	Alzheimer's disease with early-onset
G30.1	Alzheimer's disease with late-onset
G30.8	Other Alzheimer's disease
G30.9	Alzheimer's disease, unspecified

### Common Outpatient Billing CPT Codes

<b>Code</b>	<b>Description</b>	<b>Duration</b>
90792	Psychiatric Diagnostic Evaluation with medical services	60 - 120 minutes
99201	Evaluation and management (E/M) – New Patient Office Visit	10 Minutes
99202	E/M – New Patient Office Visit	20 Minutes
99203	E/M – New Patient Office Visit	30 Minutes
99204	E/M – New Patient Office Visit	45 Minutes
99205	E/M – New Patient Office Visit	60 Minutes
99211	E/M – Established Patients	5 Minutes
99212	E/M – Established Patients	10 Minutes
99213	E/M – Established Patients	15 Minutes
99214	E/M – Established Patients	25 Minutes
99215	E/M – Established Patients	40 Minutes
+90833	Add-on code for Psychotherapy	30 Minutes
+90836	Add-on code for Psychotherapy	45 Minutes

## Current Procedural Terminology (CPT) Codes Related to Psychiatry and Therapy

These codes are essential in the billing and documentation process for mental health services. Each code corresponds to a different type of psychotherapy session, differentiated by factors such as duration, whether the session is individual or involves family, and if it is for psychoanalysis or group therapy. Here is a summary of the key points:

- **90832:** For individual psychotherapy sessions lasting between 16 and 37 minutes.
- **90834:** For individual sessions that are 38 to 52 minutes long.
- **90837:** Used when individual therapy sessions last 53 minutes or more.
- **90845:** For psychoanalysis sessions, with no specific time frame mentioned.
- **90846:** For family psychotherapy without the client present, for 26 minutes or more.
- **90847:** For family psychotherapy with the client present, also for 26 minutes or more.
- **90849:** For multiple-family group psychotherapy, without a specified duration.
- **90853:** For group psychotherapy sessions, with no specific time frame mentioned.

---

For billing **emergency psychotherapy sessions**, which are critical for patients experiencing significant distress or life-threatening situations. Here is a breakdown of the **crisis-related** CPT codes and their applications:

- **90839:** This code is for the first 60 minutes of psychotherapy for a crisis. It's used when a patient requires immediate mental health care due to significant distress or a life-threatening situation.
- **90840:** An add-on code for each additional 30 minutes of psychotherapy for crisis, used in conjunction with 90839. This allows for the extension of the crisis session beyond the initial hour, in half-hour increments.
- **99050:** An add-on code for services provided outside of normal business hours. This code is utilized when a provider delivers care during times the office is typically closed, highlighting the emergency nature of the service.
- **99051:** An add-on code for services provided during the office's regularly scheduled hours, but on evenings, weekends, or holidays. This code recognizes the additional effort and resources required to accommodate patients during these times.

If a crisis session does not reach the 60-minute threshold necessary to use code 90839, providers should revert to billing with a standard psychotherapy CPT code that best matches the session's duration, such as 90834 for sessions that are 38 to 52 minutes long. This ensures that billing and documentation accurately reflect the services provided, facilitating proper reimbursement and supporting the financial viability of offering such critical care.

---

**Add-on codes** in behavioral health billing are used to capture additional services or complexities during a session that are not covered by the primary CPT code. Add-on codes must be used in conjunction with primary CPT codes for psychotherapy and diagnostic evaluations. Here is a summary of the add-on codes mentioned:

- **90785:** This add-on code is for interactive complexity, which refers to specific communication factors that complicate the delivery of a psychotherapy service. Examples include managing the dynamics with a difficult family member during the session or involving a third party, such as a legal guardian or probation officer, in the discussion. This code reflects the additional effort required to manage these complexities.
- **90863:** Used specifically for psychopharmacological monitoring in conjunction with psychotherapy services. This code is appropriate when a psychologist reviews or adjusts medications in the context of a psychotherapy session. Psychiatrists or nurse practitioners, however, do not use this code, likely due to the distinction in billing practices between psychologists (who in some jurisdictions may have prescriptive authority under specific conditions) and psychiatrists.
- **90833:** An add-on code for 30 minutes of psychotherapy provided in conjunction with an Evaluation and Management (E/M) service. E/M services involve the assessment and management of a patient's health status.
- **90836:** For 45 minutes of psychotherapy when provided with an E/M service, indicating a longer session that includes both therapeutic intervention and evaluative or management work.
- **90838:** This code is for 60 minutes of psychotherapy alongside an E/M service, marking the longest standard session length with combined psychotherapeutic and evaluative/management efforts.

When billing, providers must list both the primary psychotherapy or diagnostic evaluation CPT code and the relevant add-on code(s) separately on the billing form to accurately describe the full range of services provided. This detailed billing approach ensures proper reimbursement for the comprehensive care delivered, including the management of complex scenarios or the integration of psychotherapy with evaluation and management services.

---

The following codes are for various **mental health tests and assessments**, which are crucial for diagnosing and understanding a patient's cognitive, emotional, and neurological status. These tests range from specific assessments like those for aphasia and developmental issues to broad psychological and neuropsychological evaluations. Here is a brief overview of what each code represents:

- **96105:** Assessment specifically for aphasia, a condition affecting the ability to communicate.
- **96110:** Screening for developmental milestones to identify early delays in children.
- **96112:** Administration of developmental tests with interpretation, focusing on a child's developmental stage.
- **96113:** Add-on code for each additional 30 minutes of developmental test administration with interpretation.
- **96116:** Neurobehavioral status exam for an initial 60 minutes, assessing cognitive and emotional functioning.
- **96121:** Add-on code for each additional hour of neurobehavioral status examination.
- **96125:** Standardized testing to evaluate cognitive performance over 60 minutes.

- **96127:** Brief assessments for emotional or behavioral issues, often used for screening purposes.
- **96130:** Psychological testing evaluation services by a physician or qualified health professional, for 60 minutes.
- **96131:** Add-on code for each additional hour of psychological testing evaluation services.
- **96132:** Neuropsychological testing services, focusing on brain-behavior relationships, for 60 minutes.
- **96133:** Add-on code for each additional hour of neuropsychological testing services.
- **96136:** Administration and scoring of psychological or neuropsychological tests by a qualified professional, for 30 minutes.
- **96137:** Add-on code for each additional 30 minutes of test administration and scoring by a professional.
- **96138:** Administration and scoring of tests by a technician, for 30 minutes.
- **96139:** Add-on code for each additional 30 minutes of test administration and scoring by a technician.
- **96146:** Administration of psychological or neuropsychological tests via an electronic platform with automated results.
- **96156:** Health assessment or reassessment, evaluating a patient's health status comprehensively.
- **96160:** Assessment focusing on the health risks of the patient, typically self-reported.
- **96161:** Health risk assessment focusing on the caregiver, recognizing their role in the patient's health.

These codes allow mental health professionals to bill for the time and expertise required to perform these essential assessments. Proper use of these codes ensures that providers are compensated for their diagnostic efforts, supporting the delivery of personalized and effective care plans.

---

Codes that are specifically designated for various mental health tests and assessments, crucial for **diagnosing, understanding, and planning the treatment** of patients with a range of psychological, cognitive, and developmental issues. Here is a concise overview of each code:

- **96105:** This code is for an aphasia assessment, evaluating the severity and type of aphasia, a language disorder usually caused by brain damage.
- **96110:** Used for developmental screening to check for delays or abnormalities in a child's developmental progress.
- **96112:** For the administration of developmental tests with interpretation, assessing more specific aspects of a child's development.
- **96113:** This is an add-on code for each additional 30 minutes of developmental test administration with interpretation, used in conjunction with 96112.
- **96116:** Neurobehavioral status exam for an initial 60 minutes, assessing cognitive, emotional, psychological, and behavioral functions.
- **96121:** An add-on code for each additional hour of a neurobehavioral status examination, used with 96116.

- **96125:** For standardized cognitive performance testing over 60 minutes, evaluating functions such as memory, attention, and language.
- **96127:** Brief emotional or behavioral assessment, which can include screening for depression, anxiety, or ADHD.
- **96130:** Psychological testing evaluation services by a physician or qualified health professional, for the first 60 minutes.
- **96131:** This code is for each additional hour of psychological testing evaluation services, used with 96130.
- **96132:** For neuropsychological testing services for 60 minutes, assessing brain function and its impact on cognitive abilities.
- **96133:** An add-on code for each additional hour of neuropsychological testing services, used with 96132.
- **96136:** Psychological or neuropsychological test administration and scoring by a physician or qualified health professional, for 30 minutes.
- **96137:** Each additional 30 minutes of test administration and scoring by a physician or qualified health professional, used with 96136.
- **96138:** Administration and scoring of psychological or neuropsychological tests by a technician, for 30 minutes.
- **96139:** Each additional 30 minutes of test administration and scoring by a technician, used with 96138.
- **96146:** Administration of psychological or neuropsychological tests via an electronic platform with automated results, focusing on efficiency and accessibility.
- **96156:** For a comprehensive health assessment or reassessment, evaluating a patient's overall health status.
- **96160:** A patient-focused health risk assessment, often involving self-reported questionnaires to evaluate health risks.
- **96161:** A caregiver-focused health risk assessment, acknowledging the impact of caregiving responsibilities on health.

---

CPT codes specifically for **psychiatric services**, covering a range of diagnostic evaluations, therapies, and other psychiatric procedures. Here is a brief explanation of each:

- **90791:** This code is used for a psychiatric diagnostic evaluation without medical services. It is typically utilized for an initial assessment to diagnose a patient's mental health condition, without any medical (e.g., physical) examination or intervention.
- **90792:** Psychiatric diagnostic evaluation with medical services. This code includes the initial diagnostic evaluation plus a medical assessment, which may involve medication management or other medical interventions.
- **90865:** Narcosynthesis, a rarely used procedure today, involves the use of drugs to induce a semi-narcotic state to facilitate psychotherapy for certain mental disorders.
- **90867:** Therapeutic repetitive transcranial magnetic stimulation (rTMS), a non-invasive procedure that uses magnetic fields to stimulate nerve cells in the brain to improve symptoms of depression and other conditions.
- **90870:** Electroconvulsive therapy (ECT), a psychiatric treatment in which seizures are electrically induced in patients to provide relief from mental disorders.

- **90875:** For 30 minutes of individual psychophysiological therapy including biofeedback. Biofeedback is a technique that teaches patients to control bodily processes that are normally involuntary, like heart rate or muscle tension.
  - **90876:** Similar to 90875, but for 45 minutes of individual psychophysiological therapy with biofeedback.
  - **90880:** Hypnotherapy, a form of psychotherapy that uses hypnosis to create a state of focused attention and increased suggestibility to treat a psychological or physical condition.
  - **90899:** Unlisted psychiatric procedure or service, which is used for psychiatric services or procedures that do not have a specific CPT code.
- 

Evaluation and Management (E/M) codes are a critical component of billing for psychiatrists and nurse practitioners, providing a framework for coding various levels of complexity and time spent in evaluating and managing patient care. These codes can be used for billing outpatient visits, hospital services, and consultations, reflecting the wide range of settings in which psychiatric care can be delivered. Here is a breakdown of the E/M codes:

### **Outpatient E/M Services**

- **99202 to 99205:** These codes are used for outpatient Evaluation and Management services provided to a new patient. The codes vary based on the complexity, severity, and time required for the evaluation.
- **99211 to 99215:** These codes apply to outpatient E/M services for an established patient. The level of service (and corresponding code) is determined by factors such as the complexity of the visit and the amount of physician time involved.

### **Consultations**

- **99241 to 99245:** These codes are for consultations in an outpatient setting for either a new or established patient. The specific code used reflects the complexity and length of the consultation.

### **Hospital E/M Services**

- **99221 to 99223:** These codes are for initial hospital E/M services for a new or established patient, varying based on the complexity of the patient's condition and the amount of time the psychiatrist spends on the evaluation.
- **99231 to 99233:** Used for hospital E/M services for a new or established patient after the initial visit. These codes accommodate follow-up visits and are chosen based on the level of service provided during the visit.

## Inpatient Consultations

- **99251 to 99255:** These codes are designated for inpatient consultations. They range in complexity and length of time spent with the patient or on their case, reflecting the detailed assessments typically required in these settings.

For psychiatrists and nurse practitioners, psychotherapy often serves as an add-on service to the primary E/M service. This means that in addition to the E/M code, a separate psychotherapy code is used to bill for any therapeutic services provided during the same visit. This dual coding system allows for a more accurate and comprehensive billing process, ensuring that providers are reimbursed for the full scope of care they deliver.

---

CPT codes to bill insurance companies for psychotherapy services. Here is a brief overview of each code based on the description provided by the CMS (Centers for Medicare & Medicaid Services):

- **90832:** Used for a session of psychotherapy that lasts 30 minutes. This code is typically chosen for shorter therapy sessions.
- **90834:** This code is for a 45-minute session of psychotherapy, suitable for standard therapy sessions that require more time for discussion and intervention than the shortest session.
- **90837:** Represents a 60-minute session of psychotherapy, used for more extended sessions that may involve in-depth exploration of the patient's issues.
- **90785:** An add-on code for interactive complexity, which is used in conjunction with the primary psychotherapy codes when there are specific factors that complicate the delivery of care. These factors can include challenging communication with non-verbal patients, involvement of third parties, or legal guardians.
- **90839:** Used for 60 minutes of psychotherapy for a crisis, indicating an emergency session that addresses an acute crisis where the patient is in significant distress.
- **90840:** An add-on code for each additional 30 minutes of psychotherapy for crisis beyond the initial 60 minutes provided under 90839.
- **90791:** This code is for a psychiatric diagnostic evaluation without medical services. It's used for the initial assessment of a new patient or a significant change in an existing patient's condition.
- **90845:** Designated for psychoanalysis, a specific type of in-depth psychotherapy focused on understanding unconscious processes.
- **90846:** For 50 minutes of family psychotherapy without the patient present, this code is used when the therapy focuses on treating a patient's condition through work with their family members.
- **90847:** Similar to 90846, but for family psychotherapy sessions where the patient is present, also lasting 50 minutes.
- **90853:** This code is for group psychotherapy, involving multiple patients at the same time. It's used for therapeutic sessions that benefit from group dynamics and interactions.

These codes enable mental health professionals to accurately document and bill for the range of psychotherapy services they provide, ensuring they are reimbursed for their work and that patients receive the necessary care covered by their insurance plans.

---

**Telehealth** has become an integral part of behavioral health services, especially in recent years, enabling continuity of care through online platforms. When billing for telehealth services, mental health professionals use the same Current Procedural Terminology (CPT) codes as they would for in-person sessions but with specific modifiers and place of service codes to indicate that the service was delivered via telehealth. Here is a detailed explanation:

### **CPT Codes for Virtual Therapy**

- **Identical CPT Codes:** For a virtual therapy session, you use the same CPT code as you would for an in-person meeting. For instance, code 90832 for a 30-minute psychotherapy session applies to both telehealth and face-to-face services.

### **Modifiers and Place of Service for Telehealth**

- **95 Modifier:** Add this modifier to the CPT code to indicate a real-time telehealth session conducted via video conferencing. An alternative to this modifier is GT, although it's less commonly used now.
- **02 for Place of Service (POS):** This POS code specifies that the service was delivered through a telecommunication system rather than in a traditional office setting (POS code 11).

### **Healthcare Common Procedure Coding System (HCPCS) Codes for Telehealth**

In addition to CPT codes, there are HCPCS codes specifically designed for telehealth services:

- **G2012:** For a brief (5-10 minutes) virtual check-in initiated by the patient to determine if an office visit or other service is needed.
- **G2010:** For the remote evaluation of recorded video or images submitted by an established patient.
- **99421:** Online digital evaluation and management service via a patient portal, 5 to 10 minutes of cumulative time over 7 days, for established patients.
- **99422:** Similar to 99421 but for 11 to 20 minutes of service time.
- **99423:** For online services exceeding 20 minutes, up to 21 minutes or more of cumulative time over 7 days.

Non-physician health professionals can use the following codes for providing online assessment and management services to established patients:

- **G2061:** For cumulative service time of 5 to 10 minutes over 7 days.
- **G2062:** For 11 to 20 minutes of cumulative service time over 7 days.
- **G2063:** For 21 or more minutes of cumulative service time over 7 days.

These guidelines ensure that behavioral health professionals can provide telehealth services efficiently while maintaining the accuracy of billing and reimbursement processes. By applying the appropriate codes and modifiers, therapists ensure compliance with billing requirements and support the expansion of telehealth as a viable option for patient care.

---

The revisions and introduction of new CPT and HCPCS codes in 2023 for health behavior assessment and intervention services reflect an ongoing effort to improve and update billing practices for health professionals. These changes aim to enhance clarity and ensure that billing codes accurately represent the services provided. Here is a summary of the key updates:

### **Health Behavior Assessment and Intervention Codes**

- **Code 96156:** This code replaces 96150 and 96151 for billing health and behavior assessment or reassessment services. Unlike its predecessors, 96156 is event-based, moving away from time-based billing for these assessments. This change simplifies the billing process for initial evaluations of a patient's psychological, emotional, cognitive, or behavioral response to a physical health condition.

### **Individual Health Behavior Intervention**

- **Code 96158 and 96159:** Replacing 96152, code 96158 is used for the first 30 minutes of an individual, in-person health behavior intervention. For each additional 15 minutes, clinicians should use code 96159. This alteration provides a clearer structure for billing individual interventions, ensuring that extended sessions are adequately compensated.

### **Group Health Behavior Intervention**

- **Code 96164 and 96165:** Superseding 96153, code 96164 is applied to the first 30 minutes of an in-person group health behavior intervention. Code 96165 is for each additional 15 minutes of service. This change facilitates more precise billing for group interventions, recognizing the value of these services in addressing health behaviors among multiple patients simultaneously.

### **Family Health Behavior Intervention (With the Patient Present)**

- **Code 96167 and 96168:** Code 96167 replaces 96154 for the initial 30 minutes of an in-person family health behavior intervention with the patient present, with 96168 for every additional 15 minutes. This adjustment acknowledges the complexity and significance of involving the patient's family in their care, especially when managing physical health conditions.

### **Family Health Behavior Intervention (Without the Patient Present)**

- **Code 96170 and 96171:** Replacing 96155, code 96170 is for the first half-hour of a face-to-face family health behavior intervention without the patient present, and 96171 is for

every additional 15 minutes. This update provides a framework for billing interventions aimed at assisting family members in supporting the patient's health behavior changes, even when the patient is not part of the session.

These updates to the CPT codes underscore the importance of accurately documenting and billing for health behavior assessment and intervention services. By requiring a physical health diagnosis or an ICD code and distinguishing these services from mental health treatments, the revised codes help ensure that providers are reimbursed for their critical role in addressing the psychological aspects of physical health conditions.

---

### Comprehensive ICD 9 and 10 Reference

ICD-9-CM	ICD-10-CM	Disorder, condition, or complication
V62.3	Z55.9	Academic or educational problem
V62.4	Z60.3	Acculturation difficulty
308.3	F43.0	Acute stress disorder
		Adjustment disorder
309.9	F43.20	Adjustment disorder, Unspecified
309.24	F43.22	Adjustment disorder, With anxiety
309.0	F43.21	Adjustment disorder, With depressed mood
309.3	F43.24	Adjustment disorder, With disturbance of conduct
309.28	F43.23	Adjustment disorder, With mixed anxiety and depressed mood
309.4	F43.25	Adjustment disorder, With mixed disturbance of emotions and conduct
V71.01	Z72.811	Adult antisocial behavior
		Adult physical abuse by non-spouse or non-partner, Confirmed
995.81	T74.11XA	Adult physical abuse by non-spouse or non-partner, Confirmed, Initial encounter

995.81	T74.11XD	Adult physical abuse by non-spouse or non-partner, Confirmed, Subsequent encounter
		Adult physical abuse by non-spouse or non-partner, Suspected
995.81	T76.11XA	Adult physical abuse by non-spouse or non-partner, Suspected, Initial encounter
995.81	T76.11XD	Adult physical abuse by non-spouse or non-partner, Suspected, Subsequent encounter
		Adult psychological abuse by non-spouse or non-partner, Confirmed
995.82	T74.31XA	Adult psychological abuse by non-spouse or non-partner, Confirmed, Initial encounter
995.82	T74.31XD	Adult psychological abuse by non-spouse or non-partner, Confirmed, Subsequent encounter
		Adult psychological abuse by non-spouse or non-partner, Suspected
995.82	T76.31XA	Adult psychological abuse by non-spouse or non-partner, Suspected, Initial encounter
995.82	T76.31XD	Adult psychological abuse by non-spouse or non-partner, Suspected, Subsequent encounter
		Adult sexual abuse by non-spouse or non-partner, Confirmed
995.83	T74.21XA	Adult sexual abuse by non-spouse or non-partner, Confirmed, Initial encounter
995.83	T74.21XD	Adult sexual abuse by non-spouse or non-partner, Confirmed, Subsequent encounter
		Adult sexual abuse by non-spouse or non-partner, Suspected
995.83	T76.21XA	Adult sexual abuse by non-spouse or non-partner, Suspected, Initial encounter
995.83	T76.21XD	Adult sexual abuse by non-spouse or non-partner, Suspected, Subsequent encounter
307.0	F98.5	Adult-onset fluency disorder

300.22	F40.00	Agoraphobia
303.00		Alcohol intoxication
291.0		Alcohol intoxication delirium
	F10.121	Alcohol intoxication delirium, With mild use disorder
	F10.221	Alcohol intoxication delirium, With moderate or severe use disorder
	F10.921	Alcohol intoxication delirium, Without use disorder
	F10.129	Alcohol intoxication, With mild use disorder
	F10.229	Alcohol intoxication, With moderate or severe use disorder
	F10.929	Alcohol intoxication, Without use disorder
		Alcohol use disorder
305.00	F10.10	Alcohol use disorder, Mild
303.90	F10.20	Alcohol use disorder, Moderate
303.90	F10.20	Alcohol use disorder, Severe
291.81		Alcohol withdrawal
291.0	F10.231	Alcohol withdrawal delirium
	F10.232	Alcohol withdrawal, With perceptual disturbances
	F10.239	Alcohol withdrawal, Without perceptual disturbances
291.89		Alcohol-induced anxiety disorder
	F10.180	Alcohol-induced anxiety disorder, With mild use disorder
	F10.280	Alcohol-induced anxiety disorder, With moderate or severe use disorder
	F10.980	Alcohol-induced anxiety disorder, Without use disorder
291.89		Alcohol-induced bipolar and related disorder
	F10.14	Alcohol-induced bipolar and related disorder, With mild use disorder

	F10.24	Alcohol-induced bipolar and related disorder, With moderate or severe use disorder
	F10.94	Alcohol-induced bipolar and related disorder, Without use disorder
291.89		Alcohol-induced depressive disorder
	F10.14	Alcohol-induced depressive disorder, With mild use disorder
	F10.24	Alcohol-induced depressive disorder, With moderate or severe use disorder
	F10.94	Alcohol-induced depressive disorder, Without use disorder
291.1		Alcohol-induced major neurocognitive disorder, Amnestic confabulatory type
	F10.26	Alcohol-induced major neurocognitive disorder, Amnestic confabulatory type, With moderate or severe use disorder
	F10.96	Alcohol-induced major neurocognitive disorder, Amnestic confabulatory type, Without use disorder
291.2		Alcohol-induced major neurocognitive disorder, Non-amnestic confabulatory type
	F10.27	Alcohol-induced major neurocognitive disorder, Non-amnestic confabulatory type, With moderate or severe use disorder
	F10.97	Alcohol-induced major neurocognitive disorder, Non-amnestic confabulatory type, Without use disorder
291.89		Alcohol-induced mild neurocognitive disorder
	F10.288	Alcohol-induced mild neurocognitive disorder, With moderate or severe use disorder
	F10.988	Alcohol-induced mild neurocognitive disorder, Without use disorder
291.9		Alcohol-induced psychotic disorder
	F10.159	Alcohol-induced psychotic disorder, With mild use disorder

	F10.259	Alcohol-induced psychotic disorder, With moderate or severe use disorder
	F10.959	Alcohol-induced psychotic disorder, Without use disorder
291.89		Alcohol-induced sexual dysfunction
	F10.181	Alcohol-induced sexual dysfunction, With mild use disorder
	F10.281	Alcohol-induced sexual dysfunction, With moderate or severe use disorder
	F10.981	Alcohol-induced sexual dysfunction, Without use disorder
291.82		Alcohol-induced sleep disorder
	F10.182	Alcohol-induced sleep disorder, With mild use disorder
	F10.282	Alcohol-induced sleep disorder, With moderate or severe use disorder
	F10.982	Alcohol-induced sleep disorder, Without use disorder
292.81		Amphetamine (or other stimulant) intoxication delirium
	F15.121	Amphetamine (or other stimulant) intoxication delirium, With mild use disorder
	F15.221	Amphetamine (or other stimulant) intoxication delirium, With moderate or severe use disorder
	F15.921	Amphetamine (or other stimulant) intoxication delirium, Without use disorder
292.89		Amphetamine (or other stimulant)-induced anxiety disorder
	F15.180	Amphetamine (or other stimulant)-induced anxiety disorder, With mild use disorder
	F15.280	Amphetamine (or other stimulant)-induced anxiety disorder, With moderate or severe use disorder
	F15.980	Amphetamine (or other stimulant)-induced anxiety disorder, Without use disorder
292.84		Amphetamine (or other stimulant)-induced bipolar and related disorder

	F15.14	Amphetamine (or other stimulant)-induced bipolar and related disorder, With mild use disorder
	F15.24	Amphetamine (or other stimulant)-induced bipolar and related disorder, With moderate or severe use disorder
	F15.94	Amphetamine (or other stimulant)-induced bipolar and related disorder, Without use disorder
	F15.921	Amphetamine (or other stimulant)-induced delirium
292.84		Amphetamine (or other stimulant)-induced depressive disorder
	F15.14	Amphetamine (or other stimulant)-induced depressive disorder, With mild use disorder
	F15.24	Amphetamine (or other stimulant)-induced depressive disorder, With moderate or severe use disorder
	F15.94	Amphetamine (or other stimulant)-induced depressive disorder, Without use disorder
292.89		Amphetamine (or other stimulant)-induced obsessive-compulsive and related disorder
	F15.188	Amphetamine (or other stimulant)-induced obsessive-compulsive and related disorder, With mild use disorder
	F15.288	Amphetamine (or other stimulant)-induced obsessive-compulsive and related disorder, With moderate or severe use disorder
	F15.988	Amphetamine (or other stimulant)-induced obsessive-compulsive and related disorder, Without use disorder
292.9		Amphetamine (or other stimulant)-induced psychotic disorder
	F15.159	Amphetamine (or other stimulant)-induced psychotic disorder, With mild use disorder
	F15.259	Amphetamine (or other stimulant)-induced psychotic disorder, With moderate or severe use disorder
	F15.959	Amphetamine (or other stimulant)-induced psychotic disorder, Without use disorder

292.89		Amphetamine (or other stimulant)-induced sexual dysfunction
	F15.181	Amphetamine (or other stimulant)-induced sexual dysfunction, With mild use disorder
	F15.281	Amphetamine (or other stimulant)-induced sexual dysfunction, With moderate or severe use disorder
	F15.981	Amphetamine (or other stimulant)-induced sexual dysfunction, Without use disorder
292.85		Amphetamine (or other stimulant)-induced sleep disorder
	F15.182	Amphetamine (or other stimulant)-induced sleep disorder, With mild use disorder
	F15.282	Amphetamine (or other stimulant)-induced sleep disorder, With moderate or severe use disorder
	F15.982	Amphetamine (or other stimulant)-induced sleep disorder, Without use disorder
292.89		Amphetamine or other stimulant intoxication
		Amphetamine or other stimulant intoxication, With perceptual disturbances
	F15.122	Amphetamine or other stimulant intoxication, With perceptual disturbances, With mild use disorder
	F15.222	Amphetamine or other stimulant intoxication, With perceptual disturbances, With moderate or severe use disorder
	F15.922	Amphetamine or other stimulant intoxication, With perceptual disturbances, Without use disorder
		Amphetamine or other stimulant intoxication, Without perceptual disturbances
	F15.129	Amphetamine or other stimulant intoxication, Without perceptual disturbances, With mild use disorder
	F15.229	Amphetamine or other stimulant intoxication, Without perceptual disturbances, With moderate or severe use disorder

	F15.929	Amphetamine or other stimulant intoxication, Without perceptual disturbances, Without use disorder
292.0	F15.23	Amphetamine or other stimulant withdrawal
		Amphetamine-type substance use disorder
305.70	F15.10	Amphetamine-type substance use disorder, Mild
304.40	F15.20	Amphetamine-type substance use disorder, Moderate
304.40	F15.20	Amphetamine-type substance use disorder, Severe
307.1		Anorexia nervosa
	F50.02	Anorexia nervosa, Binge-eating/purging type
	F50.01	Anorexia nervosa, Restricting type
		Antidepressant discontinuation syndrome
995.29	T43.205A	Antidepressant discontinuation syndrome, Initial encounter
995.29	T43.205S	Antidepressant discontinuation syndrome, Sequelae
995.29	T43.205D	Antidepressant discontinuation syndrome, Subsequent encounter
301.7	F60.2	Antisocial personality disorder
293.84	F06.4	Anxiety disorder due to another medical condition
		Attention-deficit/hyperactivity disorder
314.01	F90.2	Attention-deficit/hyperactivity disorder, Combined presentation
314.01	F90.1	Attention-deficit/hyperactivity disorder, Predominantly hyperactive/impulsive presentation
314.00	F90.0	Attention-deficit/hyperactivity disorder, Predominantly inattentive presentation
299.00	F84.0	Autism spectrum disorder
347.00	G47.419	Autosomal dominant cerebellar ataxia, deafness, and narcolepsy

347.00	G47.419	Autosomal dominant narcolepsy, obesity, and type 2 diabetes
301.82	F60.6	Avoidant personality disorder
307.59	F50.8	Avoidant/restrictive food intake disorder
307.51	F50.8	Binge-eating disorder
293.83		Bipolar and related disorder due to another medical condition
	F06.33	Bipolar and related disorder due to another medical condition, With manic features
	F06.33	Bipolar and related disorder due to another medical condition, With manic- or hypomanic-like episodes
	F06.34	Bipolar and related disorder due to another medical condition, With mixed features
		Bipolar I disorder, Current or most recent episode depressed
296.56	F31.76	Bipolar I disorder, Current or most recent episode depressed, In full remission
296.55	F31.75	Bipolar I disorder, Current or most recent episode depressed, In partial remission
296.51	F31.31	Bipolar I disorder, Current or most recent episode depressed, Mild
296.52	F31.32	Bipolar I disorder, Current or most recent episode depressed, Moderate
296.53	F31.4	Bipolar I disorder, Current or most recent episode depressed, Severe
296.50	F31.9	Bipolar I disorder, Current or most recent episode depressed, Unspecified
296.54	F31.5	Bipolar I disorder, Current or most recent episode depressed, With psychotic features
296.40	F31.0	Bipolar I disorder, Current or most recent episode hypomanic

296.46	F31.74	Bipolar I disorder, Current or most recent episode hypomanic, In full remission
296.45	F31.73	Bipolar I disorder, Current or most recent episode hypomanic, In partial remission
296.40	F31.9	Bipolar I disorder, Current or most recent episode hypomanic, Unspecified
		Bipolar I disorder, Current or most recent episode manic
296.46	F31.74	Bipolar I disorder, Current or most recent episode manic, In full remission
296.45	F31.73	Bipolar I disorder, Current or most recent episode manic, In partial remission
296.41	F31.11	Bipolar I disorder, Current or most recent episode manic, Mild
296.42	F31.12	Bipolar I disorder, Current or most recent episode manic, Moderate
296.43	F31.13	Bipolar I disorder, Current or most recent episode manic, Severe
296.40	F31.9	Bipolar I disorder, Current or most recent episode manic, Unspecified
296.44	F31.2	Bipolar I disorder, Current or most recent episode manic, With psychotic features
296.7	F31.9	Bipolar I disorder, Current or most recent episode unspecified
296.89	F31.81	Bipolar II disorder
300.7	F45.22	Body dysmorphic disorder
V62.89	R41.83	Borderline intellectual functioning
301.83	F60.3	Borderline personality disorder
298.8	F23	Brief psychotic disorder
307.51	F50.2	Bulimia nervosa

305.90	F15.929	Caffeine intoxication
292.0	F15.93	Caffeine withdrawal
292.89		Caffeine-induced anxiety disorder
	F15.180	Caffeine-induced anxiety disorder, With mild use disorder
	F15.280	Caffeine-induced anxiety disorder, With moderate or severe use disorder
	F15.980	Caffeine-induced anxiety disorder, Without use disorder
292.85		Caffeine-induced sleep disorder
	F15.182	Caffeine-induced sleep disorder, With mild use disorder
	F15.282	Caffeine-induced sleep disorder, With moderate or severe use disorder
	F15.982	Caffeine-induced sleep disorder, Without use disorder
292.89		Cannabis intoxication
292.81		Cannabis intoxication delirium
	F12.121	Cannabis intoxication delirium, With mild use disorder
	F12.221	Cannabis intoxication delirium, With moderate or severe use disorder
	F12.921	Cannabis intoxication delirium, Without use disorder
		Cannabis intoxication, With perceptual disturbances
	F12.122	Cannabis intoxication, With perceptual disturbances, With mild use disorder
	F12.222	Cannabis intoxication, With perceptual disturbances, With moderate or severe use disorder
	F12.922	Cannabis intoxication, With perceptual disturbances, Without use disorder
		Cannabis intoxication, Without perceptual disturbances

	F12.129	Cannabis intoxication, Without perceptual disturbances, With mild use disorder
	F12.229	Cannabis intoxication, Without perceptual disturbances, With moderate or severe use disorder
	F12.929	Cannabis intoxication, Without perceptual disturbances, Without use disorder
		Cannabis use disorder
305.20	F12.10	Cannabis use disorder, Mild
304.30	F12.20	Cannabis use disorder, Moderate
304.30	F12.20	Cannabis use disorder, Severe
292.0	F12.288	Cannabis withdrawal
292.89		Cannabis-induced anxiety disorder
	F12.180	Cannabis-induced anxiety disorder, With mild use disorder
	F12.280	Cannabis-induced anxiety disorder, With moderate or severe use disorder
	F12.980	Cannabis-induced anxiety disorder, Without use disorder
292.9		Cannabis-induced psychotic disorder
	F12.159	Cannabis-induced psychotic disorder, With mild use disorder
	F12.259	Cannabis-induced psychotic disorder, With moderate or severe use disorder
	F12.959	Cannabis-induced psychotic disorder, Without use disorder
292.85		Cannabis-induced sleep disorder
	F12.188	Cannabis-induced sleep disorder, With mild use disorder
	F12.288	Cannabis-induced sleep disorder, With moderate or severe use disorder
	F12.988	Cannabis-induced sleep disorder, Without use disorder

293.89	F06.1	Catatonia associated with another mental disorder (catatonia specifier)
293.89	F06.1	Catatonic disorder due to another medical condition
		Central sleep apnea
780.57	G47.37	Central sleep apnea comorbid with opioid use
786.04	R06.3	Cheyne-Stokes breathing
V61.29	Z62.898	Child affected by parental relationship distress
		Child neglect, Confirmed
995.52	T74.02XA	Child neglect, Confirmed, Initial encounter
995.52	T74.02XD	Child neglect, Confirmed, Subsequent encounter
		Child neglect, Suspected
995.52	T76.02XA	Child neglect, Suspected, Initial encounter
995.52	T76.02XD	Child neglect, Suspected, Subsequent encounter
V71.02	Z72.810	Child or adolescent antisocial behavior
		Child physical abuse, Confirmed
995.54	T74.12XA	Child physical abuse, Confirmed, Initial encounter
995.54	T74.12XD	Child physical abuse, Confirmed, Subsequent encounter
		Child physical abuse, Suspected
995.54	T76.12XA	Child physical abuse, Suspected, Initial encounter
995.54	T76.12XD	Child physical abuse, Suspected, Subsequent encounter
		Child psychological abuse, Confirmed
995.51	T74.32XA	Child psychological abuse, Confirmed, Initial encounter
995.51	T74.32XD	Child psychological abuse, Confirmed, Subsequent encounter
		Child psychological abuse, Suspected

995.51	T76.32XA	Child psychological abuse, Suspected, Initial encounter
995.51	T76.32XD	Child psychological abuse, Suspected, Subsequent encounter
		Child sexual abuse, Confirmed
995.53	T74.22XA	Child sexual abuse, Confirmed, Initial encounter
995.53	T74.22XD	Child sexual abuse, Confirmed, Subsequent encounter
		Child sexual abuse, Suspected
995.53	T76.22XA	Child sexual abuse, Suspected, Initial encounter
995.53	T76.22XD	Child sexual abuse, Suspected, Subsequent encounter
315.35	F80.81	Childhood-onset fluency disorder (stuttering)
		Circadian rhythm sleep-wake disorders
307.45	G47.22	Circadian rhythm sleep-wake disorders, Advanced sleep phase type
307.45	G47.21	Circadian rhythm sleep-wake disorders, Delayed sleep phase type
307.45	G47.23	Circadian rhythm sleep-wake disorders, Irregular sleep-wake type
307.45	G47.24	Circadian rhythm sleep-wake disorders, Non-24-hour sleep-wake type
307.45	G47.26	Circadian rhythm sleep-wake disorders, Shift work type
307.45	G47.20	Circadian rhythm sleep-wake disorders, Unspecified type
292.89		Cocaine intoxication
292.81		Cocaine intoxication delirium
	F14.121	Cocaine intoxication delirium, With mild use disorder
	F14.221	Cocaine intoxication delirium, With moderate or severe use disorder
	F14.921	Cocaine intoxication delirium, Without use disorder

		Cocaine intoxication, With perceptual disturbances
	F14.122	Cocaine intoxication, With perceptual disturbances, With mild use disorder
	F14.222	Cocaine intoxication, With perceptual disturbances, With moderate or severe use disorder
	F14.922	Cocaine intoxication, With perceptual disturbances, Without use disorder
		Cocaine intoxication, Without perceptual disturbances
	F14.129	Cocaine intoxication, Without perceptual disturbances, With mild use disorder
	F14.229	Cocaine intoxication, Without perceptual disturbances, With moderate or severe use disorder
	F14.929	Cocaine intoxication, Without perceptual disturbances, Without use disorder
		Cocaine use disorder
305.60	F14.10	Cocaine use disorder, Mild
304.20	F14.20	Cocaine use disorder, Moderate
304.20	F14.20	Cocaine use disorder, Severe
292.0	F14.23	Cocaine withdrawal
292.89		Cocaine-induced anxiety disorder
	F14.180	Cocaine-induced anxiety disorder, With mild use disorder
	F14.280	Cocaine-induced anxiety disorder, With moderate or severe use disorder
	F14.980	Cocaine-induced anxiety disorder, Without use disorder
292.84		Cocaine-induced bipolar and related disorder
	F14.14	Cocaine-induced bipolar and related disorder, With mild use disorder

	F14.24	Cocaine-induced bipolar and related disorder, With moderate or severe use disorder
	F14.94	Cocaine-induced bipolar and related disorder, Without use disorder
292.84		Cocaine-induced depressive disorder
	F14.14	Cocaine-induced depressive disorder, With mild use disorder
	F14.24	Cocaine-induced depressive disorder, With moderate or severe use disorder
	F14.94	Cocaine-induced depressive disorder, Without use disorder
292.89		Cocaine-induced obsessive-compulsive and related disorder
	F14.188	Cocaine-induced obsessive-compulsive and related disorder, With mild use disorder
	F14.288	Cocaine-induced obsessive-compulsive and related disorder, With moderate or severe use disorder
	F14.988	Cocaine-induced obsessive-compulsive and related disorder, Without use disorder
292.9		Cocaine-induced psychotic disorder
	F14.159	Cocaine-induced psychotic disorder, With mild use disorder
	F14.259	Cocaine-induced psychotic disorder, With moderate or severe use disorder
	F14.959	Cocaine-induced psychotic disorder, Without use disorder
292.89		Cocaine-induced sexual dysfunction
	F14.181	Cocaine-induced sexual dysfunction, With mild use disorder
	F14.281	Cocaine-induced sexual dysfunction, With moderate or severe use disorder
	F14.981	Cocaine-induced sexual dysfunction, Without use disorder
292.85		Cocaine-induced sleep disorder
	F14.182	Cocaine-induced sleep disorder, With mild use disorder

	F14.282	Cocaine-induced sleep disorder, With moderate or severe use disorder
	F14.982	Cocaine-induced sleep disorder, Without use disorder
327.26	G47.36	Comorbid sleep-related hypoventilation
		Conduct disorder
312.82	F91.2	Conduct disorder, Adolescent-onset type
312.81	F91.1	Conduct disorder, Childhood-onset type
312.89	F91.9	Conduct disorder, Unspecified onset
327.25	G47.35	Congenital central alveolar hypoventilation
300.11		Conversion disorder (functional neurological symptom disorder)
	F44.4	Conversion disorder (functional neurological symptom disorder), With abnormal movement
	F44.6	Conversion disorder (functional neurological symptom disorder), With anesthesia or sensory loss
	F44.5	Conversion disorder (functional neurological symptom disorder), With attacks or seizures
	F44.7	Conversion disorder (functional neurological symptom disorder), With mixed symptoms
	F44.6	Conversion disorder (functional neurological symptom disorder), With special sensory symptoms
	F44.4	Conversion disorder (functional neurological symptom disorder), With speech symptoms
	F44.4	Conversion disorder (functional neurological symptom disorder), With swallowing symptoms
	F44.4	Conversion disorder (functional neurological symptom disorder), With weakness/paralysis
V62.5	Z65.0	Conviction in civil or criminal proceedings without imprisonment

301.13	F34.0	Cyclothymic disorder
302.74	F52.32	Delayed ejaculation
		Delirium
293.0	F05	Delirium due to another medical condition
293.0	F05	Delirium due to multiple etiologies
297.1	F22	Delusional disorder
301.6	F60.7	Dependent personality disorder
300.6	F48.1	Depersonalization/derealization disorder
293.83		Depressive disorder due to another medical condition
	F06.31	Depressive disorder due to another medical condition, With depressive features
	F06.32	Depressive disorder due to another medical condition, With major depressive-like episode
	F06.34	Depressive disorder due to another medical condition, With mixed features
315.4	F82	Developmental coordination disorder
V60.89	Z59.2	Discord with neighbor, lodger, or landlord
V62.89	Z64.4	Discord with social service provider, including probation officer, case manager, or social services worker
313.89	F94.2	Disinhibited social engagement disorder
V61.03	Z63.5	Disruption of family by separation or divorce
296.99	F34.8	Disruptive mood dysregulation disorder
300.12	F44.0	Dissociative amnesia
300.13	F44.1	Dissociative amnesia, with dissociative fugue
300.14	F44.81	Dissociative identity disorder
307.7	F98.1	Encopresis

307.6	F98.0	Enuresis
302.72	F52.21	Erectile disorder
698.4	L98.1	Excoriation (skin-picking) disorder
302.4	F65.2	Exhibitionistic disorder
V62.22	Z65.5	Exposure to disaster, war, or other hostilities
V60.2	Z59.5	Extreme poverty
300.19	F68.10	Factitious disorder
302.73	F52.31	Female orgasmic disorder
302.72	F52.22	Female sexual interest/arousal disorder
302.81	F65.0	Fetishistic disorder
302.89	F65.81	Frotteuristic disorder
312.31	F63.0	Gambling disorder
302.85	F64.1	Gender dysphoria in adolescents and adults
302.6	F64.2	Gender dysphoria in children
300.02	F41.1	Generalized anxiety disorder
302.76	F52.6	Genito-pelvic pain/penetration disorder
315.8	F88	Global developmental delay
292.89	F16.983	Hallucinogen persisting perception disorder
V61.8	Z63.8	High expressed emotion level within family
301.50	F60.4	Histrionic personality disorder
300.3	F42	Hoarding disorder
V60.0	Z59.0	Homelessness
780.54	G47.10	Hypersomnolence disorder
327.21	G47.31	Idiopathic central sleep apnea

327.24	G47.34	Idiopathic hypoventilation
300.7	F45.21	Illness anxiety disorder
V62.5	Z65.1	Imprisonment or other incarceration
V60.1	Z59.1	Inadequate housing
292.89		Inhalant intoxication
292.81		Inhalant intoxication delirium
	F18.121	Inhalant intoxication delirium, With mild use disorder
	F18.221	Inhalant intoxication delirium, With moderate or severe use disorder
	F18.921	Inhalant intoxication delirium, Without use disorder
	F18.129	Inhalant intoxication, With mild use disorder
	F18.229	Inhalant intoxication, With moderate or severe use disorder
	F18.929	Inhalant intoxication, Without use disorder
		Inhalant use disorder
305.90	F18.10	Inhalant use disorder, Mild
304.60	F18.20	Inhalant use disorder, Moderate
304.60	F18.20	Inhalant use disorder, Severe
292.89		Inhalant-induced anxiety disorder
	F18.180	Inhalant-induced anxiety disorder, With mild use disorder
	F18.280	Inhalant-induced anxiety disorder, With moderate or severe use disorder
	F18.980	Inhalant-induced anxiety disorder, Without use disorder
292.84		Inhalant-induced depressive disorder
	F18.14	Inhalant-induced depressive disorder, With mild use disorder
	F18.24	Inhalant-induced depressive disorder, With moderate or severe use disorder

	F18.94	Inhalant-induced depressive disorder, Without use disorder
292.82		Inhalant-induced major neurocognitive disorder
	F18.17	Inhalant-induced major neurocognitive disorder, With mild use disorder
	F18.27	Inhalant-induced major neurocognitive disorder, With moderate or severe use disorder
	F18.97	Inhalant-induced major neurocognitive disorder, Without use disorder
292.89		Inhalant-induced mild neurocognitive disorder
	F18.188	Inhalant-induced mild neurocognitive disorder, With mild use disorder
	F18.288	Inhalant-induced mild neurocognitive disorder, With moderate or severe use disorder
	F18.988	Inhalant-induced mild neurocognitive disorder, Without use disorder
292.9		Inhalant-induced psychotic disorder
	F18.159	Inhalant-induced psychotic disorder, With mild use disorder
	F18.259	Inhalant-induced psychotic disorder, With moderate or severe use disorder
	F18.959	Inhalant-induced psychotic disorder, Without use disorder
780.52	G47.00	Insomnia disorder
V60.2	Z59.7	Insufficient social insurance or welfare support
319		Intellectual disability (intellectual developmental disorder)
317	F70	Intellectual disability (intellectual developmental disorder), Mild
318.0	F71	Intellectual disability (intellectual developmental disorder), Moderate
318.2	F73	Intellectual disability (intellectual developmental disorder), Profound

318.1	F72	Intellectual disability (intellectual developmental disorder), Severe
312.34	F63.81	Intermittent explosive disorder
312.32	F63.2	Kleptomania
V60.2	Z59.4	Lack of adequate food or safe drinking water
315.39	F80.9	Language disorder
V60.2	Z59.6	Low income
		Major depressive disorder, Recurrent episode
296.36	F33.42	Major depressive disorder, Recurrent episode, In full remission
296.35	F33.41	Major depressive disorder, Recurrent episode, In partial remission
296.31	F33.0	Major depressive disorder, Recurrent episode, Mild
296.32	F33.1	Major depressive disorder, Recurrent episode, Moderate
296.33	F33.2	Major depressive disorder, Recurrent episode, Severe
296.30	F33.9	Major depressive disorder, Recurrent episode, Unspecified
296.34	F33.3	Major depressive disorder, Recurrent episode, With psychotic features
		Major depressive disorder, Single episode
296.26	F32.5	Major depressive disorder, Single episode, In full remission
296.25	F32.4	Major depressive disorder, Single episode, In partial remission
296.21	F32.0	Major depressive disorder, Single episode, Mild
296.22	F32.1	Major depressive disorder, Single episode, Moderate
296.23	F32.2	Major depressive disorder, Single episode, Severe
296.20	F32.9	Major depressive disorder, Single episode, Unspecified

296.24	F32.3	Major depressive disorder, Single episode, With psychotic features
331.9	G31.9	Major frontotemporal neurocognitive disorder, Possible
		[Frontotemporal disease +] Major frontotemporal neurocognitive disorder, Probable
[331.19 +] 294.11	[G31.09 +] F02.81	[Frontotemporal disease +] Major frontotemporal neurocognitive disorder, Probable, With behavioral disturbance
[331.19 +] 294.10	[G31.09 +] F02.80	[Frontotemporal disease +] Major frontotemporal neurocognitive disorder, Probable, Without behavioral disturbance
[331.19 +] 331.9	[G31.09 +] G31.9	Major neurocognitive disorder due to Alzheimer's disease, Possible
		[Alzheimer's disease +] Major neurocognitive disorder due to Alzheimer's disease, Probable
[331.0 +] 294.11	[G30.9 +] F02.81	[Alzheimer's disease +] Major neurocognitive disorder due to Alzheimer's disease, Probable, With behavioral disturbance
[331.0 +] 294.10	[G30.9 +] F02.80	[Alzheimer's disease +] Major neurocognitive disorder due to Alzheimer's disease, Probable, Without behavioral disturbance
		Major neurocognitive disorder due to another medical condition
294.11	F02.81	Major neurocognitive disorder due to another medical condition, With behavioral disturbance
294.10	F02.80	Major neurocognitive disorder due to another medical condition, Without behavioral disturbance
		[HIV infection +] Major neurocognitive disorder due to HIV infection
[042 +] 294.11	[B20 +] F02.81	[HIV infection +] Major neurocognitive disorder due to HIV infection, With behavioral disturbance
[042 +] 294.10	[B20 +] F02.80	[HIV infection +] Major neurocognitive disorder due to HIV infection, Without behavioral disturbance

		[Huntington's disease +] Major neurocognitive disorder due to Huntington's disease
[333.4 +] 294.11	[G10 +] F02.81	[Huntington's disease +] Major neurocognitive disorder due to Huntington's disease, With behavioral disturbance
[333.4 +] 294.10	[G10 +] F02.80	[Huntington's disease +] Major neurocognitive disorder due to Huntington's disease, Without behavioral disturbance
		Major neurocognitive disorder due to multiple etiologies
294.11	F02.81	Major neurocognitive disorder due to multiple etiologies, With behavioral disturbance
294.10	F02.80	Major neurocognitive disorder due to multiple etiologies, Without behavioral disturbance
331.9	G31.9	Major neurocognitive disorder due to Parkinson's disease, Possible
		[Parkinson's disease +] Major neurocognitive disorder due to Parkinson's disease, Probable
[332.0 +] 294.11	[G20 +] F02.81	[Parkinson's disease +] Major neurocognitive disorder due to Parkinson's disease, Probable, With behavioral disturbance
[332.0 +] 294.10	[G20 +] F02.80	[Parkinson's disease +] Major neurocognitive disorder due to Parkinson's disease, Probable, Without behavioral disturbance
		[Prion disease +] Major neurocognitive disorder due to prion disease
[046.79 +] 294.11	[A81.9 +] F02.81	[Prion disease +] Major neurocognitive disorder due to prion disease, With behavioral disturbance
[046.79 +] 294.10	[A81.9 +] F02.80	[Prion disease +] Major neurocognitive disorder due to prion disease, Without behavioral disturbance
		[Late effect of intracranial injury without skull fracture (ICD-9-CM) / Diffuse traumatic brain injury with loss of consciousness of unspecified duration, sequela (ICD-10-CM) +] Major neurocognitive disorder due to traumatic brain injury
[907.0 +] 294.11	[S06.2X9S +] F02.81	[Late effect of intracranial injury without skull fracture (ICD-9-CM) / Diffuse traumatic brain injury with loss of

		consciousness of unspecified duration, sequela (ICD-10-CM) +] Major neurocognitive disorder due to traumatic brain injury, With behavioral disturbance
[907.0 +] 294.10	[S06.2X9S +] F02.80	[Late effect of intracranial injury without skull fracture (ICD-9-CM) / Diffuse traumatic brain injury with loss of consciousness of unspecified duration, sequela (ICD-10-CM) +] Major neurocognitive disorder due to traumatic brain injury, Without behavioral disturbance
331.9	G31.9	Major neurocognitive disorder with Lewy bodies, Possible
		[Lewy body disease +] Major neurocognitive disorder with Lewy bodies, Probable
[331.82 +] 294.11	[G31.83 +] F02.81	[Lewy body disease +] Major neurocognitive disorder with Lewy bodies, Probable, With behavioral disturbance
[331.82 +] 294.10	[G31.83 +] F02.80	[Lewy body disease +] Major neurocognitive disorder with Lewy bodies, Probable, Without behavioral disturbance
331.9	G31.9	Major vascular neurocognitive disorder, Possible
		Major vascular neurocognitive disorder, Probable
290.40	F01.51	Major vascular neurocognitive disorder, Probable, With behavioral disturbance
290.40	F01.50	Major vascular neurocognitive disorder, Probable, Without behavioral disturbance
302.71	F52.0	Male hypoactive sexual desire disorder
V65.2	Z76.5	Malingering
333.99	G25.71	Medication-induced acute akathisia
333.72	G24.02	Medication-induced acute dystonia
292.81	see specific substances	Medication-induced delirium
292.81	see specific substances	Medication-induced delirium
333.1	G25.1	Medication-induced postural tremor
331.83	G31.84	Mild frontotemporal neurocognitive disorder

331.83	G31.84	Mild neurocognitive disorder due to Alzheimer's disease
331.83	G31.84	Mild neurocognitive disorder due to another medical condition
331.83	G31.84	Mild neurocognitive disorder due to HIV infection
331.83	G31.84	Mild neurocognitive disorder due to Huntington's disease
331.83	G31.84	Mild neurocognitive disorder due to multiple etiologies
331.83	G31.84	Mild neurocognitive disorder due to Parkinson's disease
331.83	G31.84	Mild neurocognitive disorder due to prion disease
331.83	G31.84	Mild neurocognitive disorder due to traumatic brain injury
331.83	G31.84	Mild neurocognitive disorder with Lewy bodies
331.83	G31.84	Mild vascular neurocognitive disorder
301.81	F60.81	Narcissistic personality disorder
		Narcolepsy
347.10	G47.429	Narcolepsy secondary to another medical condition
347.01	G47.411	Narcolepsy with cataplexy but without hypocretin deficiency
347.00	G47.419	Narcolepsy without cataplexy but with hypocretin deficiency
333.92	G21.0	Neuroleptic malignant syndrome
332.1	G21.11	Neuroleptic-induced parkinsonism
307.47	F51.5	Nightmare disorder
V71.09	Z03.89	No Diagnosis or Condition on Axis I / No Diagnosis on Axis II [DSM-IV]
V15.81	Z91.19	Nonadherence to medical treatment
		Non-rapid eye movement sleep arousal disorders
307.46	F51.4	Non-rapid eye movement sleep arousal disorders, Sleep terror type

307.46	F51.3	Non-rapid eye movement sleep arousal disorders, Sleepwalking type
294.8	F06.8	Obsessive-compulsive and related disorder due to another medical condition
300.3	F42	Obsessive-compulsive disorder
301.4	F60.5	Obsessive-compulsive personality disorder
327.23	G47.33	Obstructive sleep apnea hypopnea
292.89		Opioid intoxication
292.81		Opioid intoxication delirium
	F11.121	Opioid intoxication delirium, With mild use disorder
	F11.221	Opioid intoxication delirium, With moderate or severe use disorder
	F11.921	Opioid intoxication delirium, Without use disorder
		Opioid intoxication, With perceptual disturbances
	F11.122	Opioid intoxication, With perceptual disturbances, With mild use disorder
	F11.222	Opioid intoxication, With perceptual disturbances, With moderate or severe use disorder
	F11.922	Opioid intoxication, With perceptual disturbances, Without use disorder
		Opioid intoxication, Without perceptual disturbances
	F11.129	Opioid intoxication, Without perceptual disturbances, With mild use disorder
	F11.229	Opioid intoxication, Without perceptual disturbances, With moderate or severe use disorder
	F11.929	Opioid intoxication, Without perceptual disturbances, Without use disorder
		Opioid use disorder

305.50	F11.10	Opioid use disorder, Mild
304.00	F11.20	Opioid use disorder, Moderate
304.00	F11.20	Opioid use disorder, Severe
292.0	F11.23	Opioid withdrawal
292.0	F11.23	Opioid withdrawal delirium
292.89		Opioid-induced anxiety disorder
	F11.188	Opioid-induced anxiety disorder, With mild use disorder
	F11.288	Opioid-induced anxiety disorder, With moderate or severe use disorder
	F11.988	Opioid-induced anxiety disorder, Without use disorder
	F11.921	Opioid-induced delirium
292.84		Opioid-induced depressive disorder
	F11.14	Opioid-induced depressive disorder, With mild use disorder
	F11.24	Opioid-induced depressive disorder, With moderate or severe use disorder
	F11.94	Opioid-induced depressive disorder, Without use disorder
292.89		Opioid-induced sexual dysfunction
	F11.181	Opioid-induced sexual dysfunction, With mild use disorder
	F11.281	Opioid-induced sexual dysfunction, With moderate or severe use disorder
	F11.981	Opioid-induced sexual dysfunction, Without use disorder
292.85		Opioid-induced sleep disorder
	F11.182	Opioid-induced sleep disorder, With mild use disorder
	F11.282	Opioid-induced sleep disorder, With moderate or severe use disorder
	F11.982	Opioid-induced sleep disorder, Without use disorder

313.81	F91.3	Oppositional defiant disorder
292.89		Other (or unknown) substance intoxication
292.81		Other (or unknown) substance intoxication delirium
	F19.121	Other (or unknown) substance intoxication delirium, With mild use disorder
	F19.221	Other (or unknown) substance intoxication delirium, With moderate or severe use disorder
	F19.921	Other (or unknown) substance intoxication delirium, Without use disorder
	F19.129	Other (or unknown) substance intoxication, With mild use disorder
	F19.229	Other (or unknown) substance intoxication, With moderate or severe use disorder
	F19.929	Other (or unknown) substance intoxication, Without use disorder
		Other (or unknown) substance use disorder
305.90	F19.10	Other (or unknown) substance use disorder, Mild
304.90	F19.20	Other (or unknown) substance use disorder, Moderate
304.90	F19.20	Other (or unknown) substance use disorder, Severe
292.0	F19.239	Other (or unknown) substance withdrawal
292.0	F19.231	Other (or unknown) substance withdrawal delirium
292.89		Other (or unknown) substance-induced anxiety disorder
	F19.180	Other (or unknown) substance-induced anxiety disorder, With mild use disorder
	F19.280	Other (or unknown) substance-induced anxiety disorder, With moderate or severe use disorder
	F19.980	Other (or unknown) substance-induced anxiety disorder, Without use disorder

292.84		Other (or unknown) substance-induced bipolar and related disorder
	F19.14	Other (or unknown) substance-induced bipolar and related disorder, With mild use disorder
	F19.24	Other (or unknown) substance-induced bipolar and related disorder, With moderate or severe use disorder
	F19.94	Other (or unknown) substance-induced bipolar and related disorder, Without use disorder
	F19.921	Other (or unknown) substance-induced delirium
292.84		Other (or unknown) substance-induced depressive disorder
	F19.14	Other (or unknown) substance-induced depressive disorder, With mild use disorder
	F19.24	Other (or unknown) substance-induced depressive disorder, With moderate or severe use disorder
	F19.94	Other (or unknown) substance-induced depressive disorder, Without use disorder
292.82		Other (or unknown) substance-induced major neurocognitive disorder
	F19.17	Other (or unknown) substance-induced major neurocognitive disorder, With mild use disorder
	F19.27	Other (or unknown) substance-induced major neurocognitive disorder, With moderate or severe use disorder
	F19.97	Other (or unknown) substance-induced major neurocognitive disorder, Without use disorder
292.89		Other (or unknown) substance-induced mild neurocognitive disorder
	F19.188	Other (or unknown) substance-induced mild neurocognitive disorder, With mild use disorder
	F19.288	Other (or unknown) substance-induced mild neurocognitive disorder, With moderate or severe use disorder

	F19.988	Other (or unknown) substance-induced mild neurocognitive disorder, Without use disorder
292.89		Other (or unknown) substance-induced obsessive-compulsive and related disorder
	F19.188	Other (or unknown) substance-induced obsessive-compulsive and related disorder, With mild use disorder
	F19.288	Other (or unknown) substance-induced obsessive-compulsive and related disorder, With moderate or severe use disorder
	F19.988	Other (or unknown) substance-induced obsessive-compulsive and related disorder, Without use disorder
292.9		Other (or unknown) substance-induced psychotic disorder
	F19.159	Other (or unknown) substance-induced psychotic disorder, With mild use disorder
	F19.259	Other (or unknown) substance-induced psychotic disorder, With moderate or severe use disorder
	F19.959	Other (or unknown) substance-induced psychotic disorder, Without use disorder
292.89		Other (or unknown) substance-induced sexual dysfunction
	F19.181	Other (or unknown) substance-induced sexual dysfunction, With mild use disorder
	F19.281	Other (or unknown) substance-induced sexual dysfunction, With moderate or severe use disorder
	F19.981	Other (or unknown) substance-induced sexual dysfunction, Without use disorder
292.85		Other (or unknown) substance-induced sleep disorder
	F19.182	Other (or unknown) substance-induced sleep disorder, With mild use disorder
	F19.282	Other (or unknown) substance-induced sleep disorder, With moderate or severe use disorder

	F19.982	Other (or unknown) substance-induced sleep disorder, Without use disorder
		Other adverse effect of medication
995.20	T50.905A	Other adverse effect of medication, Initial encounter
995.20	T50.905S	Other adverse effect of medication, Sequelae
995.20	T50.905D	Other adverse effect of medication, Subsequent encounter
		Other circumstances related to adult abuse by nonspouse or nonpartner
V62.83	Z69.82	Other circumstances related to adult abuse by nonspouse or nonpartner, Encounter for mental health services for perpetrator of nonspousal adult abuse
V65.49	Z69.81	Other circumstances related to adult abuse by nonspouse or nonpartner, Encounter for mental health services for victim of nonspousal adult abuse
		Other circumstances related to child neglect
V62.83	Z69.021	Other circumstances related to child neglect, Encounter for mental health services for perpetrator of nonparental child neglect
V61.22	Z69.011	Other circumstances related to child neglect, Encounter for mental health services for perpetrator of parental child neglect
V61.21	Z69.010	Other circumstances related to child neglect, Encounter for mental health services for victim of child neglect by parent
V61.21	Z69.020	Other circumstances related to child neglect, Encounter for mental health services for victim of nonparental child neglect
		Other circumstances related to child physical abuse
V62.83	Z69.021	Other circumstances related to child physical abuse, Encounter for mental health services for perpetrator of nonparental child abuse
V61.22	Z69.011	Other circumstances related to child physical abuse, Encounter for mental health services for perpetrator of parental child abuse

V61.21	Z69.010	Other circumstances related to child physical abuse, Encounter for mental health services for victim of child abuse by parent
V61.21	Z69.020	Other circumstances related to child physical abuse, Encounter for mental health services for victim of nonparental child abuse
		Other circumstances related to child psychological abuse
V62.83	Z69.021	Other circumstances related to child psychological abuse, Encounter for mental health services for perpetrator of nonparental child psychological abuse
V61.22	Z69.011	Other circumstances related to child psychological abuse, Encounter for mental health services for perpetrator of parental child psychological abuse
V61.21	Z69.010	Other circumstances related to child psychological abuse, Encounter for mental health services for victim of child psychological abuse by parent
V61.21	Z69.020	Other circumstances related to child psychological abuse, Encounter for mental health services for victim of nonparental child psychological abuse
		Other circumstances related to child sexual abuse
V62.83	Z69.021	Other circumstances related to child sexual abuse, Encounter for mental health services for perpetrator of nonparental child sexual abuse
V61.22	Z69.011	Other circumstances related to child sexual abuse, Encounter for mental health services for perpetrator of parental child sexual abuse
V61.21	Z69.010	Other circumstances related to child sexual abuse, Encounter for mental health services for victim of child sexual abuse by parent
V61.21	Z69.020	Other circumstances related to child sexual abuse, Encounter for mental health services for victim of nonparental child sexual abuse
		Other circumstances related to spouse or partner abuse, Psychological

V61.12	Z69.12	Other circumstances related to spouse or partner abuse, Psychological, Encounter for mental health services for perpetrator of spouse or partner psychological abuse
V61.11	Z69.11	Other circumstances related to spouse or partner abuse, Psychological, Encounter for mental health services for victim of spouse or partner psychological abuse
		Other circumstances related to spouse or partner neglect
V61.12	Z69.12	Other circumstances related to spouse or partner neglect, Encounter for mental health services for perpetrator of spouse or partner neglect
V61.11	Z69.11	Other circumstances related to spouse or partner neglect, Encounter for mental health services for victim of spouse or partner neglect
		Other circumstances related to spouse or partner violence, Physical
V61.12	Z69.12	Other circumstances related to spouse or partner violence, Physical, Encounter for mental health services for perpetrator of spouse or partner violence
V61.11	Z69.11	Other circumstances related to spouse or partner violence, Physical, Encounter for mental health services for victim of spouse or partner violence
		Other circumstances related to spouse or partner violence, Sexual
V61.12	Z69.12	Other circumstances related to spouse or partner violence, Sexual, Encounter for mental health services for perpetrator of spouse or partner violence
V61.11	Z69.81	Other circumstances related to spouse or partner violence, Sexual, Encounter for mental health services for victim of spouse or partner violence
V65.40	Z71.9	Other counseling or consultation
292.89		Other hallucinogen intoxication
292.81		Other hallucinogen intoxication delirium

	F16.121	Other hallucinogen intoxication delirium, With mild use disorder
	F16.221	Other hallucinogen intoxication delirium, With moderate or severe use disorder
	F16.921	Other hallucinogen intoxication delirium, Without use disorder
	F16.129	Other hallucinogen intoxication, With mild use disorder
	F16.229	Other hallucinogen intoxication, With moderate or severe use disorder
	F16.929	Other hallucinogen intoxication, Without use disorder
		Other hallucinogen use disorder
305.30	F16.10	Other hallucinogen use disorder, Mild
304.50	F16.20	Other hallucinogen use disorder, Moderate
304.50	F16.20	Other hallucinogen use disorder, Severe
292.89		Other hallucinogen-induced anxiety disorder
	F16.180	Other hallucinogen-induced anxiety disorder, With mild use disorder
	F16.280	Other hallucinogen-induced anxiety disorder, With moderate or severe use disorder
	F16.980	Other hallucinogen-induced anxiety disorder, Without use disorder
292.84		Other hallucinogen-induced bipolar and related disorder
	F16.14	Other hallucinogen-induced bipolar and related disorder, With mild use disorder
	F16.24	Other hallucinogen-induced bipolar and related disorder, With moderate or severe use disorder
	F16.94	Other hallucinogen-induced bipolar and related disorder, Without use disorder
292.84		Other hallucinogen-induced depressive disorder

	F16.14	Other hallucinogen-induced depressive disorder, With mild use disorder
	F16.24	Other hallucinogen-induced depressive disorder, With moderate or severe use disorder
	F16.94	Other hallucinogen-induced depressive disorder, Without use disorder
292.9		Other hallucinogen-induced psychotic disorder
	F16.159	Other hallucinogen-induced psychotic disorder, With mild use disorder
	F16.259	Other hallucinogen-induced psychotic disorder, With moderate or severe use disorder
	F16.959	Other hallucinogen-induced psychotic disorder, Without use disorder
333.99	G25.79	Other medication-induced movement disorder
332.1	G21.19	Other medication-induced parkinsonism
		Other or unspecified stimulant use disorder
305.70	F15.10	Other or unspecified stimulant use disorder, Mild
304.40	F15.20	Other or unspecified stimulant use disorder, Moderate
304.40	F15.20	Other or unspecified stimulant use disorder, Severe
V15.49	Z91.49	Other personal history of psychological trauma
V15.89	Z91.89	Other personal risk factors
V62.29	Z56.9	Other problem related to employment
V62.89	Z65.8	Other problem related to psychosocial circumstances
300.09	F41.8	Other specified anxiety disorder
314.01	F90.8	Other specified attention-deficit/hyperactivity disorder
296.89	F31.89	Other specified bipolar and related disorder
780.09	R41.0	Other specified delirium

311	F32.8	Other specified depressive disorder
312.89	F91.8	Other specified disruptive, impulse-control, and conduct disorder
300.15	F44.89	Other specified dissociative disorder
		Other specified elimination disorder
787.60	R15.9	Other specified elimination disorder, With fecal symptoms
788.39	N39.498	Other specified elimination disorder, With urinary symptoms
307.59	F50.8	Other specified feeding or eating disorder
302.6	F64.8	Other specified gender dysphoria
780.54	G47.19	Other specified hypersomnolence disorder
780.52	G47.09	Other specified insomnia disorder
300.9	F99	Other specified mental disorder
294.8	F06.8	Other specified mental disorder due to another medical condition
315.8	F88	Other specified neurodevelopmental disorder
300.3	F42	Other specified obsessive-compulsive and related disorder
302.89	F65.89	Other specified paraphilic disorder
301.89	F60.89	Other specified personality disorder
298.8	F28	Other specified schizophrenia spectrum and other psychotic disorder
302.79	F52.8	Other specified sexual dysfunction
780.59	G47.8	Other specified sleep-wake disorder
300.89	F45.8	Other specified somatic symptom and related disorder
307.20	F95.8	Other specified tic disorder
309.89	F43.8	Other specified trauma- and stressor-related disorder
278.00	E66.9	Overweight or obesity

		Panic attack specifier
300.01	F41.0	Panic disorder
301.0	F60.0	Paranoid personality disorder
V61.20	Z62.820	Parent-child relational problem
302.2	F65.4	Pedophilic disorder
307.22	F95.1	Persistent (chronic) motor or vocal tic disorder
300.4	F34.1	Persistent depressive disorder (dysthymia)
V15.42	Z62.812	Personal history (past history) of neglect in childhood
V15.41	Z62.810	Personal history (past history) of physical abuse in childhood
V15.42	Z62.811	Personal history (past history) of psychological abuse in childhood
V15.41	Z62.810	Personal history (past history) of sexual abuse in childhood
V15.42	Z91.412	Personal history (past history) of spouse or partner neglect
V15.42	Z91.411	Personal history (past history) of spouse or partner psychological abuse
V15.41	Z91.410	Personal history (past history) of spouse or partner violence, Physical
V15.41	Z91.410	Personal history (past history) of spouse or partner violence, Sexual
V62.22	Z91.82	Personal history of military deployment
V15.59	Z91.5	Personal history of self-harm
310.1	F07.0	Personality change due to another medical condition
V62.89	Z60.0	Phase of life problem
292.89		Phencyclidine intoxication
292.81		Phencyclidine intoxication delirium
	F16.121	Phencyclidine intoxication delirium, With mild use disorder

	F16.221	Phencyclidine intoxication delirium, With moderate or severe use disorder
	F16.921	Phencyclidine intoxication delirium, Without use disorder
	F16.129	Phencyclidine intoxication, With mild use disorder
	F16.229	Phencyclidine intoxication, With moderate or severe use disorder
	F16.929	Phencyclidine intoxication, Without use disorder
		Phencyclidine use disorder
305.90	F16.10	Phencyclidine use disorder, Mild
304.60	F16.20	Phencyclidine use disorder, Moderate
304.60	F16.20	Phencyclidine use disorder, Severe
292.89		Phencyclidine-induced anxiety disorder
	F16.180	Phencyclidine-induced anxiety disorder, With mild use disorder
	F16.280	Phencyclidine-induced anxiety disorder, With moderate or severe use disorder
	F16.980	Phencyclidine-induced anxiety disorder, Without use disorder
292.84		Phencyclidine-induced bipolar and related disorder
	F16.14	Phencyclidine-induced bipolar and related disorder, With mild use disorder
	F16.24	Phencyclidine-induced bipolar and related disorder, With moderate or severe use disorder
	F16.94	Phencyclidine-induced bipolar and related disorder, Without use disorder
292.84		Phencyclidine-induced depressive disorder
	F16.14	Phencyclidine-induced depressive disorder, With mild use disorder

	F16.24	Phencyclidine-induced depressive disorder, With moderate or severe use disorder
	F16.94	Phencyclidine-induced depressive disorder, Without use disorder
292.9		Phencyclidine-induced psychotic disorder
	F16.159	Phencyclidine-induced psychotic disorder, With mild use disorder
	F16.259	Phencyclidine-induced psychotic disorder, With moderate or severe use disorder
	F16.959	Phencyclidine-induced psychotic disorder, Without use disorder
307.52		Pica
	F50.8	Pica, In adults
	F98.3	Pica, In children
309.81	F43.10	Posttraumatic stress disorder
302.75	F52.4	Premature (early) ejaculation
625.4	N94.3	Premenstrual dysphoric disorder
V62.21	Z56.82	Problem related to current military deployment status
V69.9	Z72.9	Problem related to lifestyle
V60.3	Z60.2	Problem related to living alone
V60.6	Z59.3	Problem related to living in a residential institution
V61.5	Z64.1	Problems related to multiparity
V62.5	Z65.3	Problems related to other legal circumstances
V62.5	Z65.2	Problems related to release from prison
V61.7	Z64.0	Problems related to unwanted pregnancy
307.21	F95.0	Provisional tic disorder

316	F54	Psychological factors affecting other medical conditions
		Psychotic disorder due to another medical condition
293.81	F06.2	Psychotic disorder due to another medical condition, With delusions
293.82	F06.0	Psychotic disorder due to another medical condition, With hallucinations
312.33	F63.1	Pyromania
327.42	G47.52	Rapid eye movement sleep behavior disorder
313.89	F94.1	Reactive attachment disorder
V61.10	Z63.0	Relationship distress with spouse or intimate partner
V62.89	Z65.8	Religious or spiritual problem
333.94	G25.81	Restless legs syndrome
307.53	F98.21	Rumination disorder
		Schizoaffective disorder
295.70	F25.0	Schizoaffective disorder, Bipolar type
295.70	F25.1	Schizoaffective disorder, Depressive type
301.20	F60.1	Schizoid personality disorder
295.90	F20.9	Schizophrenia
295.40	F20.81	Schizophreniform disorder
301.22	F21	Schizotypal personality disorder
292.89		Sedative, hypnotic, or anxiolytic intoxication
292.81		Sedative, hypnotic, or anxiolytic intoxication delirium
	F13.121	Sedative, hypnotic, or anxiolytic intoxication delirium, With mild use disorder
	F13.221	Sedative, hypnotic, or anxiolytic intoxication delirium, With moderate or severe use disorder

	F13.921	Sedative, hypnotic, or anxiolytic intoxication delirium, Without use disorder
	F13.129	Sedative, hypnotic, or anxiolytic intoxication, With mild use disorder
	F13.229	Sedative, hypnotic, or anxiolytic intoxication, With moderate or severe use disorder
	F13.929	Sedative, hypnotic, or anxiolytic intoxication, Without use disorder
		Sedative, hypnotic, or anxiolytic use disorder
305.40	F13.10	Sedative, hypnotic, or anxiolytic use disorder, Mild
304.10	F13.20	Sedative, hypnotic, or anxiolytic use disorder, Moderate
304.10	F13.20	Sedative, hypnotic, or anxiolytic use disorder, Severe
292.0		Sedative, hypnotic, or anxiolytic withdrawal
292.0	F13.231	Sedative, hypnotic, or anxiolytic withdrawal delirium
	F13.232	Sedative, hypnotic, or anxiolytic withdrawal, With perceptual disturbances
	F13.239	Sedative, hypnotic, or anxiolytic withdrawal, Without perceptual disturbances
292.89		Sedative-, hypnotic-, or anxiolytic-induced anxiety disorder
	F13.180	Sedative-, hypnotic-, or anxiolytic-induced anxiety disorder, With mild use disorder
	F13.280	Sedative-, hypnotic-, or anxiolytic-induced anxiety disorder, With moderate or severe use disorder
	F13.980	Sedative-, hypnotic-, or anxiolytic-induced anxiety disorder, Without use disorder
292.84		Sedative-, hypnotic-, or anxiolytic-induced bipolar and related disorder
	F13.14	Sedative-, hypnotic-, or anxiolytic-induced bipolar and related disorder, With mild use disorder

	F13.24	Sedative-, hypnotic-, or anxiolytic-induced bipolar and related disorder, With moderate or severe use disorder
	F13.94	Sedative-, hypnotic-, or anxiolytic-induced bipolar and related disorder, Without use disorder
	F13.921	Sedative-, hypnotic-, or anxiolytic-induced delirium
292.84		Sedative-, hypnotic-, or anxiolytic-induced depressive disorder
	F13.14	Sedative-, hypnotic-, or anxiolytic-induced depressive disorder, With mild use disorder
	F13.24	Sedative-, hypnotic-, or anxiolytic-induced depressive disorder, With moderate or severe use disorder
	F13.94	Sedative-, hypnotic-, or anxiolytic-induced depressive disorder, Without use disorder
292.82		Sedative-, hypnotic-, or anxiolytic-induced major neurocognitive disorder
	F13.27	Sedative-, hypnotic-, or anxiolytic-induced major neurocognitive disorder, With moderate or severe use disorder
	F13.97	Sedative-, hypnotic-, or anxiolytic-induced major neurocognitive disorder, Without use disorder
292.89		Sedative-, hypnotic-, or anxiolytic-induced mild neurocognitive disorder
	F13.288	Sedative-, hypnotic-, or anxiolytic-induced mild neurocognitive disorder, With moderate or severe use disorder
	F13.988	Sedative-, hypnotic-, or anxiolytic-induced mild neurocognitive disorder, Without use disorder
292.9		Sedative-, hypnotic-, or anxiolytic-induced psychotic disorder
	F13.159	Sedative-, hypnotic-, or anxiolytic-induced psychotic disorder, With mild use disorder

	F13.259	Sedative-, hypnotic-, or anxiolytic-induced psychotic disorder, With moderate or severe use disorder
	F13.959	Sedative-, hypnotic-, or anxiolytic-induced psychotic disorder, Without use disorder
292.89		Sedative-, hypnotic-, or anxiolytic-induced sexual dysfunction
	F13.181	Sedative-, hypnotic-, or anxiolytic-induced sexual dysfunction, With mild use disorder
	F13.281	Sedative-, hypnotic-, or anxiolytic-induced sexual dysfunction, With moderate or severe use disorder
	F13.981	Sedative-, hypnotic-, or anxiolytic-induced sexual dysfunction, Without use disorder
292.85		Sedative-, hypnotic-, or anxiolytic-induced sleep disorder
	F13.182	Sedative-, hypnotic-, or anxiolytic-induced sleep disorder, With mild use disorder
	F13.282	Sedative-, hypnotic-, or anxiolytic-induced sleep disorder, With moderate or severe use disorder
	F13.982	Sedative-, hypnotic-, or anxiolytic-induced sleep disorder, Without use disorder
313.23	F94.0	Selective mutism
309.21	F93.0	Separation anxiety disorder
V65.49	Z70.9	Sex counseling
302.83	F65.51	Sexual masochism disorder
302.84	F65.52	Sexual sadism disorder
V61.8	Z62.891	Sibling relational problem
		Sleep-related hypoventilation
315.39	F80.89	Social (pragmatic) communication disorder
300.23	F40.10	Social anxiety disorder (social phobia)

V62.4	Z60.4	Social exclusion or rejection
300.82	F45.1	Somatic symptom disorder
		Specific learning disorder
315.1	F81.2	Specific learning disorder, With impairment in mathematics
315.00	F81.0	Specific learning disorder, With impairment in reading
315.2	F81.81	Specific learning disorder, With impairment in written expression
		Specific phobia
300.29	F40.218	Specific phobia, Animal
300.29		Specific phobia, Blood-injection-injury
	F40.230	Specific phobia, Fear of blood
	F40.231	Specific phobia, Fear of injections and transfusions
	F40.233	Specific phobia, Fear of injury
	F40.232	Specific phobia, Fear of other medical care
300.29	F40.228	Specific phobia, Natural environment
300.29	F40.298	Specific phobia, Other
300.29	F40.248	Specific phobia, Situational
315.39	F80.0	Speech sound disorder
		Spouse or partner abuse, Psychological, Confirmed
995.82	T74.31XA	Spouse or partner abuse, Psychological, Confirmed, Initial encounter
995.82	T74.31XD	Spouse or partner abuse, Psychological, Confirmed, Subsequent encounter
		Spouse or partner abuse, Psychological, Suspected
995.82	T76.31XA	Spouse or partner abuse, Psychological, Suspected, Initial encounter

995.82	T76.31XD	Spouse or partner abuse, Psychological, Suspected, Subsequent encounter
		Spouse or partner neglect, Confirmed
995.85	T74.01XA	Spouse or partner neglect, Confirmed, Initial encounter
995.85	T74.01XD	Spouse or partner neglect, Confirmed, Subsequent encounter
		Spouse or partner neglect, Suspected
995.85	T76.01XA	Spouse or partner neglect, Suspected, Initial encounter
995.85	T76.01XD	Spouse or partner neglect, Suspected, Subsequent encounter
		Spouse or partner violence, Physical, Confirmed
995.81	T74.11XA	Spouse or partner violence, Physical, Confirmed, Initial encounter
995.81	T74.11XD	Spouse or partner violence, Physical, Confirmed, Subsequent encounter
		Spouse or partner Violence, Physical, Suspected
995.81	T76.11XA	Spouse or partner Violence, Physical, Suspected, Initial encounter
995.81	T76.11XD	Spouse or partner Violence, Physical, Suspected, Subsequent encounter
		Spouse or partner Violence, Sexual, Confirmed
995.83	T74.21XA	Spouse or partner Violence, Sexual, Confirmed, Initial encounter
995.83	T74.21XD	Spouse or partner Violence, Sexual, Confirmed, Subsequent encounter
		Spouse or partner Violence, Sexual, Suspected
995.83	T76.21XA	Spouse or partner Violence, Sexual, Suspected, Initial encounter
995.83	T76.21XD	Spouse or partner Violence, Sexual, Suspected, Subsequent encounter

307.3	F98.4	Stereotypic movement disorder
see specific substances	see specific substances	Stimulant intoxication
see specific substances	see specific substances	Stimulant use disorder
see specific substances	see specific substances	Stimulant withdrawal
see specific substances	see specific substances	Substance intoxication delirium
see specific substances	see specific substances	Substance intoxication delirium
see specific substances	see specific substances	Substance withdrawal delirium
see specific substances	see specific substances	Substance withdrawal delirium
see specific substances	see specific substances	Substance/medication-induced anxiety disorder
see specific substances	see specific substances	Substance/medication-induced bipolar and related disorder
see specific substances	see specific substances	Substance/medication-induced depressive disorder
see specific substances	see specific substances	Substance/medication-induced major or mild neurocognitive disorder
see specific substances	see specific substances	Substance/medication-induced obsessive-compulsive and related disorder
see specific substances	see specific substances	Substance/medication-induced psychotic disorder
see specific substances	see specific substances	Substance/medication-induced sexual dysfunction
see specific substances	see specific substances	Substance/medication-induced sleep disorder

333.99	G25.71	Tardive akathisia
333.85	G24.01	Tardive dyskinesia
333.72	G24.09	Tardive dystonia
V62.4	Z60.5	Target of (perceived) adverse discrimination or persecution
		Tobacco use disorder
305.1	Z72.0	Tobacco use disorder, Mild
305.1	F17.200	Tobacco use disorder, Moderate
305.1	F17.200	Tobacco use disorder, Severe
292.0	F17.203	Tobacco withdrawal
292.85		Tobacco-induced sleep disorder
	F17.208	Tobacco-induced sleep disorder, With moderate or severe use disorder
307.23	F95.2	Tourette's disorder
302.3	F65.1	Transvestic disorder
312.39	F63.3	Trichotillomania (hair-pulling disorder)
V63.9	Z75.3	Unavailability or inaccessibility of health care facilities
V63.8	Z75.4	Unavailability or inaccessibility of other helping agencies
V62.82	Z63.4	Uncomplicated bereavement
291.9	F10.99	Unspecified alcohol-related disorder
	F15.99	Unspecified amphetamine or other stimulant-related disorder
300.00	F41.9	Unspecified anxiety disorder
314.01	F90.9	Unspecified attention-deficit/hyperactivity disorder
296.80	F31.9	Unspecified bipolar and related disorder
292.9	F15.99	Unspecified caffeine-related disorder
292.9	F12.99	Unspecified cannabis-related disorder

[781.99 +] 293.89	[R29.818 +] F06.1	[Other symptoms involving nervous and musculoskeletal systems +] Unspecified catatonia
	F14.99	Unspecified cocaine-related disorder
307.9	F80.9	Unspecified communication disorder
780.09	R41.0	Unspecified delirium
311	F32.9	Unspecified depressive disorder
312.9	F91.9	Unspecified disruptive, impulse-control, and conduct disorder
300.15	F44.9	Unspecified dissociative disorder
		Unspecified elimination disorder
787.60	R15.9	Unspecified elimination disorder, With fecal symptoms
788.30	R32	Unspecified elimination disorder, With urinary symptoms
307.50	F50.9	Unspecified feeding or eating disorder
302.6	F64.9	Unspecified gender dysphoria
292.9	F16.99	Unspecified hallucinogen-related disorder
V60.9	Z59.9	Unspecified housing or economic problem
780.54	G47.10	Unspecified hypersomnolence disorder
292.9	F18.99	Unspecified inhalant-related disorder
780.52	G47.00	Unspecified insomnia disorder
319	F79	Unspecified intellectual disability (intellectual developmental disorder)
300.9	F99	Unspecified mental disorder
294.9	F09	Unspecified mental disorder due to another medical condition
799.59	R41.9	Unspecified neurocognitive disorder
315.9	F89	Unspecified neurodevelopmental disorder

300.3	F42	Unspecified obsessive-compulsive and related disorder
292.9	F11.99	Unspecified opioid-related disorder
292.9	F19.99	Unspecified other (or unknown) substance-related disorder
302.9	F65.9	Unspecified paraphilic disorder
301.9	F60.9	Unspecified personality disorder
292.9	F16.99	Unspecified phencyclidine-related disorder
V62.9	Z60.9	Unspecified problem related to social environment
V62.9	Z65.9	Unspecified problem related to unspecified psychosocial circumstances
298.9	F29	Unspecified schizophrenia spectrum and other psychotic disorder
292.9	F13.99	Unspecified sedative-, hypnotic-, or anxiolytic-related disorder
302.70	F52.9	Unspecified sexual dysfunction
780.59	G47.9	Unspecified sleep-wake disorder
300.82	F45.9	Unspecified somatic symptom and related disorder
292.9		Unspecified stimulant-related disorder
307.20	F95.9	Unspecified tic disorder
292.9	F17.209	Unspecified tobacco-related disorder
309.9	F43.9	Unspecified trauma- and stressor-related disorder
V61.8	Z62.29	Upbringing away from parents
V62.89	Z65.4	Victim of crime
V62.89	Z65.4	Victim of terrorism or torture
302.82	F65.3	Voyeuristic disorder
V40.31	Z91.83	Wandering associated with a mental disorder



## References

U.S. Centers for Medicare and Medicaid Services. (2023, September 6). *ICD code lists*. Centers for Medicare & Medicaid Services | CMS. <https://www.cms.gov/medicare/coordination-benefits-recovery/overview/icd-code-lists>

U.S. Centers for Medicare and Medicaid Services. (2023, September 6). *List of CPT/HCPCS codes*. Centers for Medicare & Medicaid Services | CMS. <https://www.cms.gov/medicare/regulations-guidance/physician-self-referral/list-cpt/hcpcs-codes>