

CERTIFICATE OF ANALYSIS

prepared for: COOL CLEAN LABS

915 BLUE GENTIAN RD EAGAN, MN 55121

AT17-NJFARM-TINK-030520

Batch ID:	N/A	Test ID:	T000066517
Reported:	20-Mar-2020	Method:	Arsenic = Arsenic EPA 6020A (mod), Cadmium = Cadmium EPA 6020A (mod), Lead = Lead EPA 6020A (mod), Mercury = Mercury EPA 6020A (mod)
Туре:	Other		
Test:	Metals		

HEAVY METALS

Compound	Reporting Limit (ppm)	Result (ppm)	
Arsenic	0.05	<0.05	
Cadmium	0.05	<0.05	
Lead	0.05	<0.05	
Mercury	0.05	<0.05	

FINAL APPROVAL

Famuel Westman

PREPARED BY / DATE

Daniel Weidensaul 20-Mar-2020 4:57 PM

Greg Zimpfer 20-Mar-2020 5:20 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.