

CERTIFICATE OF ANALYSIS

prepared for: COOL CLEAN LABS

915 BLUE GENTIAN RD EAGAN, MN 55121

AT50-NJFARM-TINK-030520

 Batch ID:
 N/A
 Test ID:
 T000066523

 Reported:
 20-Mar-2020
 Method:
 Arsenic = Arsenic EPA 6020A (mod), Cadmium = Cadmium EPA 6020A (mod), Lead = Lead EPA 6020A (mod), Mercury = Mercury EPA 6020A (mod)

 Type:
 Other

HEAVY METALS

Compound	Reporting Limit (ppm)	Result (ppm)	
Arsenic	0.05	<0.05	
Cadmium	0.05	<0.05	
Lead	0.05	<0.05	
Mercury	0.05	<0.05	

FINAL APPROVAL

Daniel Wortoward

Daniel Weidensaul 20-Mar-2020 4:57 PM

An Jal

Greg Zimpfer 20-Mar-2020 5:20 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.