2020 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550) MAJOR PRODUCT CHANGES

OVERVIEW

The 2020 Super Duty® Chassis Cab reinforces the long tradition of F-Series toughness and continues to meet the needs of a multitude of commercial vocations, as well as personal use towing customers. Trademark "Built Ford Tough®" attributes such as capability to get the job done, quality, reliability, power, breadth and depth of product choices are solidly behind Chassis Cab users.

MODEL/SERIES/AVAILABILITY

XL, XLT, Lariat

MECHANICAL

New/Changed *

- 7.3L 2V DEVCT NA PFI V8 Gas Engine (99N) TorqShift® Ten-Speed Automatic Transmission with Selectable Drive Modes: Normal, Tow/Haul, Eco & Deep Sand/Snow (44G) (includes Transmission Power Take-Off Provision w/ 6.7L Power Stroke® Diesel engine
- Deleted
 - 6.8L 3 Valve Gas Engine (99Y)

EXTERIOR

- New/Changed *
- None Deleted
- - 225/70Rx19.5G BSW A/S (TFB) 225/70Rx19.5G BSW Traction (THB)
- 225/70Rx19.5G BSW A/S (TGB)
- ★ New Colors
 - Iconic Silver (JS)
 - Rapid Red Metallic Tinted Clearcoat (D4)
 - Star White Metallic Tri-Coat (AZ)
 - Velocity Blue (E7)
- Deleted Colors
 - Ingot Silver (UX)
 - Magma Red (E2)
 - Ruby Red Metallic Tinted Clearcoat (RR)
 - White Platinum Metallic Tri-Coat (UG)

INTERIOR/COMFORT

- New/Changed
- None
- Deleted
- None

SAFETY/SECURITY

New/Changed

- Deleted .
 - Rear Inflatable Seat Belts (555)
 - Driver/Passenger Side Airbags/Curtains Delete (556)
 - Frontal Passenger and Side Airbags/Curtains Delete (557)

★DRIVER ASSIST

- ★ New/Changed
 - Audible Lane Departure Warning (60C) optional — Automatic High Beam – standard
 - FordPass™ Čonnect 4G Wi-Fi Modem standard
 - Pre-Collision Assist with Automatic Emergency Braking (AEB) and Forward Collision Warning (94P) - optional SYNC® - standard on XL
 - SYNC® 3 standard on XLT and Lariat

FUNCTIONAL

- New/Changed
 - Heated Windshield Wiper Park (includes Rain-Sensing Windshield Wipers) (60W) - optional on Lariat; standard on King Ranch[®]. Platinum and Limited
 - Fog Lamps (595) opttional on XL and XLT; standard on Lariat

PACKAGES

- ★ New/Changed
- Deleted
 - Fleet Telematics Modem (87T)

Product Changes and Features Availability

Features, options and package content subject to change. Please check www.fmcdealer.com for the most current information.

2020 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550) MAJOR PRODUCT SUMMARY

The all-new 2020 F-SUPER DUTY® reinforces the tough image of the F-Series and continues to meet the needs of both commercial and personal use towing customers

The following equipment is standard as indicated. Each series includes the standard equipment of the previous series, except where otherwise noted All XL content, plus All XLT content, plus:
 MECHANICAL

 • Brakes – Four-wheel Disc Brakes; Anti-lock Brake System (ABS)

 • Electronic-Shift-On-the-Fly (ESOF) (4x4 only)
 EXTERIOR EXTERIOR NTERION Bumper – front, chrome Grille – two (2) bar, bright chrome Wheels – F-350 SRW – 18" Argent Painted Steel Wheel w/Painted Hub Fog lamps Grille – two (2) bar, chrome (includes additional chrome inserts) Handles - door, body-color Engine – 6.2L 2 Valve Gas SOHC EFI NA V8 (Flex-Fuel) (F-350)
 – 7.3L 2V DEVCT NA PFI V8 Gas (F-450/F-550)
 Transmission – Ten-Speed Automatic Transmission with Selectable Cover/Center Ornaments Wheels INTERIOR/COMFORT F-350 SRW – 18" Bright Machined Cast Aluminum w/Magnetic 4.2" LCD Productivity Screen in IP Cluster w/Compass display Painted Pockets and Bright Hub Covers/Center Ornaments F-350 DRW – 17" Forged Polished Aluminum w/bright hub Auxiliary audio input jack Auxiliary audio input jack Door-trim – soft armrest, grab handle, power window/lock switches and reflector; front map pockets on Regular Cab and SuperCab; front and Drive Modes: Normal, Tow/Haul, Eco & Deep Sand/Snow * EXTERIOR
 Bumper – front, black painted covers/center ornaments F-450/F-550 – 19.5" Forged Polished Aluminum w/bright hub Fender vents - front rear map pockets on Crew Cab covers/center ornamen Floor covering – color-coordinated full carpet Floor mats – color-coordinated carpet Power Equipment Group – 1st row (front-seat) windows w/one-touch INTERIOR/COMPORT • 110V/400W outlets; one (1) dash mounted and one (1) in rear console • Air conditioning – Dual-Zone Electronic Automatic Temperature Control Front License Plate Bracket Fuel Tank 26.5 gallon mid ship (F-350 SRW) 40 gallon aft axle (F-350 DBW/F-450/F-550) up/down, power 2nd row (rear-seat) windows (Super/Crew Cab): (DEATC) Glass – solar-tinted Grille – black painted Air conditioning vents – painted obsidian with chrome ring Instrumentation Center – 8" LCD Productivity Screen with steering power/door-locks w/backlit switches & accessory delay Seats, Front Front, high-series cloth 40/20/40 split bench – 20% center underwheel-mounted five (5) button control: includes compass and menus for Scuff plates - front, color-coordinated Splash Guards/Mud Flaps – Front (F-450/550 only) "Three Blink" Lane change signal Tow hooks – front (2) seat storage, w/center amrest, cupholder and storage
 Four-way adjustable driver/passenger headrests
 Sun visors – Color-coordinated cloth, both driver and passenger Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road applications Mirror – rearview, electrochromic self-dimming Power-Adjustable Pedals Trailer wiring - 7 wire harness w/relays, blunt cut & labeled w/covered mirrors Wheels Window - rear, fixed privacy glass Seats, Front SAFETY/SECURITY Leather seating surfaces, 40/Console/40 10-way power driver & front-passenger seats (six-way power F-350 SRW - 18" Argent Painted Steel wheel w/Painted Hub Advanced Security Pack Mirrors – manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn Cover/Center Ornaments F-350 DRW – 17" Argent Painted Steel (hub covers/center adjustable track, two-way power recline and two-way power lumbar) ornaments not included) F-450 & F-550 – 19.5" Argent Painted Steel Manual Locking Hubs (4x4) Seats. Rear signals Armrest with cupholders (Crew Cab) MyKey® owner controls feature Rear under-seat storage (SuperCab); floor fold-flat and locking Windshield Wipers – intermittent
 INTERIOR/COMFORT Remote keyless entry SecuriLock® Passive Anti-Theft System (PATS) (Crew Cab) Steering wheel – leather-wrapped, color-coordinated Sun visors – color-coordinated cloth; both driver and passenger 2.3" Productivity Screen in IP Cluster Instrumentation Center - Multi-DRIVER ASSIST function switch message center display with Ice Blue® Lighting Cruise control (steering wheel-mounted) w/covered illuminated visor vanity mirrors 12V Powerpoint, auxiliary Air conditioning – single-zone, manual Air conditioning vents – black w/chrome ring and knob SYNC® 3 Window - rear, power-sliding with privacy glass and defrost SAFETY/SECURITY Enhanced Voice Recognition Communications and Entertainment Autolock, Auto unlock Mirrors – Power-folding, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights and Cabin Air Particulate Filter 8" LCD Capacitive Touchscreen in Center Stack with Swipe Door-trim – armrest/grab handle and reflector Floor covering – black, full length vinyl Mirror – rearview 11.5" day/night Capability Pinch-to-Zoom capability included with available Voice-Activated body-color skull caps) SecuriCode™ keyless entry keypad Touchscreen Navigation System Outside Temperature Display AppLink® Seat – Front, HD vinyl, 40/20/40 split bench w/center armrest, cupholder and storage (manual lumbar – driver's side) 911 Assist® Apple CarPlay™ and Android Auto™ FUNCTIONAL Alternators Steering – power Steering wheel – black urethane with tilt and telescoping steering wheel/column; includes three (3) button message control Sun visors – color-coordinated vinyl, driver w/pocket, passenger Smart Charging USB-C Ports - two (2) 6.2L 2 Valve Gas - 240 AMP Note: SYNC® AppLink® lets you control some of your favorite compatible mobile apps with your voice. It is compatible with select - 7.3L 2V DEVCT NA PFI V8 Gas (F-450/F-550) – 397 AMP Audio – B&O Sound System ny Bang & Olufsen – ten (10) speakers and smartphne platforms. Commands may vary by phone and AppLink® subwoofer * w/uncovered mirror insert with 6 inch overhead softwares Upfitter switches – 6 located in Overhead Console Window – Rear, fixed FUNCTIONAL
 Audio – AM/FM stereo MP3 player & five (5) speakers w/Reg Cab, seven SAFETY/SECURITY (7) speakers w/Super/Crew Cabs AdvanceTrac® with BSC® (Boll Stability Control™) SiriusXM® Badio³ Belt-Minder® (front safety belt reminder) Driver and passenger frontal airbag; passenger side deactivation switch Note: Includes a 6-month prepaid subscription. Service is not available in Alaska or Hawaii. Headlamps - Quad beam jewel effect halogen Trailer Brake Controller Lamps – Roof marker/clearance – LED Mirrors – manually telescoping two-way fold trailer tow with manual glass Safety Belts – w/height adjustment (front-outboard seating positions only) Safety Canopy® System (incl. side-curtain airbags) Stationary Elevated Idle Control (SEIC) SOS Post-Crash Alert System™ Underhood service light AutoLamp – Auto On/Off Headlamps
 Automatic High Beam ★ Automatic Figure Dealti A
 FordPass™ Connect 4G Wi-Fi Modem
 4G LTE Wi-Fi hotspot connects up to 10 devices'
 Remotely start, lock and unlock vehicle² Schedule specific times to remotely start vehicle Locate parked vehicle² Check vehicle status² Note: Ford Telematics[™] and Data Services Prep included for Fleet Only: FordPass™ Connect 4G Wi-Fi Modem provides data to support telematics and data services including but not limited to vehicle location, speed, idle time, fuel, vehicle diagnositics and maintenance alerts. Device enables telematics services through Ford or authorized providers. Activate at <u>www.fleet.ford.com</u> or call 833-FCS-FORD or 833-327-3673 SYNC® Enhanced Voice Recognition Communication and Entertainment 911 Assist® 4.2" LCD Center Stack screen _ AppLink® Smart-Charging USB-C port - one (1) FUNCTIONAL Alternators: 6.2L 2 Valve Gas - 200 AMF 7.3.L 2 Valve Gas – 240 AMP
 6.7.L 4 Valve OHV Power Stroke® V8 Turbo Diesel – 220 AMP
 Audio – AM/FM stereo (four (4) speakers) Stabilizer bars - front & rear Please see Standard Equipment pages for more details. 1 Includes a complimentary trial subscription of 3 months or 3 gigabytes - whichever comes first, Wireless Service Plan required after trial subscription ends. Visit att.com/ford to start complimentary trial and sign up for a Wireless Service Plan

² Includes Service for one year from the vehicle sale date as recorded by the deale

Subscriptions to all SiriusXM® services are sold by SiriusXM after trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM att 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at <u>www.siriusxm.com</u>. All fees and programming subject to change. Sirius, XM and all related marks and logos are trademarks of SiriusXM Radio Inc

Product Features Availability ★ = New for this model year

JIANDAND				
The following features are standard on every 2020 SUPER DUTY® Chas	sis Cab vehicle:			
 The following features are standard on every 2020 SUPER DUTY® Chast MECHANICAL Brakes – Four-wheel Disc Brakes with Anti-Lock Brake System (ABS) EXTERIOR Doors Two (Regular Cab only) Four (SuperCab/Crew Cab only) Front License Plate Bracket Fuel Tank 26.5 gallon mid ship (F-350 SRW) 40 gallon aft axle (F-350 DRW/F-450/F-550) Diesel Exhaust Fluid (DEF) Tank Location: Aft-of-axle fuel tank is paired with the DEF tank located in the mid ship location, between the frame rails. Mid ship fuel tank is paired with the DEF tank located outside of the frame rail Dual tanks are paired with the DEF tank located outside of the frame rail Dual tanks are paired with the DEF tank located outside of the frame rail Solar-tinted complete (Std. on XL) Privacy (Std. on XLT and Lariat; NA front-seat windows) Manual Locking Hubs (4x4) Scuff plates – front, color-coordinated "Three-Blink" lane change signal Tow hooks – front, (two) (2) Trailer wiring – 7 wire harness w/relays, blunt cut and labeled Windshield wipers – intermittent INTERIOR/COMFORT Convenience Coat hooks, LH/RH color-coordinated & I/P switch operated w/delay Handles, grab – driver & front-passenger Handles, roof ride – front-passenger (also over rear-doors on Crew Cab) Map lights – dual (front and rear w/Crew Cab) 12V Powerpoint, auxiliary Door-trim – color-coordinated molded w/grab handle & reflector Gauges and Meters – Fuel, Transmission Temperature, Engine Coolant Temperature, Oil Pressure (Gas engine) and Turbo 	sis Cab vehicle: INTERIOR/COMFORT (co Headliner – color-coo Instrument panel – cc air registers w/positivi Instrumentation Center – 2.3" LCD Product – 4.2" LCD Product Lariat) Overhead Console wi Steering – power Steering damper SAFETY/SECURITY AdvanceTrac® with F <u>Airbags</u> – Driver and Passe – Passenger side a Child tethers (Regula positions) Lamps – LED Roof m <u>Safety Belts</u> – Belt-Minder® (fro flashing warning I – Color-coordinated outboard seating SecuriLock® Passive MyKey® owner contro SOS Post-Crash Aler Stationary Elevated Id FUNCTIONAL <u>Alternator</u> – 240 Amp (F-350 s – 240 Amp (F-450/ – 397 AMP (F-450/ Hood release Horn – dual electric Intelligent Oil-Life Mo Oil minder system (6.	rdinated cloth lor-coordinate e shut-off and ivity Screen in ivity Screen in ivity Screen in ivity Screen in th 6 Upfitter S asC® (Roll St nger frontal a irbag deactiva r Cab front-pa arker/clearan nt safety belts positions only Anti-Theft Sy bls feature (XI t System [™] dle Control (S Std. on 6.2L C Std. on 6.2L C Std. on 6.2L C Std. on F-550 Std on F-550 Std. on nitor® (6.7L F 2L Gas engin eavy-duty gas	ed w/dual glove I powerpoint n IP Cluster (stan n IP Cluster (stan n IP Cluster (stan n IP Cluster (Sta Switches ability Control™ ad side airbag/c ation switch ussenger and all ce reminder) – chin belts not buckle w/height adjustn /) stem (PATS); in LT and Lariat Or EIC) Gas w/XL/XLT) Gas w/LAriat) 7.3L Gas w/ XL 7.3L Gas w/ XL 7.3L Gas w/ Lar	ndard on XL) ndard on XLT) ndard on) urtain rear-seating ne and d nent (front- icludes hly) & XLT) iat)
(Diesel engine) Gauges; Speedometer, Odometer and	 Stabilizer bar – front a 			
Tachometer				
The following features are standard on selected 2020MY SUPER DUTY®	Chassis Cab vehicles:	XL	XLT	
Engine		۸L		LARIAT
6.2L 2 Valve Gas SOHC EFI NA V8 (Flex-Fuel) (F-350)		•	•	•
★7.3L 2V DEVCT NA PFI V8 Gas (F-450/F-550) <u>Transmission</u>		•	•	•
★Ten-Speed Automatic Transmission with Selectable Drive Modes: No Deep Sand/Snow Alternator	ormal, Tow/Haul, Eco &	•	•	•
200 Amp (F-350 Std. on 6.2L Gas engine w/XL/XLT)		•	•	
240 Amp (F-450/F-550 Std. on 7.3L w/ XL & XLT)		•	•	
240 Amp (F-350 Std. on 6.2L Gas engine w/Lariat) 397 AMP (F-450/F-550 Std. on 7.3L w/ Lariat)				•
Axle				
Monobeam front axle w/coil spring suspension (F-350 4x4, F-450 and Independent Twin-I-beam front axle w/coil spring suspension (F-350		•	•	•
Battery	···,	-	-	-
650 CCA, 72 AH (6.2L Gas engine only) (F-350 XL SRW/DRW) 750 CCA, 78 AH Single (6.2L Gas F-350 SRW/DRW XLT & Lariat)		•	•	•
750 CCA, 78 AH Single (6.2L Gas F-350 SRW/DRW XLT & Lanat) 750 CCA, 78 AH Single (7.3L Gas F-450 and F-550 XL & XLT)			•	•
750 CCA, 78 AH, Dual (7.3L 2V DEVCT NA PFI V8 Gas F-450 and F	-550 Lariat)			•
Fuel Tanks 26.5 gallon mid ship (F-350 SRW w/68D Payload Downgrade Pkg)		•	•	•
40 gallon aft axle (F-350 SRW/F-350 DRW/F-450/F-550; NA with 681	D Payload Downgrade Pkg.	•	•	•
on F-350 SRW)		-	-	-
 ★ = New for this model year ▶ = Available 	1 = Regular Ca	b only, 2 = Su	uperCab only, 3	= Crew Cab on

• = Available

KEY EXTERIOR FEATURES	XL	XLT	LARIAT
Bumper – Front			
Black painted steel w/grained MIC top cover and black lower air dam	•		
Chrome w/grained MIC top cover and black lower air dam		•	•
Grille			
Black MIC	•		
Bright Chrome – two (2) bar		•	
Chrome – two (2) bar (includes additional chrome inserts)			•
Handles – Door and Tailgate			
Black	•	•	
Body-color			•
Headlamps/Taillamps/Lamps			
Quad-beam halogen jewel effect	•	•	•
★Automatic High Beam	•	•	•
Center High-Mounted Stop Lamp (CHMSL) (Standard on vehicles 10k GVWR and below)	•	•	•
Fog lamps			•
LED Roof Marker/Clearance Lamps	•	•	•
Utility Lighting System (LED Side-mirror Spotlights) (see mirror descriptions below)			•
<u>Mirrors</u>			
Manually telescoping/folding trailer tow with manual glass	•		
Manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror,		•	
integrated clearance lamps/turn signals		-	
Power-folding, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn			
Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror			•
Spotlights)			4
Wheels (SRW)			
18" Argent Painted Steel w/painted hub covers/center ornaments (F-350)	•		
18" Sparkle Silver Painted Cast Aluminum w/bright hub covers/center ornaments (F-350)		•	
18" Bright Machined Cast Aluminum w/Magnetic Painted Pockets and bright hub covers/center			•
ornaments (F-350)			
Wheels (DRW)			
17" Argent Painted Steel (hub covers/center ornaments not included (F-350)	•	•	1
17" Forged Polished Aluminum w/bright hub covers/center ornaments (F-350)			•
19.5" Argent Painted Steel (F-450/F-550) 19.5" Forged Polished Aluminum w/bright hub covers/center ornaments (F-450/F-550)	•	•	
Windows and Glass			•
1 st Row (front-seat) – Manual	-		
1 st Row (front-seat) – Manual 1 st Row (front-seat) – Power w/one-touch up/down	•		
2 nd Row (rear-seat) – Power w/one-touch up/down	a (Q)	•	•
2 nd Row (rear-seat) – Pixed 2 nd Row (rear-seat) – Power	•(2)	a (0, 0)	a (0, 0)
Rear (backlight) – Fixed	•	•(2,3)	•(2,3)
	•	•	•
Rear (backlight) – Power-sliding w/defrost Solar-tinted glass (complete)	•		•
Privacy glass, (rear backlight on all cabs; 2 nd Row (rear-seat) windows on SuperCab and Crew	•		
		•	•
Cab. Other glass is solar-tinted.) KEY INTERIOR/COMFORT FEATURES			
Air Conditioning			
Manual, Single Zone	•		
Dual-Zone Electronic Automatic Temperature Control (DEATC)	•	•	
			•

KEY INTERIOR/COMFORT FEATURES (continued)	XL	XLT	LARIAT
Audio			
AM/FM stereo MP3 Player(speakers; four (4) w/ Regular Cab, six (6) w/ SuperCab and Crew			
Cab)	•		
AM/FM stereo MP3 player (speakers; five (5) with Regular Cab, seven (7) with SuperCab and			
Crew Cab)		•	
SiriusXM® Radio ¹ (speakers; adds one (1) I/P mounted center speaker on XLT only)		•	•
Note: Includes a 6-month prepaid subscription. Service is not available in Alaska and Hawaii.		•	•
B&O Sound System by Bang & Olufsen (incl. 10 speakers and subwoofer)			•
SYNC®			
 Enhanced Voice Recognition Communications and Entertainment System 			
– 911 Assist® – 4.2 LCD Center Stack screen	•		
– 4.2 LOD Center Stack screen – AppLink®			
– Smart-Charging USB-C port – one (1)			
SYNC® 3			
 Enhanced Voice Recognition Communications and Entertainment System 			
- 8" LCD Capacitive Touchscreen in Center Stack with Swipe Capability			
 Pinch-to-Zoom capability included with available Voice-Activated Touchscreen Navigation 			
System			
– AppLink®			
– 911 Assist®		•	•
– Apple CarPlay [™] and Android auto [™]			
 Smart-Charging USB-C Ports – two (2) 			
Note: SYNC® Applink® lets you control some of your favorite compatible mobile apps with			
your voice. It is compatible with select smartphone platforms. Commands may vary by phone			
and AppLink® software.			
★FordPass™ Connect 4G Wi-Fi Modem			
 Wi-Fi® hotspot connects up to 10 devices² 			
 Remotely start, lock and unlock vehicle³ Schodula spacific times to remotely start vehicle³ 			
 Schedule specific times to remotely start vehicle³ Locate parked vehicle³ 			
– Check vehicle status ³	•	•	•
Note: Ford Telematics™ and Data Services Prep included for Fleet Only: FordPass™ Connect	·	•	•
4G Wi-Fi Modem provides data to support telematics and data services including but not limited			
to vehicle location, speed, idle time, fuel, vehicle diagnositics and maintenance alerts. Device			
enables telematics services through Ford or authorized providers. Activate at			
www.fleet.ford.com or call 833-FCS-FORD or 833-327-3673.			
Cupholders			
Dual, instrument panel-mounted	•	•	•
Integrated w/armrest on rear-seat			•(3)
<u>Door-Trim</u>			
Armrest, grab handle and reflector	•		
Soft armrest, grab handle, power window/lock switches and reflector; front map pockets on		•	•
Regular Cab and SuperCab; front and rear map pockets on Crew Cab			
Floor Covering	-		
Black vinyl Color-coordinated carpet and carpeted floor mats (includes rear mats on SuperCab & Crew Cab)	•		
(deleted when all-weather floor mats are ordered)		•	•
Instrumentation Center			
2.3" Productivity Screen display includes menus for Multi-function switch message center w/lce			
Blue® Lighting (three (3) button message control on steering wheel)	•		
4.2 Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy			
and Towing/Off-Road applications five (5) button message control on steering wheel (included		•	
with the SYNC® and SYNC® Services)			
8.0" Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy			
and Towing/Off-Road applications; five (5) button message control on steering wheel (included			•
with the SYNC® and SYNC® Services)			
Manual door-locks and windows	•		
Overhead Console – with dual storage bin and map lights	•	•	•
Power Equipment			
Accessory delay		•	•
Door-locks w/backlit switches		•	•
Windows w/backlit switches		•	•
¹ Subscriptions to all SiriusXM® services are sold by SiriusXM after trial period. If you decide to continue service after	your trial, the su	ubscription plan y	ou choose will

period. If you decide to continu service after yo e will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc.

² Includes a trial subscription of 3 months or 3 gigabytes – whichever comes first, Wireless Service Plan required after trial subscription ends
 ³ Includes Service for one year from the vehicle sale date as recorded by the dealer

 \star = New for this model year

• = Available

KEY INTERIOR/COMFORT FEATURES (continued)	XL	XLT	LARIAT
Powerpoint and 110V/400W Outlet			
One (1) Powerpoint in front center under-seat storage		•	
Two (2) Powerpoints in instrumentation center	•	•	•
Two (2) Powerpoints in rear side of Flow-through Console			•
110V/400W Outlet dash mounted			•
110V/150W Outlet in rear side of Flow-through Console			•
110V/150W Inverter outlet in IP			•
Rearview Mirror			
11.5" day/night	•	•	
Electrochromic self-dimming			•
Seats (Front)			
HD vinyl, 40/20/40 split bench w/center armrest, cupholder and storage	•		
Cloth, 40/20/40 split bench, 20% center under-seat storage, w/center armrest, cupholder and		•	
storage		•	
Leather seating surfaces, 40/Console/40			•
Manual lumbar support, driver's side	•	•	
Power driver & front-passenger seats 10-Way (six-way power-adjustable track, two-way power			•
recline and two-way power lumbar)			•
Four-way adjustable driver/passenger headrests		•	•
Seats (Rear) SuperCab			
Vinyl, 60/40 fold-up bench seat	•		
Cloth, 60/40 fold-up bench seat		•	
Premium vinyl seating surfaces, 60/40 fold-up bench seat			•
Seats (Rear) Crew Cab			
60/40 bench w/flip-up/fold-down w/2 outboard head restraints and a center head restraint	•		
60/40 bench w/flip-up seats & fold-down backrests w/under-seat partitioned lockable fold-flat		•	
storage, two (2) outboard head restraints and a center head restraint.		•	
60/40 bench w/flip-up seats & fold-down backrests w/under-seat partitioned lockable fold-flat			
storage, two (2) outboard head restraints and a center head restraint. Dual integrated			•
cupholders in armrest			
Vinyl	•		
Cloth		•	
Leather			•
Steering Wheel			
Urethane – Black – w/redundant audio and SYNC® controls	•	•	
Leather-Wrapped – w/redundant audio and SYNC® controls (Lariat, color-coordinated)			•
Cruise Control (steering wheel-mounted)		•	•
Manual Tilt and Telescoping steering wheel/column	•	•	•
Sun Visors			
Color-coordinated vinyl, driver w/pocket, passenger w/uncovered mirror	٠		
Color-coordinated Cloth, both driver and passenger w/covered mirrors		•	
Color-coordinated Cloth; both driver and passenger w/covered illuminated visor vanity mirror			•
SAFETY/SECURITY	XL	XLT	LARIAT
AdvanceTrac [®] with RSC [®] (Roll Stability Control [™])	•	•	•
Advanced Security Pack (incl. Inclination / Intrusion Sensors)		•	•
AutoLamp (Auto On/Off Headlamps), Rainlamp Wiper Activated Headlamps	•	•	•
Autolock, Auto unlock		•	•
Remote Keyless Entry		•	•
SecuriLock® Passive Anti-Theft System (PATS)		•	•
Trailer Sway Control and Hill Start Assist	•	•	•
Airbags			
Driver & Passenger side	•	•	•
Passenger-side deactivation switch	٠	•	•

AXLE AVAILABILITY

			Non-	Limite	d-Slip	Lin	nited-S	Slip	Electronic	c-Locking
Series	Engine	Transmission	3.73	4.10	4.88	4.10	4.30	4.88	3.73	4.30
Series	Engine	Transmission	X37	X41	X48	X4N	X4L	X8L	X3E	X4M
	6.2L 2V Gas SOHC EFI NA V8	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S	_	_	_	_	_	0	0
F-350 SRW	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	_	—	_	—	—		S
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S	_	_	_	_	_	0	—
	6.2L 2V Gas SOHC EFI NA V8	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S	_	_		0	_	_	—
F-350 DRW	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S		_	_	0	_		—
6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20		TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	S		_	0	_	_		—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	_	S	—	0	_	—	_	_
F-450	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic				_	O ¹	_		—
F-400	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic				_	S ²	_		—
	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	—	_	S	_	_	0		—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic		S	_	0	_	_		—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic			_	_	_	O ³		—
F-550	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	_	_	—	—	O4	—	_	—
	6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic		_	_	_	S ⁵	_	_	—
	7.3L 2V DEVCT NA PFI V8 Gas	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	_	_	S ⁶	_	_	0	_	—

¹ Requires Trailer Tow Package – High Capacity (535)
 ² Standard when Extra Heavy Duty Front End Suspension (67P)
 ³ Requires Payload Upgrade Package (68M). Also available with Trailer Tow Package – High Capacity (535) when ordered with Payload Upgrade Package (68M)
 ⁴ Requires Trailer Tow Package – High Capacity (535) with Payload Downgrade Package (68D) or Trailer Tow Package – High Capacity (535) with Base Payload
 ⁵ Standard when Extra Heavy Duty Front End Suspension (67P) is ordered unless 4.88 LS is already selected
 ⁶ Not available with the Payload Upgrade Package (68U) or Payload Plus Upgrade Package (68M)

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

 \star = New for this model year

				(F-350) Super Duty as - Chassis Cabs	8	Alternators	6	
<u>Series</u>	Engine	<u>Drive</u>	Option Code	Description	XL 67D (STD)	XLT 67D (STD)	Lariat 67E (STD)	
5 353	6.2L Gas		(43C)	Inverter	67E	67E	67E	
F-350		4x2 &	(473)	Snowplow	67D	67D	67E	
SRW/DRW	2 Valve V8	4x4	(43C & 473)	Inverter & Snowplow	67E	67E	67E	
				(STD or 67D) 200 Amp (67E) 240 Amp				

				/ F-450 / F-550) Super Duty ias - Chassis Cabs	Alternators					
<u>Series</u>	Engine	<u>Drive</u>	Option Code	ion Code Description		XLT	Lariat			
					STD	STD	67B (STD)			
F-350/			(43C)	Inverter	STD	STD	STD			
F-350/ F-450/F-550	7.3L Gas	4x2 &	(473)	473) Snowplow		STD	STD			
-	2 Valve V8	4x4	4x4 (43C & 473) Inverter & Snowplow		67B	67B	STD			
SRW/DRW			(47A)	Ambulance	67B	67B	N/A			
				(STD) Standard 240 Amp						

(67B) 397 Amp

				/ F-450 / F-550) Super Duty esel - Chassis Cabs	Alternators					
<u>Series</u>	<u>Engine</u>	<u>Drive</u>	Option Code	Description	XL 67D	XLT 67D	Lariat 67A			
			(43C)	Inverter	67A	67A	67A			
F-350/			(473)	Snowplow	67A	67A	67A			
-	6.7L Diesel	4x2 &	(43C & 473)	Inverter & Snowplow	67A	67A	67A			
F-450/F-550 SRW/DRW	4 Valve V8	4x4	(47A or 47L)	Ambulance	67B	67B	67B			
SKW/DKW			(47J)	Fire Truck	67B	67B	67B			
			(41A)	Rapid Heat*	67B	67B	67B			
		(STD o				np				
				(67A) #1 @ 332 Am	р				
			(67B) #2 @ 397 Amp							

WHEEL AVAILABILITY - SRW ONLY



17" Argent Painted Steel w/painted hub cover/center ornament (Opt. on XL and XLT) – 64A



18" Argent Painted Steel w/painted hub cover/center ornament (Std. on XL F-350 SRW) - 64F

Wheel Image Coming Soon

18" Sparkle Silver Painted Cast Aluminum w/bright hub cover/center ornament (Std. on XLT F-350 SRW) - 648

Wheel Image Coming

Soon

18" Bright Machined Cast Aluminum w/Magnetic Painted Pockets and bright hub cover/center ornament (Std. on Lariat) – 64C

WHEEL AVAILABILITY - DRW ONLY



17" Argent Painted Steel (hub covers/center ornament not included) (Std. on XL and XLT F-350) – 64K



19.5" Forged Polished Aluminum w/bright hub cover/center ornament (Std. on Lariat F-450 and F-550; Opt. on XLT F-450 and F-550) – 64D



17" Forged Polished Aluminum w/bright hub cover/center ornament (Std. on Lariat F-350; Opt. on XL and XLT F-350) – 64J



19.5" Argent Painted Steel (hub cover/center ornament not included; Std. on XL and XLT F-450 and F-550) – 64Z



17" or 19.5" Stainless Steel Wheel Covers (Front & Rear) (Opt. on XL and XLT) – 945

			Х				XI					RIAT	
		F-3 SRW	350 DBW	F-450	F-550		350 DRW	F-450	F-550	F-3 SRW	B50 DRW	F-450	F-5
	Order				CC0 4	_		0504	CC0 4			0504	0.00
	Code	630A	640A	650A	660A	633A	643A	653A	663A	638A	648A	658A	668
ODYSTYLE & WHEELBASE equiar Cab 4X2 – Cab to Axle 60"	145"	F3E	F3G	F4G	F5G	F3E	F3G	F4G	F5G	_			_
egular Cab 4X2 – Cab to Axle 84"	169"		F3G	F4G	F5G		F3G	F4G	F5G	_	_	_	_
egular Cab 4X2 – Cab to Axle 108"	193"	—		F4G	F5G	—	—	F4G	F5G	—	—		-
egular Cab 4X2 – Cab to Axle 120"	205"	-	— 	F4G	F5G	-	-	F4G	F5G		—		-
egular Cab 4X4 – Cab to Axle 60" egular Cab 4X4 – Cab to Axle 84"	145" 169"	F3F	F3H F3H	F4H F4H	F5H F5H	F3F	F3H F3H	F4H F4H	F5H F5H	_			-
egular Cab 4X4 – Cab to Axle 34 egular Cab 4X4 – Cab to Axle 108"	193"	_	F3H	F4H	F5H	_	гэн —	F4H	F5H	_	_	_	-
egular Cab 4X4 – Cab to Axle 120"	205"	_		F4H	F5H	_	_	F4H	F5H	_	_	_	-
uperCab 4X2 – Cab to Axle 60"	168"	X3E	X3G	X4G	X5G	X3E	X3G	X4G	X5G	X3E	X3G	X4G	Х
uperCab 4X2 – Cab to Axle 84"	192"	—	<u> </u>	X4G	X5G			X4G	X5G	_		X4G	X
uperCab 4X4 – Cab to Axle 60"	168"	X3F	ХЗН	X4H	X5H	X3F	ХЗН	X4H	X5H	X3F	ХЗН	X4H	X
uperCab 4X4 – Cab to Axle 84" rew Cab 4X2 – Cab to Axle 60"	192" 179"	W3E	— W3G	X4H W4G	X5H W5G	W3E	— W3G	X4H W4G	X5H W5G	 W3E	 W3G	X4H W4G	X
rew Cab 4X2 – Cab to Axle 84"	203"			W4G	W5G			W4G	W5G			W4G	W
rew Cab 4X4 – Cab to Axle 60"	179"	W3F	W3H	W4H	W5H	W3F	W3H	W4H	W5H	W3F	W3H	W4H	Ŵ
rew Cab 4X4 – Cab to Axle 84"	203"	_	_	W4H	W5H	_	_	W4H	W5H	_	_	W4H	W
NGINE/TRANSMISSION													
2L 2 Valve Gas SOHC EFI NA V8 (Flex													
uel)/★TorqShift® Ten-Speed Automatic with Selectable Drive Modes: Normal, Tow/Haul,	996/44G	S	S	—	—	S	S	—	—	S	S	—	-
Eco & Deep Sand/Snow													
7.3L 2V DECVT NA PFI V8 Gas/*TorqShift®													
Ten-Speed Automatic with Selectable Drive	99N/44G	0	0	s	s	0	0	S	s	0	0	s	
Modes: Normal, Tow/Haul, Eco & Deep	0010/440		Ŭ	Ŭ	Ŭ	Ŭ	Ŭ	0	Ŭ		Ŭ	Ŭ	
Sand/Snow 7L 4 Valve OHV Power Stroke® V8 Turbo													
Diesel B20 with manual push-button Engine-													
Exhaust Braking/*TorgShift® Ten-Speed	007/440	~	~	~	~	~	~	~	~	~	~	~	
Automatic with Selectable Drive Modes:	99T/44G	0	0	0	0	0	0	0	0	0	0	0	
Normal, Tow/Haul, Eco & Deep Sand/Snow													
w/Transmission Power Take-Off Provision													
/HEELS ·Wheels (SRW); 6 Wheels (DRW). Spare Whe	ol included	with Cn	ara Tira										
7" Argent Painted Steel Wheel w/Painted Hub	sermended												
Covers/Center Ornaments (reg. 6.2L Gas													
(996) or 6.7L Diesel (99T) and Payload	64A	0	—	—	—	0	—	—	—	—	—	—	- 1
Downgrade Package (68D); NA w/7.3L Gas													
(99N)) 7" Argent Painted Steel (Hub Covers/Center													
Ornaments not included)	64K	—	S	—	—	—	S	_	—	—	—	—	-
7" Forged Polished Aluminum w/Bright Hub													
Covers/Center Ornaments (4 aluminum outer	64J	—	0	—	—	_	0	—	_	—	S	—	-
and 2 steel inner)													
8" Argent Painted Steel w/Painted Hub	64F	S	_	_	_	_	_	_	_	_	_	_	-
Cover/Center Ornaments 8" Bright Machined Cast Aluminum	• • •	-											
w/Magnetic Painted Pockets and Bright hub	64C						_	_		s			_
Covers/Center Ornaments	040									0			
8" Sparkle Silver Painted Cast Aluminum	648					S							
w/Bright Hub Covers/Center Ornaments		_					_	_					_
9.5" Argent Painted Steel	64Z	—	—	S	S		—	S	S	—			-
9.5" Forged Polished Aluminum w/Bright Hub	64D	—	—	—	—	—	—	0	0	_	—	S	
Covers/Center Ornaments													
Tires (SRW); 6 Tires (DRW)													
pare Tire required in Rhode Island, optional	in all other	states. S	Spare is	same a	s road ti	re unles	ss other	wise no	ted.				
T245/75Rx17E BSW A/S PLU (F-350 SRW													
req. 6.2L Gas (996) or 6.7L Diesel (99T) and	TD8	0	S	—	—	0	S	—	—	—	S	—	-
Payload Downgrade Package (68D))													
T245/75Rx17E BSW A/T (F-350 SRW req. 3.2L Gas (996) or 6.7L Diesel (99T) and	ТВМ	0	0			0	0				0		
Payload Downgrade Pakage (68D))	I BIVI	0	0	_	_	0	0	_	_	_	0	—	-
245/75Rx17E OWL A/T (DRW inner rear and							_				-		
ptional spare are LT245/75Rx17E BSW A/T)	TBL	—			—	—	0	—		—	0	—	-
265/70Rx17E OWL A/T(F-350 SRW req.													
6.2L Gas (996) or 6.7L Diesel (99T) and	TCD	0	—		—	0	-	—	—	—	—	—	-
Payload Downgrade Pakage (68D))	TOU									-			
T275/65Rx18E BSW A/S T275/70Rx18E BSW A/T Plus, 4X4	TCH TDX	S O				S O				S O			-
		0				_	_		_	-			
			_	—	—	0	—	—	—	0	—	—	-
T275/70Rx18E OWL A/T, 4X4 (optional spare s LT275/70Rx18E BSW A/T)	TDU												
275/70Rx18E OWL A/T, 4X4 (optional spare	TGJ	_		S	S			S	s			S	

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only \Box = New for this model year

			Х			l	X	LT			LAF	RIAT		
		F-: SRW	350		F-550		350 DRW	F-450	F-550		350 DRW		F-550	
	Order	630A	640A	650A	660A		643A	653A	663A	638A	648A	658A	668A	
TIRES	Code	030A	040A	0304	0004	0334	045A	0334	003A	0304	040A	0304	000A	
4 Tires (SRW); 6 Tires (DRW)									/					
Spare Tire required in Rhode Island, optiona 225/70Rx19.5G BSW Traction (includes 4	I in all other	states.	Spare Is	same a	s road ti	re unles	ss other	wise no	ted. (co	ntinued)				
traction tires on the rear and 2 A/P tires on the front. Optional. spare is 225/70Rx19.5G BSW A/P)	TGM	—	-	0	0	-	—	0	0	-	—	0	0	
225/70Rx19.5G BSW Traction, 4X4 (includes 4 traction tires on the rear and 2 traction tires on the front. Not recommended for over the road													-	
applications; could incur irregular front tire wear and/or NVH. Optional spare is 225/70Rx19.5G BSW Traction.)	TGK	_	_	0	0	_	_	0	0	_	_	0	0	
Spare Tire, Wheel and Jack (Excludes carrier; includes Hydraulic Jack (61J); required in RI) Spare Tire and Wheel Delete (only available to	512	0	0	0	0	0	0	0	0	0	0	0	0	
Pool Accounts for sales to RI	51D	0	0	0	0	0	0	0	0	0	0	0	0	
GROUPS/PACKAGES (see Packaged Option		pages f			ntent an	d restric	ctions)			1				
Trailer Tow Package XL Value Package	531 96V))			_	_			_	_		
Power Equipment Group	90V			5				S			9	_ S		
XLT Value Package	17V			_				5			-	_		
Lariat Value Package	96L		-	-			-	-				2		
Heavy-Service Front Suspension Package Extra Heavy-Service Suspension Package	67H 67X		(5))))		
Extra Heavy-Duty Front End Suspension – 7500 lbs. Front GAWR – F450/F550 only (requires 4.30 or 4.88 axle)	67P			5				5				5		
Payload Downgrade Package (see extended description for details) (avail. on F-350 SRW and reg. Center High-Mounted Stop Lamp	68D		C	C			(C			0			
(CHMSL) (59H) and 26.5 mid ship fuel tank (65M); avail. On F-450 & F-550) 16,000 GVWR Package (avail. on F-450 only)	68L		(5		0				
Payload Upgrade Package (F-550 only w/7.3L	68U))))			-	_		
Gas and 145" WB) Payload Plus Upgrade Package (avail. on F-	68M		(0				
550 only) Snow Plow Prep Package (req. 4x4 on F-350)	473) D		0				0				
Trailer Tow Package – High Capacity (avail. on F-450 & F-550 only; regs. 6.7L Engine (99T))	535			2 D		0				0				
Low Deflection Package (avail. on F-450 & F- 550 only (NA w/4x4 w/145"WB))	86S		(C		0				0				
CNG/Propane Gaseous Engine Prep Package	98G		(C		0				0				
(req. 7.3L Gas Engine w/ F-450 or F-550) CNG/Propane Gaseous Engine Prep Package (avail. on F-350 w/6.2L engine only) – Late	98F		(C			(C			(C		
Availability Wrecker Package (avail. on F-450 only; req.	474		0	-1			0	-1			-	_		
145" WB) FUNCTIONAL														
Aft-Axle Frame Extension (req. 145" or 169" wheelbase) – F-450/F-550 only (145" Wheelbase/60" CA – 42.4" aft-of-axle frame extension increases AF dimension to 89.4") (169" Wheelbase/84" CA – 32.4" aft-of-axle frame extension increases AF dimension to	63C		(C			(D			-	_		
79.6") Engine Block Heater	41H		(C			(C				C		
Skid Plates – Transfer Case (4X4 only)	41P			5				5				5		
Jack (Two-ton Mechanical – F-350 SRW / Four-ton Hydraulic – F-350 DRW / Six-ton Hydraulic – F-450 & F-550) (required in RI)	61J		(C			(C			(C		
Transmission Power Take-Off Provision (all engines include Mobile and Stationary PTO modes; 6.2L reg. 4.30 final drive ratio; std on 6.7L Power Stroke® Diesel engine)	62R	0			0				0					
Programmable Engine Idle Shutdown – 5 minute	86A	0				(C			-	_			
Programmable Engine Idle Shutdown – 10 minute	86B	0				0				—				
FUNCTIONAL (continued) Programmable Engine Idle Shutdown – 15	86C		(C			(C				_		
minute Programmable Engine Idle Shutdown – 20	86D			с С				5				_		
minute				-				- -						

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

S = Standard, O = Optional, P = Packaged Option F = Fleet Only Option

= New for this model year

Operator Commanded Regeneration (reg. 6.7L	Order Code	XL F-350 F-450 F-550 SRW DRW 630A 640A 650A 660A	SRW DRW 633A 643A 653A 663A	LARIAT F-350 F-450 F-550 SRW DRW 638A 648A 658A 668A
Power Stroke® Diesel engine) Dual Battery (Dual 78 AH; req. 6.2L.Gas or 7.3L Gas engine; std on XL w/ 110V/400W Outlet (43C) and 7.3L Gas engine; std on XLT	98R 86M	O S/O	O S/O	 S/O
and Lariat w/ 7.3L Gas engine) Upfitter Interface Module	18A	O	0	0
Alternators (*Refer to alternator charts on pg 332 Amp Alternators (req. 6.7L Power Stroke®	. 7 for futher	<u>details)</u>		
Diesel engine; required with 110V/400W Outlet (43C) and Snow Plow Pkg. (473) when the 6.7L is ordered; NA 6.2L) 397 Amp Alternators (req. 6.7L Power Stroke®	67A	S	S	S
Diesel engine; required with Rapid-Heat Supplemental Cab Heater (41A), Ambulance (47A/47L) or Fire Truck (47J/47K); req. 7.3L Gas reqs. Dual Battery (86M) – std on Lariat, required with 110V/400W Outlet (43C) or Snowplow (473) on XL & XLT; NA 6.2L or 6.8L)	67B	S/O	S/O	S/O
240 Amp Alternator (Opt. XL/XLT w/6.2L engine; required with 110V/400W Outlet (43C) and Snow Plow Pkg. (473) when the 6.2L is ordered; NA w/67A or 6.7L) Fuel Tanks	67E	S/O	S/O	S
26.5 Gallon Mid Ship (NA w/193" WB Regular Cabs & 203.4" WB Crew Cabs equipped w/gas engines; included with F-350 SRW w/Payload Downgrade Pkg. (68D); removes 40 gallon fuel tank)	65M	o	O	o
Dual Diesel – combines 40 gallon aft-of-axle & 26.5 gallon mid ship tank (req. DRW; XL req. 96V XL Value Pkg)	65C	0	0	_
Trailer Towing Equipment Manual Telescoping, Folding Trailer Tow Mirrors with Power/Heated Glass, Heated Convex Spotter Mirror, Integrated Clearance Lamps/Turn Signals (included w/90L Power Equipment Group on XL)	54K	P-90L	S	_
Power-folding, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights)	54F	_	0	S
Utility Lighting System (LED Side-mirror Spotlights) (req. Manual Telescoping (54K); std on XLT when ordering 54F) Trailer Brake Controller (TBC) (Verified to be	63A	0	O/S	S
compatible with electronic actuated drum brakes only. NA w/531 Trailer Tow Pkg.; includes Smart Trailer Tow Connector)	52B	0	S	S
<u>Steps</u> Platform Running Boards	18B	0	0	0
KEY EXTERIOR OPTIONS * Audible Lane Departure Warning (reqs. * Pre-Collision Assist with Automatic Emergency Braking (AEB) and Forward Collision Warning)	60C	Ο	Ο	Ο
★Pre-Collision Assist with Automatic Emergency Braking (AEB) and Forward Collision Warning	94P	0	О	О
Center High-Mounted Stop Lamp (CHMSL) (opt. for vehicles with GVWR over 10,000 lbs.; required with Payload Downgrade Package (68D) for vehicles with GVWR 10,000 lbs. or less)	59H	0	0	0
Rear View Camera and Prep Kit (includes loose camera, wiring bundle)	872	0	0	0
FOG Lamps (reqs. XL Décor (17F) on XL)	595	0	0	S
KEY EXTERIOR OPTIONS (continued) * Heated Windshield Wiper Park (includes Rain-Sensing Windshield Wipers) Rear-windows	60W	_	_	0
Defrost with Fixed and Privacy Glass (Privacy Glass is standard on XLT; XL req. Privacy Glass (924) and XL Power Equipment Group (90L))	43B	0	0	_
1 = Regular Cab only, 2 = SuperCab only, 3 = \Box = New for this model year	Crew Cab o	nly	S = Standard, O =	Optional, P = Packaged Option F = Fleet Only Option

		XL	XLT	LARIAT
	-	F-350 F-450 F-550 SRW DRW	F-350 F-450 F-550 SRW DRW	F-350 F-450 F-550 SRW DRW
	Order	630A 640A 650A 660A	633A 643A 653A 663A	638A 648A 658A 668A
Power-Sliding w/Defrost and Privacy Glass (XL	Code			
req. 90L Power Equipment Group; 924				
Privacy Glass is standard on XLT; includes	435/924	O-2,3	O-2,3	S
Driver/Passenger sun visors w/illuminated vanity covered mirrors)				
KEY INTERIOR OPTIONS				
Floor Mats, All-Weather Carpet Delete (XLT & Lariat replaced w/black	16S		O-2,3	O-2,3
flooring)	166	S	0	0
Rapid-Heat Supplemental Cab Heater		2		2
(Optional in all states with 6.7L Power Stroke® Diesel engine)	41A	0	0	0
110V/400W Outlet (with 40/20/40 seats, there				
is one in-dash mounted outlet; 2 nd outlet in the				
console req. 40/Console/40 seats; req. 332 Amp Alternator (67A) when 6.7L Power		_	_	_
Stroke® Diesel engine is ordered and 240	43C	0	S	S
Amp Alternator (67E) when the 6.2L 2 Valve				
Gas Engine is ordered and the 397 Amp Alternators (67B) when 7.3L Gas is ordered				
Remote Start System (req. 90L Power	76S	0	0	0
Equipment Group)	700	0	Ŭ	P-96L
SYNC® 3				
 Enhanced Voice Recognition 				
Communication and Entertainment System – 8" LCD Capacitive Touchscreen in Center				
Stack with Swipe Capability				
 Pinch-to-Zoom capability included with 				
available Voice-Activated Touchscreen Navigation System				
– AppLink®	913	_	S	S
– 911 Assist®				_
 Apple CarPlay[™] and Android Auto[™] Smart-Charging USB-C Ports – two (2) 				
Note: SYNC® Applink® lets you control some				
of your favorite compatible mobile apps with				
your voice. It is compatible with select smartphone platforms. Commands may vary				
by phone and AppLink® software.				
SiriusXM® Radio ¹ (Includes a 6-month prepaid				
subscription. Service is not availabe in Alaska and Hawaii.); adds one (1) I/P mounted center	39S	0	S	S
speaker on XL only				
Voice-activated Navigation with HD and				
SiriusXM Radio ¹ Traffic and Travel Link® (SiriusXM Traffic and Travel Link® includes a	21N		0	Ο
5-year prepaid subscription. Services are not				C C
available in Alaska and Hawaii) Front-Seats (See Color & Trim Availability pa	ao for additi	onal information)		
Cloth, 40/20/40 Split Bench	1	0	_	_
Vinyl, 40/Mini Console/40	L	0	—	—
Cloth, 40/Mini Console/40 Cloth, 40/Console/40	4	0	O-2,3	
Leather, 40/20/40 Split Bench	6			0
Driver Heated Seat w/ Variable Temperature -	004		0.00	
req. XLT Value Pkg (17V) and Power-Sliding w/Defrost (435) or Defrost with Fixed (43B)	90A	—	O-2,3	—
Rear-Seats				
Heated Seats (req. 40/Console/40 front-seat; req. 96L Lariat Value Pkg.)	90R	_	_	O-3
LPO/FLEET OPTIONS (Requires Valid FIN Co	de) (see Pac	kaged Options/Emissions page	es for complete content and res	trictions on packages)
Ambulance Prep Package – reg. 6.7 Power	47A	F	F	
Stroke® Diesel Engine (99T) or 7.3L Gas Ambulance Prep Package w/EPA Special	777	•		
Emergency Vehicle Emissions – req. 6.7	47L	F	F	_
Power Stroke® Diesel Engine (99T)				
Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine – reg. 6.7	47J	F	F	
Power Stroke® Diesel Engine (99T)	4/J	r -		
Adjustable Pedals	62M		F	—
Cruise Control (steering wheel-mounted)	525	F		
¹ Subscriptions to all SiriusXM® services are sold be 1	by SiriusXM at	ter trial period. If you decide to cont	inue service after your trial, the subs	scription plan you choose will

¹ Subscriptions to all SiriusXM® services are sold by SiriusXM after trial period. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See SiriusXM Customer Agreement for complete terms at <u>www.siriusxm.com</u>. All fees and programming subject to change. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc.

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

 \Box = New for this model year

		XL			XLT			LARIAT					
					F-550			F-450	F-450 F-550	F-350		F-450	F-550
		SRW	DRW			SRW	DRW			SRW	DRW		
	Order Code	630A	640A	650A	660A	633A	643A	653A	663A	638A	648A	658A	668A
Daytime Running Lamps (DRL) (the non- controllable 942 Daytime Running Lamps (DRL) replace the standard Daytime Running Lamps (DRL) (On/Off Cluster Controllable)	942			F				F			-	_	
Speed Limitation – 65-mph governed top speed	926			F				F			-	_	
Speed Limitation – 75-mph governed top speed	927			F				F			-	_	
TPMS Delete (optional on F-350 SRW over 10,000 lbs. GVWR)	18L		I	F				F			I	F	
Bright Grille (reqs. XL Décor Group (17F))	63G			F			;	S			-	_	
XL Décor Group	17F			F			-	_			_	_	
FORD ACCESSORIES, PRE-INSTALLED		_											
Hood Deflector – Black Molded	87H		(C			(C			(C	
Vehicle Safe by Console Vault (reqs. Seat- Bucket 40/console/40)	21X		-	_			(C			(C	
Exterior Backup Alarm	76C		(C			(C			(C	
LED Warning Strobes – Amber (req. Center High-mounted Stop Lamp (CHMSL); includes center high-mounted stop light bar and two (2) hood mounted lights)	91S		(C			(C			(C	
LED Warning Strobes – Amber-White (req. Center High-mounted Stop Lamp (CHMSL); includes center high-mounted stop light bar and two (2) hood mounted lights)	91G		(C			(C			(C	
Splash Guards/Mud Flaps – Front only (optional on F-350 only)	61S		(C			(C			(C	
Stainless Steel Wheel Covers – Front & Rear (NA F-350 SRW; req. 64K 17" Argent Painted Steel Wheel or 64Z 19.5" Argent Painted Steel Wheel)	945		(C			(C			-	_	
Wheel Well, Front	61L		(C			(C			(C	

2020 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550) COLOR & TRIM AVAILABILITY

			INTERI	OR AND SEAT COLOR		
	INTE	RIOR COLOR	Medium Earth Gray	Camel	Black	
XL	 HD Vinyl, 40/20/40 Split Bench w/center armrest, cupholder and manual lumbar (driver's side only) 	-	AS			
	 Cloth, 40/20/40 Split Bench w/center armrest, cupholder and st lumbar (driver's side only) 	orage manual	1S			
	 Vinyl, 40/Mini Console/40 manual lumbar (driver's side only) Cloth, 40/Mini Console/40 manual lumbar (driver's side only) 	LS 4S				
	 Cloth, 40/20/40 split bench, 20% center under-seat storage, w/o 	40				
XLT	 Cloth, 40/20/40 spill bench, 20% center under-seat storage, w/c cupholder and storage, four-way adjustable driver/passenger hea manual lumbar (driver's side only) Cloth, 40/Console/40; four-way adjustable driver/passenger hea 	3S	ЗА			
	manual lumbar (driver's side only); Flow-through Console with 11 outlet in rear (SuperCab & Crew Cab Only).	2S	2A			
Lariat	• Front, leather seating surfaces, 40/Console/40; 10-way power of passenger seating, four-way adjustable driver/passenger headre 60/40 Rear Bench w/partitioned locking under-seat storage and 1 Powerpoint, Flow-through Console with 110v/150w Inverter outle		5A	5B		
 Front, leather seating surfaces, 40/20/40 Split Bench; 10-way power of and passenger seating, four-way adjustable driver/passenger headrest matching 60/40 Rear Bench w/partitioned locking under-seat storage a Powerpoint 				6A	6B	
XL	EXTERIOR COLOR	MONOTONE		Availability		
	Black ¹	UM	•			
	Jeans ¹	N1	•			
	c Silver ¹	JS	•			
Magn		J7	•			
	d White	Z1	•			
Race		PQ	•			
	Gray ¹	D1	•			
XLT		2.				
	Black ¹	UM	•	•		
Blue J		N1	•	•		
	: Silver ¹	JS	•	•		
	Red Metallic Tinted Clearcoat ²	D4	•	•		
Magn		J7	•	_		
	d White	Z1	•	•		
Raco	Red	PQ	•	•		
TIACE		r G				
	Spruce ¹	BN	_	•		
Silver			•	•		
Silver Stone	Spruce ¹	BN	•	•		
Silver Stone Veloci	Spruce ¹ Gray ¹ ity Blue ¹	BN D1 E7	•	• • •		
Silver Stone Veloci	Spruce ¹ Gray ¹ ity Blue ¹	BN D1	•	• • •	•	
Silver Stone Veloci ARIAT Agate Blue J	Spruce ¹ Gray ¹ ity Blue ¹ Black ¹ Jeans ¹	BN D1 E7 UM N1	- • •	•	•	
Silver Stone Veloci ARIAT Agate Blue J	Spruce ¹ Gray ¹ ity Blue ¹ Black ¹ Jeans ¹ Silver ¹	BN D1 E7 UM	- • •	• • • • • • •	• •	
Silver Stone Veloci ARIAT Agate Blue J * Iconic * Rapid	Spruce ¹ Gray ¹ ity Blue ¹ Black ¹ Jeans ¹ Silver ¹ Red Metallic Tinted Clearcoat ²	BN D1 E7 UM N1 JS D4	- • •	• • • • • • • • • • • • • • • • • • • •	•	
Silver Stone Veloci ARIAT Agate Blue J Agate Blue J Agate Magne	Spruce ¹ Gray ¹ ity Blue ¹ Black ¹ Jeans ¹ Silver ¹ Red Metallic Tinted Clearcoat ² etic ¹	BN D1 E7 UM N1 JS	- •	•	•	
Silver Stone Veloci ARIAT Agate Blue J Agate Blue J Agate Magne	Spruce ¹ Gray ¹ ity Blue ¹ Black ¹ Jeans ¹ Silver ¹ Red Metallic Tinted Clearcoat ²	BN D1 E7 UM N1 JS D4 J7 Z1	- •	•	•	
Silver Stone * Veloci Aglate Blue J * Iconic * Rapid Magne Oxford Race	Spruce ¹ Gray ¹ ity Blue ¹ Black ¹ Jeans ¹ Silver ¹ Red Metallic Tinted Clearcoat ² etic ¹ d White Red	BN D1 E7 UM N1 JS D4 J7 Z1 PQ	•	• • • • •	• • • •	
Silver Stone * Veloci Agate Blue J * Iconic * Rapid Magnu Oxford Race Silver	Spruce ¹ Gray ¹ ity Blue ¹ Black ¹ Jeans ¹ Silver ¹ Red Metallic Tinted Clearcoat ² etic ¹ d White Red Spruce ¹	BN D1 E7 UM N1 JS D4 J7 Z1 PQ BN	•	• • • • •	• • • •	
Silver Stone Veloci Agate Blue J Iconic Rapid Magne Oxford Race Silver	Spruce ¹ Gray ¹ ity Blue ¹ Black ¹ Jeans ¹ Silver ¹ Red Metallic Tinted Clearcoat ² etic ¹ d White Red Spruce ¹ Vhite Metallic Tri-Coat ²	BN D1 E7 UM N1 JS D4 J7 Z1 PQ	•	• • • • •	• • • •	
Silver Stone Veloci Agate Blue J Iconic Rapid Magnu Oxford Race Silver Star V Stone	Spruce ¹ Gray ¹ ity Blue ¹ Black ¹ Jeans ¹ Silver ¹ Red Metallic Tinted Clearcoat ² etic ¹ d White Red Spruce ¹	BN D1 E7 UM N1 JS D4 J7 Z1 PQ BN		• • • • •	• • • • •	

² Extra Charge Paint

 \star = New for this model year

2020 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550) COLOR & TRIM AVAILABILITY

FLEET ONLY EXTERIOR COLORS – (REQUIRES VALID FIN CODE) ³	MONOTONE	Availability			
XL			····		
★Green	GR	•			
★Green Gem	W6	•			
★Orange	MB	•			
★School Bus Yellow	BY	•			
★Vermillion Red	E4	•			
★Yellow	AT	•			
XLT					
★Green	GR	•	•		
★Green Gem	W6	•	•		
★Orange	MB	•	•		
★School Bus Yellow	BY	•	•		
★Vermillion Red	E4	•	•		
*Yellow	AT	•	•		

³ Fleet only exterior colors will be priced as VSO colors.

XL VALUE PACKAGE (96V)

Availability:

Optional on XL

Includes:

- Bright chrome hub covers and center ornaments (F-350 SRW only)
- Chrome front bumper
- Cruise Control(steering wheel-mounted)

XL DÉCOR GROUP (17F)

Availability:

- Optional on XL (Fleet Only)
- Includes:
- Bright chrome hub covers and center ornaments (F-350 SRW only)

Chrome front bumper

- **Options Available:**
- Chrome/Bright Grille (63G)

POWER EQUIPMENT GROUP (90L)

- Availability:
- Optional on XL
- Standard on XLT and Lariat

Includes:

- Accessory Delay
- Advanced Security Pack (Incl. SecuriLock® Passive Anti-Theft System (PATS) and Inclination / Intrusion Sensors)
- Manual-folding, manually-telescoping; power glass trailer tow mirrors with heated glass, heated convex spotter mirror, integrated clearance lamps/turn signals (XL & XLT only)
- MyKey® owner controls feature
- Power 1st row (front-seat) windows w/one-touch up/down
- Power 2nd row (rear-seat) windows (Super/Crew Cab)
- Power locks
- Power-folding, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights) (54F) (Lariat only)
- Remote keyless entry
- SecuriLock® Passive Anti-Theft System (PATS) (XLT and Lariat Only)
- Upgraded door-trim panel XL

Deletes:

Passenger side lock cylinder

Options Available:

 Power-folding, PowerScope® Telescoping, Power Glass Trailer Tow Mirrors with Heat, Turn Signal, High-Intensity LED Security Approach Lamps, Utility Lighting System (LED Side-mirror Spotlights) (54F) (XLT only)

XLT VALUE PACKAGE (17V)

Availability:

Optional on XLT

Includes:

- Autolock/Auto unlock
- Power-Adjustable Pedals not available on regular cab
- Power Driver's Seat (eight-way)
- SecuriCode™ keyless entry keypad (driver's side)

LARIAT VALUE PACKAGE (96L) Availability:

Optional on Lariat

Includes:

- Easy Entry/Exit Memory Driver's Seat Feature
- Power-Adjustable Pedals with Memory
- Power Heated/Cooled Driver/Passenger Seat with Driver Side Memory
- PowerScope® Trailer Tow Mirrors with Memory
- Remote Start System

WRECKER PACKAGE (474)

- Availability:
- Optional on XL and XLT F-450

Not available with:

- Heavy-Service Front Suspension Package (67H)
- Snow Plow Prep Package (473)
- Extra Heavy-Service Suspension Package (67X)
- Extra Heavy-Duty Front End Suspension 7,500 FGAWR (67P)
- Requires:
- Regular Cab
- 145" WB
- Includes:
- 7K Front Springs
- 19.5K Rear Springs
- 2" Rear Spacer Block (4x2 only)
- Note 1: May result in a deterioration of ride quality
- Note 2: Vehicle ride height will increase w/the addition of this package

TRAILER TOW PACKAGE (531)

Availability:

Optional on XL

Not available with:

Ambulance Prep Packages (47A/47L) or Trailer Brake Controller (52B)

Includes:

- Aftermarket trailer brake wiring kit
- Trailer Brake Controller not included
- NOTE: Salespersons Source Book or Ford RV Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability.

TRAILER TOW PACKAGE – HIGH CAPACITY (535) Availability:

- Optional on all F-450 and F-550
- Not available with:
- Ambulance Prep Packages (47A/47L)

Requires:

- 6.7L Power Stroke® Diesel engine (99T)
- 4.30 Limited-slip rear-axle (X4L) available on F-450 (or F-550 w/Base Payload or Payload Downgrade Package (68D))
- 4.88 Limited-slip rear-axle (X8L) available on F-550 w/Payload Plus Upgrade Package (68M)

Includes:

- Trailer brake wiring kit (not included if 52B Trailer Brake Controller is ordered)
- Increase GCW on diesel engine from 32,500 lbs. to 35,000 lbs. (F-450)
- Increase GCW on diesel engine from 32,500 lbs. to 40,000 lbs. (F-550)
- Upgraded rear-axle
- Trailer brake controller not included
- NOTE: Salesperson's Portfolio or Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability. See Supplemental Reference for vehicle height consideration.

SNOW PLOW PREP PACKAGE (473)

Availability:

• Optional on all Chassis Cabs

Not available with:

 Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Packages (47A/47L) or Fire/Rescue Prep Package w/EPA Special Emissions
 For Diesel Engine (47J)

Requires:

• 4x4 (F-350 only)

Includes:

- Alternator: 6.7L 332 Amp Alternators (67A)
- Pre-selected springs (See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations)

Options Available:

- 397 Amp Alternators (67B) (diesel only)
 240 Amp Alternators (67E) 6.2L Gas Engine
- 240 Amp Alternators (672) 6.2L Gas Engine NOTE 1: Restrictions apply; see Supplemental Reference or Body Builders Layout Book for details.
- NOTE 2: Also allows for the attachment of a winch

HEAVY-SERVICE FRONT SUSPENSION PACKAGE (67H) Availability:

Optional on all Chassis Cabs

Usage:

 Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

Not available with:

 Ambulance Prep Packages (47A/47L), Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J), Snow Plow Prep Package (473) or Extra Heavy-Service Suspension Package (67X)

Includes:

- Heavy-service front springs. (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)
- NOTE 1: May result in a deterioration of ride quality.
- NOTE 2: Vehicle ride height will increase w/the addition of this package

EXTRA HEAVY-SERVICE SUSPENSION PACKAGE (67X) Availability:

• Optional on all Chassis Cabs

Usage:

 Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

Not available with:

 Ambulance Prep Packages (47A/47L), Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J), Snow Plow Prep Package (473) or Heavy-Service Front Suspension Package (67H)

Includes:

 Extra heavy-service front springs (Pre-selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

NOTE 1: May result in a deterioration of ride quality.

NOTE 2: Vehicle ride height will increase w/the addition of this package

EXTRA HEAVY DUTY FRONT END SUSPENSION – 7500 GAWR (67P)

Availability:

Optional on F450 or F550

Usage:

 Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer

Not available with:

 Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X)

Includes:

- (3) Unique Front Axle
 - 7500 LB GAWR for 4x2 Chassis
 - 7500 LB GAWR for 4x4 Chassis @ 4.30 Ratio
 - 7500 LB GAWR for 4x4 Chassis @ 4.88 Ratio
- Max 7500 lbs. Front Springs/GAWR rating for configuration selected

AMBULANCE PREP PACKAGE (47A) Availability:

• Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package req. further manufacture and certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances only if equipped w/the Ford Ambulance Prep Package. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle without the Ford Ambulance Package to produce an ambulance voids the Ford warranty

Not available with:

 Snow Plow Prep Package (473), Trailer Tow Package (531), Trailer Tow Package – High Capacity (535), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Package w/Special Emissions (47L) or Fire/Rescue Prep Package w/EPA Special Emissions – For Diesel Engine (47J)

Requires:

- 6.7L Power Stroke® Diesel engine (99T)
- 7.3L Gas engine (99N)

Includes:

- 397 Amp Alternator (67B)
- 7000 lbs. Max Front Springs/GAWR rating for configuration selected
- Operator Commanded Regeneration (OCR) 6.7L Power Stroke® Diesel engine (99T) only
- 4.10 Limited-slip "Wide track" axle included w/F-350 DRW (X4W) 6.7L Power Stroke® Diesel engine (99T) only
- 4.30 Limited-slip "Wide track" axle included w/F-350 DRW (X4X) 7.3L Gas engine (99N) only

Options Available:

- Electronic-locking rear-axle optional w/F-350 SRW
- "Standard" width 4.10 Limited-slip rear-axle w/DRW (X4N)
- NOTE: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.

AMBULANCE PREP PACKAGE W/EPA SPECIAL **EMERGENCY VEHICLE EMISSIONS (47L)** Availability:

Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package req. further manufacture and ٠ certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances with special emissions only if equipped w/the Ford Ambulance Prep Package w/EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).
- Using a Ford vehicle without the Ford Ambulance Package w/EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty

Not available with:

Snow Plow Prep Package (473), Trailer Tow Package (531), Trailer Tow Package - High Capacity (535), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X), Ambulance Prep Package (47A) or Fire/Rescue Prep Package w/EPA Special Emissions - For Diesel Engine (47J)

Requires:

6.7L Power Stroke® Diesel engine (99T)

Includes:

- 397 Amp Alternator (67B)
- 7000 lbs.Max Front Springs/GAWR rating for configuration selected
- Operator Commanded Regeneration (OCR) •
- "Wide track" axle included w/F-350 DRW (X4W)

Options Available:

- Electronic-locking rear-axle optional w/F-350 SRW
- "Standard" width 4.10 Limited-slip rear-axle w/DRW (X4N)
- NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.
- NOTE 2: Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO operation
- NOTE 3: Operator commanded regen allowed down to 30% of DPF filter full, instead of 100%
- NOTE 4: Must meet the definition of an Emergency Vehicle, "an Ambulance or Fire Truck" per 40 CFR 86.1803.01 in the Federal Register.
- NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.

FIRE/RESCUE PREP PACKAGE W/EPA SPECIAL **EMISSIONS - FOR DIESEL ENGINE (47J)** Availability:

Optional on XL and XLT (Fleet Only)

Usage:

- Incomplete vehicle package req. further manufacture and certification by a final stage manufacturer
- Ford urges fire/rescue vehicle manufacturers to follow the • recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements).

Not available with:

Snow Plow Prep Package (473), Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X) or Ambulance Prep Packages (47A/47L)

Requires:

- 6.7L Power Stroke® Diesel engine (99T) Includes:
- 397 Amp Alternator (67B)
- 7000 lbs. Max Front Springs/GAWR rating for configuration selected
- **Operator Commanded Regeneration (OCR)**
- NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.
- NOTE 2: Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO operation
- \star = New for this model year

- NOTE 3: Operator commanded regen allowed down to 30% of DPF filter full, instead of 100%
- NOTE 4: Must meet the definition of an Emergency Vehicle, "an Ambulance or Fire Truck" per 40 CFR 86.1803.01 in the Federal Register.
- NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.

PAYLOAD DOWNGRADE PACKAGE (68D) Availability:

- Required on F-350 SRW w/17" wheels/tires
- Optional on F-350 SRW w/18" wheels/tires, F-450 and F-550 **Requires:**
- 26.5 mid ship fuel tank (65M) on F-350 SRW
- Center High-Mounted Stop Lamp (CHMSL) (59H) for vehicles with 10,000 lbs. or less Gross Vehicle Weight Rating

Includes:

- 9,800 lbs. Gross Vehicle Weight Rating (F-350 SRW 17" Only)
- 10,000 lbs. Gross Vehicle Weight Rating (F-350 SRW 18" Only) •
- 15,000 lbs. Gross Vehicle Weight Rating (F-450 Only)
- 17,500 lbs. Gross Vehicle Weight Rating (F-550 Only)

PAYLOAD UPGRADE PACKAGE (68U)

Availability:

- Optional on XL and XLT F-550 Chassis Cabs 145" wheelbase with 7.3L Gas engine (99N)
- **Requires:**
- 4.88 Limited-slip rear-axle (X8L)

Includes:

- Increased GVWR to 19,000 lbs.
- Upgraded frame
- Upgraded rear-axle
- NOTE: See Order Guide Supplemental Reference for further details on GVWR and payload ranges

PAYLOAD PLUS UPGRADE PACKAGE (68M)

Availability:

Optional on F-550

Not available with:

- 4.30 Limited-slip rear-axle 145" wheelbase on gas engine
- **Requires:**

4.88 Limited-slip rear-axle (X8L)

Includes:

- Increases GVWR from 18,000 lbs. to 19,500 lbs.
- Increases max RGAWR to 14,706
- Low Deflection/High Capacity Rear Springs
- Upgraded frame
- Upgraded rear-axle
- **Options Available:**
- Low Deflection Spacer (86S)
- NOTE: See Order Guide Supplemental Reference for further details on GVWR.

16,000 GVWR PACKAGE (68L) Availability:

Optional on all F-450 Chassis Cabs

Includes:

Provides 16,000 lbs. Gross Vehicle Weight Rating

LOW DEFLECTION SPACER (86S)	labeling and any other requirements
Availability:	
 Optional on F-450 and F-550 Chassis Cabs 	REAR VIEW CAMERA AND PREP KIT (872)
Not available with:	Availability:
• 4x4 w/145" WB	Optional on all Chassis Cabs
Usage:	Pre-installed Content Includes:
 Recommended for rear-biased loading, such as wrecker/retriever 	Cab Wiring
applications	 Frame Wiring to the rear most cross member
Includes:	Upfitters kit Includes:
 2" spacer blocks 	Camera with mounting bracket
	 14' jumper wire
	Camera mounting and aiming instructions
CNG/Propane GASEOUS ENGINE PREP PACKAGE (98F) –	
	Vehicle Special Order (VSO)
Availability:	
Optional on all F-350	FLEET ONLY. See <u>www.fmcdealer.com</u> for current VSO
Requires:	Order Guide. This live guide includes VSO option codes,
6.2L Gas Engine (996)	descriptions and pricing. Email <u>vsomail@ford.com</u> or call
Includes:	1.800.34.FLEET, menu 4 with any VSO questions you may
Hardened Engine Intake Valves and Valve Seats	have.
Bi-Fuel intake manifold	
NOTE: This package does not include CNG/Propane fuel tanks,	High Sulfur Diesel Fuel Usage
lines, etc. Vehicle will be equipped with the standard	Vehicles for intended usage with diesel fuel sulfur content
factory gasoline fuel system. Additional equipment	greater than 15ppm require Euro II (>500ppm sulfur) or
combined with Certified calibration reflash is required,	Euro III (<500ppm sulfur) packages to avoid engine
from an external upfitter, to convert the vehicle to a	functionality issues.
CNG/Propane fueled vehicle. See Alternative Fuel Buyers	Packages are available through Export Order Guide with
Guide:	the appropriate US EPA exemption or verifiable export
www.ford.com/altfuelbuyersguide	usage.
Ford Motor Company does not provide an exhaust or	NOTE: JP8 fuel is supported and compatible with these packages
evaporative emissions certificate with this option when	NOTE. SPO luer is supported and compatible with these packages
converted to use CNG or Propane fuel. Ford does not	
represent that a vehicle converted to use CNG or Propane will comply with all applicable U.S. or Conadian cofety	Leaded Fuel Capable
will comply with all applicable U.S. or Canadian safety	NOTE: Post build modification kits are not available. Vehicles must
standards. It is the responsibility of the final stage manufacturer (body-builder, installer, alterer or	be ordered correctly for the market that they are to be sold
	and operated in.
subsequent stage manufacturer) to determine that any vehicle converted to use CNG or Propane complies with	
U.S. Federal, California or Canadian exhaust and	European Certified Headlamps
evaporative emission requirements, Federal fuel	European certified headlamp package is available for
economy standards, U.S. and Canadian safety standards,	export usage through Export Order Guide.
labeling and any other requirements	NOTE: Post build modification kits are not available. Vehicles must
abeling and any other requirements	
	be ordered correctly for the market that they are to be sold
CNG/Propane GASEOUS ENGINE PREP PACKAGE (98G)	and operated in.
Availability:	
Optional on all XL and XLT F-450 and F-550	MISCELLANEOUS OPTIONS
<i>Requires:</i> • 7.3L Gas engine (99N)	COV required
• 7.3L Gas engine (99N) Includes:	Priced DORA C09
 Hardened Engine Intake Valves and Valve Seats 	
NOTE: This package does not include CNG/Propane fuel tanks,	PAYLOAD PACKAGE SELECTOR CHART – Refer to
lines, etc. Vehicle will be equipped with the standard	Supplemental Reference Section for Payload Information.
factory gasoline fuel system. Additional equipment	Supplemental helerence beetion for rayboad information.
combined with Certified calibration reflash is required,	
from an external upfitter, to convert the vehicle to a	
CNG/Propane fueled vehicle. See Alternative Fuel Buyers	EMISSIONS STANDARD/OPTIONAL EQUIPMENT
Guide:	50-STATE EMISSIONS SYSTEM 425
www.ford.com/altfuelbuyersquide	Standard on all Vehicles
Ford Motor Company does not provide an exhaust or	
evaporative emissions certificate with this option when	
converted to use CNG or Propane fuel. Ford does not	
represent that a vehicle converted to use CNG or Propane	
will comply with all applicable U.S. or Canadian safety	
standards. It is the responsibility of the final stage	
manufacturer (body-builder, installer, alterer or	
subsequent stage manufacturer) to determine that any	
vehicle converted to use CNG or Propane complies with	
U.S. Federal, California or Canadian exhaust and	
c.o. reactar, camornia or canadian chinadot and	

evaporative emission requirements, Federal fuel economy standards, U.S. and Canadian safety standards,

2020 SUPER DUTY® CHASSIS CAB (F-350CC / F-450CC / F-550) POWERTRAIN

ENGINE HORSEPOWER AND TORQUE RATINGS*

		NOMINAL	50-STATE		
		COMPRESSION	HORSEPOWER	TORQUE	
ENGINE	TRANSMISSION	RATIO	H.P. @ RPM	FT. LBS. @ RPM	
ALL					
6.2L 2V Gas SOHC EFI NA V8 (Flex- Fuel)	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	TBD	TBD @ TBD	TBD @ TBD	
7.3L 2V Gas DECVT NA PFI V8	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	TBD	TBD @ TBD	TBD @ TBD	
6.7L 4V OHV Power Stroke® V8 Turbo Diesel B20	TorqShift® Ten-Speed Automatic w/SelectShift® Automatic	TBD	TBD @ TBD	TBD @ TBD	

(1) 10,000 lbs. GVWR and Under

(2) 10,001 lbs. GVWR and above

FUEL ECONOMY

TRUCKS WITH GROSS VEHICLE WEIGHT RATINGS OVER 8,500 POUNDS ARE NOT INCLUDED IN THE EPA FUEL ECONOMY RATING SYSTEM. FUEL ECONOMY INFORMATION ON THESE MODELS IS GENERALLY NOT AVAILABLE BECAUSE OF WIDE VARIANCES IN VEHICLE LOADING AND OPERATIONAL CONDITIONS BETWEEN VARIOUS CUSTOMER APPLICATIONS.