

Black Boss Flatbed / Stakebed

For a Solid Stake in the Ground

BLACK BOSS STANDARD FEATURES

- RAILS, HEADBOARD AND DECK PAINTED GLOSSY BLACK
- AUTO BRITE GATE POSTS WITH PROTECTIVE PLASTIC CAPS (**BEST IN INDUSTRY!**)
- 7/8" HARDWOOD DECK FLOORS STANDARD AS WELL AS SLATS ON OPTIONAL WOOD GATES (**BEST IN INDUSTRY!**)
- FRONT HEADBOARD INCLUDES:
 - 12 GA. STEEL CONSTRUCTION
 - TURRET PUNCHED UPPER FOR SUPERIOR VISIBILITY
 - SOLID STEEL LOWER
- CROSS MEMBERS ON 16" CENTERS WITH MINOR EXCEPTIONS AROUND STAKE POCKETS
- ROPE HOOKS MOUNTED AT ANGLE ON EACH OTHER CROSSMEMBER FOR EASE OF TYING (**BEST IN INDUSTRY!**)
- TAPERED REAR PANEL TO HIDE UNSIGHTLY UNDER BED CLUTTER
- 80" DOCK BUMPER STANDARD
- FULLY INSTALLED MUD FLAPS

[REFER TO THE LANDSCAPE BODY SECTION FOR DUMP HOIST OPTIONS](#)

12-Ft. Stakebed w/ Class IV Receiver Option



Black Boss Flatbed / Stakebed


For a Solid Stake in the Ground

12-Ft Stakebed with Optional UB601818 & Lift Gate



FORD FLATBEDS & STAKEBEDS DIMENSIONS

Last Update 4/7/2015



FLATBEDS	FLATBED DIMENSIONS (INCHES)			
	A	B	C	D***
STANDARD HEADBOARD	OVERALL LENGTH	HEADBOARD TO GATES	OVERALL WIDTH	OPTIONAL GATES HEIGHTS
HTFB10884 (RECTANGULAR)	108	105 1/4	84 1/4	10 1/2, 15 3/4, 40*
HTFB10896 (RECTANGULAR)	108	105 1/4	95 3/4	10 1/2, 15 3/4, 40*
HTFB14496 (RECTANGULAR)	144	141 1/4	95 3/4	10 1/2, 15 3/4, 40*, 48**

*AVAILABLE FOR RECTANGULAR HEADBOARD ONLY. **AVAILABLE FOR OPTIONAL 48" HEIGHT RECTANGULAR HEADBOARD ONLY.

*** ALSO AVAILABLE IN STEEL. CONTACT HARBOR FOR DIMENSION AND PRICING.

Black Boss Flatbed / Stakebed

For a Solid Stake in the Ground

16'L x 8'W Flatbed for F450 & F550 120" CA DRW Chassis					
14'L x 8'W Flatbed for F450 & F550 108" CA DRW Chassis					
12'L x 8'W Flatbed for F350, F450 & F550 84" CA DRW Chassis					
9'L x 8'W Flatbed for F350, F450 & F550 56" & 60" CA DRW Chassis					
9'L x 7'W Flatbed-F250/F350 56"&60" CA SRW Pickup (W/Box Del. 66D)					
FLATBEDS	M.S.R.P.	M.S.R.P.	M.S.R.P.	M.S.R.P.	M.S.R.P.
7/8" Hard Wood Deck	HTFB10884 \$6,124	HTFB10896 \$6,124	HTFB14496 \$6,375	HTFB16896 \$56,375	HTFB19296 \$7,643
Diamond Plate Deck (No CDX Plywood Under Deck)	HTFB10884D \$5,619	HTFB10896D \$5,619	HTFB14496D \$6,102	HTFB16896D \$6,102	HTFB19296D \$7,102
Smooth Plate Steel Deck (No CDX Plywood Under Deck)	HTFB10884S \$5,716	HTFB10896S \$5,716	HTFB14496S \$6,127	HTFB16896S \$6,127	HTFB19296S \$7,227
Diamond Plate Overlaid on CDX Plywood Under Deck	HTFB10884DW \$6,102	HTFB10896DW \$6,102	HTFB14496DW \$6,245	HTFB16896DW \$6,245	HTFB19296DW \$7,465
Smooth Plate Steel Overlaid on CDX Plywood Under Deck	HTFB10884SW \$6,102	HTFB10896SW \$6,102	HTFB14496SW \$6,245	HTFB16896SW \$6,245	HTFB19296SW \$7,465
Aluminum Deck Isolation-Mounted in Steel Frame	HTFB10884A \$6,805	HTFB10896A \$6,805	HTFB14496A \$6,927	HTFB16896A \$6,927	HTFB19296A \$8,248
Standard Equipment					
HTFBH7 7' Wide Square Headboard	INC	N/A	N/A	N/A	N/A
HTFBH8 8' Wide Square Headboard	N/A	INC	INC	INC	INC
MREARAPRON Stainless Rear Apron (10 GA Plate When Adding Dump Hoist)	INC	INC	INC	INC	INC
Y12FBS Coat Body Black	INC	INC	INC	INC	INC
Optional Equipment					
HTFBH7T ¹ 7' Wide Tapered Headboard	\$402	N/A	N/A	N/A	N/A
HTFBH8T ¹ 8' Wide Tapered Headboard	N/A	\$402	\$402	\$402	\$402
HTFBH8-48T 8' Wide Tapered Headboard	N/A	\$440	\$440	\$440	\$440
Y12FBWHITE ² Coat Body White	\$301	\$301	\$30	\$301 Y14FBWHITE	\$375 Y16FBWHITE
Y12FB-RED ² (Non-Metallic F1 Red. Incl. Boxes)	\$1,229	\$1,229	\$1,229	\$1,675 Y14FB-RED	\$1,675 Y16FB-RED
Y12FB-RED-STL ² w/Steel Deck	\$2,912	\$2,912	\$2,912	\$2,912	\$2,912
FBLED LED Chassis Lights in Lieu of Standard Incandescent	\$227	\$228	\$228	\$228	\$228

¹ Recommend Ordering Tapered Headboard on Body when Stake gates are 10" or 16" High.

² Perfect Color Match with Cab NOT Guaranteed

Black Boss Flatbed / Stakebed

For a Solid Stake in the Ground

GATES ²	HTFB10884	HTFB10896	HTFB14496	HTFB16896	FBG19296
10" High Solid Side Wood Gates ¹ (2 Slats, No Spaces)	FBG10884-10.5 \$997	FBG108-10.5 \$997	FBG144-10.5 \$1,235	FBG168-10.5 \$1,475	FBG192-10.5 \$1,694
16" High Solid Side Wood Gates ¹ (3 Slats, No Spaces)	FBG10884-16H \$997	FBG108-16H \$997	FBG144-16H \$1,235	FBG168-16H \$1,475	FBG192-16H \$1,694
16" High Steel Gates ¹ (2 Slats, No Spaces)	FBG10884-16S \$1,525	FBG108-16S \$1,525	FBG144-16S \$1,845	FBG168-16S \$1,897	FBG192-16S \$3,021
28" High Solid Side Steel Gates (4 Slats, No Spaces.)	FBG10884-28S \$1,689	FBG108-28S \$1,689	FBG144-28S \$2,205	FBG168-28S \$2,455	FBG192-28S \$2,945
40" High Wood Gates (5 Slats, w/ Spaces)	FBG10884-40 \$1,325	FBG108-40 \$1,325	FBG144-40 \$1,524	FBG168-40 \$1,876	FBG192-40 \$2,241
40" High 'C' Shaped Steel Stake Gates Powder Coated Black. (4 Slats, w/ Spaces)	FBG10884-40S \$1,642	FBG108-40S \$1,642	FBG144-40S \$1,906	FBG168-40S \$2,512	FBG192-40S \$2,785
40" High Aluminum Stake Gates Not Painted or Powder Coated. (4 Slats, w/ Spaces)	FBG10884-40A \$2,002	FBG108-40A \$2,128	FBG144-40A \$2,479	FBG168-40A \$3,094	FBG192-40A \$3,489
FBSW Swing-Away Rear Gate on Any of the Above Standard 40" High Gates	\$945	\$945	\$945	\$945	\$945
UNDERBED BOXES ²					
UB241814 (24"Lx18"Hx14"D) Front or Rear	\$701	N/A	N/A	N/A	N/A
UB241818 (24"Lx18"Hx18"D) Front or Rear	N/A	\$701	\$701	\$701	\$701
UB341814 (34"Lx18"Hx14"D) Front	\$701	N/A	N/A	N/A	N/A
UB341818 (34"Lx18"Hx18"D) Front	N/A	\$701	N/A	N/A	N/A
UB361814 (36"Lx18"Hx14"D) Front	\$701³	N/A	N/A	N/A	N/A
UB361818 (36"Lx18"Hx18"D) Front or Rear	N/A	\$701³	\$701	\$701	\$701
UB481818 (48"Lx18"Hx18"D) Front	N/A	N/A	\$789	\$789	\$789
UB601818 (60"Lx18"Hx18"D) Front	N/A	N/A	\$799	\$799	\$799
UBSTAKEBOX 12 Ga. Turret Punched 36"Dx21"W w/ Slanted Opening (rear opening only).	\$1025³	\$1025	\$1025	\$1025	\$1025
¹ Recommended Use with Optional Tapered Headboard					
² All Gates & Underbed Boxes Must be Included w/ Flatbed Order. Gates & Boxes Ordered After Manufactured Will Require a Retrofit Charge					
³ For 60" CA Chassis Only					

Black Boss Flatbed / Stakebed

For a Solid Stake in the Ground

TOP BED BOXES		HTFB10884	HTFB10896	HTFB14496	HTFB16896	HTFB19296
TBO48 Standard-TB48"Lx18"Hx20"D w/Dividers		\$1,264 EA.	\$1,264 EA.	\$1,264 EA.	\$1,264 EA.	\$1,264 EA.
TBO72 Standard-TB72"Lx18"Hx20"D w/Dividers		\$1,345 EA.	\$1,345 EA.	\$1,345 EA.	\$1,345 EA.	\$1,345 EA.
TBO96 Standard-TB96"Lx18"Hx20"D w/Dividers		N/A	N/A	\$1,486 EA.	\$1,486 EA.	\$1,486 EA.
LOK-AOK ALL-ONE-KEY Door Locks (Keyed at Our Factory to Match the Vehicle Ignition Key) priced per lock		\$45 EA.	\$45 EA.	\$45 EA.	\$45 EA.	\$45 EA.
Liftgates (See End of Section for Lift Specifications)						
TOMMYGATE-LIFTGATES						
G2-92-1650 TP35 — Tommy Gate for all 96" Wide Beds, 1,600 Lb. Capacity, 87" Wide x 35" Deep Platform w/6" Taper		N/A	\$6,724 ¹	\$6,724	\$6,724	\$6,724
G2-92-1650 TP41 — Tommy Gate for all 96" Wide Beds, 1,600 Lb. Capacity, 87" Wide x 41" Deep Platform w/6" Taper		N/A	\$6866 ¹	\$6866	\$6866	\$6866
WALTCO FLIPAWAY LIFTGATES						
WALTCO-EMW-25TC 44 — Waltco Flip-Away Liftgate 2500 Lb. Capacity Dual Cylinder Power Up, Gravity Down, Liftgate. 44x84 Platform with 4" Taper. Includes E-Hitch Receiver. (Non-stocking item)		N/A	\$11,487 ¹	\$11,487	\$11,487	\$11,487
WALTCO-EMW-33TC 44 — Waltco Liftgate 3300 Lb. Capacity Dual Cylinder Power Up, Gravity Down. 44" Deep x 84" Wide Platform with 4" Taper. Includes E-Hitch Receiver. (Non-stocking item)		N/A	\$10,905 ¹	\$10,905	\$10,905	\$10,905
RACKS						
RKFBFLT108-84-PL-(R/E)	"Side Loader Rack" –Tapered-Leg Over-Cab Rack w/ 4" Drop-Down Longitudinal Bars					\$2,345
RKFBFLT108-96-PL-(R/E)	"Side Loader Rack"—Tapered-Leg Over-Cab Rack w/ 4" Drop-Down Longitudinal Bars					\$2,128
RKFBFLT144-96-PL-(R/E)	"Side Loader Rack"—Tapered-Leg Over-Cab Rack w/ 4" Drop-Down Longitudinal					\$2,369
RKTOFB	Extend Standard Rack to Front Bumper					\$1,354
RK35	Conduit Box With Rear Door (123"L x 6"H x 9.5"W)					\$864
RK36FE	Conduit Box Fully Enclosed With Rear Hinged Door & Hinged Lid. (123"Lx6"Hx9.5"W)					\$1,421
RK50	Two (2) Conduit Pockets					\$785
RK60	Expanded Metal Roof Shield					\$785
RK61	14 GA. Galvanized Steel Roof Shield Punched on Turret Press					\$649
RK65	Front Stop for Rack 12 Ga. Solid Steel					\$279
RK90	Stainless Covers for Cross Bars on Racks (Price per Cross Bar)					\$224
MSTRAPS	Two (2) Rack Straps –Ratchets up to 500 lbs. Tension (Recommended w/ Conduit Pockets)					\$401
¹ For 60" CA Chassis Only.						

Black Boss Flatbed / Stakebed

For a Solid Stake in the Ground

FLATBED/STAKE OPTIONS		
FBPVC	Tool Holders- Gate Height PVC Mounted on Curb Side Front Gate (per holder)	\$64
MACTIRE	Spare Tire Carrier Mount Behind Bulkhead Only. Not attached to Compartments Due to Potential Water Leaks in Compartment	\$318
MRATCHET	Ratchet Binder Mounted Under Bed for Strapping Down Cargo. Requires Special Mount Kit (MRATCHET-UB-MT-KIT) for any Boxes Added to Flatbed. To Lower Boxes so Doors Will Open.	\$128
MRATCHET-SL	Sliding Ratchet Which Mounts on Track for Adjustable Placement. (Requires MRATCHET-SL-TRK). If Underbed Boxes Ordered w/ this Option, Boxes MUST be a Special Order.	\$98
MRATCHET-SL-TRK	Sliding Ratchet Mount Track Under Flatbed Rail	\$925
MRATCHET-UB-MT-KIT	Special Mounting Bracket for Underbed Boxes, Required w/ MRATCHET Ratchet Binders.	\$367
MRUB-RAIL	3/8 x 2" Flatbar Rub Rail Mounted Along Each Side of Flatbed Rail (Excludes Rear Sill)	\$876
MSTEP3-1	Step 5" D X 12" W Grip Strut	\$422
MSTEP3-2	Double Step 5" D X 12" W Grip Strut	\$781
MTARP12FB	12ft. Flatbed Tarp Manual Retractable One Size Fits All.	\$2,481
MTARP12FB-SA	12ft. Flatbed Tarp Semi-Automatic Retractable One Size Fits All.	\$3,670
MTIE2K	Tie Down, Recessed D-Ring, 2,000 LB. Maximum Capacity	\$188
MTIREUB	Spare Tire Carrier Mounted Under Flatbed Deck In Lieu of Front Under Deck Box (Only Location That Works)	\$927

MOUNTING, RECEIVERS, HITCHES & LIFT GATES		
MREC-LAND V ¹	Class V Receiver – 2 ½" Tube; A-Braced to Frame (15,000 lb. Gross Trailer Wt., 1,500 lb. Tongue Wt.) – 60" & 84" CA Chassis Only	\$741
MREC-LAND VI 2.5 ¹	Class VI Receiver – 2 ½" Tube; A-Braced to Frame (20,000 lb. Gross Trailer Wt., 2,000 lb. Tongue Wt.) – 60" & 84" CA Chassis Only	\$829
MHITCH01	Kerins K200 & K750 Multi Hitch and Adaptor – Must also order one of the MREC above	\$338
M7PRONG	Standard 7-Prong Trailer Connector	\$236
M7/4PRONG	Standard 7/4-Prong Trailer Connector	\$321
MCEB	Electric Trailer Brake Connector	\$574
MLSBRB-LED	Rotating LED Strobe on Mounting Pad i.e. Mounts on Rack or Headboard Only, Not Roof. Lighted Cab Switch Included. ECCO 7965 LED Light, or Equivalent.	\$719
MLSBRB-LED-POLE	Rotating LED Strobe with Mounting Pad on Separate Pedestal Pole. Lighted Cab Switch Included. ECCO 7965 Light, or Equivalent.	\$764
MLTBAR-C	Light Bar Mounted on Separate Rack Behind Cab. Wired Through Back Bottom of Cab, Not Through Headliner. Whelen TAC F85LH, or Equivalent.	\$2,790
MALARM	Back-Up Alarm (Preco 380P or Equivalent)	\$429

¹ Reference Vehicle GCWR for Specific Vehicle Weight Limitation

BACKUP CAMERAS

10,000 LB GVWR AND UNDER (MUST CHOOSE ONE)

10,001 LB GVWR AND OVER (OPTIONAL)

BACKUP CAMERAS ARE REQUIRE BY FMVSS 111 ON ALL TRUCKS 10,000 GVWR OR UNDER MANUFACTURED 5-1-2018 OR LATER

MBCK-UP-CAM-LB1	For Pickup Bed Delete or Chassis Cab WITH Backup Camera Ready, and Factory Supplied Camera and Harness.	\$177
MBCK-UP-FD-872R ¹	For Pickup Bed Removal (Factory Camera Can Not Be Reused).	\$328
MBCK-UP-FD-872D ¹	For Pickup Bed Delete or Chassis Cab ONLY WITH Backup Camera Ready (No Camera and Harness Supplied).	\$328
MBCK-UP-CAM-FORD1 ¹	For Pickup Bed Delete or Chassis Cab WITHOUT Backup Camera Ready, and Factory Supplied Camera and Harness, BUT Has Factory Monitor in Dash or in Rearview Mirror.	\$587
MBCK-UP ²	For Pickup Bed Delete or Chassis Cab WITHOUT Backup Camera Ready, Factory Supplied Camera and Harness, nor Factory Monitor in Dash or in Rearview Mirror.	\$712

¹ Aftermarket Camera Selected by Harbor Based On Capability of Meeting FMVSS Will Be Used.

² Aftermarket Camera and Monitor Selected by Harbor Based On Capability of Meeting FMVSS. Monitor Will Be Mounted Near Top Center of Dash.

Black Boss Flatbed / Stakebed

For a Solid Stake in the Ground

LIFTGATE SPECS

THE ORIGINAL TOMMYGATE HYDRAULIC LIFTGATE

MODEL	CAPACITY LB.	LOAD AREA	TAPER	TRAVEL
G2-92-1350 TP35	1300	87 X 35	6	50
G2-92-1350 TP41	1300	87 X 41	6	50
G2-92-1650 TP35	1600	87 X 35	6	50
G2-92-1650 TP41	1600	87 X 41	6	50

Waltco FlipAway Liftgates

EMW Series - Flipaway Gate: 2,500 lb. – 3,300 lb. capacities

Applications: Lift gates for trucks including - Straight Trucks, Cube Trucks or Cutaway Vans, Step Vans, Dual Wheel Service Body Trucks, Stake Body, Flatbed Trucks, Work Trucks and Trailers

Ideal for: General Contractor vehicles, Hauling Trucks, Food and Beverage, Leasing and Rental, Nursery and Growers vehicles

Lift Gate Design Advantages:

Large, gently sloped, spring assisted platform to move products Easily and efficiently. The platform conveniently flips away under the truck body for unobstructed dock loading.

Model	Capacity	Platform	Ramp
EMW-25	2,500 lb.	44" x 84"	Wedge
EMW-25	2,500 lb.	50" x 84"	Wedge
EMW-33	3,300 lb.	44" x 84"	Wedge
EMW-33	3,300 lb.	50" x 84"	Wedge
AP (Aluminum Platform)			
EMW/AP-25	2,500 lb.	44" x 84"	Wedge
EMW/AP-25	2,500 lb.	50" x 84"	Wedge
EMW/AP-33	3,300 lb.	44" x 84"	Wedge
EMW/AP-33	3,300 lb.	50" x 84"	Wedge

Landscape Bodies

Standard Features

- SAME AS THE BLACK BOSS FLATBEDS/STAKEBEDS WITH THE FOLLOWING EXCEPTIONS:

Special Standard Features Unique to Master Landscaper


- MDO PLYWOOD GATES WITH DUAL SIDE EXTERIOR LAMINATE FOR BEST PROTECTION
- REAR LATCH SWING AWAY REAR GATES THAT LOCK TO SIDE FOR DUMPING
- GLOSSY WHITE PAINT STANDARD (BLACK AVAILABLE AT EXTRA CHARGE)

12-Ft. Landscape Dump Body with MDO Gates



FORD LANDSCAPE BODIES DIMENSIONS

Last Update 4/23/2015



LANDSCAPE BODIES DIMENSIONS (INCHES)					
		A	B	C	D
		OVERALL BED LENGTH	OVERALL BED ID LENGTH	OVERALL BED WIDTH	OVERALL BED ID WIDTH
HTFB10884	Number of side gates per side: 2	108	105 1/4	84 1/4	78 3/4
HTFB10896	Number of side gates per side: 2	108	105 1/4	95 3/4	90 1/4
HTFB14496	Number of side gates per side: 3	144	141 1/4	95 3/4	90 1/4

Landscape Bodies

16'L x 8'W Flatbed for F450 & F550 120" CA DRW Chassis					
14'L x 8'W Flatbed for F450 & F550 108" CA DRW Chassis					
12'L x 8'W Flatbed for F350, F450 & F550 84" CA DRW Chassis					
9'L x 8'W Flatbed for F350, F450 & F550 56"&60" CA DRW Chassis					
9'L x 7'W Flatbed-F250/F350 56" & 60" CA SRW Pickup (W/Box Del. 66D)					
FLATBEDS	M.S.R.P.	M.S.R.P.	M.S.R.P.	M.S.R.P.	M.S.R.P.
7/8" Hard Wood Deck	HTFB10884 \$5,523	HTFB10896 \$5,523	HTFB14496 \$5,818	HTFB16896 \$5,818	HTFB19296 \$7,021
Diamond Plate Deck (No CDX Plywood Under Deck)	HTFB10884D \$5,621	HTFB10896D \$5,621	HTFB14496D \$5,871	HTFB16896D \$6,250	HTFB19296D \$7,126
Smooth Plate Steel Deck (No CDX Plywood Under Deck)	HTFB10884S \$5,679	HTFB10896S \$5,679	HTFB14496S \$5,847	HTFB16896S \$6,312	HTFB19296S \$7,008
Diamond Plate Overlaid on CDX Plywood Under Deck	HTFB10884DW \$5,691	HTFB10896DW \$5,578	HTFB14496DW \$5,812	HTFB16896DW \$6,281	HTFB19296DW \$7,256
Smooth Plate Steel Overlaid on CDX Plywood Under Deck	HTFB10884SW \$5,671	HTFB10896SW \$5,671	HTFB14496SW \$5,822	HTFB16896SW \$6,349	HTFB19296SW \$7,109
Aluminum Deck Isolation-Mounted in Steel Frame	HTFB10884A \$6,229	HTFB10896A \$6,347	HTFB14496A \$6,347	HTFB16896A \$7,106	HTFB19296A \$7,893
Standard Equipment					
HTFBH7 7' Wide Square Headboard	INC	N/A	N/A	N/A	N/A
HTFBH8 8' Wide Square Headboard	N/A	INC	INC	INC	INC
Y12FBWHITE Coat Body White Incl. Optional Boxes	INC	INC	INC	INC	INC
MREARAPRON Stainless Rear Apron (Becomes 10 GA Plate when Adding Dump Hoist)	INC	INC	INC	INC	INC
Optional Equipment					
Y12FBD-BLACK Coat Body Black Incl. Optional Boxes	\$289	\$289	\$289	\$289	\$289
FBLED LED Chassis Lights in Lieu of Standard Incandescent	\$227	\$227	\$227	\$227	\$227

Landscape Bodies

GATES ¹	HTF10884	HTFB10896	HTFB14496	HTFB16896	HTFB19296
40" Solid-Side MDO Plywood w/ Swing-Away Rear Gates Includes Auto Brite Posts	FBG10884-40P \$3,128	FBG108-40P \$3,128	FBG144-40P \$3,480	FBG168-40P \$4,775	FBG192-40P \$4,975
FBGSSGC Cap, Stainless Steel for Top Edge of MDO Plywood Gate (Price per Gate)	\$110/ Gate	\$110/ Gate	\$110/ Gate	\$110/ Gate	\$110/ Gate
40" Solid-Side Steel Gates w/ Swing-Away Rear Gates. Includes Steel Posts in Matching Color.	N/A	FBG108-40STL-R \$4,830	FBG144-40STL-R \$4,971	FBG168-40STL-R \$5,929	FBG192-40STL-R \$6,499
FBSW-.5DOWN 50/50 Fold-Down Side Gate (per gate)	\$580	\$580	\$580	\$580	\$580
FBSW-SINGLE Single Swing-Away Side Gate (per gate)	\$529	\$529	\$529	\$529	\$529
UNDERBED BOXES ¹					
DU-UB-MNT-KIT — Bracketry for Mounting Boxes to Frame. Required When Body Ordered w/ Dump Hoist. (Price per Box)	\$335/ Box	\$335/ Box	\$335/ Box	\$335/ Box	\$335/ Box
UB241814 (24"Lx18"Hx14"D) Front or Rear	\$689	N/A	N/A	N/A	N/A
UB241818 (24"Lx18"Hx18"D) Front or Rear	N/A	\$689	\$689	\$689	\$689
UB341814 (34"Lx18"Hx14"D) Front	\$689	N/A	N/A	N/A	N/A
UB341818 (34"Lx18"Hx18"D) Front	N/A	\$689	N/A	N/A	N/A
UB361814 (36"Lx18"Hx14"D) Front	\$689²	N/A	N/A	N/A	N/A
UB361818 (36"Lx18"Hx18"D) Front or Rear	N/A	\$689²	\$689	\$689	\$689
UB481818 (48"Lx18"Hx18"D) Front	N/A	N/A	\$732	\$732	\$732
UB601818 (60"Lx18"Hx18"D) Front	N/A	N/A	\$781	\$781	\$781
UBSTAKEBOX 12 Ga. Turret Punched 36"Dx21"W w/ Slanted Opening (rear opening only).	\$1089	\$1089	\$1089	\$1089	\$1089
LOK-AOK () Harbor ALL-ONE-KEY Door Locks (keyed at our factory to match the vehicle ignition Key) for boxes-priced per lock	\$69 EACH	\$69 EACH	\$69 EACH	\$69 EACH	\$69 EACH
¹ All Gates & Underbed Boxes Must be Included w/ Flatbed Order. Gates & Boxes Ordered After Manufactured Will Require a Retrofit Charge					
² For 60" CA Chassis Only					

BACKUP CAMERAS		
10,000 LB GVWR AND UNDER (MUST CHOOSE ONE)		
10,001 LB GVWR AND OVER (OPTIONAL)		
BACKUP CAMERAS ARE REQUIRE BY FMVSS 111 ON ALL TRUCKS 10,000 GVWR OR UNDER MANUFACTURED 5-1-2018 OR LATER		
MBCK-UP-CAM-LB1	For Pickup Bed Delete or Chassis Cab WITH Backup Camera Ready, and Factory Supplied Camera and Harness.	\$225
MBCK-UP-FD-872R ¹	For Pickup Bed Removal (Factory Camera Can Not Be Reused).	\$350
MBCK-UP-FD-872D ¹	For Pickup Bed Delete or Chassis Cab ONLY WITH Backup Camera Ready (No Camera and Harness Supplied).	\$350
MBCK-UP-CAM-FORD1 ¹	For Pickup Bed Delete or Chassis Cab WITHOUT Backup Camera Ready, and Factory Supplied Camera and Harness, BUT Has Factory Monitor in Dash or in Rearview Mirror.	\$648
MBCK-UP ²	For Pickup Bed Delete or Chassis Cab WITHOUT Backup Camera Ready, Factory Supplied Camera and Harness, nor Factory Monitor in Dash or in Rearview Mirror.	\$679
¹ Aftermarket Camera Selected by Harbor Based On Capability of Meeting FMVSS Will Be Used.		
² Aftermarket Camera and Monitor Selected by Harbor Based On Capability of Meeting FMVSS. Monitor Will Be Mounted Near Top Center of Dash.		

Landscape Bodies

Rugby Dump Hoists	10884	10896	14496	16896	19296 ⁴
SR4016-EDA ¹ Dump Hoist for 8-14 Ft. Body With Electric Double Acting Push Button Pump Dump/Conversion Class 40, 7.7-17 Ton Capacity Depending on Application	\$5,375 ^{3,4}	\$5,375 ^{3,4}	\$5,375	\$5,375	N/A
HR550-EDM ¹ Used Primarily w/ Heavier Solid-Side Wood or Steel Gates or as a Dump Hoist for 12-14 Ft. Bodies With Electric Double Acting Push Button Pump. Dump/Conversion Class 40, 8-16 Ton Capacity Depending on Application	N/A	N/A	\$6,429	\$6,429	N/A
SR5020-EDA ¹ Dump Hoist for 10-16 ft. Bodies With Electric Double Acting Push Button Pump Dump/Conversion Class 50, 9.1-17 Ton Capacity Depending on Application. For 19,500 lb. GVWR Only.	N/A	N/A	N/A	N/A	\$6,124

TOMMYGATE LIFTGATE					
G2-92-1650LD33 Tommy Gate Lift and Dump for all 96" Wide Beds, 1,600lb. Capacity, 87" Wide x 36" Deep Platform w/6" Taper	N/A	\$6,924 ³	\$6,924	\$6,924	\$6,924

RECEIVERS, HITCHES & OTHER OPTIONS		
FBPVC	Tool Holders-Gate Height (M.S.R.P. is per holder)	\$65
M7PRONG	Standard 7-Prong Trailer Connector	\$239
M7/4PRONG	Standard 7/4-Prong Trailer Connector	\$339
MACTIRE	Spare Tire Carrier Mount Behind Bulkhead Only. Not attached to a Compartment Due to Potential Water Leaks in Compartment	\$329
MALARM	Back-Up Alarm (Preco 380P or Equivalent)	\$389
MCEB	Electric Trailer Brake Connector	\$549
MHITCH01	Kerins K200 & K750 Multi Hitch and Adaptor – Requires MREC-LAND	\$319
MLSBRB-LED	Rotating LED Strobe on Mounting Pad i.e. Mounts on Rack or Headboard Only, Not Roof. Lighted Cab Switch Included. ECCO 7965 LED Light, or Equivalent.	\$715
MLSBRB-LED-POLE	Rotating LED Strobe with Mounting Pad on Separate Pedestal Pole. Lighted Cab Switch Included. ECCO 7965 Light, or Equivalent.	\$788
MLTBAR-C	Light Bar Mounted on Separate Rack Behind Cab. Wired Through Back Bottom of Cab, Not Through Headliner. Whelen TAC F85LH, or Equivalent.	\$2,698
MREC-LAND ²	Class IV Receiver – 2" Tube; A-Braced to Frame (10,000 lb. Gross Trailer Wt., 1,000 lb. Tongue Wt.)	\$575
MREC-LAND V ²	Class V Receiver – 2 ½" Tube; A-Braced to Frame (15,000 lb. Gross Trailer Wt., 1,500 lb. Tongue Wt.) – 60" & 84" CA Chassis Only	\$745
MREC-LAND VI 2.5 ²	Class VI Receiver – 2 ½" Tube; A-Braced to Frame (20,000 lb. Gross Trailer Wt., 2,000 lb. Tongue Wt.) – 60" & 84" CA Chassis Only	\$801
MTARP12FB	12ft. Flatbed Tarp Manual Retractable One Size Fits All.	\$2,515
MTARP12FB-SA	12ft. Flatbed Tarp Semi-Automatic Retractable One Size Fits All.	\$3,720
MTIREUB	Spare Tire Carrier Mounted Under Flatbed Deck In Lieu of Front Under Deck Box (Only Location That Works)	\$909

¹ When Dump Hoists are ordered, the MREARAPRON Stainless Rear Apron becomes 10 GA. Plate

² Reference Vehicle GCWR for Specific Vehicle Weight Limitation

³ For 60" CA Chassis Only

⁴ Call for Specific Lift Option

Landscape Bodies

Dump Hoists Specs

Rugby Subframe Scissor Hoists

SR4016 EDA

NTEA Classification: Conversion = D; Dump Body = 40

- Available with single or double acting electric pump, or direct mount gear pump
- Cylinder specifications: 5.5" bore; 16" stroke; 2" diameter rod
- Mounting height: 9.6"
- Capacity range: 7.7 - 17 tons
- Approximate weight: 460 lb.

Body Length	CA	Rear Overhang	Capacity 50° Dump
9'	60"	6"	10.6T
9'	60"	18"	14.1T
10'	84"	6"	9.4T
10'	60"	30"	17.0T
12'	84"	30"	12.1T
Mounting Distance			72"

HR550 EDM

NTEA Classification: Conversion = D; Dump Body = 40

- Available with single or double acting electric pump, Williams piston pump, or direct mount gear pump
- Cylinder specifications: 5.5" bore; 20" stroke; 2 1/4" diameter rod
- Mounting height: 10 1/2"
- Capacity range: 8 - 16 tons
- Approximate weight: 650 lb.

Body Length	CA	Rear Overhang	Capacity 50° Dump
12'	84"	30"	15.1T
12'	84"	18"	11.7T
14'	108"	30"	11.7T
Mounting Distance			85"

SR5020 EDA

NTEA Classification: Conversion = E; Dump Body = 50

- Available with double acting electric pump, or direct mount gear pump
- Cylinder specifications: 6" bore; 20" stroke; 2 1/2" diameter rod
- Mounting height: 11 5/16"
- Capacity range: 9.1 - 17 tons
- Approximate weight: 710 lb.

Body Length	CA	Rear Overhang	Capacity 50° Dump
14'	108"	18"	10.8T
14'	108"	30"	13.2T
16'	120"	30"	10.8T
16'	120"	42"	13.2T
Mounting Distance			90 1/4"

Harbor Truck & Van

WARRANTY

NEW BODY LIMITED WARRANTY

WHAT IS COVERED?

All Harbor Service Bodies, Harbor Platform Bodies, and Harbor Van Interiors (collectively “product”) during the Warranty Period (described immediately below).

Harbor Truck & Van (Harbor) warrants each product manufactured by Harbor to be free of defects in materials or workmanship for a period of three (3) years or 36,000 miles whichever comes first from the date the body is placed “in service”. Harbor warrants its factory applied primer and finish coatings and/or powder coat finish against material defects for a period of three (3) years or 36,000 miles whichever comes first from the date the body is placed “in service”. During this three (3) year 36,000 miles warranty period, Harbor guarantees its products to be free of rust-through perforation. The warranty applies when the product is properly installed by Harbor or one of its Service Centers or Distributors and is properly maintained.

The “in service” date shall begin on the earliest of the following dates: the date of purchase by the first owner/user or; one year from the date the product was manufactured by Harbor or; the date it was first used as a demonstrator vehicle. This warranty is subject to limitations and exclusions as listed in the sections below.

WARRANTY CLAIMS PROCEDURE

The owner shall immediately contact Harbor Customer Service (800-433-9452 Ext. 270 or customerservice@harbortruck.com) and provide a detailed description in writing with pictures showing and/or demonstrating the purported defect. The information must include the body serial number found on a plaque on the upper interior of the first driver (street) side compartment on the body or on the front rail of the platform body on the driver (street) side.

Harbor shall repair or replace, at its option, any factory manufactured and installed part that is deemed defective under normal use and when the product has been properly maintained in accordance with this warranty and Harbor’s OWNER’S MANUAL. The warranty repairs shall be performed free of charge for parts or labor. To assure warranty repairs meet the highest standards, Harbor reserves the right to perform all warranty repairs in-house or at one of Harbor’s authorized Distributors or Service Centers. Any warranty claim, for which repair is performed by truck dealers, customers or other third parties without Harbor’s express written permission in advance, shall be subject to rejection and the warranty voided. It is Harbor’s sole determination whether the product is defective in material or workmanship as claimed.

WARRANTY EXCLUSIONS

1. Parts, that upon inspection, are found by Harbor not to contain factory defects in material and workmanship
2. Warranty claim on any product where the vehicle is not the original vehicle on which the product is installed. Warranty claim on a vehicle damaged to such an extent that the owner or the institution financing, leasing or insuring the vehicle consider it uneconomical to repair it. This includes, but is not limited to a product titled as scrap, salvage or dismantled. Warranty claim to a product where the vehicle has been altered so the true mileage cannot be determined and where the mileage is a condition of the warranty.
3. Warranty claim for any part or accessory manufactured by Harbor Body that has been subjected to abuse, misuse, exposure to caustic acids or corrosive materials, fire, negligence, accident damage, collision or theft. Warranty claim for repair the need for which was caused by tampering, disconnection, improper adjustment, repair, or improper maintenance in accordance with the owner’s manual.
4. Warranty claim for fatigue or cracking of body structure due to abnormal stress caused by improper mounting, overloading, severe off-road applications, or twisting loads by a crane where the load exceeds crane/body capacity.
5. Any part or accessory that has been repaired by an unauthorized party without Harbor’s written permission where such repair is deemed by Harbor to have adversely affected the performance, reliability or stability of the part. Failures as a result of improper installation or adaptation of the body, van interior or special equipment by an unauthorized party.

Harbor Truck & Van

WARRANTY

6. *Parts or repairs for outside-manufactured accessories (e.g. cranes, lift gates, generators, compressors, pumps, welding machines, hydraulic pumps or reservoirs etc.) that are not manufactured by Harbor where these products are covered by their own manufacturers' warranties in effect at the time of delivery. A copy of an outside-manufactured accessory warranty, if provided to Harbor, has been included in your owners' packet. These are also generally available on line. Parts or repairs that are considered part of normal wear and tear to these outside-manufactured accessories by their manufacturers. Labor for removal or replacement of defectives parts or accessories not installed by Harbor.*
7. *Repairs for corrosion perforation (defined as penetration of rust creating a hole through the metal) due to poor care, exposure to caustic acids or corrosive materials, exposure to improper cleaning materials, external forces (such as stones, salt or equivalent, gravel, accidents, collisions or other forms of impact), or due to environmental conditions including "acts of nature", industrial fall-out, acid rain or location on an island surrounded by saltwater in a non-contiguous 48 state location like the Hawaiian Islands. Poor care is defined as external rust left unrepaired and later causing corrosion perforation due to neglect of vehicle care. Repair for corrosion perforation due to installation (or de-installation) of accessories by user, unauthorized party or Harbor Distributor/Service Center. In the latter case, the Distributor or Service Center would be responsible for the repair if the product is still in the eligible Warranty Period. Repairs for corrosion other than perforation are not covered.*
8. *Repairs of paint flaws caused by conditions such as industrial fallout, acid rain, "acts of nature", exposure to caustic acids or corrosive materials, exposure to improper cleaning materials, scratches, abrasions, dents, nicks, chips, failures on flexible components, failure of under coating, calking, and cracking of joints subject to tensional bending or movement. Normal paint aging conditions.*
9. *Damage or failure of wood floor on a platform body or other upfit including, but not limited to damage from moisture, weather or use of corrosive or caustic materials resulting in buckling, deterioration or damage to such wood which, in Harbor's opinion, is considered normal wear and tear. Harbor replacement costs for wood floors that are determined to be defective shall be limited to the following percentages: 100% first year; 25% second year; 10% third year.*
10. *Harbor shall not be liable for incidental damages including, but not limited to: rental reimbursement, loss of use, storage, inconvenience, lost time or lost pay, food and lodging, and telephone calls.*
11. *Conditions related to noise, vibration or harshness of ride that are considered normal.*
12. *Products purchased outside the continental U.S. and Canada.*

DISCLAIMERS

This warranty is the only express warranty made by Harbor, and Harbor's obligations are limited to those expressed in this warranty. Harbor makes no other warranties, express or implied, and disclaims all other warranties, including any implied warranty of merchantability or fitness for particular purpose.

Harbor shall not be liable to the purchaser, or any third party, for any direct or indirect, incidental or consequential damage or loss even if the potential for such damage or loss was disclosed in advance. Some states do not allow the exclusion or limitation of incidental or consequential damages, or how long an implied warranty lasts in which case these limitations may not apply. These rights may vary from state to state.

If the product is improperly installed, modified, misused, damaged or otherwise tampered with, the Harbor Warranty shall become null and void and shall lapse.

In no event shall any liability arising from the product exceed the amount of the proceeds received by Harbor pursuant to its sale.

Harbor reserves the right to make changes to its products at any time without incurring any obligation to make the same or similar changes on products previously built by Harbor.

No person is authorized to modify or add to the Harbor Warranty.

This Warranty shall be enforced and construed in accordance with the laws of the State of California.