

Rugby Dump Bodies

9-Ft. 2-3 Yard Dump Body With ¼ Cab Shield & Class III Receiver Option



THE RUGBY ELIMINATOR LP

With a recently updated design, the Eliminator LP is better than ever, And now the lowest mounted dump body in the industry. The steel model now features a seamless, one-piece steel floor for optimum strength and durability. A lower mounting height improves stability on all models, while a full 9-foot floor length allows for full sheets of plywood or other materials. The updated Eliminator LP design also features front pillars that incorporate forward facing clearance lights positioned at a 45-degree angle at each corner. Rugby products feature light locations that may assist the installer in meeting FMVSS/CMVSS 108.

Other industry leading design features include:

- Primarily constructed of 10 Ga. and 12 Ga. materials
- Side design includes fully boxed dirt shedding top rail and a sloped bottom rail for a completely self-cleaning profile
- Double-walled rigid sides with vertical braces
- Single-walled fold down sides with vertical braces
- Pockets for 6" side boards increase load capacity
- Front body's seamless one-piece design features triple bend top rails for long-term durability
- Stacked understructure consisting of 5" structural long members overlaid with 3" structural I-beam cross members nominally spaced 16" apart
- Standard ¼ cab shield with viewing window
- Full height corner posts with rear surface sloped aids in tailgate closing
- Tailgate double walled panel design featuring fully boxed dirt-shedding top and bottom rails. Two vertical braces to provide additional strength and rigidity
- Standard 10 gauge floor
- Board pocket design that aligns perfectly with cab shield, allowing the use of tapered side boards to increase capacity when hauling lighter loads such as brush, firewood, and mulch

Note: While the addition of a taller side board allows for some additional capacity, you must follow the maximum weight capacities of your body and hoist.

Rugby Dump Bodies

CARBON STEEL RIGID 2-3 YARD BODY SPECIFICATIONS

Body Length (Inside)	9'7", 11'7"
Body Capacity (cubic yd.)	2-3 2-3
Side Height (in)	12 12
Rear Height (in)	18 18
Body Weight (lb.)	1450 1660

CARBON STEEL FOLD DOWN SIDE 2-3 YARD BODY SPECIFICATIONS

Body Length (Inside)	9'7" 11'7"
Body Capacity (cubic yd.)	2-3 2-3
Side Height (in)	12 12
Rear Height (in)	18 18
Body Weight (lb.)	1475 1685

SR4016 EDA

NTEA Classification: Conversion = D; Dump Body = 40

- Available with single or double acting electric pump, or direct mount gear pump
- Cylinder specifications: 5.5" bore; 16" stroke; 2" diameter rod
- Mounting height: 9 .6"
- Capacity range: 7.7 - 17 tons
- Approximate weight: 460 lb.

Body Length	CA	Rear Overhang	Capacity 50° Dump
9'	60"	6"	10.6T
9'	60"	18"	14.1T
10'	84"	6"	9.4T
10'	60"	30"	17.0T
12'	84"	30"	12.1T
Mounting Distance			72"

Rugby Dump Bodies

RUGBY DUMP BODIES (INCLUDING DUMP BODY & ELECTRIC DOUBLE ACTING HOIST)

Part Number	Description	Application / Tech. Specs. / M.S.R.P.	
		FORD 60" CA	FORD 84" CA
F350 & Higher GVWR		FORD 60" CA	FORD 84" CA
HTDU09-3D-4016	Standard Dump Body w/ SR4016 Hoist & ¼ Cab Shield	\$15,505	N/A
HTDU09-3D-FDS-4016	Same Dump w/ Fold Down Sides & ¼ Cab Shield	\$16,109	N/A
HTDU11-3D-4016	Standard Dump Body w/ SR4016 Hoist & ¼ Cab Shield	N/A	\$16,228
HTDU11-3D-FDS-4016	Same Dump w/ Fold Down Sides & ¼ Cab Shield	N/A	\$16,929
F450 & Higher GVWR		FORD 60" CA	FORD 84" CA
HTDU09-4D-4016	Standard Dump Body w/ SR4016 Hoist & ¼ Cab Shield	\$15,487	N/A
HTDU09-4D-FDS-4016	Same Dump w/ Fold Down Sides & ¼ Cab Shield	\$16,250	N/A
HTDU11-4D-4016	Standard Dump Body w/ SR4016 Hoist & ¼ Cab Shield	N/A	\$16,104
HTDU11-4D-FDS-4016	Same Dump w/ Fold Down Sides & ¼ Cab Shield	N/A	\$17,254
STANDARD EQUIPMENT			
Y10DUWHITE or	Harbor Harbor White	INC	INC
Y10DUB	Paint Harbor Black – Dump Body	INC	INC
DU12	Drop-In side Boards	INC	INC
OPTIONAL EQUIPMENT			
SEO	Factory LED Light Package (Must Order w/ Dump Body)	\$605	\$605
SEO	Coal Shute (Must Order w/ Dump Body)	\$687	\$687
SEO	Spreader Aprons (Must Order w/ Dump Body)	\$571	\$571
SEO	Coal Shute & Spreader Aprons Combo (Must Order w/ Dump Body)	\$1,424	\$1,424
MTARP10FB	Tarp, Spring Assist, 10 Foot Roll-Up	\$2,677	N/A
MTARP12FB	Tarp, Spring Assist, 12 Foot Roll-Up	N/A	\$2,677
MTARP12FB-SA	Tarp, Semi-Automatic Motor Assist, 12 Foot Roll-Up	\$3,971	\$3,971
BOX, RECEIVER, HITCH & SECURITY OPTIONS			
DU-UB-MNT-KIT	Bracketry for Mounting Boxes to Frame. Required When Ordering Any Boxes w/ Dump Bodies. (Price per Box)		\$316 / Box
UB361818	Under-Body Boxes (36"L x 18"H x 18"D) For Both Standard Dump Bodies Listed Above. Requires UBFRAMEBRKT.		\$684
UB601818	Under-Body Boxes (60"L x 18"H x 18"D) Fits HTDU11-3D ONLY. Requires UBFRAMEBRKT.		\$771
MHITCHDU	Class IV Receiver - Multi Hitch for Dump Body (A-Braced to Frame)		\$1,345
M7PRONG	Standard 7-Prong Trailer Connector		\$218
M7/4PRONG	Standard 7/4-Prong Trailer Connector		\$325
MLSBRB-LED	Rotating LED Strobe on Mounting Pad i.e. Mounts on Rack or Headboard Only, Not Roof. Lighted Cab Switch Included. ECCO 7965 LED Light, or Equivalent.		\$687
MLSBRB-LED-POLE	Rotating LED Strobe with Mounting Pad on Separate Pedestal Pole. Lighted Cab Switch Included. ECCO 7965 Light, or Equivalent.		\$788
MLTBAR-C	Light Bar Mounted on Separate Rack Behind Cab. Wired Through Back Bottom of Cab, Not Through Headliner. Whelen TAC F85LH, or Equivalent.		\$2,917
MALARM	Back-Up Alarm (Preco 380P or Equivalent)		\$425

Rugby Dump Bodies

BACKUP CAMERAS

10,001 LB GVWR AND OVER (OPTIONAL)

ALL STANDARD RUGBY DUMP BODIES ARE OVER 10,000 LB GVWR, BACKUP CAMERAS ARE OPTIONAL

MBCK-UP-CAM-LB1	For Chassis Cab WITH Backup Camera Ready, and Factory Supplied Camera and Harness.	\$175
MBCK-UP-FD-872D ¹	For Chassis Cab ONLY WITH Backup Camera Ready (No Camera and Harness Supplied).	\$335
MBCK-UP-CAM-FORD1 ¹	For Chassis Cab WITHOUT Backup Camera Ready, and Factory Supplied Camera and Harness, BUT Has Factory Monitor in Dash or in Rearview Mirror.	\$591
MBCK-UP ²	For Chassis Cab WITHOUT Backup Camera Ready, Factory Supplied Camera and Harness, nor Factory Monitor in Dash or in Rearview Mirror.	\$675

¹ Aftermarket Camera Selected by Harbor Based On Capability of Meeting FMVSS Will Be Used.

² Aftermarket Camera and Monitor Selected by Harbor Based On Capability of Meeting FMVSS. Monitor Will Be Mounted Near Top Center of Dash.

Harbor Truck & Van

WARRANTY

NEW BODY LIMITED WARRANTY

WHAT IS COVERED?

All Harbor Service Bodies, Harbor Platform Bodies, and Harbor Van Interiors (collectively “product”) during the Warranty Period (described immediately below).

Harbor Truck & Van (Harbor) warrants each product manufactured by Harbor to be free of defects in materials or workmanship for a period of three (3) years or 36,000 miles whichever comes first from the date the body is placed “in service”. Harbor warrants its factory applied primer and finish coatings and/or powder coat finish against material defects for a period of three (3) years or 36,000 miles whichever comes first from the date the body is placed “in service”. During this three (3) year 36,000 miles warranty period, Harbor guarantees its products to be free of rust-through perforation. The warranty applies when the product is properly installed by Harbor or one of its Service Centers or Distributors and is properly maintained.

The “in service” date shall begin on the earliest of the following dates: the date of purchase by the first owner/user or; one year from the date the product was manufactured by Harbor or; the date it was first used as a demonstrator vehicle. This warranty is subject to limitations and exclusions as listed in the sections below.

WARRANTY CLAIMS PROCEDURE

The owner shall immediately contact Harbor Customer Service (800-433-9452 Ext. 270 or customerservice@harbortruck.com) and provide a detailed description in writing with pictures showing and/or demonstrating the purported defect. The information must include the body serial number found on a plaque on the upper interior of the first driver (street) side compartment on the body or on the front rail of the platform body on the driver (street) side.

Harbor shall repair or replace, at its option, any factory manufactured and installed part that is deemed defective under normal use and when the product has been properly maintained in accordance with this warranty and Harbor’s OWNER’S MANUAL. The warranty repairs shall be performed free of charge for parts or labor. To assure warranty repairs meet the highest standards, Harbor reserves the right to perform all warranty repairs in-house or at one of Harbor’s authorized Distributors or Service Centers. Any warranty claim, for which repair is performed by truck dealers, customers or other third parties without Harbor’s express written permission in advance, shall be subject to rejection and the warranty voided. It is Harbor’s sole determination whether the product is defective in material or workmanship as claimed.

WARRANTY EXCLUSIONS

1. Parts, that upon inspection, are found by Harbor not to contain factory defects in material and workmanship
2. Warranty claim on any product where the vehicle is not the original vehicle on which the product is installed. Warranty claim on a vehicle damaged to such an extent that the owner or the institution financing, leasing or insuring the vehicle consider it uneconomical to repair it. This includes, but is not limited to a product titled as scrap, salvage or dismantled. Warranty claim to a product where the vehicle has been altered so the true mileage cannot be determined and where the mileage is a condition of the warranty.
3. Warranty claim for any part or accessory manufactured by Harbor Body that has been subjected to abuse, misuse, exposure to caustic acids or corrosive materials, fire, negligence, accident damage, collision or theft. Warranty claim for repair the need for which was caused by tampering, disconnection, improper adjustment, repair, or improper maintenance in accordance with the owner’s manual.
4. Warranty claim for fatigue or cracking of body structure due to abnormal stress caused by improper mounting, overloading, severe off-road applications, or twisting loads by a crane where the load exceeds crane/body capacity.
5. Any part or accessory that has been repaired by an unauthorized party without Harbor’s written permission where such repair is deemed by Harbor to have adversely affected the performance, reliability or stability of the part. Failures as a result of improper installation or adaptation of the body, van interior or special equipment by an unauthorized party.

Harbor Truck & Van

WARRANTY

6. *Parts or repairs for outside-manufactured accessories (e.g. cranes, lift gates, generators, compressors, pumps, welding machines, hydraulic pumps or reservoirs etc.) that are not manufactured by Harbor where these products are covered by their own manufacturers' warranties in effect at the time of delivery. A copy of an outside-manufactured accessory warranty, if provided to Harbor, has been included in your owners' packet. These are also generally available on line. Parts or repairs that are considered part of normal wear and tear to these outside-manufactured accessories by their manufacturers. Labor for removal or replacement of defectives parts or accessories not installed by Harbor.*
7. *Repairs for corrosion perforation (defined as penetration of rust creating a hole through the metal) due to poor care, exposure to caustic acids or corrosive materials, exposure to improper cleaning materials, external forces (such as stones, salt or equivalent, gravel, accidents, collisions or other forms of impact), or due to environmental conditions including "acts of nature", industrial fall-out, acid rain or location on an island surrounded by saltwater in a non-contiguous 48 state location like the Hawaiian Islands. Poor care is defined as external rust left unrepaired and later causing corrosion perforation due to neglect of vehicle care. Repair for corrosion perforation due to installation (or de-installation) of accessories by user, unauthorized party or Harbor Distributor/Service Center. In the latter case, the Distributor or Service Center would be responsible for the repair if the product is still in the eligible Warranty Period. Repairs for corrosion other than perforation are not covered.*
8. *Repairs of paint flaws caused by conditions such as industrial fallout, acid rain, "acts of nature", exposure to caustic acids or corrosive materials, exposure to improper cleaning materials, scratches, abrasions, dents, nicks, chips, failures on flexible components, failure of under coating, calking, and cracking of joints subject to tensional bending or movement. Normal paint aging conditions.*
9. *Damage or failure of wood floor on a platform body or other upfit including, but not limited to damage from moisture, weather or use of corrosive or caustic materials resulting in buckling, deterioration or damage to such wood which, in Harbor's opinion, is considered normal wear and tear. Harbor replacement costs for wood floors that are determined to be defective shall be limited to the following percentages: 100% first year; 25% second year; 10% third year.*
10. *Harbor shall not be liable for incidental damages including, but not limited to: rental reimbursement, loss of use, storage, inconvenience, lost time or lost pay, food and lodging, and telephone calls.*
11. *Conditions related to noise, vibration or harshness of ride that are considered normal.*
12. *Products purchased outside the continental U.S. and Canada.*

DISCLAIMERS

This warranty is the only express warranty made by Harbor, and Harbor's obligations are limited to those expressed in this warranty. Harbor makes no other warranties, express or implied, and disclaims all other warranties, including any implied warranty of merchantability or fitness for particular purpose.

Harbor shall not be liable to the purchaser, or any third party, for any direct or indirect, incidental or consequential damage or loss even if the potential for such damage or loss was disclosed in advance. Some states do not allow the exclusion or limitation of incidental or consequential damages, or how long an implied warranty lasts in which case these limitations may not apply. These rights may vary from state to state.

If the product is improperly installed, modified, misused, damaged or otherwise tampered with, the Harbor Warranty shall become null and void and shall lapse.

In no event shall any liability arising from the product exceed the amount of the proceeds received by Harbor pursuant to its sale.

Harbor reserves the right to make changes to its products at any time without incurring any obligation to make the same or similar changes on products previously built by Harbor.

No person is authorized to modify or add to the Harbor Warranty.

This Warranty shall be enforced and construed in accordance with the laws of the State of California.