

PACKAGING PAPER

High Bulk FBB/GC1/GC2	
<i>Usage</i>	Folding cartons, packaging boxes, gift boxes, cosmetic packaging, food packaging, beverage packaging, electronics packaging, pharmaceutical packaging, confectionery packaging, display packaging, promotional packaging, point-of-purchase (POP) displays, brochures, catalogs, annual reports, posters, book covers, greeting cards, invitation cards, and hang tags
<i>Characteristics</i>	<ul style="list-style-type: none">❖ Outstanding paper stiffness❖ High bulkiness❖ Super thickness❖ Excellent stiffness❖ Super surface coating❖ Good surface smoothness❖ Stable ink absorbability❖ Low surface roughness❖ Rich printing dots❖ Excellent printing result❖ Good surface decoration❖ Calendaring assurance❖ Hot-stamping results❖ Laminating results❖ Strong support
<i>Material</i>	100% virgin wood pulp
<i>Size</i>	889*1194,787*1092,880*730,700*1000 or width >600mm in reel size
<i>Weight</i>	200gsm,215gsm,230gsm,250gsm,270gsm,300gsm,325gsm,350gsm
<i>Packaging</i>	PE film wrapped, 4 angles protector, baled on strong wooden pallets
<i>Load Quantity</i>	14-15 tons per 20FT: 25 tons per 40FT

C1S Ivory Board / Folding Box Board	
Usage	Cosmetic boxes, magazine covers, book covers, name cards, meeting cards, gift boxes, product packaging, display packaging, shoe boxes, food packaging, electronic device packaging, stationery boxes, jewelry boxes, CD/DVD covers, invitation cards, greeting cards, postcards, brochures, catalogs, flyers, tags and labels, hang tags, PO\$P (Point of Purchase) displays, board games packaging, and puzzle packaging.
Characteristics	<ul style="list-style-type: none"> ❖ excellent texture (smooth); ❖ surface coating and roughness; ❖ allows for impressive decorative finishes, hot stamping and lamination; ❖ stiffness is good for carton laminating and die-cutting
Material	100% virgin wood pulp
Size	889*1194,787*1092,880*730,700*1000 or width >600mm in reel size
Brightness	88.5%±1.5%
Weight	170gsm,190gsm,210gsm,230gsm,250gsm,270gsm,300gsm,350gsm,400gsm
Packaging	PE film wrapped, 4 angles protector, baled on strong wooden pallets
Load Quantity	14-17 tons per 20FT: 25 tons per 40FT

Grey Board/Grey Chip Board	
<i>Usage</i>	product packaging, rigid boxes, bookbinding, stationery, backing boards, puzzles, displays, photo frames, storage boxes, educational materials, craft projects, book covers, game boards, and architectural models.
<i>Characteristics</i>	<ul style="list-style-type: none"> ❖ Smooth surface for optimal runnability ❖ High stiffness and caliper for a sturdy feel ❖ Accurate cutting size and neat trimming for precise finishing ❖ Good ink absorption for vibrant printing ❖ Excellent printing results
<i>Material</i>	Recycle pulp
<i>Size</i>	787mm*1092mm,889mm*1194mm in sheets, or width >600mm in reel size
<i>Weight</i>	300gsm,350gsm,400gsm,450gsm,500gsm,600gsm,700gsm,800gsm, 900gsm,1000gsm, 1200-2000gsm
<i>Packaging</i>	PE film wrapped, 4 angles protector, baled on wooden pallets
<i>Load Quantity</i>	11-13 tons per 20FT. 25 tons per 40FT

Black Paper Board/Cardboard	
Usage	Packaging boxes, display stands, gift boxes, book covers, scrapbooking, arts and crafts projects, photo albums, backing boards, business cards, invitations, posters, signage, tags and labels, product packaging, stationery, game boards, educational materials, menu cards, drawer liners, and mounting boards
Characteristics	<ul style="list-style-type: none"> ❖ The paper undergoes a unique process involving pulp to achieve a distinct color on both sides. ❖ It possesses exceptional structural integrity and flexibility against bending. ❖ With a sleek texture, it ensures seamless printing performance. ❖ The paper presents versatile options for dynamic printing applications.
Size	787mm*1092mm.889mm*1194mm in sheets, or width >600mm in reel size
Material	Mixed pulp/Wood pulp
Weight	120gsm.150gsm,180gsm,200gsm,220gsm,250gsm,280gsm,300gsm,325gsm,350gsm,400gsm,450gsm
Packaging	PE film wrapped, 4 angles protector, baled on wooden pallets
Load Quantity	13-15 tons per 20FT, 25 tons per 40FT

White Top Linerboard/WTL	
Usage	corrugated boxes, packaging for consumer goods, shipping containers, carton packaging, point-of-purchase (POP) displays, retail packaging, food packaging, beverage packaging, e-commerce packaging, industrial packaging, electronics packaging, gift boxes, display stands, shelf-ready packaging, protective packaging, promotional packaging, mailer boxes, product inserts, divider sheets, and void fill packaging.
Characteristics	<ul style="list-style-type: none"> ❖ Stable and consistent quality ❖ Versatile and adaptable for printing ❖ Easy to process and work with ❖ Outstanding performance after polishing, mulching, and adding UV ink ❖ Reliable results in various processing operations
Material	Recycle pulp
Size	889"1194,787*1092,880°730,700*1000 or width >600mm in reel size
Weight	110gsm, 125gsm,140gsm.170gsm,180gsm,200gsm,220gsm, 235gsm
Brightness	82%±2%
Packaging	PE film wrapped, 4 angles protector, baled on wooden pallets.
Load Quantity	15-17 tons per 20FT.25 tons per 40FT

Duplex Board With Grey Back/Duplex Board With White Back	
Usage	Packaging boxes, folding cartons, display stands, promotional materials, book covers, stationery, notebooks, puzzles, posters, signage, educational materials, file folders, backing boards, and point-of-purchase (POP) displays
Characteristics	<ul style="list-style-type: none"> ❖ Reliable performance is guaranteed by the consistent quality of the paper. ❖ Superior printing results are achieved due to its high stiffness and excellent printability. ❖ Deformation and picking issues are eliminated during full page printing. ❖ The paper demonstrates exceptional folding strength, preventing cracks after corrugated lamination.
Material	Recycle pulp
Size	889'1194,787*1092,880*730,700'1000mm or width >600mm in reel size
Weight	230gsm,250gsm,300gsm,350gsm, 400gsm,450gsm
Packaging	PE film wrapped, 4 angles protector, baled on strong wooden pallets.
Load Quantity	14-17 tons per 20FT; 25 tons per 40FT