


Mobile 2003 GE 1.5T 16x MRI



- Helium level: 54.81
- Gradient: 8916
- SW Version: V03-1638A
- Patient Monitor
- MedRad Solaris injector
- Medium Bore

Coils

- Head, HD Knee, HD Wrist, 8 ch Body, Torso PA, TMJ, x 2 Flex, Quad knee/foot/ankle, receive only Head

2003 Ellis and Watts Coach



ELLIS & WATTS

INTERNATIONAL INC.
BATAVIA, OHIO

MODEL **TU4375** / **1822** SERIAL NO. **13691**

CURB WEIGHT **10200 LB**

OAH **132 IN** OAW **102 IN** OAL **575 IN**

THIS VEHICLE WAS ALTERED BY ELLIS & WATTS
IN **01/2013** AND AS ALTERED IT CONFORMS
TO ALL APPLICABLE FEDERAL MOTOR VEHICLE
SAFETY STANDARDS AFFECTED BY THE ALTERATION
AND IN EFFECT IN **01/2013**

IF NOTED, THE FOLLOWING SUPERSEDE THE
ORIGINAL VEHICLE SPECIFICATIONS:

GVWR **10200** LBS **4630** KG

GAWR **3000** AXLES **3000** LBS **1360** KG

EACH WITH **12** TIRES **12** RIMS

INFLATED TO **35** PSI **240** KPA COLD

VEHICLE TYPE **TRAILER** E&W PART# 34-0-17 REV B



ELLIS & WATTS

INTERNATIONAL INC.
BATAVIA, OHIO

35' MEDICAL TRAILER 1822226

1822226 1822226

CONTRACT NO.	
SERIAL NO.	13691 1822226 1822226
DATE OF MFG.	01/2013
GVW	10200 LB
MAX PAYLOAD	-
CURB WT.	



ELLIS & WATTS

INTERNATIONAL INC.
BATAVIA, OHIO

01/2013 1822226

1822226

CONTRACT NO.	
SERIAL NO.	13691 1822226 1822226
DATE OF MFG.	01/2013
GVW	10200 LB
MAX PAYLOAD	-
CURB WT.	
FED. STOCK NO.	
OA HGT	102 IN
OA WD	102 IN
OA LG	575 IN
POWER REQMT	480V 3 PH 60HZ
INSPECTED	

E&W PART# 34-0-1 REV A

KENTUCKY

MANUFACTURED BY

KENTUCKY MANUFACTURING COMPANY

R.C. TWAY CO. INC. OWNERS, LOUISVILLE, KY

DATE OF MFR **1/03**

GVWR **10200 LB** GAWR ALL AXLES **3000 LB**

10200 LB **3000 LB**

10200 LB **3000 LB**

GAWR & GVWR BASED ON

TIRE SIZE **205/75R22.5**

RIM SIZE **22.5/2.25**

COLD TIRE PSI **35/240 KPA**

THIS VEHICLE CONFORMS TO ALL APPLICABLE
FEDERAL MOTOR VEHICLE SAFETY STANDARDS
IN EFFECT ON THE DATE OF MANUFACTURE
SHOWN AT LEFT

V.I.N. **1YV 1437222W001**

SERIAL NUMBER **210017**

TYPE **TRAILER**





