

Mobile GE GoldSeal Echosped LX 1.5 T MRI

- Helium Level = 95.12
- Pressure = 1.984
- Cold Head: May of 2019







# ELLIS & WATTS

INTERNATIONAL INC.  
BATAVIA, OHIO

GE MEDICAL TITRATOR

VIN -

CONTRACT NO.

SERIAL NO.

DATE OF MFG.

GVW

59900 LB

MAX PAYLOAD

CURB WT.

FED. STOCK NO.

OA HGT

162 IN

OA WD

102 IN

OA LG

48 FT

POWER REQMT

480V 60HZ 3PH 125AMP

INSPECTED

E&W PART# 34-0-1 REV A







# ELLIS & WATTS

INTERNATIONAL INC.  
BATAVIA, OHIO

MODEL

TL4 896

VE 543

SERIAL NO.

CURB WEIGHT

OAH

16230

OAW

16230

OAL

16230

THIS VEHICLE WAS ALTERED BY ELLIS & WATTS  
IN 05/2005 AND AS ALTERED IT CONFORMS  
TO ALL APPLICABLE FEDERAL MOTOR VEHICLE  
SAFETY STANDARDS AFFECTED BY THE ALTERATION  
AND IN EFFECT IN 01/2005

IF NOTED, THE FOLLOWING SUPERSEDE THE  
ORIGINAL VEHICLE SPECIFICATIONS:

GVWR

LBS

KG

GAWR

AXLES

LBS

KG

EACH WITH

TIRES

RIMS

INFLATED TO

PSI

KPA COLD

VEHICLE TYPE

ESW PART# 34-0-17 REV B





MANUFACTURED BY  
**KENTUCKY**  
TRAILER

LOUISVILLE, KY  
888-598-7245

DATE OF MFR

1/05

GVWR

65000LB

GAWR ALL AXLES

20000LB

29484KG

9072KG

GAWR & GVWR BASED ON

TIRE  
SIZE

295/75R22.5

RIM  
SIZE

22.5X8.25

COLD TIRE PSI

100/690 KPA

THIS VEHICLE CONFORMS TO ALL  
APPLICABLE FEDERAL MOTOR VEHICLE  
SAFETY STANDARDS IN EFFECT ON THE  
DATE OF MANUFACTURE SHOWN AT LEFT

V.I.N.

SERIAL NUMBER

TYPE: TRAILER