

### TECHNICAL REQUIREMENTS

### ALL THE REQUIREMENTS GIVEN BELOW ARE NECESSARY TO FULL FILL

**FOR ANY ASSISTANCE FEEL FREE TO REACH US** 



### TECH RIDER REQUERMENTS

### P.A. SYSTEM

(JBL | RCF | D&B)

#### **INDOOR SETUP**

LINE ARRAYS 8 TOP 4 SUBS (SLIGHTLY TILTED TOWARDS THE DANCE FLOOR)

4 TOP 2 SUBS FOR CENTER FILL

#### **OUTDOOR SETUP**

LINE ARRAYS 12 TOP 6 SUBS (SLIGHTLY TILTED TOWARDS THE DANCE FLOOR)

╁

4 TOP 2 SUBS FOR CENTER FILL



### TECH RIDER REQUERMENTS ON STAGE

#### **MONITORS:**-

8X JBL | RCF OR ANY REPUTED MAKE

4X SIDE FILL JBL | RCF ( 2X IF VENUE IS INDOOR )

4X IN EAR MONITORS SENNHEISER

#### MICRO PHONES, CABLE & Elements:-

VOCALS 4X CORDLESS MIC (SHURE BETA 58)
DHOL MIC 2X XLR3
DJ CONSOLE 1X XLR3
EXTENSION BOARD 2X

NOTE :- IF THERE IS ANY RAMP WITH THE STAGE 2 ADDITIONAL MONITORS WILL BE REQUIRED



# TECH RIDER REQUERMENTS ON STAGE

#### **DJ CONSOLE**

POINNER 2000 NEXUS | NEXUS MARK II
POINNER MIXER 2000 NEXUS | 900 NEXUS
ELECTRIC EXTENSION BOARD

**DRUM KIT WITH MIC SET:-**

MAKE TAMA, PEARL

NOTE :- IF THERE IS ANY RAMP WITH THE STAGE 2 ADDITIONAL MONITORS WILL BE REQUIRED



## TECH RIDER REQUERMENTS ON STAGE

#### **PERCUSSION MICSET & CABLE**

1X DRUM KIT MIC SET
5X MIC 57
5 MIC 58
5X SMALL STAND
5X BIG STAND
1X JACK TO JACK LEAD

NOTE:- IF THERE IS ANY RAMP WITH THE STAGE 2 ADDITIONAL MONITORS WILL BE REQUIRED

# PLACEMENT GUIDE WE

MUST BE TUTED TOWNARDS DINNCE FLOOR

DANCE FLOOR

CENTER FILLS

PA SYSTEM

MONITOR

SIDE

FIF

MONITOR DHOE

Stage Size 40×30

SIDE

FIL

STAGE

DJ CONSOLE

ROTINOM

KEYBOARDIST

MONITOR

MONITOR

PERCUSSIONIST MONITOR SOUND CONSOLE

PA SYSTEM

MONITOR

CENTER FILS

MONITOR