





CONTACT US

Toll-Free Phone Number
1.844.674.4461

8am – 5pm PST Monday – Friday

Marketing/Press - marketing@originacoustics.com

Ordering/Customer Service - sales@originacoustics.com

Design Services - design@originacoustics.com

Financial - accounting@originacoustics.com

Support - techsupport@originacoustics.com

originacoustics.com originacoustics.net (dealer portal)

Copyright Origin Acoustics 2021

Rev 1.0 – 6/16/2021

DETAILS MATTER

We are Origin Acoustics. Performance loudspeakers with a high-fidelity heritage, nearly invisible aesthetics, and a commitment to genuine acoustic beauty. We believe that astounding audio is the home's beating heart. As musicians and filmmakers have poured their souls into their craft, so have we into ours. We strive to bring you the fullest experience, as intended by their creators. The minute nuance that not everyone gets to hear, that's where we live. In the details.



CONTENTS

8 WHY	ORIGIN	ACOUSTICS?
-------	--------	-------------------

12 IN-CEILING LOUDSPEAKER COLLECTION

- 12 10" DIRECTORS
- 14 8" & 6^{1/2}" DIRECTORS
- 16 5" & 3" MINIMALS OPENING
- 18 PRODUCERS (TRADITIONAL MOUNT)

20 IN-WALL LOUDSPEAKER COLLECTION

- 20 THEATER & COMPOSER C60
- 22 LCR & CIW (TRADITIONAL MOUNT)

24 MARQUEE THEATER COLLECTION

26 SPECIALITY PRODUCT COLLECTION

- 26 SOUNDBARS
- 28 EXPLORER (MARINE PRODUCT)
- 32 THINFIT

34 SUBWOOFERS COLLECTION

- 34 ARCHITECTURAL SUBWOOFERS
- 36 FLOORSTANDING SUBWOOFERS

38 OUTDOOR COLLECTION

- 39 BOLLARD AESTHETIC (LANDSCAPE)
- 40 LANDSCAPE SATELLITES & ACOUSTIC LANDSCAPE SYSTEM
- 41 OUTDOOR SUBWOOFERS & ROCKS
- 42 SURFACE MOUNT LOUDSPEAKERS
- 43 RECOMMENDED BUNDLES

44 AMPLIFIER COLLECTION

WHY ORIGIN ACOUSTICS?

DETAILED ARTICULATION



TRI-LINEAR CONFIGURATION®

We've built an authentic threeway loudspeaker for in-ceiling applications. The transducers are stacked linearly for precise imaging and elegantly hinged for an extended pivot. Perfect for creating life like sound stages from above.

ACCURATE SOUND-STAGING



MULTI-MOTION PIVOT® (MMP®)

The secret of Origin Acoustics's uperior sound staging is our patented MMP™ technology. All of our five series and above loudspeakers can pivot up to thirty-degrees. So regardless of placement restrictions, you can direct the sound right to the listener.

MINIMAL

DISTORTION



VARIABLE DEPTH ABSORPTION LAYER®

Surrounding the interior baffle is a precisely molded rubberized insert. Its purpose is to absorb errant frequencies that cause phase distortion. This design enhancement ensures that our long-throw woofers and DPSD™ tweeters are used to their full capabilities.

NEUTRAL COLORATION



COMPRESSION MOLDED WOOFER BASKETS

Using the time tested and true technique of compression molding, we designed and produced woofer baskets that are both highly stable and acoustically neutral. The result is a reduction in distortion without coloration from the basket itself.

WHY ORIGIN ACOUSTICS?

HIGH SENSITIVITY



X-WAVE SURROUND®

When a speaker cone reaches its limit of movement and comes to a hard stop, unwanted waves ripple up and down the cone. Our X-Wave Woofer Surround progressively absorbs impact, that prevents unwanted sonic distortion, improves overall fidelity. and

RESOUNDING CLARITY



DUAL PLANE STABILIZED DIAPHRAGM™ (DPSD™)

This patented tweeter design improves high-frequency performance, and prevents distortion and increases loudness. This secondary stabilization allows the driver to be crossed over at a much lower frequency resulting in improved dispersion and decreased distortion.

1:

TOOL-LESS MOUNTING

NOT ALL CUTOUTS ARE EQUAL.

When it comes to the ratio of performance to grille size, Origin Acoustics' in-ceiling speakers always finish first. That's because, on average, our models have two more inches of woofer than the competitions'. We've made it possible with our tool-less mounting system. As you can see below, our woofers and surrounds begin where the other speakers are still putting their dog-ears.

Total Speaker

Standard

Standard




Traditional 6.5" Dog-Ears and Woofer Overlay

STANDARD CEILING SPEAKER WOOFER & DOG EARS OVERLAID ONTO ORIGIN ACOUSTICS' SPEAKERS WITH THE SAME CUTOUT SIZE.



DIRECTOR 10"- 61/2" LOUDSPEAKERS

The Director Collection is the culmination of 100+ years of combined experience in producing the finest sounding in-ceiling speakers. Every aspect of the Director Collection is purposed towards producing full-range high fidelity music with as little visibility as possible. Utilizing the finest materials and a unique pivoting assembly to direct the sound precisely where it is needed; these speakers become transparent points of sound in any room. Never before has this level of overall performance been available in an in-ceiling speaker.





TOOL LESS MOUNTING

10" DIRECTORS

CUTOUT DIAMETER 10 3/8"











D109

DEALER: \$650 MSRP: \$1,890 DEALER: \$550 MSRP: \$1,590

D107

DEALER: \$425 MSRP: \$1,225

D105

DEALER: \$365 MSRP: \$1,045

D103DT

DEALER:\$265 MSRP: \$750

D101

10" DIRECTOR ACCESSORIES



BRACKET BR10 (10 PACK) DEALER: \$80 MSRP: \$160



ENCLOSURE FB10 DEALER: \$75 MSRP: \$150



GRILLE GR10 ROUND DEALER: \$15 MSRP: \$30



GRILLE SQ10 SQUARE DEALER: \$16 MSRP: \$32

10" DIRECTOR SPECIFICATIONS

Product	Cut Out	Mounting Depth	Frequency Response	Woofer (s)	Tweeter	Power Handling	UOM
D109	$10^{3/8}$ " diameter	6 7/32"	25Hz-20kHz +/-3dB	10" & 4" KEVLAR	3/4" SILK DPSD™	50 - 150 W	1
D107	$10^{3/8}$ " diameter	6 7/32"	28Hz-20kHz ^{+/-} 3dB	10" & 4" GLASS FIBER	3/4" SILK DPSD™	50 - 150 W	1
D105	$10^{3/8}^{\prime\prime}$ diameter	6 7/32"	28Hz-20kHz +/-3dB	10" & 4" graphite	3/4" SILK DPSD™	50 - 150 W	1
D103DT	$10^{3/8}$ " Diameter	5 1/4"	37Hz-20kHz +/-3dB	10" & 4" graphite	DUAL 1" ALUMINUM	50 - 150 W	1
D101	$10^{3/8}$ " diameter	5 1/4"	35Hz-20kHz +/-3dB	10" & 4" POLY & RUBBER	1" SILK PIVOTING	50 - 100 W	1

IN-CEILING LOUDSPEAKER COLLECTION

8" & 6^{1/2}" DIRECTORS

CUTOUT DIAMETER 8 3/4"



D89

DEALER: \$500 MSRP: \$1,460



D87

DEALER: \$295 MSRP: \$845



D85

DEALER: \$205 MSRP: \$590



D83

DEALER: \$145 MSRP: \$415



D83A

DEALER: \$160 MSRP: \$465



D83DT/SUR

DEALER: \$230 MSRP: \$685



D81-6 (6 PACK)

DEALER: \$600 MSRP: \$1,750



D81T-6 (6 PACK)

DEALER: \$635 MSRP: \$1,850



D69

DEALER: \$260 MSRP: \$735



D67

DEALER: \$155 MSRP: \$445



D65

DEALER: \$125 MSRP: \$360



D63

DEALER: \$100 MSRP: \$290



D63DT/SUR

DEALER: \$155 MSRP: \$450



D61-6 (6 PACK)

DEALER: \$450 MSRP: \$1,300



D61T-6 (6 PACK)

DEALER: \$485 MSRP: \$1,400



D61DT

DEALER: \$125 MSRP: \$360

8" & 61/2" ACCESSORIES



ENCLOSURE FBD82X6

DEALER: \$75 MSRP: \$150



REUSABLE BRACKET REBR68 (10 PACK)

DEALER: \$80 MSRP: \$160 BZ68BC-8 BUNDLE
(8 PACK)
DEALER: \$190
MSRP: \$380

SQUA DEALI

GRILLE SQ68
SQUARE
DEALER: \$14
MSRP: \$28

8" & 6^{1/2}" SPECIFICATIONS

Product	Cut Out	Mounting Depth	Frequency Response	Woofer	Tweeter	Power Handling	UOM
D89	8 3/4" DIAMETER	5 5/8"	30Hz-20kHz +/- 3dB	8" & 4" KEVLAR	3/4" SILK DPSD™	50 - 150 W	1
D87	8 3/4" DIAMETER	5 5/8"	34Hz-20kHz +/- 3dB	8" & 4" GLASS FIBER	3/4" SILK DPSD™	50 - 150 W	1
D85	8 3/4" DIAMETER	5 5/8"	36Hz-20kHz +/- 3dB	8" & 4" GRAPHITE	3/4" SILK DPSD™	50 - 150 W	1
D83	8 3/4" DIAMETER	4 1/2"	38Hz-20kHz +/- 3dB	8" GRAPHITE	1" ALUMINUM	50 - 150 W	1
D83A	8 3/4" DIAMETER	4 11/16"	38Hz-20kHz +/-3dB	8" GRAPHITE	1" ALUMINUM	50 - 150 W	1
D83DT/SUR	8 3/4" DIAMETER	5 5/8"	38Hz-20kHz +/-3dB	8 " GRAPHITE	dual 1" aluminum	50 - 150 W	1
D81-6	8 3/4" DIAMETER	4 1/4"	38Hz-20kHz +/-3dB	8" POLY & RUBBER	1" SILK PIVOTING	50 - 150 W	6
D81T-6	$8^{3/4''}$ diameter	5 9/32"	38Hz-20kHz +/- 3dB	8" POLY & RUBBER	1" SILK PIVOTING	50 - 150 W	6
D69	8 3/4" DIAMETER	5 1/2"	40Hz-20kHz +/- 3dB	6 1/2" KEVLAR	3/4" SILK DPSD™	40 - 150 W	1
D67	8 3/4" DIAMETER	5 1/2"	43Hz-20kHz +/-3dB	6 1/2" GLASS FIBER	3/4" SILK DPSD™	40 - 150 W	1
D65	8 3/4" DIAMETER	5 1/2"	45Hz-20kHz +/-3dB	6 1/2" GRAPHITE	3/4" SILK DPSD™	40 - 150 W	1
D63	8 3/4" DIAMETER	3 3/4"	48Hz-20kHz +/-3dB	6 1/2" GRAPHITE	1" ALUMINUM	40 - 150 W	1
D63DT/SUR	8 3/4" DIAMETER	4"	48Hz-20kHz +/-3dB	6 1/2" GRAPHITE	dual 1" aluminum	40 - 150 W	1
D61-6	8 3/4" DIAMETER	3 1/2"	48Hz-20kHz +/-3dB	6 ^{1/2} " POLY & RUBBER	1" SILK PIVOTING	40 - 150 W	6
D61T-6	8 3/4" DIAMETER	3 1/2"	48Hz-20kHz +/-3dB	6 1/2" POLY & RUBBER	1" SILK PIVOTING	40 - 150 W	6
D61DT	8 3/4" DIAMETER	4 27/32"	48Hz-20kHz +/- 3dB	6 ^{1/2} " POLY & RUBBER	DUAL 1" SILK PIVOTING	40 - 150 W	1



MINIMAL OPENING LOUDSPEAKERS

The increasing popularity of smaller recessed light openings has created a huge demand for speakers that "line up" with ceiling lighting. Delivering even under the meticulous constraints of the interior design community, the Director Minimal Opening System leaves the smallest visible imprint, whether the lights are square or round, without compromising sound quality. Minified 3" Director satellites and a unique bandpass in-ceiling subwoofer line up with the lights to form a musical arrangement with spotless coverage and full-range output.







5" DIRECTORS

CUTOUT DIAMETER 5 7/8"



D59 DEALER: \$205 MSRP: \$590



D57DT/SUR DEALER: \$190 MSRP: \$545



D57
DEALER: \$155
MSRP: \$445



DEALER: \$1,895 MSRP: \$4,395



D57



· ... ©

DSP3-150

5" ACCESSORIES



BRACKET BR5 (10 PACK)

DEALER: \$80 MSRP: \$160



GRILLE SQ5 SQUARE DEALER: \$14

MSRP: \$28

5" & 3" SPECIFICATIONS

Product	Cut Out	Mounting Depth	Frequency Response	Woofer	Tweeter	Power Handling
D59	5 ^{7/8} " DIAMETER	3 3/4"	68Hz-20kHz +/- 3dB	5 1/4" KEVLAR	1" SILK DPSD™	40 - 125 W
D57 DT/SUR	5 ^{7/8} " DIAMETER	3 3/4"	69Hz-20kHz */- 3dB	5 1/4" GLASS FIBER	^{3/4"} DUAL SILK DPSD™	40 - 125 W
D57	5 ^{7/8} " DIAMETER	3 3/4"	69Hz-20kHz +/- 3dB	5 1/4" GRAPHITE	1" SILK DPSD™	40 - 125 W
D39	3 ^{1/8} " DIAMETER	3 15/16"	100Hz-20kHz */- 3dB	3" KEVLAR	1" SILK DPSD™	40 - 125 W
DSUB6F5K	5 ^{7/8} " DIAMETER	7 7/8"	33Hz-150kHz +/- 3dB	DUAL 6 ^{1/2} " POLY & RUBBER	N/A	100 - 250 \
DSUB6F3K	3 1/2" DIAMETER	7 7/8"	33Hz-150kHz +/-3dB	DUAL $6^{1/2''}$ Poly & Rubber	N/A	100 - 250 \

3" DIRECTOR

CUTOUT DIAMETER 3 1/8"



D39 DEALER: \$155 MSRP: \$445



3" ACCESSORIES



BRACKET BR3 (4 PACK) DEALER: \$80 MSRP: \$160



GRILLE GR3 ROUND | SQUARE INCLUDED

UOM

1 1 1

1



PRODUCER COLLECTION LOUDSPEAKERS

Carefully crafted with an impressive price to performance ratio, the Producer Collection is our entry-level offering that is anything but entry-level in sound quality. With five in-ceiling models there are a variety of options for any number of applications. The collection includes two dual-tweeter models producing stereo from a single speaker, a perfect solution for hallways, bathrooms and walk-in closets.



E60-6
EXPANDABLE CUT-OUT
8 - 8 3/4"





PRODUCER COLLECTION (CONTRACTOR GRADE)

CUTOUT DIAMETER 9 3/4"





P80

DEALER: \$150 MSRP: \$445

P80DT

DEALER: \$125 MSRP: \$360

P80 | P80DT ACCESSORIES



ENCLOSURE FBP8 DEALER: \$75

MSRP: \$150



BRACKET BRP8 (10 PACK)

DEALER: \$80 MSRP: \$160

CUTOUT DIAMETER 8"







P61

DEALER: \$130 MSRP: \$380

P60

DEALER: \$110

P60DT

DEALER: \$80 MSRP: \$320 MSRP: \$230

P60 | 61 | 61DT ACCESSORIES



ENCLOSURE FBP6

DEALER: \$75 MSRP: \$150



BRACKET BRP6 (10 PACK)

DEALER: \$80 MSRP: \$160

CUTOUT DIAMETER 8 - 8 3/4"



E60-6

DEALER: \$260 MSRP: \$760

E60-6 ACCESSORIES



REUSABLE BRACKET REBR68

10 PACK

DEALER: \$80 MSRP: \$160

Product	Cut Out	Mounting Depth	Frequency Response	Woofer	Tweeter	Power Handling	UOM
P80	9 ^{3/4} " DIAMETER	3 3/4"	38Hz-20kHz	8" POLY & RUBBER	1" SILK PIVOTING	40 - 100 W	1
P80DT	9 ^{3/4} " DIAMETER	3 3/4"	38Hz-20kHz	8" POLY & RUBBER	DUAL 1" SILK	40 - 100 W	1
P61	8" DIAMETER	3 3/8"	46Hz-20kHz	6 1/2" GRAPHITE	1" ALUMINUM PIVOTING	40 - 100 W	1
P60	8" DIAMETER	3 3/8"	48Hz-20kHz	6 ^{1/2} " POLY & RUBBER	1" SILK PIVOTING	40 - 100 W	1
P60DT	8" DIAMETER	3 3/4"	48Hz-20kH	6 1/2" GRAPHITE	DUAL 1" SILK	40 - 100 W	1
E60-6	8 - 8 ^{3/4} " DIAMETER	3 1/2"	48Hz-20kH	6 1/2" POLY & RUBBER	1/2" PEI PIVOTING	40 - 100 W	6



COMPOSER LOUDSPEAKERS

We designed the Composer Collection as the perfect match for our Director Collection. Across each model, the levels of performance remain consistent. This unity allows you to timbre match our in-wall and in-ceiling models with confidence. In-wall loudspeakers are perfect for ear level applications, such as home theater or music listening.

All models (aside from the CIW series) have spring-loaded dog-ears that snap into place with just a quick turn from a coin or the included guitar-pick.

SLIM WOOFER

SLEEKER LOOK



SPRING INTO ACTION

PATENTED SPRINGLOCK™ MECHANISM



EQ ADJUSTMENT

CUSTOM TAILORED SOUND



COMPOSER IN-WALL COLLECTION

THEATER LOUDSPEAKERS

CUTOUT DIAMETER 7 7/8" x 29"

THTR69

DEALER: \$700 MSRP: \$2,000



THTR67

DEALER: \$590 MSRP: \$1,720

THTR ACCESSORIES



BRACKET BRL30 (2 PACK)

DEALER: \$80 MSRP: \$160

C60 LOUDSPEAKERS

CUTOUT DIMENSIONS 4 5/8" x 11"



C69

DEALER: \$260 MSRP: \$735



C67

DEALER: \$155 MSRP: \$445



C65

DEALER: \$125 MSRP: \$360



C63

DEALER: \$100 MSRP: \$290

C60 ACCESSORIES



ENCLOSURE FB12S

DEALER: \$75 MSRP: \$150



BRACKET BRL12 (10 PACK)

DEALER: \$80 MSRP: \$160



GRILLE GR60C

DEALER: \$12.50 MSRP: \$25

Product	Cut Out	Mounting Depth	Frequency Response	Woofer	Tweeter	Power Handling	UOM
THTR69	7 ^{7/8} " x 29"	3 3/4	40Hz-20kHz	QUAD 6 1/2" KEVLAR	1" SILK DPSD™	50 - 200 W	1
THTR67	7 ^{7/8} " x 29 "	3 3/4	40Hz-20kHz	QUAD 6 1/2" GLASS FIBER	1" SILK DPSD™	50 - 200 W	1
C69	4 ^{5/8} " x 11"	3 3/4	40Hz-20kHz	4" X 8" KEVLAR	1" SILK DPSD™	50 - 125 W	1
C67	4 ^{5/8} " x 11"	3 3/4	43Hz-20kHz	4" X 8" GLASS FIBER	1" SILK DPSD™	50 - 125 W	1
C65	4 ^{5/8} " x 11"	3 3/4	45Hz-20kHz	4" X 8" GRAPHITE	1" SILK DPSD™	50 - 125 W	1
C63	4 ^{5/8} " x 11"	3 3/4	45Hz-20kHz	4" X 8" GRAPHITE	1" POLY & RUBBER	50 - 125 W	1

COMPOSER IN-WALL COLLECTION

LCR 60 LOUDSPEAKERS

CUTOUT DIMENSIONS 6 5/8" X 14 3/8"





MSRP: \$935



DEALER: \$230 MSRP: \$660

LCR67



LCR65 DEALER: \$165 MSRP: \$480

LCR 30 LOUDSPEAKERS

CUTOUT DIMENSIONS 4 3/8" X 9 1/2"



LCR39



LCR37

DEALER: \$165 DEALER: \$110 MSRP: \$480 MSRP: \$320

LCR 65 | 67 | 69 ACCESSORIES



BRACKET BRL15 (10 PACK) DEALER: \$80 MSRP: \$160



ENCLOSURE FB15S

DEALER: \$75

MSRP: \$150

LCR 37 | 39 ACCESSORIES



BRACKET BRL10 (10 PACK) DEALER: \$80

MSRP: \$160



ENCLOSURE FB10S

DEALER: \$75

MSRP: \$150

Product	Cut Out	Mounting Depth	Frequency Response	Woofer	Tweeter	Power Handling	UOM
LCR69	6 ^{5/8} " x 14 ^{3/8} "	3 3/4"	51Hz-20kHz	2 X 6 1/2" KEVLAR	1" SILK DPSD™	40 - 150 W	1
LCR67	6 ^{5/8} " x 14 ^{3/8} "	3 3/4"	53Hz-20kHz	$2~\text{X}~6~^{1/2}{}^{\prime\prime}~\text{GLASS FIBER}$	1" SILK DPSD™	40 - 150 W	1
LCR65	6 ^{5/8} " x 14 ^{3/8} "	3 3/4"	55Hz-20kHz	2 X 6 1/2" GRAPHITE	1" SILK DPSD™	40 - 150 W	1
LCR39	4 ^{3/8} " x 9 ^{1/2} "	3 3/4"	70Hz-20kHz	2 X 3 1/2" KEVLAR	1" SILK DPSD™	35 - 125 W	1
LCR39	4 ^{3/8} " x 9 ^{1/2} "	3 3/4"	70Hz-20kHz	$2~{\rm X}~3~^{1/2}{\rm ''}$ glass fiber	1" SILK DPSD™	35 - 125 W	1

COMPOSER IN-WALL COLLECTION

TRADITIONAL MOUNT IN-WALL SPEAKERS

CUTOUT DIMENSIONS 10 3/4" X 6 15/16"



CIW65

DEALER: \$250 MSRP: \$715



CIW63

DEALER: \$200

MSRP: \$575



CIW61

DEALER: \$160

MSRP: \$425



CIW60-8

DEALER: \$400

MSRP: \$1,100

CIW ACCESSORIES



BRACKET BRL13 (10 PACK)

DEALER: \$80 MSRP: \$160



GRILLE GRCIW60

DEALER: \$12.50

MSRP: \$25.00

Product	Cut Out	Mounting Depth	Frequency Response	Woofer	Tweeter	Power Handling	UOM
CIW65	10 ^{3/4} " x 6 ^{15/16} "	3"	45Hz-20kHz	6 1/2" GRAPHITE	1" SILK DPSD™	40 - 110 W	2
CIW63	10 ^{3/4} " x 6 ^{15/16} "	3"	45Hz-20kHz	6 1/2" GRAPHITE	1" ALUMINUM	40 - 110 W	2
CIW61	10 ^{3/4} " x 6 ^{15/16} "	3"	45Hz-20kHz	6 1/2" POLY & RUBBER	1" SILK PIVOTING	40 - 110 W	2
CIW60-8	10 ^{3/4} " x 6 ^{15/16} "	3"	45Hz-20kHz	6 1/2" POLY & RUBBER	1" PEI	40 - 110 W	8



MARQUEE COLLECTION

We've tasked our experienced architectural loudspeaker engineers with designing the ultimate home theater system. The result is simply stunning. The Marquee Collection will exceed your expectations in every facet. Available both with both slim on-wall and nearly invisible in-wall configurations, they are easier to install than any other home theater system in their class. That doesn't mean they won't blow you away. Between the powerful sub-woofer option, the ultra- sensitive custom drivers, and the high-pressure horn-loaded titanium tweeters, there's a fantastic home theater experience waiting for you with the Marquee Collection.



MASSIVE LOW END



PRE-CONSTRUCTION



ULTRA-SENSITIVE



RETROFITABLE

MARQUEE HOME CINEMA COLLECTION

IN-WALL MODELS



M5500IW DEALER: \$1,100 MSRP: \$2,620



M5500IWNCE DEALER: \$850 MSRP: \$1,915



M3500IW DEALER: \$850 MSRP: \$2,075



M3500IWNCE DEALER: \$575 MSRP: \$1,375

M3300IWNCE REQUIRED WITH M3500IW

M5500IWNCE REQUIRED WITH M5500IW

ON-WALL MODELS



M55000W DEALER: \$2,100 MSRP: \$4,725



M35000W DEALER: \$1,525 MSRP: \$3,525

PASSIVE SUB



M1500SUB DEALER: \$1,100 MSRP: \$2,360


IN-CEILING SPEAKER

CUTOUT DIMENSIONS 10 3/8"



M2500IC DEALER: \$850 MSRP: \$2,235

Product	Mounting Depth	Frequency Response	Woofer (s)	Tweeter	Power Handling	UOM
M55000W	5 1/4"	65Hz - 20kHz	DUAL 8" + 5" COATED PAPER CONE	1" TITANIUM HORN	150 - 300 W	1
M5500IW	3 1/2"	65Hz - 20kHz	DUAL 8"+ 5" COATED PAPER CONE	1" TITANIUM HORN	150 - 300 W	1
M5500IWNCE	3 1/2"	N/A	N/A	N/A	N/A	1
M35000W	5 1/4"	70Hz - 20kHz	DUAL 5" COATED PAPER CONE	1" TITANIUM HORN	150 - 300 W	1
M3500IW	3 1/2"	70Hz - 20kHz	DUAL 5" COATED PAPER CONE	1" TITANIUM HORN	150 - 300 W	1
M3500IWNCE	3 ^{1/2} "	N/A	N/A	N/A	N/A	
M1500SUB	N/A	25Hz - 150kHz	15" COATED PAPER CONE/ACCORDION SURROUND - FRONT FIRING	N/A	200 - 1000 W	1
M2500IC	6 1/4"	70Hz - 150kHz	10" + 4" COATED PAPER CONE	^{3/4"} TITANIUM MMP™	50 - 150 W	1



SOUNDBARS

Sound bars have become a critical element in family room and bedroom theater systems. Simple to include and easy to install, they provide a huge improvement over the internal loudspeakers in a flat panel television. Reinforced with an in-wall, in-ceiling or freestanding subwoofer they can create an impressive, full-frequency sound field.

A perfect complement to extend both the Composer and Director Collections, the new SB3 from Origin fills the need for surface mounted front channels under a flat panel. A beautiful extruded aluminum cabinet and stylish cloth grille create a sophisticated silhouette.

PASSIVE SOUNDBAR COLLECTION

SOUNDBARS WITHOUT FEET



SB3

DEALER: \$360 MSRP: \$720



SB1

DEALER: \$180 MSRP: \$360



SB.5

DEALER: \$140 MSRP: \$280

SOUNDBARS WITH FEET



SB3WF

DEALER: \$360 MSRP: \$720



SB1WF

DEALER: \$180 MSRP: \$360



SB.5WF

DEALER: \$140 MSRP: \$280

RECOMMENDED BUNDLE

DEALER: \$735 MSRP: \$1,470



SB3



SUBV10P

Product	WxLxD	Frequency Response	Woofer	Tweeter	Power Handling	UOM
SB3	42" x 6" x 3"	65Hz-20kHz	$3^{1/2}$ " FIBER GLASS	1" SILK DPSD™	25 - 150 W	1
SB1	16" x 6" x 3"	65Hz-20kHz	$3^{1/2}$ " FIBER GLASS	1" SILK DPSD™	25 - 150 W	1
SB .5	12" x 6" x 3"	65Hz-20kHz	3 1/2" FIBER GLASS	1" SILK DPSD™	25 - 150 W	1



EXPLORER COLLECTION

We designed the Explorer Collection for ocean conditions. This means yachts, beach homes, lake homes, cabins, showers, decks, anywhere wet, anywhere cold, anywhere hot. How? An extensive redesign of select existing in-ceiling and in-wall models.

The collection was made using a reinforced plastic resin that can withstand temperatures as high as 177°C (342°F) and down to -20°C (-4°F). The crossover is coated and impermeable, all wiring is sealed, there are additional gaskets both on the bayonet ring and loudspeaker, and all hardware is stainless steel. The entire collection is also IP66-rated, so you can be rest assured of its quality.

IN-WALLS



Retro-fit Subwoofer

CSUB10REX

DEALER: \$875 MSRP: \$1,750

CUTOUT DIMENSIONS 4 5/8" x 11"

ACCESSORIES



C65EX

DEALER: \$155 MSRP: \$445



GRILLE GR60CEX

DEALER: \$12.50 MSRP: \$25



BRACKET BRL12 (10 PACK)

DEALER: \$80 MSRP: \$160

IN-CEILINGS



Retro-fit Subwoofer

DBA10EX

DEALER: \$250 MSRP: \$565

CUTOUT DIAMETER 10 3/8"



D105EX

DEALER: \$455 MSRP: \$1,305

ACCESSORIES



DEALER: \$80 MSRP: \$160

GRILLE SQ10WX SQUARE

DEALER: \$19 MSRP: \$38

CUTOUT DIAMETER 8 3/4"



D85EX

DEALER: \$245

MSRP: \$700



D83DT/SUR EX

DEALER: \$275

MSRP: \$730



D83EX

DEALER: \$180

MSRP: \$515



D83AEX

DEALER: \$190

MSRP: \$545



D65EX

DEALER: \$155

MSRP: \$445

8 3/4" ACCESSORIES



BAYONET RING KIT BZ68WX-8

ROUND

DEALER: \$205 MSRP: \$470



REUSABLE BRACKET REBR68

(10 PACK)

DEALER: \$80 MSRP: \$160



GRILLE SQ68WX SQUARE


DEALER: \$16 MSRP: \$32

SPEAKER SPECIFICATIONS


Product	Cut Out	Mounting Depth	Frequency Response	Woofer (s)	Tweeter	Power Handling	UOM
D105EX	$10^{3/8}$ " diameter	6 7/32"	28Hz-20kHz +/- 3dB	10" + 4" GRAPHITE	3/4" ALUMINUM	50 - 150 W	1
D85EX	8 ^{3/4} " DIAMETER	5 5/8"	36Hz-20kHz +/- 3dB	8" + 4" GRAPHITE	3/4" ALUMINUM	50 - 150 W	1
D83EX	8 ^{3/4} " DIAMETER	4 1/2"	38Hz-20kHz +/- 3dB	8 " GRAPHITE	1" ALUMINUM	50 - 150 W	1
D83AEX	8 ^{3/4"} DIAMETER	4 11/16"	38Hz-20kHz +/-3dB	8" PRE-ANGLED GRAPHITE	1" ALUMINUM	50 - 150 W	1
D83DT/SUR	8 3/4" DIAMETER	5 5/8"	38Hz-20kHz +/-3dB	8" GRAPHITE	1" ^{dual} aluminum	50 - 150 W	1
D65EX	8 ^{3/4} " DIAMETER	5 ^{1/2} "	45Hz-20kHz +/-3dB	6 1/2" PIVOTING GRAPHITE	3/4" SILK DPSD™	40 - 150 W	1
C65EX	4 5/8" X 11"	3 3/4"	45Hz-20kHz +/- 3dB	4" X 8" GRAPHITE	1" ALUMINUM	50 - 125 W	1

SUBWOOFER SPECIFICATIONS

Product	Cut Out	Mounting Depth	Frequency Response	Woofer	Dimensions	Power Handling	UOM
DBA10EX	10 3/8"	6 ^{7/32} "	35Hz - 200kHz	10" GLASS FIBER	11 1/4"	50 - 150 W	1
CSUB10REX	13 1/8" x 13 1/8"	3 1/2"	30Hz - 250kHz	10" ANODIZED ALUMINUM	13" x 17" x 3 ^{1/4} "	100 - 500 W	1









THINFIT LOUDSPEAKERS

The ThinFit Collection mounts with less than two inches of clearance, perfect for those oh-no moments when there's a surprise behind the drywall. The multiple woven glass-fiber woofers provide a surprising amount of low-end and volume, with the clarity and musicality you expect from Origin Acoustics. Available in three designs, two for ceiling applications and one D'Appolito model for in-wall use.

THE OH-NO SPEAKER





INTEGRATE INTO ANY CEILING.

THINFIT LOUDSPEAKERS THICKNESS 1 7/16"

IN-CEILING LOUDSPEAKERS

CUTOUT DIMENSIONS 8 3/4"



TF37EX

DEALER: \$150 MSRP: \$430



TF37DT

DEALER: \$145 MSRP: \$410



1 7/16"

IN-WALL LOUDSPEAKERS

CUTOUT DIMENSIONS 10 3/4" X 6 15/16"



TFIW37

DEALER: \$150 MSRP: \$445



1 7/16"

IN-CEILING ACCESSORIES



BAYONET RING KIT BZ68-8 ROUND DEALER: \$150

MSRP: \$300



REUSABLE BRACKET REBR68

(10 PACK)

DEALER: \$80 MSRP: \$160



GRILLE SQ68

SQUARE DEALER: \$14

MSRP: \$28

Product	Cut Out	Mounting Depth	Frequency Response	Woofer	Tweeter	Power Handling	UOM
TF37EX	8 3/4" DIAMETER	7/16"	120Hz-20kHz	Quad 3"	3/4" ALUMINUM	30 - 100 W	1
TF37DT	8 3/4" DIAMETER] 7/16"	120Hz-20kHz	Dual 3"	DUAL 3/4" ALUMINUM	20 - 50 W	1
TFIW37	10 ^{3/4} " x 6 ^{15/16} "	7/16"	90Hz-20kHz	Quad 3"	3/4" ALUMINUM	30 - 100 W	1



ARCHITECTURAL SUBWOOFERS

While all of our in-ceiling loudspeakers deliver most bass per cut-out, often, the listener wants more, so we have three great ways to do just that. The DSUB6 and DSUB8 are for pre-construction installation, each model featuring dual woofers and a tuned, port tube, can be quickly and safely stashed in the ceiling with only a matching grille visible. Or for retrofit integrations, the powerful DBA10EX can reach impressive lows.



ISOLATING CABINET



BUILT-IN CROSSOVER



ROUND & SQUARE GRILLES

3:

ARCHITECTURAL SUBWOOFER COLLECTION

IN-CEILING SUBWOOFERS

MATCHES IN-CEILING 10"

MATCHES IN-CEILING 8" & 6"

MATCHES IN-CEILING 8"& 6"

MATCHES IN-CEILING 5"

MATCHES IN-CEILING 3"











DBA10EX

DEALER: \$250 MSRP: \$565 DSUB8F8K

DEALER: \$775

MSRP: \$1,615

DSUB6F68K

DEALER: \$625

MSRP: \$1,315

DSUB6F5K

DEALER: \$615

MSRP: \$1,295

DSUB6F3K

DEALER: \$600

MSRP: \$1,265

IN-WALL SUBWOOFERS



SSUB10NCE required with CSUB10N

CSUB10N

DEALER: \$575 MSRP: \$1,150

re-Construction Only

CSUBIONCE

DEALER: \$475 MSRP: \$950



Retro-fit Subwoofer

CSUB10REX

DEALER: \$875 MSRP: \$1,750

ARCHITECTURAL SUBWOOFER SPECIFICATIONS

Product	Cut Out Size	Mounting Depth	Frequency Response	Woofer	Dimensions	Power Handling	UOM
DBA10EX	10 3/8"	6 ^{7/32} "	35Hz - 200kHz	10" GLASS FIBER	11 1/4"	50 - 150 W	1
DSUB8F8K	8 3/4"	9 9/16"	29Hz - 150kHz	DUAL 8" POLY & RUBBER	7 ^{7/8} " x 14" x 24"	100 - 250 W	1
DSUB6F68K	8 3/4"	8"	33Hz - 150kHz	DUAL 6 ^{1/2} " POLY & RUBBER	7 ^{7/8} " x 11 ^{7/8} " x 19"	100 - 150 W	1
DSUB6F5K	5 7/8"	7 7/8"	33Hz - 150kHz	DUAL 6 ^{1/2} " POLY & RUBBER	7 ^{7/8} " x 11 ^{7/8} " x 19"	100 - 150 W	1
DSUB6F3K	3 1/2"	7 7/8"	33Hz - 150kHz	DUAL 6 ^{1/2} " POLY & RUBBER	7 ^{7/8} " x 11 ^{7/8} " x 19"	100 - 150 W	1
CSUB10N	10 9/16" x 10 9/16"	3 15/32"	30Hz - 250kHz	10" ALUMINUM	3 ^{1/2} " x 13" x 44"	100 - 500 W	1
CSUB10NCE	PRE- CONSTRUCTION	3 15/32"	N/A	N/A	3 ^{1/2} " x 13" x 44"	100 - 500 W	1
CSUB10REX	12 ^{27/32} " x 12 ^{27/32} "	3 1/2"	30Hz - 250kHz	10" ANODIZED ALUMINUM	3 ^{1/4} " x 13" x 17"	100 - 500 W	1



FLOOR STANDING SUBWOOFERS

Bass frequencies are the foundation of any audio performance. They fill the room with impact and drive emotion in every listening session. Our subwoofers deliver this dramatic and dynamic portion of the sound experience through the matching of rugged and powerful amplification with high-performance drivers. The subwoofer line is available in three sizes with 8-inch, 10-inch and 12-inch drivers powered with up to 600 watts of digital amplification.



THUMPING BASS



PASSIVE RADIATORS



SHAKE-YOU-TO-THE-CORE-LOW-END

DEEP SUBWOOFER COLLECTION



SUBDD12

DEALER: \$1,200 MSRP: \$2,400



SUBD12

DEALER: \$700 MSRP: \$1,400



SUBD10

DEALER: \$550 MSRP: \$1,100



SUBD8

DEALER: \$400 MSRP: \$800

PERFORMANCE SUBWOOFER COLLECTION



SUBV12P

DEALER: \$450 MSRP: \$900



SUBV10P

DEALER: \$375 MSRP: \$750



SUBV8P

DEALER: \$275 MSRP: \$550

ACCESSORIES





WSK200 WIRELESS TRANSMISSION KIT

DEALER: \$70 MSRP: \$140

Product	Dimensions	Frequency Response	Input	ACTIVE & PASSIVE Woofer	Power Output	UOM
SUBDD12	17" x 17" x 17"	17Hz-180kHz	RCA XLR Speaker	DUAL 12" COMPOSITE	600 W	1
SUBD12	17" x 17" x 17"	22Hz-180kHz	Analog Line Level	12" COMPOSITE	500 W	1
SUBD10	13 ^{3/5} " x 13 ^{3/5} " x 13 ^{3/5} "	26Hz-180kHz	Analog Line Level	10" COMPOSITE	300 W	1
SUBD8	11 ^{1/2} " x 11" x 11 ^{1/2} "	31Hz-180kHz	Analog Line Level	8" COMPOSITE	150 W	1
SUBV12P	14 $^{3/4''}$ x 15 $^{5/8''}$ x 16 $^{3/4''}$	21Hz-200kHz	Line Level LFE	12" RESIN COATED PAPER CONE	300 W	1
SUBV10P	13 ^{1/4} " x 14 ^{1/8} " x 15 ^{1/4} "	28Hz-200kHz	Line Level LFE	10" RESIN COATED PAPER CONE	200 W	1
SUBV8P	11 ^{3/4"} x 12 ^{5/8"} x 13 ^{5/8"}	32Hz-200kHz	Line Level LFE	8" RESIN COATED PAPER CONE	180 W	1
Product	Dimensions	Frequency Response	Transmitter Power	Working Distance	Operating Voltage	UOM
WSK200	2 3/8" DIAMETER x 3/4	20Hz-20kHz	<10dBm	40 meters	DC 5V/0.5A	1



LUXURY LANDSCAPE LOUDSPEAKERS

That time spent in your backyard, when the weather is perfect and you're surrounded by the people you love, that's the moment we designed these loudspeakers for. The high-quality weatherproof enclosures ensure that you'll always have just the right musical ambiance when you need it. Our detail-driven digital signal processing 70v Amplifiers purify your sound while providing long-range rock-solid power. And as the designers of the first luxury bollard loudspeaker, you can look and sound great in a sleek aluminum finish.





DEALER: \$700 MSRP: \$1,455





LSB64SQ-BLACK180
LSB64SQ-BLACK360

LSB64SQ-SILVER180 LSB64SQ-SILVER360

LSB64RD-SILVER180

LSB64RD-SILVER360

DEALER: \$700 MSRP: \$1,455

Name	Dispersion	Frequency Response	Woofer	Midrange	Tweeter	Power Handling	UOM
LSB64RD-360	360°	48Hz-20kHz	6 1/2" POLY & RUBBER	4 $^{1/2}$ " Aluminum	1" PEI	60 - 100 W	1
LSB64SQ-360	360°	48Hz-20kHz	6 1/2" POLY & RUBBER	4 $^{1/2}$ " Aluminum	1" PEI	60 - 100 W	1
LSB64RD-180	180°	48Hz-20kHz	6 1/2" POLY & RUBBER	4 1/2" ALUMINUM	1" PEI	60 - 100 W	1
LSB64SQ-180	180°	48Hz-20kHz	6 1/2" POLY & RUBBER	4 ^{1/2} " ALUMINUM	1" PEI	60 - 100 W	1

LANDSCAPE SATELLITES





LS44

DEALER: \$175 MSRP: \$350

LS64

DEALER: \$275 MSRP: \$550

MOUNTING ACCESSORIES







LSSS



LSTM

DEALER: \$20 MSRP: \$40

LSFM

DEALER: \$15 DEALER: \$15 MSRP: \$30 MSRP: \$30

LSLS

DEALER: \$15 DEALER: \$25 MSRP: \$30 MSRP: \$50

ACOUSTIC LANDSCAPE SYSTEM



EXTRA SPEAKER PAIR TO EXPAND THE SYSTEM



COMING SOON

Product	Dimensions	Impedance	Frequency Response	Woofer	Tweeter	Power Handling	MOU
LS64	11" x 7" x 7"	8 OHM /70V	60Hz-20kHz	6 ^{1/2"} POLY & RUBBER PASSIVE RADIATOR	1" TITANIUM	50 - 150 W	1
LS44	$8^{5/16''}$ x $5^{5/15''}$ x $5^{5/16''}$	8 OHM/70V	80Hz-20kHz	4 1/2" POLY & RUBBER	^{3/4} " TITANIUM	50 - 150 W	1

Product	Dimensions	Impedance	Frequency Response	Woofer	Tweeter	Power Handling	UOM
ASSSAT	8 × 6 ^{3/8} × 7 ^{7/8} ""	16 OHM	55Hz-20kHz	5 ^{1/2} " POLY RUBBER	1" TITANIUM	50 W	1
AS51SUB	15 ^{3/4 ×} 15 ^{3/4 ×} 11 ^{7/8} ""	12 OHM	35Hz-120kHz	10" POLY RUBBER	N/A	200 W	1

LANDSCAPE SUBWOOFERS



OSUB12 DEALER: \$1,280 MSRP: \$2,555



OSUB10 DEALER: \$940 MSRP: \$1,880



OSUB8

DEALER: \$640

MSRP: \$1,280



OSUB10P DEALER: \$855 MSRP: \$1,705

ROCK LOUDSPEAKERS



DEALER: \$200 MSRP: \$460

OSR85



OSR65 DEALER: \$140 MSRP: \$325

SUBWOOFER



COMING SOON

OSR8SUB

Product	Dimensions	Frequency Response	Woofer	Taps	Impedance	UOM
OSUB12	$17^{3/4"}$ x $17^{3/4"}$ x $23^{1/2"}$	23Hz-20kHz	12" POLY& RUBBER	300W	8 ohm/70V	1
OSUB10	$15^{3/4}$ x $15^{3/4}$ x $21^{1/2}$ "	32Hz-20kHz	10" POLY& RUBBER	300W	8 ohm/70V	1
OSUB8	$15^{3/4}$ x $15^{3/4}$ x $21^{1/2}$ "	39Hz-20kHz	8" POLY& RUBBER	100W	8 ohm/70V	1
OSUB10P	ABOVE GROUND INSTALLATION	32Hz-150kHz	10" POLY& RUBBER	N/A	8 ohm/70V	1

Product	Dimensions	Frequency Response	Woofer	Tweeter	Taps	Impedance	UOM
OSR85	15 x 21 x 16"	40Hz-20kHz	8" POLY & RUBBER	1" TITANIUM	60W 30W 15W 7.5W	8 ohm/70V	1
OSR65	12 x 17 x 14"	50Hz-20kHz	6" POLY & RUBBER	1" TITANIUM	30W 15W 7.5W 3.7W	8 ohm/70V	1
OSR8SUB	15 x 21 x 16"	35Hz-150kHz	8" POLY & RUBBER	N/A	120W 60W 30W 15W	8 ohm/70V	1

OUTDOOR ON-WALL LOUDSPEAKERS



OS67B

DEALER: \$170 MSRP: \$425



OS65B

DEALER: \$150 MSRP: \$370



OS65DTB

DEALER: \$230 MSRP: \$575



OS67W

DEALER: \$170 MSRP: \$425



OS65W

DEALER: \$150 MSRP: \$370



OS65DTW

DEALER: \$230

MSRP: \$575



OS57B

DEALER: \$110 MSRP: \$275



OS55B

DEALER: \$100 MSRP: \$250



OS55DTB

DEALER: \$160 MSRP: \$400



OS57W

DEALER: \$110 MSRP: \$275



0S55W

DEALER: \$100 MSRP: \$250




OS55DTW

DEALER: \$160 MSRP: \$400

OUTDOOR ON-WALL SPECIFICATIONS

Name	Dimensions	Impedance	Frequency Response	Woofer	Tweeter	Power Handling	UOM
0\$67	3 3/16 × 6 11/16 × 13 1/8""	6 OHM	52Hz-20kHz	4 X 8" GLASS FIBER 2 X PASSIVE RADIATOR	1" ALUMINUM	50 - 150 W	1
0\$65	3 ^{3/16 x} 6 ^{11/16 x} 13 ^{1/8"} "	6 OHM	58Hz-20kHz	4 X 8" GRAPHITE 2 X PASSIVE RADIATOR	1" ALUMINUM	50 - 150 W	1
OS65DT	3 ^{3/16 x} 6 ^{11/16 x} 13 ^{1/8""}	6 OHM	58Hz-20kHz	4 X 8" GRAPHITE 2 X PASSIVE RADIATOR	1" DUAL ALUMINUM	50 - 150 W	1
OS57	3 ^{3/16 ×} 6 ^{11/16 ×} 10 ^{13/32} "	6 OHM	52Hz-20kHz	5 1/4" GLASS FIBER	^{3/4} " ALUMINUM	50 - 125 W	1
0\$55	3 3/16 x 6 11/16 x 10 13/32"	6 OHM	63Hz-20kHz	5 1/4" GLASS FIBER	^{3/4"} ALUMINUM	50 - 125 W	1
OS55DT	3 3/16 × 6 11/16 × 10 10/32""	6 OHM	63Hz-20kHz	5 1/4" GLASS FIBER	3/4" DUAL ALUMINUM	50 - 125 W	1

RECOMMENDED BUNDLES



BUNDLE DEALER: \$2,060 MSRP: \$4,230

BUNDLE

DEALER: \$4,120

MSRP: \$8,460
















AMPLIFIERS

We offer three types of amplifiers, each with different uses to cover all types of loudspeakers and installations. The A-Series includes the A1250, and A2150. The DSP3 Series is for more demanding installations, with a dedicated subwoofer channel, even more power, and user-configurable DSP processing. Finally, the SubA Series is for making devoted, mono, passive subwoofers really shine.

MONO SUBWOOFER AMPLIFIERS





SUBA500

DEALER: \$700 MSRP: \$1,500

Product	Dimensions w/out Feet	Channels	Frequency Response	Inputs	Output Power Per Channel	UOM
SUBA500	1.75" H x 16.9" W x 8.9" D	1	20Hz - 250Hz	LINE LEVEL & LFE	250 W @ 8 OHMS 500 W @ 4 OHMS	1



SUBA150

DEALER: \$365 MSRP: \$785

Product	Dimensions w/out Feet	Channels	Frequency Response	Inputs	Output Power Per Channel	UOM
SUBA150	3 ^{1/2} " H x 17" W x 14" D	1	20Hz - 300Hz	LINE LEVEL & LFE	80 W @ 8 OHMS 150 W @ 4 OHMS	1

DSP 3-CHANNEL AMPLIFIERS



70V & 8 OHM



Name	Dimensions w/out Feet	Channels	Frequency Response	Inputs	Output Power Per Channel	UOM
DSP3-700	6 ^{3/8} " H x 17" W x 7 ^{7/8} " D	3 (L/R/S)	20Hz - 20kHz	DIGITAL OPTICAL & ANALOG LINE LEVEL	500W @ 8 OHMS 700W @ 4 OHMS 700W @ 70V	1

DSP3-700

DEALER: \$1,320 MSRP: \$2,640





Name	Dimensions w/out Feet	Channels	Frequency Response	Inputs	Output Power Per Channel	UOM
DSP3-150	6 $^{3/8}$ " H x 17" W x 7 $^{7/8}$ " D	3 (L/R/S)	20Hz-20kHz	DIGITAL OPTICAL & ANALOG LINE LEVEL	L/R: 150W @ 4 OHMS S: 300W @ 4 OHMS	1

DSP3-150

DEALER: \$660 MSRP: \$1,320

DISTRIBUTED AUDIO AMPLIFIERS





Name	Dimensions w/out Feet	Channels	Frequency Response	Inputs	Output Power Per Channel	UOM
A1250	17" H x 6 ^{3/8} " W x 7 ^{7/8} " D	12	20Hz-20kHz	DIGITAL OPTICAL & ANALOG LINE LEVEL	50W @ 8 OHMS 100W @ 4 OHMS	1

A1250

DEALER: \$695 MSRP: \$1,490





Name	Dimensions w/out Feet	Channels	Frequency Response	Inputs	Output Power Per Channel	UOM
DSP2-200	17" H x 6 $^{3/8}$ " W x 7 $^{7/8}$ " D	2	20Hz-20kHz	DIGITAL OPTICAL & ANALOG LINE LEVEL	150 W @ 8 OHMS 200 W @ 4 OHMS	1

DSP2-200

DEALER: \$440 MSRP: \$935

