



PRODUCT CATALOGUE

H-one is an open,ambitious and highly experienced company working closely with its customer and suppliers to offer the highest quality products,with excellent performance and the latest features,at competitive prices.

ODM INDUCTION COOKER SOLUTIONS

2023

Floor 1-2, Building A, #71-1 Xintian Road, Xintian Community, Fuyong
Street, Baoan District, Shenzhen, China
Web:<https://szh-one.com/>
Tel: + 86 755 29411703
Email:inquiry@szh-one.com





OEM/ODM ELECTRIC MAGNETIC TECHNOLOGY
BY H ONE COOKTOP MANUFACTURERS ARE MORE PROFESSIONAL.

SIMPLE
POWERFUL

H O N E

&

PRODUCT CATALOGUE

PART.1

01

COMPANY PROFILE
Page 1-2

02

INDUCTION HEATING
Page 3-4

03

INFRARED HEATING
Page 5-6

PART.2

01

DISPLAY AND FUNCTIONS
Page 7-10

02

OPTIONAL FEATURES
Page 11

PART.3

01

PRODUCTS POPULAR IN ASIA
Page 13-21

02

PRODUCTS POPULAR IN EUROPE
Page 23-31

03

PRODUCTS POPULAR IN AMERICA
Page 33-35

PART.4


01

CERTIFICATIONS
Page 36-38

02

CUSTOMIZATION STEPS
Page 39-40

INTELLIGENT KITCHEN
create a better life



COMPANY PROFILE

Shenzhen H-one

H-ONE BUILT IN 1993 WHICH NAMED JINQI AT FIRST,IT FOCUSED ON MOLD AND STRUCTURE DESIGN.OUR CURRENT BOSS MR.BEN GUO TOOK OVER THE COMPANY AND RENAMED “H-ONE” IN 2007.MR.BEN GUO SPECILIZES IN ELECTRONIC DESIGN SO THE COMPANY TURNED TO NEW STEP: FINISHED PRODUCT DESIGN,MANUFACTURE AND SALE.

WE KNOW

HEAT AND CONTROL IT TO WHAT YOU WANT

WE LIKE TO HELP OUR CUSTOMERS SET UP MARKET COMPETITIVE ADVANTAGE NOT ONLY PRICE BUT ALSO QUALITY AND PERFORMANCE.WE WANT TO ALL OUR CUSTOMERS NOT ONLY FEEL CONVENIENCE,BUT ALSO EXPERIENCE THE REAL COOKING HAPPINESS THAT THE TECHNOLOGY BRINGS.

COMPANY CORNER



SZ H-ONE
BECAUSE OF FOCUS
ALL PROFESSIONAL



WE BUILT THE R&D TEAM AND FOCUSED ON HEATING TECHNOLOGY RESEARCHING FOR HOME APPLIANCES.HAIR STRAIGHTENER IS THE FIRST HOT SALE PRODUCT,THEN H-ONE SETS IT’S CORE GOAL: INDUCTION HEATING INNOVATION.WE STUDY,WE COLLECT,WE LISTEN AND DEDICATED TO HALF-BRIDGE TECHNOLOGY DEVELOPING.THANKS TO THIS INSISTENCE,WE BUILT OUR OWN INDUCTION HEATING SYSTEM AND SEND OUR H-ONE INSIDE PRODUCTS TO ALL OVER THE WORLD.

WHEN ONE PROJECT COMES TO AN END,THE PRODUCTS LAUNCH IN MARKET,ANOTHER NEW PROJECT WILL START.NOW H-ONE HAVE 5 MAIN PRODUCT SERIES: INDUCTION COOKER(IN- DUCTIOIN HEATING),CERAMIC HOB(INFRARED HEATING),SOUS VIDE(PTC HEATING),HAIR STRAIGHTENER(MCH/PTC HEATING) AND A NEW FILED CURTAIN MOTOR(MOTOR DRIVE).

AS A ODM SUPPLIER,TO KEEP OUR PRODUCTS ALWAYS BE COMPETITIVE AND FUNCTION- AL,H-ONE NEVER STOP RESEARCHING AND WORK CLOSELY WITH OUR BUSINESS PARTNERS,TRY TO BETTER UNDERSTAND THE SPECIAL AND USEFUL REQUIREMENTS IN THE MARKET.

WELCOME ALL OF YOU TO H-ONE AND SHARE YOUR IDEAS,WE CAN MAKE YOUR DESIGNS COME TRUE.

▶ **SYSTEM: INDUCTION HEATING**


H-ONE INDUCTION HEATING TECHNOLOGY DEVELOPMENT

WHAT IS CORE FOR AN INDUCTION COOKER?


NOT PRODUCTION ABILITY,NOT SUPPLY CHAIN,IT’S CONTROL SYSTEM.

NORMALLY,WE ALREADY KNOW THERE IS 3 MAIN CONTROL SYSTEMS FOR INDUCTION COOKER:
SINGLE ENDING DRIVE SYSTEM, HALF BRIDGE DRIVE SYSTEM ,FULL BRIDGE DRIVE SYSTEM.
THE SINGLE ENDING DRIVE SYSTEM IS WIDE USED IN MOST INDUCTION COOKER NOW,THEY CALLED “BASIC MODELS”.
IF YOU NEED HIGHER POWER OUTPUT,THE HALF BRIDGE SYSTEM MAY BE YOUR FIRST CHOICE.
ABOUT FULL BRIDGE SYSTEM IT IS VERY SIMILAR AS HALF BRIDGE SYSTEM, MOST TIME IT WAS APPLIED IN INDUSTRIAL FIELD.

H ONE STARTED INDUCTION HEATING RESEARCHING FROM 2007.
AFTER PLENTY EXPERIENCE AND COST,HALF BRIDGE DRIVE SYSTEM IS IN OUR HAND



H-ONE INDUCTION CONTROL SYSTEM MODULE:



Basic two burner main board



Half bridge two burner main board



Basic one burner main board






Half bridge one burner main board



Single Switch One Burner Module

▶ **HEATING ZONE:**



► **SYSTEM: INFRARED HEATING**

CERAMIC HOB CONTROL SYSTEM INTRODUCE

INFRARED HEATING IS USED IN CERAMIC HOB OR CALLED HI-LIGHT COOKER PRODUCTS.IT LOOKS LIKE INDUCTION COOKERS WHEN IT DOESN'T WORK,BUT THE INSIDE IS DIFFERENT A LOT,FOR CERAMIC HOB HEATS FROM ELECTRICAL HOTPLATE WHICH GENERATE HEAT FROM ELECTRICAL RESISTANCE,SO A GOOD CERAMIC HOB MUST HAVE SUPERIOR HEAT ISOLATION.
TO FULLY USE OUR ELECTRONIC DESIGN ADVANTAGE AND BE DIFFERENT FROM TRADITIONAL PRODUCTS,WE CHOOSE THERMO- COUPLE TO DETECT TEMPERATURE AND RELAY FOR SWITCH TO CONTROL THE TEMPERATURE,THIS DESIGN CAN CONTROL TEMPERATURE MORE PRECISE, MORE FLEX AND COST LOWER.ADDITIONAL OUR SENSOR TOUCH DISPLAY BOARD,THE ELECTRON- IC CONTROL TOTALLY INSTEAD OF MECHANICAL CONTROL.

FOUR BASIC FEATURES OF H-ONE’ S INFRARED PRODUCTS


**0 1 SUPERIOR
HEAT ISOLATION**



MAINBOARD
0 2 STANDARD CONTROL MODULE



**03 ELECTRONIC
CONTROL INSTEAD OF
MECHANICAL CONTROL**



**04 SENSOR TOUCH
CONTROL INSTEAD
OF KNOB CONTROL**




Single ring

• INNER RING
CERAMIC HOB CAN FIT TO DIFFERENT POTS AND PANS. HIGH POWER HEATING SPEED ADOPTS INFRARED HEATING PRINCIPLE




Double rings

• OUTER RING
CERAMIC HOB CAN FIT TO DIFFERENT POTS AND PANS. HIGH POWER HEATING SPEED ADOPTS INFRARED HEATING PRINCIPLE




Triple rings

• COMPLETE RING
CERAMIC HOB CAN FIT TO DIFFERENT POTS AND PANS. HIGH POWER HEATING SPEED ADOPTS INFRARED HEATING PRINCIPLE



Other shape

• DIFFERENT SHAPES
CERAMIC HOB CAN FIT TO DIFFERENT POTS AND PANS. HIGH POWER HEATING SPEED ADOPTS INFRARED HEATING PRINCIPLE





STAINLESS STEEL



CLAYPOT



GLASS



STEAMER




MULITI ROAESTIBNG PEN

▶▶ **CONTROL: DISPLAY AND FUNCTIONS**




FREE TO SET THE OUT PUT POWER QUICKLY

NO MATTER YOU WANT TO 0-9 LEVELS,0-20 LEVELS OR 0-100 LEVELS,THE SLIDER ALWAYS RESPOND IMMEDIATELY IN RIGHT POSITIONS.



HIDDEN TOUCH,INVISIBLE DESIGN

THE BUTTON WITH LIGHT,WHEN YOU TURN OFF,THE DISPLAY ZONE IS INVISIBLE,NEW GENERATION DISPLAY CONTROL.



SMART COOKING

IF YOU LIKE COOKING,THE SMART COOKING DISPLAY CAN HELP YOU TO MAKE MANY UNIQUE RECIPES AND YOU CAN CONTROL BY YOUR PHONE,MORE CONVENIENT!



WIFI CONTROL

DOWNLOAD TUYA APP,CONNECT THE DEVICE WITH YOUR SAMRT PHONE,CHECK THE COOKING PRECESS AT ANYTIME,ANYWHERE




ONE-TOUCH FUNCTIONS

IF YOUR PRODUCT IS EQUIPPED WITH ONE-TOUCH FUNCTIONS,WILL HELP YOU A LOT IN CHOOSING THE RIGHT POWER OUT PUT.THE ONE-TOUCH FUNCTIONS WILL BE MORE PRECISE IN TEMPERATURE.




- | | |
|---|---|
|  DEFROST: QUICKLY DEICE THE FOOD WHICH IS TAKEN OUT OF FRIDGE |  MILK: YOUR FIRST CUP OF MILK IN T HE MORNING CANNOT BE COLD AND OVERHEATED |
|  WARMER: IF YOU ARE BUSY AND FORGET TO EAT, IT WILL NOT FORGET TO KEEP FOOD WARM |  BOILING: FAST PREPARE HOT WATER |
|  PAN FRYING: LESS OIL,RIGHT TEMPERATURE,SUITABLE FOR MOST FOOD LIKE FISH,CHICKEN AND STEAK. |  DEEP FRYING: SHOW YOUR CHILDREN THE PERFECT FRENCH FRIES |
|  RICE: YOUR NEW RICE COOKER |  STEW: FOR SOUPS LOVERS |
|  SLOW COOK: SLOW COOK+PAN FRYING, A PERFECT STEAK |  EGGS: WHICH TYPE OF EGGS DO YOU LIKE:SOFT-BOILED OR HARD-BOILED? |


➤ **NEW DISPLAY DESIGNS FOR REFERENCE**




Touch control with slider,for 3 burners




Touch control with slider,for 3 burners




Touch control with slider,for 3 burners




Touch control with slider,for 1 burners




Hidden touch control with slider,for 2 burners




Touch control with slider,for 1 burners




Touch control with slider,for 4 burners



Touch control with slider,for 4 burners





Touch control with slider,for 3 burners




Touch control ,for 5 burners

➤ **SURFACE:OPTIONAL FEATURES**

According to different customers,we offer different brand ceramic glass to choose



The beveled edge makes built-in products fit better on cabinet,easy to clean



The wrapping edge can protect the glass and extend the product's lifetime



Invisible Touch Panel
Sensitive·Functional·Colorful

Hide buttons Induction Cooktop


Thanks to pan detection technology, it'll only warm up when it senses a pot has been placed on top, so it's super-safe and energy efficient.

MODEL:8124-2A2-B00




Model: 8124-2A2-B00

DESCRIPTION	Built-in Double Burner Induction
SYSTEM	Half Bridge Induction System
CONTROL	Hidden Touch Control with Slider
COOKING SIZE	φ210*2pcs
POWER RATING	6000W
PRODUCT SIZE	730*430*55mm
CUT-OUT SIZE	680*380mm




Model: 8126-202-B01

DESCRIPTION	Built-in Double Burner Induction
SYSTEM	Half Bridge Induction System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	φ180*2pcs
POWER RATING	3700W
PRODUCT SIZE	730*430*55mm
CUT-OUT SIZE	680*380mm




Model: 8125-201-B01

DESCRIPTION	Built-in Double Burner Induction
SYSTEM	Half Bridge Induction System
CONTROL	Hidden Touch Control with Slider
COOKING SIZE	φ180*2pcs
POWER RATING	5000W
PRODUCT SIZE	750*450*55mm
CUT-OUT SIZE	680*380mm




Model: 8127-204-B01

DESCRIPTION	Built-in Double Burner Induction
SYSTEM	Half Bridge Induction System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	φ210*2pcs
POWER RATING	3700W
PRODUCT SIZE	730*430*55mm
CUT-OUT SIZE	680*380mm




Model: 8225-201-B01

DESCRIPTION	Built-in Double Burner Hybrid
SYSTEM	Half Bridge Induction + Infrared System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	Left IH: $\phi 145\text{mm}/230\text{mm}$ (2 Rings) Right IH: $\phi 210\text{mm}$
POWER RATING	3700W
PRODUCT SIZE	730*430*55mm
CUT-OUT SIZE	680*380mm




Model: 812D-201-D01

DESCRIPTION	Built-in Double Burner Induction
SYSTEM	Single Switch Induction System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	$\phi 190*2\text{pcs}$
POWER RATING	4000W
PRODUCT SIZE	730*430*55mm
CUT-OUT SIZE	680*380mm




Model: 8124-208-A01

DESCRIPTION	Built-in Double Burner Induction
SYSTEM	Single Switch Induction System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	$\phi 180*2\text{pcs}$
POWER RATING	4600W
PRODUCT SIZE	730*430*55mm
CUT-OUT SIZE	680*380mm




Model: 8226-208-A01

DESCRIPTION	Built-in Double Burner Hybrid
SYSTEM	Single Switch Induction + Infrared System
CONTROL	Sensor Touch Control with Slider
COOKING SIZE	Left IH: $\phi 210\text{mm}$ Right IH: $\phi 145\text{mm}/230\text{mm}$ (2 Rings)
POWER RATING	4800W
PRODUCT SIZE	750*450*55mm
CUT-OUT SIZE	680*380mm




Model: 812D-202-D01

DESCRIPTION	Built-in Double Burner Induction
SYSTEM	Single Switch Induction System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	φ190mm*2pcs
POWER RATING	4000W
PRODUCT SIZE	730*430*55mm
CUT-OUT SIZE	680*380mm




Model: 8226-203-A01

DESCRIPTION	Built-in Double Burner Hybrid
SYSTEM	Single Switch Induction + Infrared System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	Left IH: φ210mm Right HI: φ145mm/230mm(2 Rings)
POWER RATING	4800W
PRODUCT SIZE	730*430*55mm
CUT-OUT SIZE	680*380mm




Model: 8228-202-D01

DESCRIPTION	Built-in Double Burner Hybrid
SYSTEM	Single Switch Induction + Infrared System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	Left IH: φ190mm Right HI: φ145mm/230mm(2 Rings)
POWER RATING	4200W
PRODUCT SIZE	730*430*55mm
CUT-OUT SIZE	680*380mm





Model: 8325-201-002

DESCRIPTION	Built-in Double Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	φ145mm/230mm(2 Rings)*2 pcs
POWER RATING	4400W
PRODUCT SIZE	730*430*55mm
CUT-OUT SIZE	680*380mm




Model: 8134-201-B01

DESCRIPTION	Built-in Three Burner Induction
SYSTEM	Half Bridge Induction System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	Left: φ210mm Middle: φ160mm Right: φ210mm
POWER RATING	6700W
PRODUCT SIZE	780*450*55mm
CUT-OUT SIZE	650*380mm




Model: 8230-256-B01

DESCRIPTION	Built-in Three Burner Hybrid
SYSTEM	Half Bridge Induction + Infrared System
CONTROL	Sensor Touch Control with Slider and WiFi
COOKING SIZE	Left Front IH: φ160mm Left Rear IH: φ180mm Right HI: φ145mm/230mm(2 Rings)
POWER RATING	5900W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm




Model: 8237-201-B01

DESCRIPTION	Built-in Three Burner Hybrid
SYSTEM	Half Bridge Induction + Infrared System
CONTROL	Sensor Touch Control with Slider
COOKING SIZE	Left IH: φ180mm Middle IH: φ160mm Right HI: φ145mm/230mm(2 Rings)
POWER RATING	5900W
PRODUCT SIZE	780*430*55mm
CUT-OUT SIZE	650*380mm




Model: 8235-201-B01

DESCRIPTION	Built-in Three Burner Hybrid
SYSTEM	Half Bridge Induction + Infrared System
CONTROL	Sensor Touch Control
COOKING SIZE	Left Front HI: φ200mm Left Rear HI: φ165mm Right IH: φ210mm
POWER RATING	3400W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm




Model: 8240-256-B01

DESCRIPTION	Built-in Four Burner Hybrid
SYSTEM	Half Bridge Induction + Infrared System
CONTROL	Sensor Touch Control with Slider and WiFi
COOKING SIZE	Left Front IH: φ180mm Left Rear IH: φ180mm Right Front HI: φ200mm Right Rear HI: φ165mm
POWER RATING	6700W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm



Model: 8250-201-B01

DESCRIPTION	Built-in Five Burner Hybrid
SYSTEM	Half Bridge Induction + Infrared System
CONTROL	Sensor Touch Control with Slider
COOKING SIZE	Left Front IH: 210*180mm Left Rear IH: 210*180mm Middle IH: φ210mm Right Front HI: φ165mm Right Rear HI: φ145mm/230mm(2 Rings)
POWER RATING	10KW
PRODUCT SIZE	910*520*55mm
CUT-OUT SIZE	890*490mm




INNOVATIVE LUXURY
KITCHEN APPLIANCES
Model: 8131-202-B01




Model: 8121-204-A01

DESCRIPTION	Built-in Double Burner Induction
SYSTEM	Single Switch Induction System
CONTROL	Sensor Touch Control with Slider
COOKING SIZE	Front: φ180mm Rear: φ160mm
POWER RATING	3000W
PRODUCT SIZE	315*520*55mm
CUT-OUT SIZE	285*490mm




Model: 8131-110-B01

DESCRIPTION	Built-in Three Burner Induction
SYSTEM	Half Bridge Induction System
CONTROL	Sensor Touch Control with Slider
COOKING SIZE	Left Front: φ180mm Left Rear: φ180mm Right: φ280mm
POWER RATING	3600W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm




Model: 812C-201-D01

DESCRIPTION	Built-in Double Burner Induction
SYSTEM	Single Switch Induction System
CONTROL	Sensor Touch Control
COOKING SIZE	Front: φ190mm Rear: φ190mm
POWER RATING	4000W
PRODUCT SIZE	310*520*55mm
CUT-OUT SIZE	285*490mm




Model: 8131-202-B01

DESCRIPTION	Built-in Three Burner Induction
SYSTEM	Half Bridge Induction System
CONTROL	Sensor Touch Control
COOKING SIZE	Left Front: φ160mm Left Rear: φ180mm Right: φ280mm
POWER RATING	7200W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm




Model: 8132-201-A01

DESCRIPTION	Built-in Three Burner Induction
SYSTEM	Single Switch Induction System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	Left Front: φ180mm Left Rear: φ160mm Right: φ250mm
POWER RATING	6000W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm




Model: 8133-203-B01

DESCRIPTION	Built-in Three Burner Induction
SYSTEM	Half Bridge Induction System
CONTROL	Sensor Touch Control
COOKING SIZE	Left Front: 210*180mm Left Rear: 210*180mm Right: φ250mm
POWER RATING	7400W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm




Model: 8137-201-D01

DESCRIPTION	Built-in Three Burner Induction
SYSTEM	Single Switch Induction System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	Left Front: φ190mm Left Rear: φ190mm Right: φ280mm
POWER RATING	7000W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm




Model: 8144-201-B01

DESCRIPTION	Built-in Four Burner Induction
SYSTEM	Half Bridge Induction System
CONTROL	Sensor Touch Control
COOKING SIZE	Left Front: φ210mm Left Rear: φ160mm Right Front: φ210mm Right Rear: φ160mm
POWER RATING	7400W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm




Model: 8143-201-D01

DESCRIPTION	Built-in Four Burner Induction
SYSTEM	Single Switch Induction System
CONTROL	Sensor Touch Control
COOKING SIZE	φ190mm*4pcs
POWER RATING	8000W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm




Model: 8324-202-001

DESCRIPTION	Built-in Double Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Sensor Touch Control
COOKING SIZE	φ165mm*2 pcs
POWER RATING	2400W
PRODUCT SIZE	295*520*55mm
CUT-OUT SIZE	275*490mm




Model: 8142-255-B01

DESCRIPTION	Built-in Four Burner Induction
SYSTEM	Half Bridge Induction System
CONTROL	Sensor Touch Control with Slider
COOKING SIZE	φ180mm*4pcs
POWER RATING	7400W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm



Model: 8327-203-001

DESCRIPTION	Built-in Double Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Sensor Touch Control
COOKING SIZE	Front: φ200mm Rear: φ165mm
POWER RATING	3000W
PRODUCT SIZE	295*510*55mm
CUT-OUT SIZE	275*490mm



Model: 8333-202-001

DESCRIPTION Built-in Three Burner Infrared

SYSTEM Infrared Heating System


CONTROL Sensor Touch Control

COOKING SIZE Left Front: φ200mm | Left Rear: φ165mm
Right: φ220mm/300mm (2 Rings)

POWER RATING 6200W

PRODUCT SIZE 590*520*55mm

CUT-OUT SIZE 570*490mm



Model: 8342-201-003

DESCRIPTION Built-in Four Burner Infrared

SYSTEM Infrared Heating System


CONTROL Sensor Touch Control with Slider

COOKING SIZE Left Front: φ165mm | Left Rear: φ145mm/φ230mm (2 Rings)
Right Front: φ120mm/φ200mm (2 Rings) | Right Rear: φ165mm

POWER RATING 6400W

PRODUCT SIZE 590*520*55mm

CUT-OUT SIZE 570*490mm



Model: 8334-257-001

DESCRIPTION Built-in Three Burner Infrared

SYSTEM Infrared Heating System


CONTROL Sensor Touch Control with Slider

COOKING SIZE Left Front: φ200mm | Left Rear: φ165mm
Right: φ165mm/φ235mm/φ320mm (3 Rings)

POWER RATING 6500W

PRODUCT SIZE 590*520*55mm

CUT-OUT SIZE 570*490mm



Model: 8344-203-001

DESCRIPTION Built-in Four Burner Infrared

SYSTEM Infrared Heating System


CONTROL Sensor Touch Control

COOKING SIZE Left Front: φ200mm | Left Rear: φ165mm
Right Front: φ165mm | Right Rear: φ200mm

POWER RATING 6200W


PRODUCT SIZE 590*520*55mm

CUT-OUT SIZE 570*490mm




Model: 8328-201-001

DESCRIPTION	Built-in Double Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Knob Control
COOKING SIZE	Front: φ200mm Rear: φ165mm
POWER RATING	3000W
PRODUCT SIZE	310*520*55mm
CUT-OUT SIZE	285*490mm



Model: 8349-201-001

DESCRIPTION	Built-in Four Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Knob Control
COOKING SIZE	Left Front: φ200mm Left Rear: φ165mm Right Front: φ165mm Right Rear: φ200mm
POWER RATING	6400W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm



BUILT-IN FOUR
BURNER INFRARED


Direct, simple selection of the desired cooking zone, power and additional functions. Thanks to the intuitive control panel, DirectSelect allows you to select the cooking zones and set the specific powerlevel you want - quickly and easily.

MODEL: 8141-259-B01




Model: 8141-201-B01

DESCRIPTION	Built-in Four Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Sensor Touch Control
COOKING SIZE	Left Front: φ210mm Left Rear: φ160mm Right Front: φ160mm Right Rear: φ180mm
POWER RATING	7400W
PRODUCT SIZE	760*520*55mm
CUT-OUT SIZE	570*490mm




Model: 8150-201-B01

DESCRIPTION	Built-in Five Burner Induction
SYSTEM	Infrared Heating System
CONTROL	Sensor Touch Control with Slider
COOKING SIZE	Left Front: φ160mm Left Rear: φ180mm Middle: φ210mm Right Front: φ180mm Right Rear: φ160mm
POWER RATING	10KW
PRODUCT SIZE	910*520*55mm
CUT-OUT SIZE	880*490mm





Model: 8341-201-001

DESCRIPTION	Built-in Four Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Sensor Touch Control with Slider
COOKING SIZE	Left Front: φ165mm Left Rear: φ145mm/φ230mm (2 Rings) Right Front: φ165mm Right Rear: φ200mm
POWER RATING	6400W
PRODUCT SIZE	760*520*55mm
CUT-OUT SIZE	570*490mm




Model: 8350-201-001

DESCRIPTION	Built-in Five Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Sensor Touch Control with Slider
COOKING SIZE	Left Front: φ165mm Left Rear: φ145mm/φ230mm (2 Rings) Middle: φ165mm / Oval 165*270mm (2 Rings) Right Front: φ200mm Right Rear: φ165mm
POWER RATING	8400W
PRODUCT SIZE	910*520*55mm
CUT-OUT SIZE	880*490mm



Model: 834A-201-001

DESCRIPTION	Built-in Four Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Knob Control
COOKING SIZE	Left Front: φ200mm Left Rear: φ165mm Right Front: φ165mm Right Rear: φ145mm/φ230mm (2 Rings)
POWER RATING	6600W
PRODUCT SIZE	760*520*55mm
CUT-OUT SIZE	730*490mm



Knob



Auto Off




Power



Double Ring



Easy Installation




ODM INDUCTION COOKER SOLUTIONS

We have expertise in developing new products from scratch or enhancing existing ones based on client requirements and specifications.

ISO9001 : 2015




Patent for Invention




CE




CB



Appearance Patent




Copyright of Computer Software



cSGSUs



SRRC



»**SERVICE: CUSTOMIZATION STEPS**

Tell us your requirements, we offer you exact one you want.

◆◆**1. POWER SUPPLY**◆◆

- ◆ 220-240V
- ◆ 110-120V

◆◆**2. PRODUCT TYPE**◆◆

- ◆ INDUCTION
- ◆ INFRARED
- ◆ INDUCTION+INFRARED HYBRID

◆◆**3. PRODUCT SIZE**◆◆

DOMINO TYPE PRODUCT SIZE: 295*510MM CUT-OUT SIZE: 275*490MM	36INCH TYPE PRODUCT SIZE: 910*520MM CUT-OUT SIZE: 880*490MM
HORIZONTAL TYPE PRODUCT SIZE: 295*510MM CUT-OUT SIZE: 275*490MM	HORIZONTAL LONG TYPE PRODUCT SIZE: 295*510MM CUT-OUT SIZE: 275*490MM
60CM TYPE PRODUCT SIZE: 295*510MM CUT-OUT SIZE: 275*490MM	30INCH TYPE PRODUCT SIZE: 295*510MM CUT-OUT SIZE: 275*490MM

◆◆**4. BURNERS**◆◆

- ◆ 1 BURNER
- ◆ 2 BURNERS
- ◆ 3 BURNERS
- ◆ 4 BURNERS
- ◆ 5 BURNERS
- ◆ 6 BURNERS

◆◆**5. HEATING ZONE**◆◆

INDUCTION

- ◆ Φ160MM
- ◆ Φ180MM
- ◆ Φ210MM
- ◆ Φ250MM
- ◆ Φ280MM
- ◆ FLEX ZONE
- ◆ OTHER

INFRARED

- ◆ Φ165MM
- ◆ Φ200MM
- ◆ Φ230MM
- ◆ Φ300MM
- ◆ Φ320MM
- ◆ OVAL
- ◆ OTHER
- ◆ SINGLE RING
- ◆ DOUBLE RINGS
- ◆ TRIPLE RINGS

◆◆**6. CONTROL**◆◆

- ◆ TOUCH
- ◆ HIDDEN TOUCH
- ◆ WITH SLIDER
- ◆ WITH SMART COOKING
- ◆ FUNCTIONS
- ◆ Knob Control(for Infrared Only)

◆◆**7. GLASS**◆◆

- ◆ KANGER
- ◆ SCHOTT CERAN
- ◆ EURO KERA
- ◆ NEG

◆◆**8. BEVELING**◆◆

- ◆ LEFT
- ◆ RIGHT
- ◆ REAR
- ◆ FRONT

◆◆**9. WRAPPING**◆◆

- ◆ 4 SIDES
- ◆ 2 SIDES

According to above information if you have a clear list, then please contact our sales for more details.

H-one customized for you