



Add: 1-2 F, Building A, Funing High-Tech Industrial Park, Fuyong Town, Bao' An District, Shenzhen, China

Tel: + 86 755 29411703

Web:www.h-one.net.cn

Email:benguo@h-one.net.cn



H-one Product brochure

SHENZHEN H-ONE ELECTRICAL APPLIANCES CO.,LTD



深圳市海一电器有限公司

SHENZHEN H-ONE ELECTRICAL APPLIANCES CO.,LTD



About us

Company.

The original company was founded in 1993, and specialised in plastic and tooling, Which has rich experience in product structures, designs, and appearance. In 2006, H-one built the R&D team and focused on heating technology researching for home appliances

Now H-one offers PCBA controller and software customizing,OEM/ODM services on finished products such as Induction cooker, Ceramic cooker, Hair straighteners, Induction water heater and Sous Vide. most products in H-one are CE,GS, ETL, CL and CB certified, and these are widely sold all over the world. H-one hold patents in heat control induction heat and motion control and these are used to ensure our products are of the highest quality and performance.

H-one is an open, ambitious and highly experienced company working closely with its customer and suppliers to offer the highest quality products, with excellent performance and the latest features, at competitive prices.


PICTURES SHOW ____

FACTORY DRAWINGS AND PRODUCT RENDERINGS


















Each year, we will attend Canton Fair and other overseas international fair, learning what you want and what is popular decide what we can design. products on brochure are only for your reference, we keep the right to improve the appearance and stucture of samples.

We will regularly visit our customers around the world to listen the feedback and talk to more products.

We are also ready to welcome every customer to visit our company and factory.





Model:8120-255

Type:Smart Induction Cooker,Built-in Connection: 200~240 V,50-60 Hz Product Size: 600 x 350 x 55 mm Cutout size: 575 x 325 mm Power: 1800W+1800W



Model:8323-255

Type: Smart Ceramic Cooker, Built-in Power: 2200W(2 RINGS)+2200W(2 RINGS)

Connection: 200~240 V,50-60Hz Product Size: 730 x 430 x 55 mm Cutout size: 680 x 380 mm



Model:8128-255

Type: Smart Induction Cooker, Built-in Connection: 200~240 V,50-60 Hz Product Size: 730 x 430 x 55 mm Cutout size: 680 x 380 mm Power: 1200W+2300W



Model:8223-255

Type: Smart Hybrid Cooker, Built-in Power: 2300W(IN)+2200W(2 RINGS HI) Connection: 200~240 V,50-60Hz Product Size: 730 x 430 x 55 mm Cutout size: 680 x 380 mm



◆ SAFE AROUND YOU AS ALWAYS ◆ Don't worry about kids,child lock protects

Don't worry about burnt, residual heating indicates

Don't worry about overheating or dry burning, It knows when







Model:8130-255

Type: Smart Induction Cooker, Built-in Connection: 200~240 V,50-60 Hz Product Size: 590 x 520 x 55 mm Power: 1200W+1800W+3000 Cutout size: 570 x 490 mm




Model:8330-257

Type: Smart Ceramic Cooker, Built-in Power: 1200W+2000W+3300W(3 RINGS) Connection: 200~240 V,50-60 Hz Product Size: 590 x 520 x 55 mm Cutout size: 570 x 490 mm



Model:8140-255

Type: Smart Induction Cooker, Built-in Power: 1200W+1800W+1200W+1800W Connection: 200~240 V,50-60 Hz Product Size: 590 x 520 x 55 mm Cutout size: 570 x 490 mm



Model:8340-255

Type: Smart Ceramic Cooker, Built-in
Power: 1200W+1800W+1200W+1800W
Connection: 200~240 V,50-60 Hz
Product Size: 590 x 520 x 55 mm
Cutout size: 570 x 490 mm



Type: Smart Induction Cooker, Built-in

Burners:2

Working level:9

Max timing:99Min


N.W.:8.785 Kg


Connection: 200~240 V,50-60 Hz

Product Size: 520 x 300 x 55 mm

Cutout size: 490 x 285 mm

Power: 1200W+1800W





Model:8320-255

Type: Smart Ceramic Cooker, Built-in

Burners:2

Working level:9

Max timing:99Min

N.W.:7.6 kg

Connection: 200~240 V,50-60 Hz

Product Size: 520 x 300 x 55 mm

Cutout size: 490 x 285 mm

Power: 1200W+1800W



INDUCTION COOKER SERIES

DIFFERENT CUST OMER HAS DIFFERENT REQUIREMENTS ON THEIR PRODUCTS.H-ONE CAN MAKE THESE IDEAS COME TRUE:

- Different display panels for each customer;
- Hardware and software designer;
- Built-in/tabletop with 1/2/3/4/5 cooking zones;
- Single ending drive, Half-bridge technology, flex zone, double rings for different price levels;

ADVANTAGES OFFERED BY ELECTRIC CERAMIC HOBS FOR YOUR KITCHEN:

· Easy-in-Use

The interface of these hobs is highly user-friendly. They are easy to set-up, and start working with for food preparation.

Fully Comfortable

With integrated heat gauges, you can easily control the power source. And with additional elements like oven, extractors and cooking lights overhead, the cooking process is as smooth and convenient as it can get.



NEW PRODUCT RECOMMENDATION ----- MODEL:8150-201




Type: Built-in Induction Cooker

Cutout size: 890 x 490 mm

Product Size: 910 x 520 x 55 mm Connection: 200~240 V,50-60 Hz

Power: 1200W+1800W+2300W+1200W+1800W





Model:8121-201

Type:Built-in Induction Cooker

Burners:2

N.W.:6.5kg

Working level:9

Max timing:99Min

Power: 1200W+1800W

Cutout size: 490 x 285 mm

Juliout 5126, 430 X 200 111111

Connection: 200~240 V,50-60Hz

Product Size: 520 x 300 x 55 mm







INDUCTION COOKER SERIES



Model:8124-217

Type: Built-in Induction Cooker
Power: 2300W+2300W
Cutout size: 680 x 380 mm
Product Size: 730 x 430 x 55 mm
Connection: 200~240 V,50-60 Hz




Model:8130-210

Type: Built-in Induction Cooker
Cutout size: 570 x 490 mm
Power: 1200W+1800W+3000W
Product Size: 590 x 520 x 55 mm
Connection: 200~240 V,50-60 Hz



Model:8125-201

Type: Built-in Induction Cooker
Power: 1800W+1800W
Cutout size: 680 x 380 mm
Product Size: 750 x 450 x 55 mm
Connection: 200~240 V,50-60 Hz



Model:8130-202

Type: Built-in Induction Cooker
Cutout size: 570 x 490 mm
Power: 1200W+1800W+3000W
Product Size: 590 x 520 x 55 mm
Connection: 200~240 V,50-60 Hz



Model:8126-206

Type: Built-in Induction Cooker
Power: 1800W+1800W
Cutout size: 680 x 380 mm
Product Size: 750 x 450 x 55 mm
Connection: 200~240 V,50-60 Hz



Model:8132-201

Type: Built-in Induction Cooker
Cutout size: 570 x 490 mm
Power: 1200W+2200W+2700W
Product Size: 590 x 520 x 55 mm
Connection: 200~240 V,50-60 Hz



Model:8127-204

Type: Built-in Induction Cooker
Power: 2300W+2300W
Cutout size: 680 x 380 mm
Product Size: 750 x 450 x 55 mm
Connection: 200~240 V,50-60 Hz



Model:8140-203

Type: Built-in Induction
Cutout size: 570 x 490 mm
Product Size: 590 x 520 x 55 mm
Connection: 200~240 V,50-60 Hz
Power: 1200W+1800W+1200W+1800W







Two relays, Double protection

Ceramic cooker furnace adopts the principle of infrared heating technology, which can be applied to any pot with heating plate to generate heat through nickel-chromium wire.



CERAMIC ceramic series


MAKE THE BEST CERAMIC COOKER

Say goodbye to fire cooking and enjoy a healthy kitchen.

Ceramic cooker furnace adopts the principle of infrared heating technology, which can be applied to any pot with heating plate to generate heat through nickel-chromium wire



NEW PRODUCT RECOMMENDATION ----- MODEL:8350-201



Type: Built-in Ceramic Cooker Cutout size: 890 x 490 mm

Product Size: 910 x 520 x 55 mm Connection: 200~240 V,50-60 Hz

Power: 1200W+1800W+2200W(2RINGS)+1200W+1800W











Model:8330-202

Type:Built-in Ceramic Cooker
Cutout size: 570 x 490 mm
Product Size: 590 x 520 x 55 mm
Rated voltage:220-240V AC,50-60 Hz
Power: 1200W+2000W+3000W(2 RINGS)



Model:8340-202

Type:Built-in Ceramic Cooker
Cutout size: 570 x 490 mm
Product Size: 590 x 520 x 55mm
Connection: 200~240 V,50-60 Hz
Power: 1200W+1800W+1200W+1800W



Model:8340-203

Type: Built-in Ceramic Cooker
Cutout size: 570 x 490 mm
Product Size: 590 x 520 x 55 mm
Connection: 200~240 V,50-60 Hz
Power: 1200W+2000W+1200W+1800W



Model:8341-201

Type: Built-in Ceramic Cooker
Cutout size: 740 x 490 mm
Product Size: 760 x 520 x 55 mm
Connection: 200~240 V,50-60 Hz
Power: 1200W+1800W+1200W+2200W

(2 RINGS)

Model:8320-202

Type:Built-in Ceramic Cooker

Burners:2

Working level:9

Max timing:99Min

N.W.:8.785 Kg

Connection: 200~240 V,50-60 Hz

Product Size: 520 x 300 x 55 mm

Cutout size: 490 x 285 mm Power: 1200W+1800W





Model:8320-203

Type: Built-in Ceramic Cooker

Burners:2

Working level:9

Max timing:99Min

N.W.:7.6 kg

Connection: 200~240 V,50-60 Hz

Product Size: 520 x 300 x 55 mm

Cutout size: 490 x 285 mm

Power: 1200W+1800W







HYBRID COOKER

Say goodbye to open fire cooking and enjoy a healthy kitchen.

Hybrid cookers combined with induction and radiant, precise temperature control.

Enrich your life, meet your needs.



Model:8223-211

Type: Built-in Hybrid Cooker Cutout size: 680 x 380 mm Power: 1800W(IN)+2200W(HI) Product Size: 730 x 430 x 55 mm Connection: 200~240 V,50-60 Hz



Model:8223-210


Type: Built-in Hybrid Cooker Cutout size: 680 x 380 mm Power: 1800W(IN)+2200W(HI) Product Size: 730 x 430 x 55 mm Connection: 200~240 V,50-60 Hz



Model:8234-201

Type: Built-in Hybrid Cooker Cutout size: 750 x 380 mm Product Size: 780 x 430 x 55mm Connection: 200~240 V,50-60 Hz Power: 1200W(IN)+1800W(IN)+2200W

(2RINGS HI)



Model:8240-202

Type: Built-in Hybrid Cooker Cutout size: 570 x 490 mm

Product Size: 590 x 520 x 55 mm

Connection: 200~240 V,50-60 Hz

Power:1800W(IN)+1800W(IN)+1200W

(HI)+1800W(HI)



HYBRID COOKER SERIES



HOT PRODUCTS:8250-201

- Type: Built-in Hybrid Cooker
 Cutout size: 890 x 490 mm
 Product Size: 910 x 520 x 55 mm
 Connection: 200~240 V,50-60 Hz
 Power: 1800W(IN)+1800W(IN)+2300
 W(IN)+1200W(HI)+2200W(2 RINGS HI)
- Induction cooker and electric ceramic stove double stove combination.
 Say goodbye to fire cooking and enjoy a healthy kitchen.





SOUS VIDE MACHINE SERIES



Sous vide 1800, low temperature continuous slow cooking, accurate temperature control plus or minus 0.1 degrees It is the best choice for the healthy life of modern people to ensure that the cells of food are not destroyed and the nutrients of food are not lost. At same time have waterproof, low water alarm, Safer and





With the size of holding in hand and silent large torque dc deceleration motor, it can stop automatically if blocked, protect motor and ensure a long product lifetime; Switch freely from Double opening and single opening, suitable for all types of house.




SOUS VIDE MACHINE

Sous vide 1900, low temperature continuous slow cooking, accurate temperature control plus or minus 0.1 degrees It is the best choice for the healthy life of modern people to ensure that the cells of food are not destroyed and the nutrients of food are not lost . At same time have waterproof, low water alarm, Safer and more reliable.



Ceramic with tourmaline piate, release ions and micro current, which react hair celis from dormant to state, so as to making the hair smooth and bright; MCH heating element can safe; Edge modeling and maintenance EU CE certification Safe and secure;



SOUS VIDE MACHINE

Sous vide 1600, low temperature continuous slow cooking, accurate temperature control plus or minus 0.1 degrees It is the best choice for the healthy life of modern people to ensure that the cells of food are not destroyed and the nutrients of food are not lost.



TOUCH BOARD&MOTHERBOARD

Double layers PCB for nice looking and long lifetime; Different icons to show different visual effects; Variety of functions for your reference: Melting, Defrost, Warming, Frying, Stop&Go, Quick boiling, Safety Lock and so on;



