

H-one is an open, ambitious and highly experienced company working closely with its customer and suppliers to offer the highest quality products, with excellent performance and the latest features,




Add: 1-2 F, Building A, Funing High-Tech Industrial Park, Fuyong Town, Bao'An District, Shenzhen, China Web:https://szh-one.com/ Video website:https://www.h-one.net.cn/ Tel: + 86 755 29411703 Email:inquiry@h-one.net.cn

SMART KITCHEN EQUIPMENT

npetitive pri



SHENZHEN H-ONE ELECTRICAL APPLIANCES CO.,LTD



# create a better life

# Description of the second seco

### 🏵 Shenzhen H-one 🏵

H-ONE BUILT IN 1993 WHICH NAMED JINQI AT FIRST, IT FOCUSED ON MOLD AND STRUCTURE DESIGN.OUR CURRENT BOSS MR.BEN GUO TOOK OVER THE COMPANY AND RENAMED "H-ONE" IN 2007.MR.BEN GUO SPECILIZES IN ELECTRONIC DESIGN SO THE COMPANY TURNED TO NEW STEP: FINISHED PRODUCT DESIGN, MANUFACTURE AND SALE.

# WE KNOW HEAT AND CONTROL IT TO WHAT YOU WANT

WE LIKE TO HELP OUR CUSTOMERS SET UP MARKET COMPETITIVE ADVANTAGE NOT ONLY PRICE BUT ALSO QUALITY AND PERFORMANCE.WE WANT TO ALL OUR CUSTOMERS NOT ONLY FEEL CONVENIENCE, BUT ALSO EXPERIENCE THE REAL COOKING HAPPINESS THAT THE TECHNOLOGY BRINGS.

# COMPANY CORNER







WE BUILT THE R&D TEAM AND FOCUSED ON HEATING TECHNOLOGY RESEARCHING FOR HOME APPLIANCES.HAIR STRAIGHTENER IS THE FIRST HOT SALE PRODUCT,THEN H-ONE SETS IT'S CORE GOAL: INDUCTION HEATING INNOVATION.WE STUDY,WE COLLECT,WE LISTEN AND DEDICATED TO HALF-BRIDGE TECHNOLOGY DEVELOPING.THANKS TO THIS INSISTENCE,WE BUILT OUR OWN INDUCTION HEATING SYSTEM AND SEND OUR **H-ONE INSIDE PRODUCTS** TO ALL OVER THE WORLD.

WHEN ONE PROJECT COMES TO AN END,THE PRODUCTS LAUNCH IN MARKET,ANOTHER NEW PROJECT WILL START.NOW H-ONE HAVE 5 MAIN PRODUCT SERIES: INDUCTION COOKER(IN-DUCTION HEATING),CERAMIC HOB(INFRARED HEATING),SOUS VIDE(PTC HEATING),HAIR STRAIGHTENER(MCH/PTC HEATING) AND A NEW FILED CURTAIN MOTOR(MOTOR DRIVE). AS A ODM SUPPLIER,TO KEEP OUR PRODUCTS ALWAYS BE COMPETITIVE AND FUNCTION-AL,H-ONE NEVER STOP RESEARCHING AND WORK CLOSELY WITH OUR BUSINESS PARTNERS,TRY TO BETTER UNDERSTAND THE SPECIAL AND USEFUL REQUIREMENTS IN THE MARKET. WELCOME ALL OF YOU TO H-ONE AND SHARE YOUR IDEAS,WE CAN MAKE YOUR DESIGNS COME TRUE.

# > SYSTEM: INDUCTION HEATING

#### H-ONE INDUCTION CONTROL SYSTEM MODULE:

#### H-ONE INDUCTION HEATING TECHNOLOGY DEVELOPMENT

### WHAT IS CORE FOR AN INDUCTION COOKER?

NOT PRODUCTION ABILITY, NOT SUPPLY CHAIN, IT'S CONTROL SYSTEM.


NORMALLY,WE ALREADY KNOW THERE IS 3 MAIN CONTROL SYSTEMS FOR INDUCTION COOKER: SINGLE ENDING DRIVE SYSTEM, HALF BRIDGE DRIVE SYSTEM ,FULL BRIDGE DRIVE SYSTEM. THE SINGLE ENDING DRIVE SYSTEM IS WIDE USED IN MOST INDUCTION COOKER NOW,THEY CALLED "BASIC MODELS".


IF YOU NEED HIGHER POWER OUTPUT, THE HALF BRIDGE SYSTEM MAY BE YOUR FIRST CHOICE.

ABOUT FULL BRIDGE SYSTEM IT IS VERY SIMILAR AS HALF BRIDGE SYSTEM, MOST TIME IT WAS APPLIED IN INDUSTRIAL FIELD.

H ONE STARTED INDUCTION HEATING RESEARCHING FROM 2007. AFTER PLENTY EXPERIENCE AND COST, HALF BRIDGE DRIVE SYSTEM IS IN OUR HAND










Basic two burner main board



### HEATING ZONE







# > SYSTEM INFRARED HEATING

# CERAMIC HOB CONTROL SYSTEM INTRODUCE

INFRARED HEATING IS USED IN CERAMIC HOB OR CALLED HI-LIGHT COOKER PRODUCTS.IT LOOKS LIKE INDUCTION COOKERS WHEN IT DOESN'T WORK,BUT THE INSIDE IS DIFFERENT A LOT,FOR CERAMIC HOB HEATS FROM ELECTRICAL HOTPLATE WHICH GENERATE HEAT FROM ELECTRICAL RESISTANCE,SO A GOOD CERAMIC HOB MUST HAVE SUPERIOR HEAT ISOLATION. TO FULLY USE OUR ELECTRONIC DESIGN ADVANTAGE AND BE DIFFERENT FROM TRADITIONAL PRODUCTS,WE CHOOSE THERMO-COUPLE TO DETECT TEMPERATURE AND RELAY FOR SWITCH TO CONTROL THE TEMPERATURE,THIS DESIGN CAN CONTROL TEMPERATURE MORE PRECISE, MORE FLEX AND COST LOWER.ADDITIONAL OUR SENSOR TOUCH DISPLAY BOARD,THE ELECTRON-IC CONTROL TOTALLY INSTEAD OF MECHANICAL CONTROL.



# BEING COMPATIBLE CREATES MORE POSSIBILITIES












# CONTROL: DISPLAY AND FUNCTIONS




#### FREE TO SET THE OUT PUT POWER QUICKLY

NO MATTER YOU WANT TO 0-9 LEVELS,0-20 LEVELS OR 0-100 LEVELS,THE SLIDER ALWAYS RESPOND IMMEDIATELY IN RIGHT POSITIONS.



#### HIDDEN TOUCH, INVISIBLE DESIGN

THE BUTTON WITH LIGHT, WHEN YOU TURN OFF, THE DISPLAY ZONE IS INVISIBLE, NEW GENERATION DISPLAY CONTROL.



#### SMART COOKING

IF YOU LIKE COOKING, THE SMART COOKING DISPLAY CAN HELP YOU TO MAKE MANY UNIQUE RECIPES AND YOU CAN CONTROL BY YOUR PHONE, MORE CONVENIENT!



#### WIFI CONTROL

DOWNLOAD TUYA APP, CONNECT THE DEVICE WITH YOUR SAMRT PHONE, CHECK THE COOKING PRECESS AT ANYTIME, ANYWHERE



#### ONE-TOUCH FUNCTIONS

IF YOUR PRODUCT IS EQUIPPED WITH ONE-TOUCH FUNCTIONS, WILL HELP YOU A LOT IN CHOOSING THE RIGHT POWER OUT PUT.THE ONE-TOUCH FUNCTIONS WILL BE MORE PRECISE IN TEMPERATURE. HERE WE OFFER 10 ONE-TOUCH FUNCTIONS, MORE NEW FUNCTIONS WILL LAUNCH ONCE READY.







# ▷ NEW DESIGN FOR 2021



Touch control with slider, for 3 burners




Touch control with slider, for 3 burners




Touch control with slider, for 3 burners




Touch control with slider, for 1 burners



Hidden touch control with slider, for 2 burners






Touch control with slider, for 4 burners



Touch control with slider, for 4 burners



Touch control with slider, for 3 burners



Touch control ,for 5 burners

# SURFACE: OPTIONAL FEATURES

# *▶ PRDDUCTS: HDT SALE*

According to different customers,we offer different brand ceramic glass to choose










The beveled edge makes built-in products fit better on cabinet, easy to clean



The wrapping edge can protect the glass and extend the product's lifetime












#### Model:8126-208-B01

System: Half Bridge Induction System Control: Touch Control with Sliders Cooking Zone: 2 Maximum Nominal Power: 3700W Beveling: Yes Wrapping: NO Colour: Black Product Size: 750\*450\*55mm Cut-out Size: 680\*380mm





### Model:8128-2A1-B01

System:Half Bridge Induction System Control: Touch Control with Sliders Cooking Zone: 2 Maximum Nominal Power: 3700W Beveling: Yes Wrapping: NO Colour: Black Product Size: 730\*430\*55mm Cut-out Size: 680\*380mm



# Model:8134-201-B01

System: Half Bridge Induction System Control: Touch Control with Slides Cooking Zone: 3 Maximum Nominal Power: 6700W Beveling: Yes Wrapping: NO Colour: Black Product Size: 780\*450\*55mm Cut-out Size: 750\*380mm



# Model:8236-201-B01

System: Half Bridge Induction + Infrared Heating System Control: Touch Control with Slider Cooking Zone: 3 Maximum Nominal Power: 5900W Beveling: Yes Wrapping: NO Colour: Black Product Size: 780\*430\*55mm Cut-out Size: 750\*380mm




# Model:8225-201-B01

Model: 8225-201-B01 System: Half Bridge Induction + Infrared Heating System Control: Touch Control with Sliders Cooking Zone: 2 Maximum Nominal Power: 3700W Beveling: YES Wrapping: NO Colour: Black Product Size: 730\*430\*55mm Cut-out Size: 680\*380mm




## Model:8124-208-A01

System: Single Ending Induction System Control: Touch Control with Sliders Cooking Zone: 2 Maximum Nominal Power: 4600W Beveling: Yes Wrapping: Yes Colour: Black Product Size: 730\*430\*55mm Cut-out Size: 680\*380mm



# Model:8125-201-B01

System: Half Bridge Induction System Control: Touch Control with Sliders Cooking Zone: 2 Maximum Nominal Power: 5000W Beveling: YES Wrapping: NO Colour: Black Product Size: 750\*450\*55mm Cut-out Size: 680\*380mm




## Model:8131-110-B01

System: Half Bridge Induction System Control: Touch Control with Slider Cooking Zone: 3 Maximum Nominal Power: 3700W;Beveling: NO;Wrapping: NO Colour: Black Product Size: 590\*520\*55mm Cut-out Size: 570\*490mm




System: Single Ending Induction + Infrared Heating System Control: Touch Control with Slider Cooking Zone: 2 Maximum Nominal Power: 4800W Beveling: Yes Wrapping: NO Colour: Black Product Size: 750\*450\*55mm




### Model:8131-202-B01

System: Half Bridge Induction System Control: Touch Control Cooking Zone: 3 Maximum Nominal Power: 7200W Beveling: NO;Wrapping: NO Colour: Black Product Size: 590\*520\*55mm Cut-out Size: 570\*490mm




### Model:8230-255-B01

System: Half Bridge Induction + Infrared Heating System Control: Touch Control with Smart Cooking Cooking Zone: 3 Maximum Nominal Power: 5900W Beveling: YES;Wrapping: NO Colour: Black Product Size: 590\*520\*55mm Cut-out Size: 570\*490mm




### Model:8235-201-B01

System: Half Bridge Induction + Infrared Heating System Control: Touch Control Cooking Zone: 3 Maximum Nominal Power: 3400W Beveling: NO;Wrapping: NO Colour: Black Product Size: 590\*520\*55mm Cut-out Size: 570\*490mm




### Model:8141-201-B01

System: Half Bridge Induction System Control: Touch Control Cooking Zone: 4 Maximum Nominal Power: 7400W Beveling: NO Wrapping: NO Colour: Black Product Size: 760\*520\*55mm Cut-out Size: 720\*490mm



## Model:8240-256-B01

System: Half Bridge Induction + Infrared Heating System Control: Touch Control with Smart Cooking Cooking Zone: 4 Maximum Nominal Power: 6700W Beveling: YES;Wrapping: YES Colour: Black Product Size: 590\*520\*55mm Cut-out Size: 570\*490mm




## Model:8142-255-B01

System: Half Bridge Induction System Control: Touch Control with Smart Cooking Cooking Zone: 4 Maximum Nominal Power: 6600W Beveling: YES;Wrapping: NO Colour: Black Product Size: 590\*520\*55mm Cut-out Size: 570\*490mm




# Model:8150-201-B01

System: Half Bridge Induction System Control: Touch Control with Slider Cooking Zone: 5 Maximum Nominal Power: 10KW Beveling: YES Wrapping: NO Colour: Black Product Size: 910\*520\*55mm Cut-out Size: 880\*490mm



### Model:8341-201-001

System: Infrared Heating System Control: Touch Control with Slider Cooking Zone: 4 Maximum Nominal Power: 6400W Beveling: NO Wrapping: NO Colour: Black Product Size: 760\*520\*55mm Cut-out Size: 720\*490mm




#### Model:8250-201-B00

System: Half Bridge Induction + Infrared Heating System Control: Touch Control with Slider Cooking Zone: 5 Maximum Nominal Power: 10KW Beveling: YES Wrapping: NO Colour: Black Product Size: 910\*520\*55mm Cut-out Size: 880\*490mm

System: Infrared Heating System Control: Touch Control Cooking Zone: 2 Maximum Nominal Power: 3000W Beveling: NO Wrapping: NO Colour: Black Product Size: 295\*510\*55mm Cut-out Size: 275\*490mm





System: Infrared Heating System Control: Touch Control Cooking Zone: 2 Maximum Nominal Power: 3000W Beveling: NO Wrapping: NO Colour: Black Product Size: 295\*510\*55mm Cut-out Size: 275\*490mm





### Model:8334-257-001


System: Infrared Heating System Control: Touch Control with Smart Cooking Cooking Zone: 3 Maximum Nominal Power: 6500W Beveling: YES Wrapping: NO;Colour: Black Product Size: 590\*520\*55mm Cut-out Size: 570\*490mm

- System: Infrared Heating System Control: Touch Control Cooking Zone: 2 Maximum Nominal Power: 2400W Beveling: NO Wrapping: NO Colour: Black Product Size:
- 295\*520\*55mm
- Cut-out Size: 275\*490mm




### Model:8125-201-B01

System: Half Bridge Induction System Control: Touch Control with Sliders Cooking Zone: 2 Maximum Nominal Power: 5000W Beveling: YES Wrapping: NO Colour: Black Product Size: 750\*450\*55mm Cut-out Size: 680\*380mm




#### Model:8342-201-003

System: Infrared Heating System Control: Touch Control with Slider Cooking Zone: 4 Maximum Nominal Power: 6400W Beveling: NO; Wrapping: YES Colour: Black Product Size: 590\*520\*55mm Cut-out Size: 570\*490mm



#### Model:8333-202-001

System: Infrared Heating System Control: Touch Control Cooking Zone: 3 Maximum Nominal Power: 6200W Beveling: NO;Wrapping: NO Colour: Black Product Size: 590\*520\*55mm Cut-out Size: 570\*490mm



### Model:8344-203-001

System: Infrared Heating System Control: Touch Control Cooking Zone: 4 Maximum Nominal Power: 6000W Beveling: NO Wrapping: NO;Colour: Black Product Size: 590\*520\*55mm Cut-out Size: 570\*490mm

# SERVICE: CUSTOMIZATION STEPS

Tell us your requirements, we offer you exact one you want.

I.POWER SUPPLY		♦ 1 BURNER	♦ 2 BURNERS
\$220-240∨	♦ 110-120V	♦ 4 BURNERS	S ◇ 5 BURNERS
(*) 2 . P R O	DUCT TYPE 🏈		
♦ INDUCTION	RARED	IYBRID INDUCTION	★5.HEATING ZONG
🏵 3.PR(	DUCT SIZE		♦ Ф210MM ♦ Ф250MM
		SINGLE RING ♦ DC	
DOMINO TYPE PRODUCT SIZE: 295*510MI CUT-OUT SIZE: 275*490MN	9 сuт-	OUCT SIZE: 10*520MM OUT SIZE: 80*490MM $\diamondsuit$ TOUCH $\diamondsuit$ HIDDEN TOU	★ 6.CONTROL JCH ♦ WITH SLIDER ♦
			♦ SCHOTT CERAN
HORIZONTAL TYPE	HORIZONTAL LO		
PRODUCT SIZE: 730*430M CUT-OUT SIZE: 680*380M			♦ RIGHT
		♦ 4 SIDES	9. WRAPPING
			nation if you have a clear list,then p.  H-one customized for
60CM TYPE PRODUCT SIZE: 90*520MN CUT-OUT SIZE: 570*490MI	PRODUCT SIZE: 7		



♦ 3 BURNERS	
◇ 6 BURNERS	
<u>n e </u>	
1 ◇Φ280MM ◇FLEX ZONE ◇ OTHER	
MM ◇ Φ320MM ◇ OVAL ◇ OTHER E RINGS	
♦ WITH SMART COOKING ♦ FUNCTIONS	
*	
♦ EURO KERA	
G 🔅	
♦ REAR ♦ FRONT	
G ↔ 2 SIDES	
n please contact our sales for more details. or you	