



SHENZHEN H-ONE ODM INDUCTION COOKER SOLUTIONS

PRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUE
PRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUE
PRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUE

UCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUE
UCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUE
UCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUE

01 COMPANY PROFILE
PAGE 1-2

02 INDUCTION HEATING
PAGE 3-4

03 INFRARED HEATING
PAGE 5-6

04 DISPLAY AND FUNCTIONS
PAGE 7-10

05 OPTIONAL FEATURES
PAGE 11

06 SOLUTION FOR AMERICAS
PAGE 12

8141-201-B01 8350-201-001
8341-201-001 834A-201-001
8150-201-B01



07 SOLUTION FOR EUROPE
PAGE 18

8121-204-A01	8132-201-A01	8143-201-D01	8333-202-001	8328-201-001
812C-201-D01	8137-201-D01	8142-255-B01	8334-257-001	8349-201-001
8131-110-B01	8133-203-B01	8324-202-001	8342-201-003	
8131-202-B01	8144-201-B01	8327-203-001	8344-203-001	

08 SOLUTION FOR AISA
PAGE 37

8124-2A2-B00	8225-201-B01	812D-202-D01	8134-201-B01	8240-256-B01
8125-201-B01	8124-208-A01	8228-202-D01	8230-256-B01	8250-201-B01
8126-202-B01	812D-201-D01	8226-203-A01	8235-201-B01	8325-201-002
8127-204-B01	8226-208-A01	8325-201-002	8237-201-B01	

09 CERTIFICATIONS
PAGE 60-61

10 CUSTOMIZATION STEPS
PAGE 62-63

HONE
PRODUCT
CATALOGUE

SIMPLE
&
POWERFUL

COMPANY PROFILE

Shenzhen H-one

H-one built in 1993 which named Jinqi at first, it focused on Mold and structure design. Our current boss Mr. Ben Guo took over the company and renamed "H-one" in 2007. Mr. Ben Guo specializes in electronic design so the company turned to new step: finished product design, manufacture and sale.


We know

Heat and control it to what you want

We like to help our customers set up market competitive advantage not

only price but also quality and performance. We want to all our customers not only feel convenience, but also experience the real cooking happiness that the technology brings.

COMPANY CORNER



BECAUSE OF FOCUS
ALL PROFESSIONAL



We built the R&D team and focused on heating technology researching for home appliances. Hair straightener is the first hot sale product, then H-one sets its core goal: induction heating innovation. We study, we collect, we listen and dedicated to half-bridge technology developing. Thanks to this insistence, we built our own induction heating system and send our H-ONE inside products to all over the world.

When one project comes to an end, the products launch in Market, another new project will start. Now H-one have 5 main product series: Induction Cooker (Induction Heating), Ceramic hob (Infrared Heating), Sous Vide (PTC Heating), Hair Straightener (MCH/PTC Heating) and a new filed Curtain Motor (Motor Drive).

As a ODM supplier, to keep our products always be competitive and functional, H-one never stop researching and work closely with our business partners, try to better understand the special and useful requirements in the market.




Welcome all of you to H-one and share your ideas, we can make your designs come true.

H-one induction heating technology development

What is core for an Induction Cooker?

Not Production ability,Not Supply Chain,It's control system.

Normally,we already know there is 3 main control systems for Induction cooker: single ending drive system, half bridge drive system ,full bridge drive system. The single ending drive system is wide used in most induction cooker now,they called “Basic Models”. If you need higher power output,the half bridge system may be your first choice. About full bridge system it is very similar as half bridge system, most time it was applied in industrial field.



H-ONE STARTED INDUCTION HEATING RESEARCHING FROM 2007.
AFTER PLENTY EXPERIENCE AND COST,HALF BRIDGE DRIVE SYSTEM IS IN OUR HAND



BASIC TWO BURNER MAIN BOARD



HALF BRIDGE TWO BURNER MAIN BOARD




BASIC ONE BURNER MAIN BOARD




HALF BRIDGE ONE BURNER MAIN BOARD




SINGLE SWITCH ONE BURNER MODULE



MIN 160MM



MAX 300MM



FLEX ZONE

SYSTEM: INFRARED HEATING

CERAMIC HOB CONTROL SYSTEM INTRODUCE

Infrared Heating is used in Ceramic hob or called Hi-Light Cooker products. It looks like Induction cookers when it doesn't work, but the inside is different a lot, for ceramic hob heats from electrical hotplate which generate heat from electrical resistance, so a good ceramic hob must have superior heat isolation. To fully use our electronic design advantage and be different from traditional products, we choose thermocouple to detect temperature and relay for switch to control the temperature, this design can control temperature more precise, more flex and cost lower. Additional our sensor touch display board, the electronic control totally instead of mechanical control.

FOUR BASIC FEATURES OF H-ONE'S INFRARED PRODUCTS

SUPERIOR

HEAT ISOLATION



MAINBOARD

STANDARD CONTROL MODULE




ELECTRONIC

CONTROL INSTEAD OF
MECHANICAL CONTROL



SENSOR TOUCH CONTROL

INSTEAD OF KNOB CONTROL



BEING COMPATIBLE CREATES MORE POSSIBILITIES


HONE
PRODUCT
CATALOGUE



Single ring

• INNER RING


CERAMIC HOB CAN FIT TO DIFFERENT POTS AND PANS , HIGH POWER HEATING SPEED ADOPTS INFRARED HEATING PRINCIPLE



Double rings

• OUTER RING


CERAMIC HOB CAN FIT TO DIFFERENT POTS AND PANS , HIGH POWER HEATING SPEED ADOPTS INFRARED HEATING PRINCIPLE



Other shape

• DIFFERENT SHAPES

CERAMIC HOB CAN FIT TO DIFFERENT POTS AND PANS , HIGH POWER HEATING SPEED ADOPTS INFRARED HEATING PRINCIPLE



Triple rings

• COMPLETE RING

CERAMIC HOB CAN FIT TO DIFFERENT POTS AND PANS , HIGH POWER HEATING SPEED ADOPTS INFRARED HEATING PRINCIPLE



STAINLESS STEEL



CLAYPOT



GLASS



STEAMER




MULITI ROAESTIBNG
PEN

CONTROL: DISPLAY AND FUNCTIONS




FREE TO SET THE OUTPUT POWER QUICKLY

No matter you want to 0-9 levels, 0-20 levels or 0-100 levels, the slider always respond immediately in right positions.



HIDDEN TOUCH, INVISIBLE DESIGN

The button with light, when you turn off, the display zone is invisible, new generation display control.



SMART COOKING

If you like cooking, the smart cooking display can help you to make many unique recipes and you can control by your phone, more convenient!



WIFI CONTROL

Download Tuya App, Connect the device with your smart phone, check the cooking process at

ONE-TOUCH FUNCTIONS

IF YOUR PRODUCT IS EQUIPPED WITH ONE-TOUCH FUNCTIONS, WILL HELP YOU A LOT IN CHOOSING THE RIGHT POWER OUTPUT. THE ONE-TOUCH FUNCTIONS WILL BE MORE PRECISE IN TEMPERATURE.

HERE WE OFFER 10 ONE-TOUCH FUNCTIONS, MORE NEW FUNCTIONS WILL LAUNCH ONCE READY.



DEFROST: QUICKLY DEICE THE FOOD WHICH IS TAKEN OUT OF FRIDGE



MILK: YOUR FIRST CUP OF MILK IN THE MORNING CANNOT BE COLD AND OVERHEATED



WARMER: IF YOU ARE BUSY AND FORGET TO EAT, IT WILL NOT FORGET TO KEEP FOOD WARM



BOILING: FAST PREPARE HOT WATER



PAN FRYING: LESS OIL, RIGHT TEMPERATURE, SUITABLE FOR MOST FOOD LIKE FISH, CHICKEN AND STEAK.



DEEP FRYING: SHOW YOUR CHILDREN THE PERFECT FRENCH FRIES



RICE: YOUR NEW RICE COOKER



STEW: FOR SOUPS LOVERS




SLOW COOK: SLOW COOK+PAN FRYING, A PERFECT STEAK




EGGS: WHICH TYPE OF EGGS DO YOU LIKE: SOFT-BOILED OR HARD-BOILED?


NEW DISPLAY DESIGNS FOR REFERENCE



Touch control with slider,for 3 burners



Touch control with slider,for 3 burners




Touch control with slider,for 3 burners



Touch control with slider,for 1 burners




Hidden touch control with slider,for 2 burners




Touch control with slider,for 1 burners




Touch control with slider,for 4 burners



Touch control with slider,for 4 burners





Touch control with slider,for 3 burners



Touch control ,for 5 burners

SURFACE:OPTIONAL FEATURES



The beveled edge makes built-in products fit better on cabinet
easy to clean



The wrapping edge can protect the glass and extend the product's lifetime





BUILT-IN FOUR BURNER INDUCTION


THE “DOOPEN” SMART INDUCTION SERIES IS A NEW AND MODERN DESIGN WHICH COMBINES HOB, TEMPERATURE PROBE AND TUYA IOT PLATFORM TOGETHER, CREATES THE NEW STANDARD OF SMART COOKING.

MODEL: 8141-259-B01

HONE
PRODUCT
CATALOGUE




DESCRIPTION	Built-in Four Burner Induction
SYSTEM	Half bridge Induction System
CONTROL	Sensor Touch Control
COOKING SIZE	Left Front: $\phi 210\text{mm}$ Left Rear: $\phi 160\text{mm}$ Right Front: $\phi 160\text{mm}$ Right Rear: $\phi 180\text{mm}$
POWER RATING	7400W
PRODUCT SIZE	760*520*55mm
CUT-OUT SIZE	720*490mm







DESCRIPTION	Built-in Four Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Sensor Touch Control with Slider
COOKING SIZE	Left Front: ϕ 165mm Left Rear: ϕ 145mm/ ϕ 230mm (2 Rings) Right Front: ϕ 165mm Right Rear: ϕ 200mm
POWER RATING	6400W
PRODUCT SIZE	760*520*55mm
CUT-OUT SIZE	720*490mm







DESCRIPTION	Built-in Five Burner Induction
SYSTEM	Half Bridge Induction System
CONTROL	Sensor Touch Control with Slider
COOKING SIZE	Left Front: ϕ 160mm Left Rear: ϕ 180mm Middle: ϕ 210mm Right Front: ϕ 180mm RightRear: ϕ 160mm
POWER RATING	10KW
PRODUCT SIZE	910*520*55mm
CUT-OUT SIZE	880*490mm






DESCRIPTION	Built-in Five Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Sensor Touch Control with Slider
COOKING SIZE	Left Front: $\varnothing$ 165mm Left Rear: $\varnothing$ 145mm/ $\varnothing$ 230mm (2 Rings) Middle: $\varnothing$ 165mm / Oval 165*270mm (2 Rings) Right Front: $\varnothing$ 200mm Right Rear: $\varnothing$ 165mm
POWER RATING	8400W
PRODUCT SIZE	910*520*55mm
CUT-OUT SIZE	880*490mm






DESCRIPTION	Built-in Four Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Knob Control
COOKING SIZE	Left Front: $\phi 200\text{mm}$ Left Rear: $\phi 165\text{mm}$ Right Front: $\phi 165\text{mm}$ Right Rear: $\phi 145\text{mm}/\phi 230\text{mm}$ (2 Rings)
POWER RATING	6600W
PRODUCT SIZE	760*520*55mm
CUT-OUT SIZE	730*490mm




INNOVATIVE LUXURY KITCHEN APPLIANCES

MODEL: 8131-202-B01

PAGE 18




DESCRIPTION	Built-in Double Burner Induction
SYSTEM	Single Switch Induction System
CONTROL	Sensor Touch Control with Slider
COOKING SIZE	Front: $\varnothing$ 180mm Rear: $\varnothing$ 160mm
POWER RATING	3000W
PRODUCT SIZE	315*520*55mm
CUT-OUT SIZE	285*490mm





DESCRIPTION	Built-in Double Burner Induction
SYSTEM	Single Switch Induction System
CONTROL	Sensor Touch Control
COOKING SIZE	Front: ϕ 190mm Rear: ϕ 190mm
POWER RATING	4000W
PRODUCT SIZE	315*520*55mm
CUT-OUT SIZE	285*490mm





DESCRIPTION

Built-in Three Burner Induction

SYSTEM

Half Bridge Induction System

CONTROL

Sensor Touch Control with Slider

COOKING SIZE

Left Front: ϕ 180mm | Left Rear: ϕ 180mm |
Right: ϕ 280mm

POWER RATING


3600W

PRODUCT SIZE

590*520*55mm

CUT-OUT SIZE

570*490mm





DESCRIPTION
SYSTEM
CONTROL

Built-in Three Burner Induction
Half Bridge Induction System
Sensor Touch Control

COOKING SIZE

Left Front: φ160mm |
Left Rear: φ180mm|
Right: φ280mm

POWER RATING


7200W

PRODUCT SIZE

590*520*55mm


CUT-OUT SIZE

570*490mm





DESCRIPTION	Built-in Three Burner Induction
SYSTEM	Single Switch Induction System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	Left Front: ϕ 180mm Left Rear: ϕ 160mm Right: ϕ 250mm
POWER RATING	6000W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm





DESCRIPTION

Built-in Three Burner Induction

SYSTEM

Single Switch Induction System

CONTROL

Sensor Touch Control with Sliders

COOKING SIZE

Left Front: $\phi 190\text{mm}$ | Left Rear: $\phi 190\text{mm}$
Right: $\phi 280\text{mm}$

POWER RATING


7000W

PRODUCT SIZE

590*520*55mm


CUT-OUT SIZE

570*490mm





DESCRIPTION	Built-in Three Burner Induction
SYSTEM	Half Bridge Induction System
CONTROL	Sensor Touch Control
COOKING SIZE	Left Front: 210*180mm Left Rear: 210*180mm Right: φ250mm
POWER RATING	7400W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm





DESCRIPTION

Built-in Four Burner Induction

SYSTEM

Half Bridge Induction System

CONTROL

Sensor Touch Control

COOKING SIZE

Left Front: ϕ 210mm | Left Rear: ϕ 160mm
Right Front: ϕ 210mm | Right Rear: ϕ 160mm

POWER RATING


7400W

PRODUCT SIZE

590*520*55mm


CUT-OUT SIZE

570*490mm






DESCRIPTION	Built-in Four Burner Induction
SYSTEM	Single Switch Induction System
CONTROL	Sensor Touch Control
COOKING SIZE	φ190mm*4pcs
POWER RATING	8000W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm






DESCRIPTION	Built-in Four Burner Induction
SYSTEM	Half Bridge Induction System
CONTROL	Sensor Touch Control with Slider
COOKING SIZE	φ180mm*4pcs
POWER RATING	7400W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm





DESCRIPTION	Built-in Double Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Sensor Touch Control
COOKING SIZE	φ165mm*2 pcs
POWER RATING	2400W
PRODUCT SIZE	295*520*55mm
CUT-OUT SIZE	275*490mm





DESCRIPTION Built-in Double Burner Infrared
SYSTEM Infrared Heating System


CONTROL Sensor Touch Control

COOKING SIZE Front: φ200mm | Rear: φ165mm

POWER RATING 3000W


PRODUCT SIZE 295*510*55mm

CUT-OUT SIZE 275*490mm






DESCRIPTION	Built-in Three Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Sensor Touch Control
COOKING SIZE	Left Front: $\varnothing 200\text{mm}$ Left Rear: $\varnothing 165\text{mm}$ Right: $\varnothing 220\text{mm}/300\text{mm}$ (2 Rings)
POWER RATING	6200W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm





DESCRIPTION	Built-in Three Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Sensor Touch Control with Slider
COOKING SIZE	Left Front: φ200mm Left Rear: φ165mm Right: φ165mm/φ235mm/φ320mm (3 Rings)
POWER RATING	6500W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm






DESCRIPTION Built-in Four Burner Infrared
SYSTEM Infrared Heating System
CONTROL Sensor Touch Control with Slider

COOKING SIZE Left Front: $\varnothing 165\text{mm}$ |
Left Rear: $\varnothing 145\text{mm}/\varnothing 230\text{mm}$ (2 Rings)
Right Front: $\varnothing 120\text{mm}/\varnothing 200\text{mm}$ (2 Rings) |
Right Rear: $\varnothing 165\text{mm}$

POWER RATING 6400W


PRODUCT SIZE 590*520*55mm

CUT-OUT SIZE 570*490mm






DESCRIPTION	Built-in Four Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Sensor Touch Control
COOKING SIZE	Left Front: $\varnothing$ 200mm Left Rear: $\varnothing$ 165mm Right Front: $\varnothing$ 165mm Right Rear: $\varnothing$ 200mm
POWER RATING	6200W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm






DESCRIPTION	Built-in Double Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Knob Control
COOKING SIZE	Front: φ200mm Rear: φ165mm
POWER RATING	3000W
PRODUCT SIZE	310*520*55mm
CUT-OUT SIZE	285*490mm





DESCRIPTION	Built-in Four Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Knob Control
COOKING SIZE	Left Front: ϕ 200mm Left Rear: ϕ 165mm Right Front: ϕ 165mm Right Rear: ϕ 200mm
POWER RATING	3000W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm




HIDE BUTTONS INDUCTION COOKTOP

THANKS TO PAN DETECTION TECHNOLOGY, IT'LL ONLY WARM UP WHEN IT SENSES A POT HAS BEEN PLACED ON TOP, SO IT'S SUPER-SAFE AND ENERGY EFFICIENT.






DESCRIPTION	Built-in Double Burner Induction
SYSTEM	Half Bridge Induction System
CONTROL	Hidden Touch Control with Slider
COOKING SIZE	φ210*2pcs
POWER RATING	6000W
PRODUCT SIZE	730*430*55mm
CUT-OUT SIZE	680*380mm





DESCRIPTION	Built-in Double Burner Induction
SYSTEM	Half Bridge Induction System
CONTROL	Hidden Touch Control with Slider
COOKING SIZE	φ210*2pcs
POWER RATING	6000W
PRODUCT SIZE	750*450*55mm
CUT-OUT SIZE	680*380mm





DESCRIPTION	Built-in Double Burner Induction	9
SYSTEM	Half Bridge Induction System	
CONTROL	Sensor Touch Control with Sliders	
COOKING SIZE	φ180*2pcs	
POWER RATING	3700W	
PRODUCT SIZE	730*430*55mm	
CUT-OUT SIZE	680*380mm	





DESCRIPTION

Built-in Double Burner Induction

SYSTEM

Half Bridge Induction System

CONTROL

Sensor Touch Control with Sliders

COOKING SIZE

φ210*2pcs

POWER RATING


3700W

PRODUCT SIZE

730*430*55mm


CUT-OUT SIZE

680*380mm






DESCRIPTION	Built-in Double Burner Hybrid
SYSTEM	Half Bridge Induction + Infrared System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	Left HI: ϕ 145mm/230mm(2 Rings) Right IH: ϕ 210mm
POWER RATING	3700W
PRODUCT SIZE	730*430*55mm
CUT-OUT SIZE	680*380mm





DESCRIPTION	Built-in Double Burner Induction
SYSTEM	Single Switch Induction System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	φ180*2pcs
POWER RATING	4600W
PRODUCT SIZE	730*430*55mm
CUT-OUT SIZE	680*380mm





DESCRIPTION

Built-in Double Burner Induction

SYSTEM

Single Switch Induction System

CONTROL

Sensor Touch Control with Sliders

COOKING SIZE

φ190*2pcs

POWER RATING


4000W

PRODUCT SIZE

730*430*55mm


CUT-OUT SIZE

680*380mm






DESCRIPTION	Built-in Double Burner Hybrid
SYSTEM	Single Switch Induction + Infrared System
CONTROL	Sensor Touch Control with Slider Left IH:
COOKING SIZE	φ210mm Right HI: φ145mm/230mm(2 Rings)
POWER RATING	4800W
PRODUCT SIZE	750*450*55mm
CUT-OUT SIZE	680*380mm






DESCRIPTION	Built-in Double Burner Induction
SYSTEM	Single Switch Induction System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	φ190mm*2pcs
POWER RATING	4000W
PRODUCT SIZE	750*450*55mm
CUT-OUT SIZE	680*380mm






DESCRIPTION	Built-in Double Burner Hybrid
SYSTEM	Single Switch Induction + Infrared System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	Left IH: ϕ 190mm/ Right HI: ϕ 145mm/230mm(2 Rings)
POWER RATING	4200W
PRODUCT SIZE	730*430*55mm
CUT-OUT SIZE	680*380mm






DESCRIPTION	Built-in Double Burner Hybrid
SYSTEM	Single Switch Induction + Infrared System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	Left IH: $\phi 210\text{mm}$ / Right HI: $\phi 145\text{mm}/230\text{mm}$ (2 Rings)
POWER RATING	4800W
PRODUCT SIZE	730*430*55mm
CUT-OUT SIZE	680*380mm






DESCRIPTION	Built-in Double Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	φ145mm/230mm(2 Rings)*2 pcs
POWER RATING	4400W
PRODUCT SIZE	730*430*55mm
CUT-OUT SIZE	680*380mm





DESCRIPTION	Built-in Three Burner Induction
SYSTEM	Half Bridge Induction System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	Left: $\varnothing$ 210mm Middle: $\varnothing$ 160mm Right: $\varnothing$ 210mm
POWER RATING	6700W
PRODUCT SIZE	780*450*55mm
CUT-OUT SIZE	650*380mm




HYBRID STOVES

Expanded compatibility
with a variety of pots and pans.




DESCRIPTION	Built-in Three Burner Hybrid
SYSTEM	Half Bridge Induction + Infrared System
CONTROL	Sensor Touch Control with Slider and WiFi
COOKING SIZE	Left Front IH: φ160mm Left Rear IH: φ180mm Right HI: φ145mm/230mm(2 Rings)
POWER RATING	5900W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm







DESCRIPTION	Built-in Three Burner Hybrid
SYSTEM	Half Bridge Induction + Infrared System
CONTROL	Sensor Touch Control
COOKING SIZE	Left Front HI: ϕ 200mm Left Rear HI: ϕ 165mm Right IH: ϕ 210mm
POWER RATING	3400W
PRODUCT SIZE	590*520*55mm
CUT-OUT SIZE	570*490mm





DESCRIPTION	Built-in Three Burner Hybrid
SYSTEM	Half Bridge Induction + Infrared System
CONTROL	Sensor Touch Control with Slider
COOKING SIZE	Left IH: $\varnothing$ 180mm Middle IH: $\varnothing$ 160mm Right HI: $\varnothing$ 145mm/230mm(2 Rings)
POWER RATING	5900W
PRODUCT SIZE	780*430*55mm
CUT-OUT SIZE	650*380mm





DESCRIPTION

Built-in Four Burner Hybrid

SYSTEM

Half Bridge Induction + Infrared System

CONTROL

Sensor Touch Control with Slider and WiFi

COOKING SIZE

Left Front IH: ϕ 180mm | Left Rear IH: ϕ 180mm
Right Front HI: ϕ 200mm | Right Rear HI: ϕ 165mm

POWER RATING


6700W

PRODUCT SIZE

590*520*55mm


CUT-OUT SIZE

570*490mm






DESCRIPTION	Built-in Five Burner Hybrid
SYSTEM	Half Bridge Induction + Infrared System
CONTROL	Sensor Touch Control with Slider
COOKING SIZE	Left Front IH: 210*180mm Left Rear IH: 210*180mm Middle IH: ϕ 210mm Right Front HI: ϕ 165mm Right Rear HI: ϕ 145mm/230mm(2 Rings)
POWER RATING	10KW
PRODUCT SIZE	910*520*55mm
CUT-OUT SIZE	890*490mm





DESCRIPTION	Built-in Double Burner Infrared
SYSTEM	Infrared Heating System
CONTROL	Sensor Touch Control with Sliders
COOKING SIZE	φ145mm/230mm(2 Rings)*2 pcs
POWER RATING	4400W
PRODUCT SIZE	730*430*55mm
CUT-OUT SIZE	680*380mm




Ceramic glass:
Sleek design with easy cleaning.

EASY TO CLEAN

HONE
PRODUCT
CATALOGUE

ODM INDUCTION COOKER SOLUTIONS

WE HAVE EXPERTISE IN DEVELOPING NEW PRODUCTS FROM SCRATCH OR
ENHANCING EXISTING ONES BASED ON CLIENT REQUIREMENTS
AND SPECIFICATIONS.




ISO9001: 2015



PATENT FOR INVENTION



APPEARANCE PATENT




COPYRIGHT OF COMPUTER SOFTWARE



CE




CB



CSGSUS



SRRC



SERVICE: CUSTOMIZATION STEPS

TELL US YOUR REQUIREMENTS,
WE OFFER YOU EXACT ONE YOU WANT.

1.Power Supply

220-240V

110-120V

2.Product Type


INDUCTION

INFRARED

INDUCTION+INFRARED HYBRID

3.Product Size

DOMINO TYPE
PRODUCT SIZE: 295*510MM
CUT-OUT SIZE: 275*490MM



36INCH TYPE
PRODUCT SIZE: 910*520MM
CUT-OUT SIZE: 880*490MM



HORIZONTAL TYPE
PRODUCT SIZE: 295*510MM
CUT-OUT SIZE: 275*490MM



HORIZONTAL LONG TYPE
PRODUCT SIZE: 295*510MM
CUT-OUT SIZE: 275*490MM



60CM TYPE
PRODUCT SIZE: 295*510MM
CUT-OUT SIZE: 275*490MM



30INCH TYPE
PRODUCT SIZE: 295*510MM
CUT-OUT SIZE: 275*490MM



4.BURNERS

1 BURNER

2 BURNERS

3 BURNERS

4 BURNERS

5 BURNERS

6 BURNERS

5.HEATING ZONE

INDUCTION

Φ160MM

Φ180MM

Φ210MM

Φ250MM

Φ280MM

FLEX ZONE

OTHER

INFRARED

Φ165MM

Φ200MM

Φ230MM

Φ300MM

Φ320MM

OVAL

OTHER

SINGLE RING

DOUBLE RINGS

TRIPLE RINGS

6.CONTROL

TOUCH

HIDDEN TOUCH

WITH SLIDER

WITH SMART COOKING

FUNCTIONS

KNOB CONTROL(FOR INFRARED ONLY)

7.GLASS

KANGER

SCHOTT CERAN

EURO KERA

NEG

8.BEVELING

LEFT

RIGHT

REAR

FRONT

9.WRAPPING

4 SIDES

2 SIDES

According to above information if you have a clear list,
then please contact our sales for more details.

H-one customized for you



Floor 1-2,Building A,#71-1 Xintian Road,Xintian
Community,Fuyong Street,Baoan District,Shenzhen,China
Web:<https://szh-one.com/>
Tel:+86 0755-29411703
Email:inquiry@szh-one.com

PRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUE
PRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUE
PRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUE

UCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUE
UCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUE
UCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUEPRODUCT CATALOGUE