

# MMR: The Measles, Mumps & Rubella Vaccine Resource Guide

BY ANNA BROWNING FOR [TERYNGREGSON.COM](https://teryngregson.com)

---

## Quick Facts & Resources:

- The 1962 (pre-vaccine) mortality rate was down to .01%
- Measles is commonly a mild illness: Rash, fever, runny nose
- The number of deaths caused by the MMR (as of 2020) is 450
- MMR is a live vaccine virus- it can spread from people who received the vaccine and infect others
- [MMR inserts](#) state that atypical measles is an adverse event. You can also see ALL vaccine inserts [HERE](#)- THE VACCINE CAN GIVE YOU THE MEASLES.
- "Unvaccinated:" describes individuals who no longer carry immunity. This includes adults who no longer have antibodies present that fight the disease.
- [This preliminary study](#) found that acetaminophen use after measles-mumps-rubella vaccination was associated with autistic disorder.
- MMR information from [Vaccine Guide](#).
- Children's Health Defense [MMR articles](#).
- [Vaxxed](#) Documentary.
- CDC link between [MMR and Autism](#).
- [FDA Documents Reveal](#) MMR Vaccine Should Have Never Been Licensed.

## Measles History:

- 1984:
  - [A measles outbreak affects 16 high school students in Illinois.](#)
    - "This outbreak demonstrates that transmission of measles can occur within a school population with a documented immunization level of 100%."
      - Patient zero was fully vaccinated with no indication of how he contracted the illness.
- 1989-1991:
  - [The largest measles outbreak in the US since the vaccine was created. 20-40% received one or two doses of measles vaccine.](#)
    - A second dose of MMR was added to the schedule, with goals of eradication by 1996.

- 1994:
  - [Failure to Reach the Goal of Measles Elimination.](#)
    - "Because of the failure rate of the vaccine and the unique transmissibility of the measles virus, the currently available measles vaccine, used in a single-dose strategy, is unlikely to completely eliminate measles. The long-term success of a two-dose strategy to eliminate measles remains to be determined."
- 2005:
  - [The Re-Emergence of Measles in Developed Countries: Time to Develop the Next-Generation Measles Vaccines?](#)
    - A small outbreak in Canada affected 98 people. 50% of them had been previously vaccinated with two doses of measles vaccine.
- 2009:
  - [Implications of vaccination and waning immunity.](#)
    - "Here, we parametrize such a model for measles and show how vaccination can have a range of UNEXPECTED CONSEQUENCES as it reduces the natural boosting of immunity as well as reducing the number of naive susceptibles. In addition, we predict that, after a long disease-free period, the introduction of infection will lead to FAR GREATER EPIDEMICS than that predicted by standard models."
- 2014:
  - [Re-emergence of Measles in developed countries](#)
    - "Thus, measles outbreaks also occur even among highly vaccinated populations because of primary and secondary vaccine failure, which results in gradually larger pools of susceptible persons and outbreaks once measles is introduced. This leads to a paradoxical situation whereby measles in highly immunized societies occurs primarily among those previously immunized."
- 2019:
  - Texas, MMR vaccination rate of 98%. Several cases of measles occur among previously vaccinated individuals - as predicted. Philosophical & religious exemptions are blamed.

## Articles:

"The first court award in a vaccine-autism claim is a big one. CBS News has learned the family of Hannah Polling will receive more than \$1.5 million dollars for her life care; lost earnings; and pain and suffering for the first year alone."

[Hannah Polling Case](#)

"Before the measles vaccination program started in 1963, an estimated 3 to 4 million people got measles each year in the United States, of which 500,000

were reported. Among reported cases, 400 to 500 died, 48,000 were hospitalized, and 1,000 developed encephalitis (brain swelling) from measles.”

[Centers for Disease Control and Prevention](#)

"This erroneous thinking has led the public, media and government alike to attribute the origin of measles outbreaks, such as the one reported at Disney in 2015 (and which lead to the passing of SB277 that year, stripping vaccine exemptions for all but medical reasons in California), to the non-vaccinated, **even though 18% of the measles cases occurred in those who had been vaccinated against it** -- hardly the vaccine's two-dose claimed "97% effectiveness." The vaccine's obvious fallibility is also indicated by the fact that that the CDC now requires two doses."

[Green Med Info](#)

"In announcing a trumped up “state of emergency” that was recently declared by Washington Governor Jay Inslee in response to a measles outbreak in Clark County, *Yahoo News* accidentally let it slip that *most* of the children affected had actually been previously vaccinated against the disease – once again proving that vaccines don’t work."

[Natural News](#)

**Assess the risks of measles compared to the risks of the measles, mumps and rubella (MMR) vaccine:**

[Physicians For Informed Consent](#)

"Today, half a century after measles vaccines have become commonplace, and two to three generations beyond the expectation of contracting measles during childhood as a regular event, measles is now thought of as a potentially deadly disease with no redeeming qualities. However, a look into the medical literature of the past shows us that wild measles may indeed have afforded immunologic advantages to those infected."

[Suzanne Humphries, MD](#)

"Dr. Kinsbourne’s theory, corroborated by the medical literature filed in this case, posits preponderant evidence that the MMR vaccine can cause encephalopathy and seizures. Likewise, a review of the medical records filed in this case serve to support the contention that such pathologic process was indeed at work in the instant case."

[Vaccines caused autism: Federal Court Case](#)

Petitioners alleged that as a result of “all the vaccinations administered to [Ryan] from March 25, 2003, through February 22, 2005, and more specifically, measles-mumps-rubella (MMR) vaccinations administered to him on December 19, 2003 and May 10,

2004,” Ryan suffered “a severe and debilitating injury to his brain, described as Autism Spectrum Disorder (‘ASD’).”

[Another Court Case Page 2.](#)

“The triple jab was banned in Japan in 1993 after 1.8 million children had been given two types of MMR and a record number developed non-viral meningitis and other adverse reactions.”

[The Daily Mail](#)

“Mr Kennedy also noted in relation to the measles vaccine that in 1963 around 400 Americans were dying of measles while today it’s likely that the vaccine is responsible for far more deaths.”

[The Liberal](#)

“Death from measles in the USA declined 99.96% **before** the vaccine was ever introduced. A healthy immune system has the ability to go through the infection process without incident in the vast majority of cases; and typically if there are complications, these are due to nutrient deficiencies or other treatment or susceptibility issues, not a lack of toxic vaccines.”

[Stop Mandatory Vaccination](#)

“As of May 31, 2019, there have been more than 94,972 reports of measles-vaccine reactions, hospitalizations, injuries, and deaths following measles vaccinations made to the federal Vaccine Adverse Events Reporting System (VAERS), including 468 related deaths, 7,127 hospitalizations, and 1,820 related disabilities.”

[National Vaccine Information Center](#)

“A mother whose son suffered severe brain damage after he was given the controversial MMR vaccine as a baby has been awarded £90,000 compensation.”

[The Daily Mail](#)

## **Studies:**

[Combination MMR vaccine linked with 2-fold risk of seizures](#)

[DTP with or after measles vaccination is associated with increased in-hospital mortality in Guinea-Bissau](#)

[Measles Treated With Vitamin A](#)

[Detection of measles virus RNA in urine specimens from vaccine recipients](#)

[Failure to reach the goal of measles elimination. Apparent paradox of measles infections in immunized persons](#)

[Exposed children developing clinical measles had lower age-adjusted mortality over the next 4 years than exposed children who did not develop clinical measles](#)

[Abnormal measles-mumps-rubella antibodies and CNS autoimmunity in children with autism.](#)

## **True Story:**

This little boy received the MMR vaccine at 14 months of age. Four months after MMR vaccination, he was diagnosed with SCID (Severe Combined Immune Deficiency Syndrome). He was diagnosed with autoimmune haemolysis and developed a persistent H1N1 infection. He received successful Stem Cell Therapy and his immune system improved, but six months after Stem Cell Therapy he started regressing and losing cognitive abilities, motor skills, and language. He developed seizures. His hearing was affected and he developed personality changes and behavioral changes. After multiple hospitalizations, he died at nearly 6 years old.

On autopsy, vaccine-strain mumps virus was found in his brain and this was determined to be the cause of chronic encephalitis. This was four years and seven months after he was vaccinated.

From the report:

"Using deep sequencing of fresh brain biopsy material, we identified the Jeryl Lynn 5 mumps virus (MuVJL5), a component of the measles, mumps, rubella (MMR) vaccine that had been administered to the child before the diagnosis of SCID. Similar to findings in measles viruses recovered from cases of SSPE, the mumps virus genome from the brain showed evidence of biased hypermutation, particularly in the matrix (M) gene. Comparison with sequence data from the original vaccine batch used to immunize this child identified the expansion of variants present at low frequency in the vaccine as well as de novo fixed missense substitutions. This case represents the first conclusive demonstration of chronic panencephalitis due to mumps virus."

# Report