


Square Profiles

P-3


Usage
Group B



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard and Deluxe lite styles
 - Arches- Available for all Arch styles
 - Glass size = Inside Frame + 15/16"

P-14


Usage
Group D



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - No Lites available for this profile
 - Arches- No Arch Styles available
 - Glass size = Inside Frame + 15/16"

P-19


Usage
Group E





- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard and Deluxe lite styles.
 - Arches- No Arch Styles available
 - Glass size = Inside Frame + 15/16"

P-20

Usage
Group A



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard lite styles only
 - Arches- No Arch Styles available
 - Glass size = Inside Frame + 15/16"






Cope & Pattern Profiles

Stepped Bead Profiles

P-1

Usage
Group A






- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard and Deluxe lite styles.
 - Arches- Available for all Arch styles.
 - Glass size = Inside Frame - 15/16".
 - Not normally used for opaque painting.

P-40

Usage
Group A



GZ






- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard Lite styles only.
 - Arches- Available for all Arch styles
 - Glass size = Inside Frame + 15/16".

P-15

Usage
Group A



GZ




- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard and Deluxe lite styles.
 - Arches- Available for all Arch styles.
 - Glass size = Inside Frame + 15/16".

Beveled Profiles

P-38


Usage
Group B



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Arches- No Arch styles available.
 - Lites- Available for all Standard Lite styles only.
 - Glass sizing = Inside Frame + 15/16".

P-36


Usage
Group G



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Arches- No Arch Styles available.
 - Lites- Available for all Standard Lite styles only.
 - Glass size = Inside Frame + 15/16".

P-65


Usage
Group A





- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Arches- No Arch Styles available.
 - Lites- Available for all Standard Lite styles only.
 - Glass size = Inside Frame + 15/16".

P-66

Usage
Group B



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Arches- Available for all Arch styles.
 - Lites- Available for all Standard Lite styles only.
 - Glass size = Inside Frame + 15/16".




Cope & Pattern Profiles

Beveled Profiles

P-45


Usage
Group **G**



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard Lite styles only.
 - Arches- Available for all Arch styles.
 - Glass size = Inside Frame + 15/16".

P-10


Usage
Group **A**



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard and Deluxe Lite styles.
 - Arches- Available for all Arch styles.
 - Glass size = Inside Frame + 15/16".

P-84


Usage
Group **A**



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard and Deluxe Lite styles.
 - Arches- Available for all Arch styles.
 - Glass size = Inside Frame + 15/16".

P-68

Usage
Group **A**




- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard Lite styles only.
 - Arches- No Arch Styles available.
 - Glass size = Inside Frame + 15/16".

Ogee Profiles

P-39


Usage
Group A



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard Lite styles only.
 - Arches- No Arch Styles available
 - Glass sizing = Inside Frame + 15/16".

P-2


Usage
Group A



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard and Deluxe Lite styles.
 - Arches- Available for all Arch styles
 - Glass size = Inside Frame + 15/16".
 - Good for Glazed finishes.

P-13


Usage
Group A




- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard and Deluxe Lite styles.
 - Arches- Available for all Arch styles.
 - Glass size = Inside Frame + 15/16".

P-28

Usage
Group A



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard and Deluxe Lite styles.
 - Arches- Available for all Arch styles.
 - Glass sizing = Inside Frame + 15/16".




Cope & Pattern Profiles

Combination Profiles

P-51

Usage
Group A




- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard Lite styles only.
 - Arches- Available for all Arch Styles.
 - Glass size = Inside Frame + 15/16".

P-59

Usage
Group A



GZ




- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard Lite styles only.
 - Arches- Available for all Arch Styles.
 - Glass size = Inside Frame + 15/16".

P-43

Usage
Group A

GZ



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard Lite styles only.
 - Arches- No Arch styles available.
 - Glass size = Inside Frame + 15/16".


Square-Step Profiles

P-18

Usage
Group A

Not Available on Paint Grade

GZ




- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Arches- No Arch styles available.
 - Not available in Paint Grade
 - Lites- Available for all Standard Lite styles only.
 - Glass size = Inside Frame + 15/16".

P-58

Usage
Group A

Not Available on Paint Grade

GZ




- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Arches- No Arch Styles available
 - Lites- Available for all Standard Lite styles only.
 - Glass size = Inside Frame + 15/16"



P-11

Usage
Group A

GZ



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Arches- No Arch Styles available
 - Lites- Available for all Standard Lite styles only.
 - Glass size = Inside Frame + 15/16"





Cope & Pattern Profiles

Stepped Bevel Profiles

P-57



Usage
Group A



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard Lite styles only.
 - Arches- Available for all Arch Styles.
 - Glass size = Inside Frame + 15/16"

P-67


Usage
Group A



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard Lite styles only.
 - Arches- Available for all Arch styles.
 - Glass sizing = Inside Frame + 15/16".

P-23


Usage
Group A



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard Lite styles only, but due to width, suggest it on very large doors only.
 - Arches- No Arch Styles available.
 - Glass size = Inside Frame + 15/16".

P-49

Usage
Group A





- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard Lite styles only, but due to width, suggest it on very large doors only.
 - Arches- No Arch Styles available.
 - Glass size = Inside Frame + 15/16".

Cove Profiles

P-97


Usage
Group A



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Arches- Available for all Arch Styles.
 - Lites- Available for all Standard Lite styles only.
 - Glass size = Inside Frame + 15/16"

P-79


Usage
Group A





- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Arches- No Arch Styles available
 - Lites- Available for all Standard Lite styles only.
 - Glass size = Inside Frame + 15/16"

P-80

Usage
Group A



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Arches- No Arch Styles available
 - Lites- Available for all Standard Lite styles only.
 - Glass size = Inside Frame + 15/16"






Cope & Pattern Profiles

Double-Stepped Bead Profiles

P-47




Usage
Group A



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard Lite styles only.
 - Arches- Available for all Arch styles.
 - Glass sizing = Inside Frame + 15/16".

P-50




Usage
Group A



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard Lite styles only.
 - Arches- Available for all Arch Styles.
 - Glass size = Inside Frame + 15/16".
 - Great for Glazed Finishes.

P-72

Usage
Group A




- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard Lite styles only.
 - Arches- No Arch Styles available
 - Glass size = Inside Frame + 15/16"

V-Grooved Profiles

P-35


Usage
Group **F**



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Arches- No Arch styles available.
 - Lites- No Lite Styles available.
 - Glass sizing = Inside Frame + 15/16".

P-53


Usage
Group **H**



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Arches- No Arch Styles available.
 - Lites- No Lite Styles available.
 - Glass sizing = Inside Frame + 15/16".

P-37



Usage
Group **A**



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Arches- No Arch Styles available.
 - Lites- No Lite Styles available.
 - Glass sizing = Inside Frame + 15/16".

*PLEASE NOTE:

The v-groove runs through the stiles and rails in the profiles shown on this page.





Cope & Pattern Profiles



Multi-Patterned Profiles

P-17

Usage
Group A



3/16" Chamfer
added to Stiles-
see drawing below



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Arches- No Arch Styles available.

- Lites- No Lite Styles available.
- Glass sizing = Inside Frame + 15/16".





Illustration of P-17
with Inset Panel
E-20 Edge Detail

Multi-Patterned Profiles

P-96

Usage
Group E



- Notes:**
- Standard is 2-1/4" width- 2-1/2" and 3" widths require up-charge.
 - Lites- no Lite Styles available.
 - Arches- No Arch Styles available
 - Glass sizing = Inside Frame + 15/16".








Illustration of P-96
with Inset Panel
E-5 Edge Detail




P-20

Usage
Group A


AM-02




AM-23



AM-09




AM-25




Group "A"
Panels Available
for Applied Mouldings:

Standard Inset Panel
Pnl-09
Pnl-15
Pnl-18 (AM-02 only)
Pnl-19 (AM-02 only)
Pnl-51
Pnl-62
Pnl-90
All Beaded and V-Grooved
panels of Group "A".


AM-29




AM-33




AM-35





AM-37



AM-22









Applied Moulding Profiles

P-3

Usage
Group B





Group "B" Panels Available for Applied Mouldings:

Standard Inset
Pnl-04
Pnl-15
Pnl-79
All Beaded and V-Grooved
panels of Group "B"

**Check Panel dimensions
for space available for
the moulding.**

P-19

Usage
Group E



Group "E" Panels Available for Applied Mouldings:

Standard Inset Panel
Pnl-09 (back is recessed)
Pnl-24 (NO MDF avail.)
Pnl-27 (AM-03 only)
Pnl-33 (AM-03 only)
Pnl-74
Pnl-150
All Beaded and V-Grooved
panels of Group "A"
(although panel will be
recessed from the back).





**Check Panel dimensions
for space available for
the moulding.**

Lexington

MP-01

Usage
Group A

GZ







- Notes:**
- Standard Width is 3" - No other widths available.
 - Order panels from Group A as Flat Backs.
 - Lites- Available for all Standard and Deluxe lite styles.
 - Glass size = Inside Frame + 15/16"
 - Double panel doors and multi-panel bar backs are available.

Concord



MP-02

Usage
Group A

GZ



- Notes:**
- Standard Width is 3" - No other widths available.
 - Order panels from Group A as Flat Backs.
 - Lites- Available for all Standard and Deluxe lite styles.
 - Glass size = Inside Frame + 15/16"
 - Double panel doors and multi-panel bar backs are available.







3" Mitre Profiles

Somersville

MP-06

Usage
Group A

GZ







- Notes:**
- Standard Width is 3" - No other widths available.
 - Lites- Available for all Standard and Deluxe lite styles.
 - Glass size = Inside Frame + 15/16"
 - Double panel doors and multi-panel bar backs are available.

Revere

MP-09

Usage
Group A

GZ







- Notes:**
- Standard Width is 3" - Other widths available on request.
 - Lites- Available for all Standard and Deluxe lite styles.
 - Glass size = Inside Frame + 15/16"
 - Double panel doors and multi-panel bar backs are available.

Georgetown

MP-11

Usage
Group A

GZ







- Notes:**
- Standard Width is 3" - Other widths available on request.
 - Lites- Available for all Standard and Deluxe lite styles.
 - Glass size = Inside Frame + 15/16"
 - Double panel doors and multi-panel bar backs are available.

Cambridge

MP-12

Usage
Group A



GZ



- Notes:**
- Standard Width is 3" - Other widths available on request.
 - Lites- Available for all Standard and Deluxe lite styles.
 - Glass size = Inside Frame + 15/16"
 - Double panel doors and multi-panel bar backs are available.

Species Limited To:

- Alder
- Maple
- Red Oak
- White Oak
- Cherry
- PG Hdwd
- Walnut







3" Mitre Profiles

Cherry Hill

MP-27

Usage
Group A

GZ



- Notes:**
- Standard Width is 3" - No other widths available.
 - Lites- Available for all Standard and Deluxe lite styles.
 - Glass size = Inside Frame + 15/16"



- Double panel doors and multi-panel bar backs are available.

Petersburg

MP-3

Usage
Group A

GZ



- Notes:**
- Standard Width is 2-1/4" - 2-1/2" and 3" is available with upcharge.
 - Lites- No Lite Styles available.
 - Glass size = Inside Frame + 15/16".



- Select the desired Edge Detail from pages 40-42 of this Guide. Default Edge will be E-32.
- Multi-Paneled Parts are not available.

Chesapeake

MP-5

Usage
Group A

GZ



- Notes:**
- Standard Width is 2-1/4". No other widths available.
 - Lites- No Lite Styles available.



- Glass size = Inside Frame + 15/16".

Wheatland

MP-21



Usage
Group A

GZ



- Notes:**
- Standard Width is 2-1/4", 2-1/2" and 3" available with upcharge.
 - Lites- No Lite Styles available.

- Glass size = Inside Frame + 15/16".
- Select the desired Edge Detail from pages 40-42 of this Guide. Default Edge will be E-46.



2-1/4" Mitre Profiles

Williamsburg


MP-4

Usage
Group **A**


Species Limited To:

- Alder
- Maple
- Red Oak
- White Oak
- Cherry
- PG Hdwd
- Walnut

GZ



- Notes:**
- Standard Width is 2-1/4". 2-1/2" and 3" available with upcharge.
 - Lites- No Lite Styles available.




- Glass size = Inside Frame + 15/16".
- Select the desired Edge Detail from pages 40-42 of this Guide. Default Edge will be E-46.

Chantilly


MP-20

Usage
Group **A**

GZ



- Notes:**
- Standard Width is 2-1/4". No other widths available.
 - Lites- No Lite Styles available.




- Glass size = Inside Frame + 15/16".


MP-34

Usage
Group **A**

GZ



- Notes:**
- Standard Width is 2-1/4". No other widths available.
 - Lites- No Lite Styles available.




- Glass size = Inside Frame + 15/16".

Hartford
MP-7P-X

Usage
Group A


GZ



Select any Group "A" Inside Profile and apply to this Mitre Pattern to create the famed "Rosewood Edge".

To Order, replace the "X" with the Cope and Pattern profile number desired.

For example, to order with a P-15 Inside Profile, call-out MP-7P-15 when ordering.



- Notes:**
- Standard width is 2-1/4" - 2-1/2" and 3" widths require up-charge.
 - Lites- Available for all Standard and Deluxe lite styles based on the Profile specifications earlier in this guide.


- Glass size = Inside Frame + 15/16"
- Drawer Front is typically 2-1/4" but you may specify 1-1/2" width, if required.
- Great for Glazed finishes.

2-1/2" Mitre Profile

Brookhaven
MP-19



Usage
Group A

GZ



- Notes:**
- Std Width is 2-1/2". No other widths available except DF Pattern.
 - Lites- No Lite Styles available

- Glass size = Inside Frame + 15/16"



Other Mitre Profiles





2-1/2" Mitre Profile

Alexandria

MP-26

Usage
Group **A**

GZ



- Notes:**
- **Standard Width is 2-1/2"**. No other widths are available.
 - **Lites-** Available for all Standard and Deluxe lite styles based on the Profile specifications earlier in this guide.




- Glass size = Inside Frame + 15/16".

2-1/2" Mitre Profile

MP-56

Usage
Group **A**

GZ




- Notes:**
- **Standard Width is 2-1/2"**. 2-1/4" and 3" available with upcharge.
 - **Lites-** No Lite Styles available.
 - Glass size = Inside Frame + 15/16".

- Drawer Front is typically a 1-1/2" wide pattern, but you may specify any standard size required.
- Select the desired Edge Detail from pages 40-42 of this Guide. Default Edge will be E-46.

Pnl-20


Usage
Group B

Solid Panel Profile




Minimum Panel Width = 2-5/8"

MDF Panel Profile



Pnl-41

Usage
Group G




Minimum Panel Width = 2-3/4"

No MDF Option Available


Pnl-01

Usage
Group A

Available in
Flat Back




Minimum Panel Width = 2-7/8"




Pnl-02



Usage
Group A

Available in
Flat Back



Minimum Panel Width = 2-7/8"






Raised Panel Profiles


Pnl-149

Usage
Group **A**

Available in
Flat Back



Minimum Panel Width = 3-3/4"




GZ


Pnl-78

Usage
Group **A**

Available in
Flat Back




Minimum Panel Width = 2-7/8"




GZ

Pnl-59

Usage
Group **B**




Minimum Panel Width = 2-7/8"




Pnl-77

Usage
Group **A**

Available in
Flat Back



Minimum Panel Width = 3-1/4"



GZ



Solid Panel Profile

MDF Panel Profile

Pnl-55

Usage
Group A



Available in
Flat Back



Pnl-67

Usage
Group A



Available in
Flat Back





Pnl-76

Usage
Group A

Available in
Flat Back






Raised Panel Profiles


Pnl-80

Usage
Group **A**

Available in
Flat Back



Minimum Panel Width = 3-1/4"




GZ


Pnl-56

Usage
Group **A**

Available in
Flat Back



Minimum Panel Width = 3-1/8"



GZ



Solid Panel Profile

MDF Panel Profile

Pnl-06

Usage
Group A

Available in
Flat Back





GZ

Pnl-69

Usage
Group A

Available in
Flat Back





GZ

Pnl-72

Usage
Group A

Available in
Flat Back







GZ

Pnl-63

Usage
Group A

Available in
Flat Back






Raised Panel Profiles


Pnl-63DF

Usage
Group A

Available in
Flat Back




Minimum Panel Width = 3"




Pnl-03

Usage
Group A

Available in
Flat Back




Minimum Panel Width = 2-7/8"




Pnl-68

Usage
Group A

Available in
Flat Back




Minimum Panel Width = 3"




Pnl-70

Usage
Group A

Available in
Flat Back



Minimum Panel Width = 3-3/8"





Solid Panel Profile

MDF Panel Profile

Pnl-07



Usage
Group **A**

Available in
Flat Back



Pnl-22



Usage
Group **B**



Pnl-91


Usage
Group **A**

Available in
Flat Back





Pnl-42

Usage
Group **G**



No MDF Option Available




Raised Panel Profiles


Pnl-58

Usage
Group **A**

Available in
Flat Back




Minimum Panel Width = 2-7/8"




Pnl-10

Usage
Group **A**

Available in
Flat Back




Minimum Panel Width = 1-7/8"




Pnl-64

Usage
Group **A**

Available in
Flat Back




Minimum Panel Width = 2-1/8"




Pnl-16

Usage
Group **A**

Available in
Flat Back



Minimum Panel Width = 2-7/8"




GZ

Pnl-15


Usage
Group B

Works
With
P-3

Solid Panel Profile






MDF Panel Profile



Pnl-79

Usage
Group B







Applied Moulding Raised Panel Profiles

Pnl-27



Usage
Group **E**

**Works
With
P-19**





Pnl-33

Usage
Group **E**





Pnl-74

Usage
Group **E**



Pnl-150

Usage
Group **E**




Pnl-18


Usage
Group A

**Works
With
P-20**

Solid Panel Profile





MDF Panel Profile



Pnl-19



Usage
Group A



Pnl-21

Usage
Group A



GZ




Pnl-51

Usage
Group A

GZ






Applied Moulding Raised Panel Profiles

Pnl-62

Usage
Group A

GZ




Minimum Panel Width = 4-3/4"


Pnl-90

Usage
Group A

GZ



Minimum Panel Width = 4-3/4"



Minimum Panel Width = 4-3/4"

Rev Raised
Pnl-09
Usage
Group A







Beaded
Usage
Group A





V-Grooved
Usage
Group A



Solid Panel Profile








MDF Panel Profile



Note:

Order Panel Number required to obtain the appropriate Bead Spacing desired.



All Beading starts with the Space centered on the panel.



Note:

Order Panel Number required to obtain the appropriate V-Groove Spacing desired.










All V-Groove spacing starts with the Space centered on the panel.



Reverse Raised Panel Profiles

Rev Raised
Pnl-04
Usage
Group B

Beaded
Usage
Group B










Note:

Order Panel Number required to obtain the appropriate Bead Spacing desired.

All Beading starts with the Space centered on the panel.

V-Grooved
Usage
Group B
















Note:


Order Panel Number required to obtain the appropriate V-Groove Spacing desired.

All V-Groove spacing starts with the Space centered on the panel.









Please Note:

Added Fingerpulls, Hinge Preps and Radiused Corners are available for most of these edges. Please see the Options & Accessories section of the PureWood™ catalog.












Standard Edge Details




Minimum Euro Hinge Prep Offset- 2mm







Finger Pull Edges



Euro Hinge Prep not available
Not available w/ Mitres.






Euro Hinge Prep not available
Not available w/ Mitres.



Please Note for these edges-
Minimum Euro Hinge Prep Offset- 3mm

Raised Drawer Front Edges



Please Note:

Raised Drawer Front Edges are available on #900 Solid Classic Drawer Fronts only. These edges will not work on Doors.