


YEARS

INSULATION | SIDING | ROOFING

PRODUCT CATALOG

*Building
Products*



**PROTECT !
SAVE !
PERFORM !**






Tyvek® HomeWrap®



Tyvek® Tape



DuPont™ FlexWrap™



DuPont™ StraightFlash™

DuPont™ Tyvek® Water-Resistive and Air Barrier (WRB)

- DuPont™ Tyvek® HomeWrap®
- DuPont™ Tyvek® CommercialWrap®
- DuPont™ Tyvek® CommercialWrap® D
- DuPont™ Tyvek® StuccoWrap®
- DuPont™ Tyvek® DrainWrap™
- DuPont™ Tyvek® ThermaWrap® LE

DuPont Self-Adhered Flashing Products

- DuPont™ FlexWrap™
- DuPont™ FlexWrap™ EZ
- DuPont™ StraightFlash™
- DuPont™ VersaFlange™ (formerly DuPont™ StraightFlash™ VF)
- DuPont™ Flashing Tape



Installation Accessories

- DuPont™ Tyvek® Tape
- DuPont™ Residential Sealant
- DuPont™ Tyvek® Wrap Cap Fasteners
- Great Stuff Pro™ Window & Door Polyurethane Foam Sealant*
- Great Stuff Pro™ Gaps & Cracks Polyurethane Foam Sealant*





DuPont™ Styrofoam™ Brand XPS Insulation

Thermal above and below grade


**DuPont™ Styrofoam™ Brand
Extruded Polystyrene (XPS) Foam Insulation**

A closed-cell insulation specifically designed to resist moisture; and particularly suitable for applications where the foam sheathing is fastened to frame walls.

Low-GWP Styrofoam™ Brand XPS Insulation delivers a 94% reduction in embodied carbon, meets all HFC regulations and building codes and continues to offer:

DuPont Exterior Continuous Insulation

- DuPont™ Styrofoam™ Brand Extruded Polystyrene (XPS) Insulation
 - DuPont™ Styrofoam™ Brand Scoreboard XPS Insulation*
 - DuPont™ Styrofoam™ Brand Square Edge Insulation*
 - DuPont™ Styrofoam™ Brand Tongue and Groove Insulation*
 - DuPont™ Styrofoam™ Brand UtilityFit™ XPS Insulation*
 - DuPont™ Styrofoam™ Brand Duramate™ Plus XPS Insulation*
- DuPont™ Tuff-R™ (ci) Polyisocyanurate Insulation
- DuPont™ Super Tuff-R™ Polyisocyanurate Insulation
- DuPont™ Thermax™ Brand Insulation





Tyvek® Protec™ 200 Roofing Underlayment

DuPont™ Tyvek® Roof Protector™ Synthetic Underlayment



Lightweight, Strong Roof Protection
Excellent grip to the deck and strength of product helps to minimize tearing at fastener points.

Easy to Install
Lays down flat and easy to reposition.

DuPont™ Tyvek® Roof Protector™ is an engineered synthetic roofing underlayment with a high strength to weight ratio. Brought to you by DuPont, the trusted name in total building envelope solutions. DuPont™ Tyvek® Roof Protector™ is ideal for steep slope roofing applications under asphalt shingles or metal cladding.




DuPont™ Tyvek® Protec™ PSU
High-Temperature Peel and Stick Underlayment with Non-Slip Surface


DuPont™ Tyvek® Protec™ PSU High Temperature Peel and Stick Underlayment



Simple Installation
High quality split release liner and easy roll-out for steeped sloped roofs.



Wide Temperature Range
Installation from 40°F to 120°F.
After installation, service temperature range from -40°F to 240°F.



AFB®

ACOUSTICAL FIRE BATT INSULATION

ROCKWOOL AFB® is a lightweight, batt insulation specifically designed for steel stud and wood stud interior wall and floor applications.



Sag-Free, Tight Fit

The higher density of AFB® provides superior sag resistance and fit. AFB® holds its shape without sagging or slumping in the wall cavity over time to consistently provide continuous fire protection and sound control.



Fast, Easy Installation

Working with ROCKWOOL insulation is a breeze. Simply cut with a serrated knife for quick and efficient installation between studs, around electrical boxes, pipes, wiring, ductwork and between studs and joists that are less than a standard width.



Comfortbatt®

Thermal Batt Insulation

ROCKWOOL Comfortbatt® is a semi-rigid stone wool thermal batt insulation for exterior wood and steel stud applications. It features a unique flexible edge that allows for easy installation and helps prevent over compression to maintain its R-value.



Comfortboard® 80

Exterior Continuous Insulation

ROCKWOOL Comfortboard® 80 thermal insulated sheathing is a rigid stone wool insulation board designed for use as an exterior continuous insulation. Comfortboard® 80 does not produce smoke or propagate flames, keeping occupants safe and reducing property damage in the event of a fire. Vapor permeable, Comfortboard allows fast outward drying, keeping moisture out of your wall assembly.



- Stable Long-Term Thermal Resistance
- Sound Absorbent
- Fire Resistant
- Vapor Permeable
- Continuous Insulation
- Environmentally Sustainable

Comfortboard® 110

High-Performance Thermal Insulated Sheathing

ROCKWOOL Comfortboard® 110 (Thermal Insulated Sheathing) is a rigid, high-density, stone wool insulation board designed for use as an exterior continuous insulation in commercial applications.



Cavityrock®

ROCKWOOL Cavityrock® products are non-combustible, semi-rigid insulation boards specifically engineered for exterior cavity wall and rainscreen applications.





PINK NEXT GEN™ FIBERGLAS™ INSULATION



INSTALLS UP TO

23%
FASTER¹

Made with advanced fiber technology, PINK Next Gen™ Fiberglas™ insulation is softer on the outside, stiffer on the inside. It recovers instantly, glides easily, splits cleanly and fills completely, for time-saving precision in every package.



Cuts Cleanly and Precisely

Fiberglass insulation with less clumps and chunks for clean cuts with one pass.



Made for a Perfect Fit

Fills cavities completely with no fluffing needed.



Stays Put—Even on the Ceiling

Extra stiffness for fiberglass batts that slide in easily and resist slumping.



Owens Corning® PINK Next Gen™ Fiberglas™ insulation is made for people who consider their options carefully when choosing the products they want to build, work and live with every day.





LOOSEFILL INSULATION

PROPINK® L77 LOOSEFILL INSULATION



MINERAL WOOL WITH FIRE AND SOUND PROTECTION

THERMAL COMFORT & SOUND CONTROL





PACKING SUPPLIES

Stretch Film Clear – Industrial Heavy Duty Plastic Shrink Wrap




Clear Mini Stretch Wrap Film



Heavy Duty Packaging Tape



CLEAR-MACHINE LENGTH STRETCH FILM



Moving Blanket

**40in. x 72in. Black
Small Moving Blanket**












**72 in. x 80 in. Blue
Medium Moving Blanket**




**80 in. x 144in. Green
Large Moving Blanket**



YEARS
INSULATION | SIDING | ROOFING

*Building
Products*



YEARS TRADE LLC

2660 Holcomb Bridge Road
Ste 204, Roswell, GA 30076
(678) 848 27 26
info@yearstrade.com
www.yearstrade.com

