











# SOLAR POWERED GENERATORS

[WWW.SOLARVILLETECH.COM](http://WWW.SOLARVILLETECH.COM)

Photo	Model	Specifications	Selling Point	Package	Size/Weight	Pricing
	A101	Capacity: 98Wh (26400mAh/3.7V) AC output: 120W (Peak 240W) USB port: 2xQC3.0 (18W) Type-C port: 2xPD 18W DC5521 port: 1x12V/10A (Max) DC input: 12V/2A, 24W (Max) PV input: 5V-24V/2A, 24W (Max) Battery: Lithium-ion, 2800times cycle LED light: 2 modes	<ol style="list-style-type: none"> <li>Can be taken on the plane</li> <li>98Wh / 26400mAh high capacity</li> <li>Super bright big LED light with 2 modes</li> <li>Intelligent BMS system, multi safety protections</li> <li>Fast charging QC3.0 USB port</li> <li>Fast charging Type-C PD port</li> <li>Small size, lightweight only about 1.2kg</li> <li>Portable rope, easy to carry</li> <li>Run 6 devices simultaneously</li> </ol>	<ul style="list-style-type: none"> <li>1x Portable power station</li> <li>1x User manual</li> <li>1x AC power adapter</li> <li>1x Car charger cable</li> <li>1x Cigarette lighter adapter</li> </ul>	Host size: 16*16*9cm  1pcs/Box (with foam protect) Box size: 20*20*17cm Box weight: 1.23kg / 1.84kg 8pcs/CTN CTN size: 58*27*45cm, 0.071CBM CTN weight: 9.82kg / 16kg	Upon Request
	A201	Capacity: 172.8Wh (48000mAh/3.65V) AC output: 200W (Peak 400W) USB port: 2xQC3.0 (18W) Type-C port: 1xPD 18W DC5521 port: 1x12V/10A (Max) DC input: 12V/2A, 30W PV input: 5V-24V Battery: Lithium-ion, 2800times cycle LED light: 4 modes	<ol style="list-style-type: none"> <li>172.8Wh / 48000mAh high capacity</li> <li>Bright LED light with 4 modes</li> <li>Fast charging QC3.0 USB port</li> <li>Fast charging Type-C PD port</li> <li>Up to 200W rated power, peak power 400W</li> <li>12V voltage regulation technology</li> <li>Small size, lightweight only about 1.7kg</li> <li>12V CPAP backup power, compact and easy to use</li> </ol>	<ul style="list-style-type: none"> <li>1x Portable power station</li> <li>1x User manual</li> <li>1x AC power adapter</li> <li>1x Car charger cable</li> <li>1x Cigarette lighter adapter</li> </ul>	Host size: 14.8*10.8*17.3cm  1pcs/Box (with foam protect) Box size: 24*17*22.5cm Box weight: 1.73kg / 2.46kg 4pcs/CTN CTN size: 50*36*26cm CTN weight: 6.92kg / 11.26kg	Upon Request
	A301	Capacity: 292Wh (80000mAh/3.65V) AC output: 320W (Peak 600W) USB port: 1xQC3.0 (18W); 2x5V/2.4A Type-C port: 1xPD 100W DC port: 2x12-16.8V/10A (Max) Wireless charger: 10W DC input (PV): 5V-24V Battery: Lithium-ion, 2800times cycle LED light: 6 modes	<ol style="list-style-type: none"> <li>292Wh / 80000mAh big capacity</li> <li>AC pure sine wave output</li> <li>Up to 320W output power, peak power 600W</li> <li>100W big power Type-C port, can run Type-C laptop</li> <li>Fast charging QC3.0 USB port</li> <li>Wireless charge 10W</li> <li>Fashion circle LED light 6 modes</li> <li>Intelligent BMS system, multi safety protections</li> <li>Foldable handle, easy to store and move</li> </ol>	<ul style="list-style-type: none"> <li>1x Portable power station</li> <li>1x User manual</li> <li>1x AC power adapter</li> <li>1x Car charger cable</li> <li>1x Cigarette lighter adapter</li> <li>1x Type-C PD charging cable</li> </ul>	Host size: 23.8*18.2*15.9cm  1pcs/Box (with foam protect) Box size: 28*27*15.9cm Box weight: 3.2kg / 4.15kg 4pcs/CTN CTN size: 58*43*31cm CTN weight: 13kg / 17.2kg	Upon Request
	A501	Capacity: 540Wh (150000mAh/3.6V) AC output: 500W (Peak 1000W) USB port: 1xQC3.0 (18W); 2x5V/2.4A Type-C port: 1xPD 60W; 1xPD 33W DC port: 3x12V/10A (Max) DC input (PV): 5V-24V Battery: Lithium-ion, 2800times cycle LED light: 3 modes	<ol style="list-style-type: none"> <li>540Wh / 150000mAh big capacity</li> <li>AC pure sine wave output</li> <li>Up to 500W AC output, peak power 1000W</li> <li>12V voltage regulation technology</li> <li>Fast charge Type-C PD 60W</li> <li>Fast charging QC3.0 USB port</li> <li>Big LED light with 3 modes</li> <li>Intelligent BMS system, multi safety protections</li> </ol>	<ul style="list-style-type: none"> <li>1x Portable power station</li> <li>1x User manual</li> <li>1x AC power adapter</li> <li>1x Car charger cable</li> <li>1x Cigarette lighter adapter</li> </ul>	Host size: 30.9*21.75*23.3cm  1pcs/Box (with foam protect) Box size: 35.8*24.3*32cm Box weight: 6.4kg / 8.35kg 2pcs/CTN CTN size: 57*37.5*36.5cm CTN weight: 12.8kg / 17.2kg	Upon Request
	A601	Capacity: 540Wh (150000mAh/3.6V) AC output: 600W (Peak 1000W) USB port: 1xQC3.0 (18W); 2x5V/2.4A Type-C port: 1xPD 100W; 1x27W DC port: 3x12V/10A (Max) DC input (PV): 5V-24V Battery: Lithium-ion, 2800times cycle Wireless charger: 2x15W LED light: 4 modes	<ol style="list-style-type: none"> <li>540Wh / 150000mAh big capacity</li> <li>AC pure sine wave output</li> <li>Support use while in charging</li> <li>Up to 600W AC output, peak power 1000W</li> <li>12V voltage regulation technology</li> <li>Fast charge Type-C PD 100W</li> <li>Fast charging QC3.0 USB port</li> <li>Big LED light with 4 modes</li> <li>Intelligent BMS system, multi safety protections</li> </ol>	<ul style="list-style-type: none"> <li>1x Portable power station</li> <li>1x User manual</li> <li>1x AC power adapter</li> <li>1x Car charger cable</li> <li>1x Cigarette lighter adapter</li> </ul>	Host size: 23.3*21.75*30.89cm  1pcs/Box (with foam protect) Box size: 35.8*24.3*32cm Box weight: 6.4kg / 7.83kg 2pcs/CTN CTN size: 57*37.5*36.5cm CTN weight: 12.8kg / 17.2kg	Upon Request
	A1001	Capacity: 1030Wh (278400mAh/3.7V) AC output: 1000W (Peak 2000W) USB port: 1xQC3.0 (18W); 1x5V/2.4A Type-C port: 1xPD 100W; 1xPD 27W DC port: 1x12V/10A (Max) DC input (PV): 5V-24V Anderson input: 5V-30V/6A, 150W (Max) Battery: Lithium-ion, 2800times cycle LED light: 4+1 modes	<ol style="list-style-type: none"> <li>AC pure sine wave output</li> <li>Support use while in charging</li> <li>Up to 1000W AC output, peak power 2000W</li> <li>12V voltage regulation technology</li> <li>100W big power Type-C port, can run Type-C laptop</li> <li>Fast charging QC3.0 USB port</li> <li>With 5 modes LED light</li> <li>Intelligent BMS system, multi safety protections</li> <li>Foldable handle, easy to store and move</li> </ol>	<ul style="list-style-type: none"> <li>1x Portable power station</li> <li>1x User manual</li> <li>1x AC power adapter</li> <li>1x Car charger cable</li> </ul>	Host size: 34.1*25.2*23.52cm  1pcs/Box/CTN (with foam protect) CTN size: 41.5*30.5*37cm CTN weight: 10.5kg / 13.4kg	Upon Request
	E200	Capacity: 151Wh (40800mAh/3.7V) AC output: 200W (Peak 250W) USB port: 2xQC3.0 (18W); 1x5V/2.4A DC port: 2x9-12.6V/10A (Max) DC input (PV): 15V-24V Battery: Lithium-ion, 2800times cycle	<ol style="list-style-type: none"> <li>Hot sale item in many countries</li> <li>40800mAh high capacity</li> <li>AC pure sine wave output</li> <li>Fast charging QC3.0 USB port</li> <li>Dual DC outputs, for lamps, fans etc.</li> <li>Intelligent BMS system, multi safety protections</li> <li>Stable handle, easy to carry</li> <li>Small size, light weight only about 1.85kg</li> </ol>	<ul style="list-style-type: none"> <li>1x Portable power station</li> <li>1x User manual</li> <li>1x AC power adapter</li> <li>1x Car charger cable</li> <li>1x Cigarette lighter adapter</li> <li>1x USB light</li> </ul>	Host size: 21*11.4*16cm  1pcs/Box (with foam protect) Box size: 31*16.5*20cm Box weight: 1.87kg / 2.5kg 4pcs/CTN CTN size: 35*32.5*43cm CTN weight: 8.1kg / 12kg	Upon Request
	G300	Capacity: 222Wh (60000mAh/3.7V) AC output: 300W (Peak 350W) USB port: 2xQC3.0 (18W); 1x5V/2.4A DC port: 2x9-12V/10A (Max) DC input (PV): 18V-24V Battery: Lithium-ion, 2800times cycle	<ol style="list-style-type: none"> <li>222Wh / 60000mAh big capacity</li> <li>AC pure sine wave output</li> <li>Up to 300W AC output, peak power 350W</li> <li>Fast charging QC3.0 USB port</li> <li>Intelligent BMS system, multi safety protections</li> <li>Aluminum alloy shell &amp; build-in fan, heat dissipation well</li> <li>Small size, light weight only about 2.55kg</li> </ol>	<ul style="list-style-type: none"> <li>1x Portable power station</li> <li>1x User manual</li> <li>1x AC power adapter</li> <li>1x Car charger cable</li> <li>1x Cigarette lighter adapter</li> <li>1x USB light</li> </ul>	Host size: 24.8*8.6*15.1cm  1pcs/Box (with foam protect) Box size: 31*16.5*20cm Box weight: 2.6kg / 3.25kg 4pcs/CTN CTN size: 54.5*35.5*23cm CTN weight: 13.5kg / 14.8kg	Upon Request
	P60	Capacity: 520Wh (140400mAh/3.7V) AC output: 500W (Peak 1000W) USB port: 1xQC3.0 (18W); 2x5V/3.1A Type-C port: 1xPD 18W DC port: 4x9-12.6V/10A (Max) Car port: 1x9-12.6V/10A (Max) DC input (PV): 13V-22V Battery: Lithium-ion, 2800times cycle	<ol style="list-style-type: none"> <li>520Wh / 140400mAh big capacity</li> <li>AC pure sine wave output</li> <li>Up to 500W AC output, peak power 1000W</li> <li>Fast charging QC3.0 USB port, Type-C port</li> <li>Intelligent BMS system, multi safety protections</li> <li>Mini fans build-in at 2 sides, fast heat dissipation</li> <li>Run 11 devices simultaneously</li> </ol>	<ul style="list-style-type: none"> <li>1x Portable power station</li> <li>1x User manual</li> <li>1x AC power adapter</li> <li>1x Car charger cable</li> </ul>	Host size: 28.8*18.9*16.6cm  1pcs/Box (with foam protect) Box size: 38*26*23.6cm Box weight: 5.8kg / 7kg 2pcs/CTN CTN size: 59.2*41.8*28.4cm CTN weight: 11.6kg / 16.5kg	Upon Request
	P15	Capacity: 1008Wh (280000mAh/3.6V) AC output: 1500W (Peak 3000W) USB port: 2x24W (Max) Type-C port: 1x100W (Max) DC port: 2x13.6V/3A (Max) Car port: 1x13.6V/10A, 136W (Max) AC input: E-Speed 940W (Max) DC input (PV): 10-40V/8A, 300W (Max) Battery: Lithium-ion, 2800times cycle LED light: 3 modes	<ol style="list-style-type: none"> <li>1008Wh / 280000mAh huge capacity</li> <li>E-Speed fast AC charge, from 0% to 80% only need 1hour</li> <li>E-UPS technology, quickly switch power within 3-3s</li> <li>Up to 1500W AC output, peak power 3000W</li> <li>Support use while in charging</li> <li>100W big power Type-C port, can run Type-C laptop</li> <li>With 3 modes built-in LED light</li> <li>With storage space for store cables or small things</li> <li>With handle at 2 sides, easy to portable</li> </ol>	<ul style="list-style-type: none"> <li>1x Portable power station</li> <li>1x User manual</li> <li>1x AC cable</li> <li>1x Car charger cable (Anderson)</li> </ul>	Host size: 33*21*28.5cm  1pcs/Box/CTN (with foam protect) CTN size: 41.8*27.8*37.8cm CTN weight: 12.5kg / 14kg	Upon Request

	P25	Capacity: 1572Wh (436800mAh/3.6V) AC output: 2000W (Peak 4000W) USB port: 4x 24W (Max) Type-C port: 2x120W (Max) DC port: 2x13.6V/3A (Max) Car port: 1x13.6V/10A, 136W (Max) AC input: E-Speed 1450W (Max) DC input (PV): 10-40V/8A, 300W (Max) Battery: Lithium-ion, 2800times cycle LED light: 3 modes	1. 1573Wh / 436800mAh huge capacity 2. E-Speed fast AC charge, from 0% to 80% only need 1hour 3. E-UPS technology, quickly switch power within 2-3s 4. Up to 2000W AC output, peak power 4000W 5. Support use while in charging 6. 120W big power Type-C port, can run Type-C laptop 7. With 3 modes built-in LED light 8. With storage spacing for store cables or small things 9. With handle at 2 sides, easy to portable 10. DC input power up to 300W	1x Portable power station 1x User manual 1x AC cable 1x Car charger cable (Anderson)	Host size: 33*21*33.5cm 1pcs/Box/CTN (with foam protect) CTN size: 41.8*27.8*42.8cm CTN weight: 16.4kg / 17.3kg	Upon Request
	J1000Plus	Capacity: 932.4Wh (252000mAh/3.7V) AC output: 1000W (Peak 2000W) USB port: 2xQC3.0 (18W) Type-C port: 2xPD 60W DC5525 port: 4x12-16.8V/8A (Max) Car port: 1x12-16.8V/8A (Max) Wireless charger: 15W DC input (PV): 12-26V/10A, 150W (Max) Battery: Lithium-ion, 2800times cycle LED light: 3+3 modes	1. 932.4Wh / 252000mAh big capacity 2. AC pure sine wave output 3. Up to 1000W AC output, peak power 2000W 4. With 15W fast wireless charger function 5. Up to 60W super fast charge Type-C port 6. Intelligent BMS system, multi safety protections 7. With 3modes Spotlight & 3 modes LED light 8. Run 11 devices simultaneously	1x Portable power station 1x User manual 1x AC power adapter 1x MC4 to DC charger cable	Host size: 34.5*22.7*20.3cm 1pcs/Box (with foam protect) Box size: 40*31.5*27cm Box weight: 9kg / 10.7kg 2pcs/CTN CTN size: 65*41.5*30cm CTN weight: 18kg / 23kg	Upon Request
	UA550	Capacity: 550Wh (148800mAh/3.7V) AC output: 600W (Peak 1000W) USB port: 1xQC3.0 (18W), 2x5V/2.4A Type-C port: 1xPD 45W DC port: 2x12V/10A (Max) Car port: 1x12V/10A (Max) DC input (PV): 12V-24V Battery: Lithium-ion, >=800times cycle LED light: 1 mode	1. AC pure sine wave output 2. Support use while in charging 3. Up to 600W AC output, peak power 1000W 4. 12V voltage regulation technology 5. Intelligent BMS system 6. Fashion design with LED display 7. Fast charging QC3.0 USB & Type-C port 8. Aluminum alloy shell & build-in fan, heat dissipation well 9. Support two ways to recharge at the same time 10. With MPPT controller	1x Portable power station 1x User manual 1x AC power adapter 1x Car charger cable	Host size: 19.2*21.8*19.2cm 1pcs/Box/CTN (with foam protect) CTN size: 28.7*31*31.7cm CTN weight: 6.8kg / 8.8kg	Upon Request
	UA1100	Capacity: 1100Wh (297600mAh/3.7V) AC output: 1200W (Peak 2000W) USB port: 1xQC3.0 (18W), 2x5V/2.4A Type-C port: 1xPD 65W DC port: 2x12V/10A (Max) Car port: 1x12V/10A (Max) DC input (PV): 12V-24V Battery: Lithium-ion, >=800times cycle LED light: 4 modes	1. AC pure sine wave output 2. Support use while in charging 3. Up to 1200W AC output, peak power 2000W 4. 12V voltage regulation technology 5. Intelligent BMS system 6. Temperature control display 7. Fashion design with 4modes LED display 8. Fast charging QC3.0 USB & Type-C port 9. Aluminum alloy shell & build-in fan, heat dissipation well 10. Support two ways to recharge at the same time 11. With MPPT controller	1x Portable power station 1x User manual 1x AC power adapter 1x Car charger cable	Host size: 19.2*30.3*19.2cm 1pcs/Box/CTN (with foam protect) CTN size: 43*32*35cm CTN weight: 11.6kg / 12.64kg	Upon Request
	OE01D	Capacity: 448Wh (140000mAh/3.2V) AC output: 600W (Peak 1000W) USB port: 1xQC3.0 (18W), 2x5V/2.4A Type-C port: 1x100W (input&output) DC5525 port: 2x13.6V/10A (Max) Car port: 1x13.6V/10A (Max) Wireless charger: 1x10W (Max) DC input (PV): 12-30V/3.42A, 65W (Max) Battery: LifePO4, >=3000times cycle LED light: 5 modes (2W)	1. Up to 448Wh big capacity 2. Up to 600W AC output, peak power 1000W 3. 100W big power Type-C port, can run Type-C laptop 4. With 10W wireless charger function 5. With 5 modes built-in LED light 6. Built-in 3000 times cycle LifePO4 battery 7. With handle at 2 sides, easy to portable 8. Intelligent BMS system	1x Portable power station 1x User manual 1x AC power adapter	Host size: 30.5*17.7*20.4cm 1pcs/Box (with foam protect) Box size: 38.2*24.5*34.1cm Box weight: 5.65kg / 7.5kg 2pcs/CTN CTN size: 51*40*37cm CTN weight: 11.3kg / 18.5kg	Upon Request
	OE02D	Capacity: 1008Wh (315000mAh/3.2V) AC output: 1200W (Peak 2000W) USB port: 1xQC3.0 (18W), 2x5V/2.4A Type-C port: 1x100W (input&output) DC5525 port: 2x13.6V/10A (Max) Car port: 1x13.6V/10A (Max) Wireless charger: 2x10W (Max) DC input (PV): 12-30V/7A, 182W (Max) Battery: LifePO4, >=3000times cycle LED light: 5 modes (2W)	1. Up to 1008Wh big capacity 2. Up to 1200W AC output, peak power 2000W 3. 100W big power Type-C port, can run Type-C laptop 4. With 2x10W wireless charger function 5. With 5 modes built-in LED light 6. Built-in 3000 times cycle LifePO4 battery 7. With handle at 2 sides, easy to portable 8. Intelligent BMS system	1x Portable power station 1x User manual 1x AC power adapter	Host size: 41.3*20.3*23.2cm 1pcs/Box/CTN (with foam protect) CTN size: 48.7*27.5*34.5cm CTN weight: 10.2kg / 12.8kg	Upon Request
	TSP18V60W	Power: 60W Material: Monocrystalline IPCE: 21.5%-23.5% USB port: 1xQC3.0 (18W) Type-C port: 1x65W DC port: 18V/3.3A (Max)	1. Made by monocrystalline silicon 2. High IPCE, up to 21.5%-23.5% 3. Folded briefcase design, space-saving 4. With 2 brackets, easy-adjust towards to the sun 5. Fast charging QC3.0 USB port & Type-C port 45W output 6. Lightweight and great portable 7. With 18V DC output, suit for most generators 8. With connectors, compatible with most generators	1x Foldable solar panel 1x User manual 1x DC cable 5.5*2.1mm 1x 8mm connector 1x 5.5x2.5mm connector 1x 3.5x1.35mm connector	Unfolded size: 83.2*45.5*1.5cm Folded size: 45.5*41.7*3cm 1pcs/Box (with foam protect) Box size: 45*49.5*6cm Box weight: 1.9kg / 2.2kg 5pcs/CTN CTN size: 47*33*52cm CTN weight: 9.5kg / 12.2kg	Upon Request
	TSP18V100W	Power: 100W Material: Monocrystalline IPCE: 21.5%-23.5% USB port: 1xQC3.0 (18W) Type-C port: 1x65W DC port: 18V/5.6A (Max)	1. Made by monocrystalline silicon 2. High IPCE, up to 21.5%-23.5% 3. Folded briefcase design, space-saving 4. With 2 brackets, easy-adjust towards to the sun 5. Fast charging QC3.0 USB port & Type-C port 65W output 6. Lightweight and great portable 7. With 18V DC output, suit for most generators 8. With connectors, compatible with most generators	1x Foldable solar panel 1x User manual 1x DC cable 5.5*2.1mm 1x 8mm connector 1x 5.5x2.5mm connector 1x 3.5x1.35mm connector 1x 6.3x3.0mm connector	Unfolded size: 156.2*40.2*1.5cm Folded size: 41.5*40.2*5cm 1pcs/Box (with foam protect) Box size: 44*45*8.5cm Box weight: 2.7kg / 3.2kg 4pcs/CTN CTN size: 48*36.5*46cm CTN weight: 11.2kg / 14.4kg	Upon Request
	SP18V50W	Power: 50W Material: Monocrystalline IPCE: 21.5%-23.5% USB port: 1x5V/2.1A; 1xQC3.0 DC port: 18V/3.4A (Max)	1. Made by monocrystalline silicon 2. High IPCE, up to 21.5%-23.5% 3. Folded briefcase design, space-saving 4. Fast charging QC3.0 USB port 5. Lightweight and great portable 6. With 18V DC output, suit for most generators 7. With connectors, compatible with most generators 8. Classic black color, durable	1x Foldable solar panel 1x User manual 1x DC cable 5.5*2.1mm 1x 8mm connector 1x 5.5x2.5mm connector 1x 3.5x1.35mm connector	Unfolded size: 85*41.2*1cm Folded size: 42*41.2*2cm 1pcs/Box (with foam protect) Box size: 43*42.5*4cm Box weight: 1.4kg / 2.2kg 7pcs/CTN CTN size: 47*34.5*44.5cm CTN weight: 13.86kg / 13.6kg	Upon Request
	SP18V100W	Power: 100W Material: Monocrystalline IPCE: 21.5%-23.5% USB port: 1x5V/2.1A; 1xQC3.0 DC port: 18V/5.26A (Max)	1. Made by monocrystalline silicon 2. High IPCE, up to 21.5%-23.5% 3. Folded briefcase design, space-saving 4. Fast charging QC3.0 USB port 5. Lightweight and great portable 6. With 18V DC output, suit for most generators 7. With connectors, compatible with most generators 8. Classic black color, durable	1x Foldable solar panel 1x User manual 1x DC cable 5.5*2.1mm 1x 8mm connector 1x 5.5x2.5mm connector 1x 3.5x1.35mm connector	Unfolded size: 104*51*1cm Folded size: 51*52*2cm 1pcs/Box (with foam protect) Box size: 53*54.5*4.5cm Box weight: 2.4kg / 3.2kg 4pcs/CTN CTN size: 56*22*59cm CTN weight: 13kg / 13.1kg	Upon Request

