0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/17/23	Time: AM			
Company: The Romero (			Contact:	
Department:	Stoup, DDO	· · · · · · · · · · · · · · · · · · ·	Phone #:	
	arket Street, Suite 304, PO	Box 4100	$\frac{1}{10000}\pi$ .	
City: Basalt		DOX 1100	State: CO	Zip: 81621
The cross-connection co State of Colorado, and i	ontrol device detailed her s certified to comply with	on has been tested and these regulations.	maintained as required	by the regulations of the
Device Address: 123 Jun	iner Trail - Shadowrock	Ia	cation: Fire Protection	Duatactions Contains
Device Manufacture: Wa	itts		ientation: Horizontal	Protection: Containment  New   Existing
Serial #: 477831			vice Model: 007M1QT	Size: 1"
			count #:	Size. 1
			- Country	
INITIAI	L TEST Passed	Line Pressure 9	95 PSI	
INSTALLATION:	Meets State/Local Standard	ds 🛛 Fails S	State/Local Standards	
INADEQUATE DRAIN: `	Yes If yes, size of drain	. Explanation:		
REDUCED PRE	SSURE ASSEMBLY	RELIEF VALVE	☐ PRESSURE Y	VACUUM BREAKER
	ECK ASSEMBLY			
FIRST CHECK	SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight 🛛	Closed Tight 🛛	OPENED	Opened	Closed
R/P 2.1 PSID	1.9 PSID	AT	at	Tight 🔲
Leaked	Leaked 🗌	PSID	PSID	PSID
		-REPAIRS MADE-		
	TE	EST AFTER REPAIRS		
REDUCED PRE	SSURE ASSEMBLY	RELIEF VALVE	☐ PRESSURE V	VACUUM BREAKER
	ECK ASSEMBLY			
FIRST CHECK	SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight	Closed Tight	OPENED	Opened	Closed
R/P PSID	PSID	AT	at	Tight [
Leaked	Leaked	PSID	PSID	PSID
The above is certified to be true:				
	1 0 ' 1		CERTIFIED TESTER	
COMPANY: Fire Sprink	<del></del>			expiration Date: 06/30/2025
ADDRESS: 0241 Mel I	<del></del>	<u> </u>	NAME: Karl E. Roggie	
CITY: Glenwood	Springs		SIGNATURE: "Kaul R	· .
STATE: CO	ZIP: 81601	S	IGNATURE:	7 gu
		· · · · · · · · · · · · · · · · · · ·	YPE OF TEST GAUGE:	Wilkins 845
		<del></del>	EST GAUGE SERIAL NU	
			The second secon	
		. <u>. L</u>	AST CALIBRATION DA	TE: 02/2022

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/17/23	Time: AM			
Company: The Romer	o Group, LLC		Contact:	
Department:		·	Phone #:	_
Mailing Address: 350	Market Street, Suite 304, PO	Box 4100		
City: Basalt	· · · · · · · · · · · · · · · · · · ·		State: CO	Zip: 81621
The cross-connection State of Colorado, and	control device detailed her	on has been tested a h these regulations.	nd maintained as required by	y the regulations of the
	uniper Trail - Shadowrock		Location: Domestic	Protection: Containment
Device Manufacture: V	Watts		Orientation: Horizontal	New   Existing
Serial #: 021121			Device Model: LF007M1QT	Size: 1"
			Account #:	
INITL	AL TEST Passed	Line Pressur	e 60 PSI	
INSTALLATION:	Meets State/Local Standar	ds 🗵 Fail	s State/Local Standards	
INADEQUATE DRAIN	N: Yes If yes, size of drain	. Explanation:		
	RESSURE ASSEMBLY	RELIEF VALVE	E PRESSURE V	ACUUM BREAKER
	CHECK ASSEMBLY		AIR INLET	CHECK VALVE
FIRST CHECK	SECOND CHECK			CHECK VALVE
Closed Tight	Closed Tight	OPENED	Opened	Closed
R/P 2.0 PSID Leaked □	2.3 PSID	AT	at	Tight
Leaked	Leaked	PSID	PSID	PSID
		-REPAIRS MADE	3 <b>-</b>	
				· · · · · · · · · · · · · · · · · · ·
	TI	EST AFTER REPAIRS	S	
REDUCED PR	RESSURE ASSEMBLY	RELIEF VALVE	PRESSURE V	ACUUM BREAKER
☐ DOUBLE C	CHECK ASSEMBLY			
FIRST CHECK	SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight	Closed Tight	OPENED	Opened	Closed
R/PPSID	PSID	AT	at	Tight 🔲
Leaked	Leaked 🗌	PSID	PSID	PSID
The above is certified to be tru	e:		CERTIFIED TESTER	
COMPANY: Fire Spri	nkler Services. Inc.		NO: 8159 Certification Ex	niration Date: 06/30/2025
ADDRESS: 0241 Me			NAME: Karl E. Roggie	phanon Date: 00/30/2023
	d Springs			
STATE: CO	ZIP: 81601		SIGNATURE: "Kal Ray	şu
			TYPE OF TEST GAUGE: W	Jilkins 845
			TEST GAUGE SERIAL NUI	
*			LAST CALIBRATION DAT	E: 02/2022

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/16/23	Time: PM			
Company: The Romer	ro Group, LLC		Contact:	
Department:			Phone #:	
Mailing Address: 350	Market Street, Suite 304, PO	Box 4100		
City: Basalt			State: CO	Zip: 81621
The cross-connection State of Colorado, an	control device detailed her d is certified to comply wit	ron has been tested an h these regulations.	d maintained as required b	
Device Address: 125 J	Juniper Trail - Shadowrock	· I.	ocation: Fire Protection	Protection: Containment
Device Manufacture:	Watts	0	rientation: Horizontal	New Existing
Serial #: 476999			evice Model: 007M1QT	Size: 1"
			ccount #:	5120. 1
***************************************				
	AL TEST Passed	Line Pressure	95 PSI	
INSTALLATION:	Meets State/Local Standar		State/Local Standards	
INADEQUATE DRAIN	N: Yes If yes, size of drain	. Explanation:		
REDUCED PI	RESSURE ASSEMBLY	RELIEF VALVE	PRESSURE V	ACUUM BREAKER
	CHECK ASSEMBLY			ACCOM BREAKER
FIRST CHECK	SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight 🛛	Closed Tight 🛛	OPENED	Opened	Closed
R/P 4.3 PSID	2.4 PSID	AT	at	Tight 🔲
Leaked	Leaked	PSID	PSID	PSID
		-REPAIRS MADE-		
	· · · · · · · · · · · · · · · · · · ·			
•				
	TF	EST AFTER REPAIRS		
		———————		
	ESSURE ASSEMBLY	RELIEF VALVE	PRESSURE VA	ACUUM BREAKER
	HECK ASSEMBLY		AIR INLET	CHECK VALVE
FIRST CHECK Closed Tight	SECOND CHECK		AIR INCE	CHECK VALVE
R/P PSID	Closed Tight PSID	OPENED	Opened	Closed
Leaked	Leaked $\square$	AT PSID	at	Tight 🗌
		PSID	PSID	PSID
The above is certified to be true			CERTIFIED TESTER	
COMPANY: Fire Spring	nkler Services, Inc.	1	NO: 8159 Certification Exp	piration Date: 06/30/2025
ADDRESS: 0241 Me	l Ray Road		NAME: Karl E. Roggie	Mation Date: 00/30/2023
CITY: Glenwood	d Springs	-		
STATE: CO	ZIP: 81601		SIGNATURE: "Kal Ry	ii.
			TYPE OF TEST GAUGE: W	ilkins 845
			EST GAUGE SERIAL NUM	
		_L	AST CALIBRATION DATE	5: 02/2022

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

			- <del></del>
Date: 1/16/23 Time: AM			
Company: The Romero Group, LLC	<del></del>	Contact:	
Department:		Phone #:	
Mailing Address: 350 Market Street, Suite 304, PO Bo	ox 4100	Thone #.	
City: Basalt		State: CO	7: 01 <i>(</i> )1
Ti			Zip: 81621
The cross-connection control device detailed heror State of Colorado, and is certified to comply with t	n has been tested and ma these regulations.	aintained as required b	y the regulations of the
Device Address: 125 Juniper Trail - Shadowrock	T'*		
Device Manufacture: Watts		on: Domestic	Protection: Containment
Serial #: 024607		ation: Vertical Up	New Existing
	Accou	Model: LF007M1QT	Size: 1"
	Accou	III #.	
INITIAL TEST Passed	Line Pressure 55 P	SI	
INSTALLATION: Meets State/Local Standards	☐ Fails State	e/Local Standards	
INADEQUATE DRAIN: Yes  If yes, size of drain	Explanation:		
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	DDESCHDEV	ACUUM BREAKER
☑ DOUBLE CHECK ASSEMBLY		the second secon	ACOUM BREAKER
FIRST CHECK SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight 🛛 Closed Tight 🖂	OPENED	Opened	Closed
R/P 1.9 PSID 2.2 PSID	AT	at	Tight
Leaked Leaked	PSID	PSID	PSID
	-REPAIRS MADE-		
	AFTER REPAIRS		
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	PRESSURE VA	CUUM BREAKER
DOUBLE CHECK ASSEMBLY			
FIRST CHECK SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight Closed Tight Closed Tight	OPENED	Opened	Closed
R/P PSID PSID	AT	at	Tight □
Leaked Leaked Leaked	PSID	PSID	PSID
The above is certified to be true:	CH	ERTIFIED TESTER	
COMPANY: Fire Sprinkler Services, Inc.			iration Date: 06/30/2025
ADDRESS: 0241 Mel Ray Road			mation Date: 06/30/2025
CITY: Glenwood Springs	<u>INAM</u>	E: Karl E. Roggie	<u> </u>
STATE: CO ZIP: 81601	SIGN	ATURE: "Karl Rogg	: iel
		OF TEST GAUGE: W	
		GAUGE SERIAL NUM	
	_LAST	CALIBRATION DATE	E: 02/2022

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/17/23	Time: AM			
Company: The Romero		<del></del>	Contact	
Department:	Group, EEC		Contact: Phone #:	
	arket Street, Suite 304, PO	Box 4100	Phone #.	<del></del>
City: Basalt	minet street, suite 304, 10	DOX 4100	State: CO	7:n. 81621
				Zip: 81621
The cross-connection constate of Colorado, and is	ontrol device detailed her is certified to comply with	on has been tested a high these regulations.	nd maintained as required b	by the regulations of the
Device Address: 127 Jur			Location: Fire Protection	
Device Manufacture: Wa	atts		Orientation: Horizontal	Protection: Containment
Serial #: 477848	2005		Device Model: 007M1QT	New ☐ Existing ⊠ Size: 1"
			Account #:	Size; 1
			recount #.	
INITIA	L TEST Passed	Line Pressure	e 95 PSI	
INSTALLATION:	Meets State/Local Standard	ds 🛛 Fail	s State/Local Standards	
INADEQUATE DRAIN:	Yes If yes, size of drain	. Explanation:		
☐ REDUCED PRE	SSURE ASSEMBLY	RELIEF VALVE	PRESSURE V	ACUUM BREAKER
	ECK ASSEMBLY			
FIRST CHECK	SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight 🛛	Closed Tight 🛛	OPENED	Opened	Closed
R/P 2.2 PSID	1.7 PS <u>ID</u>	AT	at	Tight □
Leaked	Leaked	PSID	PSID	PSID
		-REPAIRS MADE	}-	
	TE	EST AFTER REPAIRS	}	
REDUCED PRE	SSURE ASSEMBLY	RELIEF VALVE	☐ PRESSURE V	ACUUM BREAKER
	ECK ASSEMBLY			
FIRST CHECK	SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight	Closed Tight	OPENED	Opened	Closed
R/P PSID	PSID	AT	at	Tight [
Leaked	Leaked	PSID	PSID	PSID
The above is certified to be true:				
	-lan Camalana Tu		CERTIFIED TESTER	
COMPANY: Fire Sprink		-	NO: 8159 Certification Ex	spiration Date: 06/30/2025
ADDRESS: 0241 Mel 1	Ray Road	-	NAME: Karl E. Roggie	
CITY: Glenwood	Springs		n a	
STATE: CO	ZIP: 81601	· -	SIGNATURE: Karl Ray	yu
			TYPE OF TEST GAUGE: V	Wilkins 845
			TEST GAUGE SERIAL NU	MBER: 10081223
		-	LAST CALIBRATION DAT	
		_		

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/17/23 Time: AM		· · · · · · · · · · · · · · · · · · ·	
Company: The Romero Group, LLC		Contact:	
Department:		Phone #:	·
Mailing Address: 350 Market Street, Suite 304, PO	Box 4100		
City: Basalt		State: CO	Zip: 81621
The cross-connection control device detailed here. State of Colorado, and is certified to comply with	on has been tested and these regulations.	maintained as required b	by the regulations of the
Device Address: 127 Juniper Trail - Shadowrock	Loc	ation: Domestic	Protections Contains
Device Manufacture: Watts		entation: Vertical Up	Protection: Containment  New   Existing
Serial #: 024926		rice Model: LF007M1QT	New ☐ Existing ⊠ Size: 1"
		ount #:	Size. 1
INITIAL TEST Passed	Line Pressure 53	5 PSI	
INSTALLATION: Meets State/Local Standard		tate/Local Standards	
INADEQUATE DRAIN: Yes If yes, size of drain	. Explanation:		
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	PRESSURE V	ACUUM BREAKER
☑ DOUBLE CHECK ASSEMBLY			
FIRST CHECK SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight Closed Tight	OPENED	Opened	Closed
R/P 2.1 PSID 2.2 PSID	AT	at	Tight
Leaked Leaked Leaked	PSID	PSID	PSID
	-REPAIRS MADE-		
			·.
	ST AFTER REPAIRS		
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	PRESSURE V	ACUUM BREAKER
DOUBLE CHECK ASSEMBLY		AIR INLET	
FIRST CHECK SECOND CHECK		AIRINLEI	CHECK VALVE
Closed Tight Closed Tight Closed Tight	OPENED	Opened	Closed
R/P PSID PSID	AT	at	Tight 🔲
Leaked Leaked Leaked	PSID	PSID	PSID
The above is certified to be true:		CERTIFIED TESTER	
COMPANY: Fire Sprinkler Services, Inc.	No		mirestian Datas 06/20/2025
ADDRESS: 0241 Mel Ray Road		· ·	piration Date: 06/30/2025
	_ NA	AME: Karl E. Roggie	
		GNATURE Kal Ry	
STATE: CO ZIP: 81601	SIC	GNATURE:	<del>S</del> u
	TY	PE OF TEST GAUGE: W	Vilkins 845
		ST GAUGE SERIAL NUI	
		AST CALIBRATION DAT	
		ST CALIBRATION DAT	E. UZ/ZUZZ

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/18/23 Time: AM			
Company: The Romero Group, LLC		Contact:	
Department:		Phone #:	
Mailing Address: 350 Market Street, Suite 304, PO	Box 4100	THORE II.	
City: Basalt		State: CO	Zip: 81621
The cross-connection control device details 11	1 1		
The cross-connection control device detailed her State of Colorado, and is certified to comply with	on has been tested and these regulations.	nd maintained as required b	by the regulations of the
Device Address: 130 Juniper Trail - Shadowrock	Ţ	ocation: Fire Protection	Duoto etiama Canta
Device Manufacture: Wilkins		Orientation: Horizontal	Protection: Containment  New   Existing
Serial #: 4890097		Device Model: 975XL2	New Existing Size: 1.25"
		Account #:	Size. 1.23
INITIAL TEST Passed	Line Pressure	e 100 PSI	
INSTALLATION: Meets State/Local Standard	ls 🛛 Fails	s State/Local Standards	
INADEQUATE DRAIN: Yes   If yes, size of drain	. Explanation:		
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	□ PRESSURE V	ACUUM BREAKER
☐ DOUBLE CHECK ASSEMBLY			
FIRST CHECK SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight ☐ Closed Tight ☐ Closed Tight ☐ 2.5 PSID	OPENED	Opened	Closed
2.3 1 01B	AT	at	Tight □
Leaked Leaked	PSID 2.6	PSID	PSID
	-REPAIRS MADE	-	
	· · · · · · · · · · · · · · · · · · ·		
	ST AFTER REPAIRS		
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	☐ PRESSURE V	ACUUM BREAKER
DOUBLE CHECK ASSEMBLY		AIR INLET	
FIRST CHECK SECOND CHECK Closed Tight Closed Tight			CHECK VALVE
Closed Tight Closed Tight PSID PSID	OPENED	Opened	Closed
Leaked Leaked Leaked	AT PSID	at	Tight 🔲
	FSID	PSID	PSID
The above is certified to be true:		CERTIFIED TESTER	
COMPANY: Fire Sprinkler Services, Inc.	_	NO: 8159 Certification Ex	piration Date: 06/30/2025
ADDRESS: 0241 Mel Ray Road		NAME: Karl E. Roggie	
CITY: Glenwood Springs			
STATE: CO ZIP: 81601		SIGNATURE: "Karl Ry	şů
		TYPE OF TEST GAUGE: W	Vilkins 845
		TEST GAUGE SERIAL NUI	
	:	LAST CALIBRATION DAT	E: 02/2022

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

D + 1/10/00				
Date: 1/18/23	Time: AM		·	
Company: The Romero Department:	o Group, LLC		Contact:	
Mailing Address: 350 1	Market Street, Suite 304, PC	) Pov. 4100	Phone #:	
City: Basalt	Harket Bureet, Bulle 304, FC	) DOX 4100		
			State: CO	Zip: 81621
The cross-connection of State of Colorado, and	control device detailed he is certified to comply wi	eron has been tested a the these regulations.	and maintained as required	by the regulations of the
	niper Trail - Shadowrock		· _	
Device Manufacture: W	Vatts		Location: Domestic	Protection: Containment
Serial #: A21868			Orientation: Horizontal Device Model: 007M1QT	New Existing X
			Account #:	Size: 1"
			. TOO GITTE IT.	
INITIA	AL TEST Passed	Line Pressur	e 65 PSI	
INSTALLATION:	Meets State/Local Standa	rds 🛛 Fail	s State/Local Standards	
INADEQUATE DRAIN:	Yes If yes, size of drai	n . Explanation:		
REDUCED PR	ESSURE ASSEMBLY	DELTERALATI		
DOUBLE CH	HECK ASSEMBLY	RELIEF VALVE	PRESSURE V	ACUUM BREAKER
FIRST CHECK	SECOND CHECK	-	AIR INLET	CHECK VALVE
Closed Tight 🛛	Closed Tight 🛛	OPENED	Opened	Closed
R/P 2.1 PSID	2.3 PSID	AT	at	Tight
Leaked	Leaked	PSID	PSID	PSID
		-REPAIRS MADE	7_	
		EST AFTER REPAIRS		
REDUCED PRE	ESSURE ASSEMBLY	RELIEF VALVE	PRESSURE V	ACUUM BREAKER
DOUBLE CH	ECK ASSEMBLY	]		
FIRST CHECK	SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight R/P PSID	Closed Tight	OPENED	Opened	Closed
R/P PSID Leaked [	PSID Leaked	AT	at	Tight [
	Leaked	PSID	PSID	PSID
The above is certified to be true:			CERTIFIED TESTER	
COMPANY: Fire Sprink	cler Services, Inc.		NO: 8159 Certification Ex	niration Data: 06/20/2025
ADDRESS: 0241 Mel	Ray Road		NAME: Karl E. Roggie	phation Date: 06/30/2025
CITY: Glenwood		-		
STATE: CO	ZIP: 81601		SIGNATURE: "Kal Ry	şů
			TYPE OF TEST GAUGE: V	
			TEST GAUGE SERIAL NUI	
		_	LAST CALIBRATION DAT	E: 02/2022

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/18/23 Time: AM			
Company: The Romero Group, LLC		Contact:	
Department:		Phone #:	
Mailing Address: 350 Market Street, Suite 304, PO Box 4	100		
City: Basalt		State: CO	Zip: 81621
The cross-connection control device details 11			
The cross-connection control device detailed heron has State of Colorado, and is certified to comply with these	s been tested and r e regulations.	naintained as required	by the regulations of the
Device Address: 131 Juniper Trail - Shadowrock	<b>T</b>		
Device Manufacture: Wilkins		tion: Fire Protection	Protection: Containment
Serial #: 2876016		ntation: Horizontal ce Model: 975XL	New  Existing
		ount #:	Size: 1.25"
	Acce	<i>γ</i> απι <i>π</i> .	
INITIAL TEST Passed	Line Pressure 100	0 PSI	
INSTALLATION: Meets State/Local Standards    ✓	Fails Sta	nte/Local Standards	
<del></del>	. Explanation:		
☐ REDUCED PRESSURE ASSEMBLY RI	ELIEF VALVE	PRESSURE	ACUUM BREAKER
☐ DOUBLE CHECK ASSEMBLY			
FIRST CHECK SECOND CHECK	_	AIR INLET	CHECK VALVE
Closed Tight ☐ Closed Tight ☐ R/P 7.9 PSID 2.3 PSID	OPENED	Opened	Closed
2.5 1 510	AT	at	Tight
Leaked Leaked Leaked	PSID 3.2	PSID PSID	PSID
-RE	EPAIRS MADE-		
TEST AF	TER REPAIRS		
REDUCED PRESSURE ASSEMBLY RE	ELIEF VALVE	PRESSIDE	ACUUM BREAKER
DOUBLE CHECK ASSEMBLY	[		ACOUM BREAKER
FIRST CHECK SECOND CHECK	·	AIR INLET	CHECK VALVE
Closed Tight Closed Tight Closed Tight	OPENED	Opened	Closed
R/P PSID PSID Leaked Le	AT	at	Tight
Leaked Leaked D	PSID	PSID	PSID
he above is certified to be true:	(	CERTIFIED TESTER	
COMPANY: Fire Sprinkler Services, Inc.			
ADDRESS: 0241 Mel Ray Road			piration Date: 06/30/2025
CITY: Glenwood Springs	_NAI	ME: Karl E. Roggie	
		NATURE: Kal Ry	
STATE: CO ZIP: 81601	SIG	NATURE:	5u
	TYP	E OF TEST GAUGE: W	Vilkins 845
		T GAUGE SERIAL NUM	
		T CALIBRATION DAT	
		THE THE PARTY	L. V414V44

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/18/23 Time: AM			
Company: The Romero Group, LLC		Contact:	
Department:		Phone #:	
Mailing Address: 350 Market Street, Suite 304, PO	Box 4100	2 22020 11:	
City: Basalt		State: CO	Zip: 81621
The cross-connection control device detailed her State of Colorado, and is certified to comply with	ron has been tested and	1 maintain 1	
State of Colorado, and is certified to comply wit	h these regulations.	i maintained as required	by the regulations of the
Device Address: 131 Juniper Trail - Shadowrock	Lo	ecation: Domestic	Duoto etian. Cart
Device Manufacture: Watts		ientation: Horizontal	Protection: Containment
Serial #: A21830		evice Model: 007M1QT	New Existing Size: 1"
		count #:	Size. 1
INITIAL TEST Passed	Line Pressure	70 PSI	
INSTALLATION: Meets State/Local Standard	ds 🔀 Fails S	State/Local Standards	
INADEQUATE DRAIN: Yes   If yes, size of drain	. Explanation:		
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	DDECCLIDE	A CYHD A DDE LY
☑ DOUBLE CHECK ASSEMBLY	REDELI VALVE	PRESSURE V	ACUUM BREAKER
FIRST CHECK SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight Closed Tight C	OPENED	Opened	Closed
R/P 2.2 PSID 2.3 PSID	AT	at	Tight
Leaked Leaked	PSID	PSID	PSID
	-REPAIRS MADE-		
	ST AFTER REPAIRS		
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	☐ PRESSURE V	ACUUM BREAKER
DOUBLE CHECK ASSEMBLY FIRST CHECK SECOND CHECK		AIR INLET	
FIRST CHECK SECOND CHECK  Closed Tight Closed Tight Closed	OPENED		CHECK VALVE
R/P PSID PSID	OPENED	Opened	Closed
Leaked Leaked	AT PSID	at	Tight 🔲
	1310	PSID	PSID
The above is certified to be true:		CERTIFIED TESTER	
COMPANY: Fire Sprinkler Services, Inc.	_N	O: 8159 Certification Ex	piration Date: 06/30/2025
ADDRESS: 0241 Mel Ray Road	N	AME: Karl E. Roggie	
CITY: Glenwood Springs	<u></u>		
STATE: CO ZIP: 81601	SI	GNATURE: "Kal Roy	şů.
		YPE OF TEST GAUGE: W	
		EST GAUGE SERIAL NUI	
	_L/	AST CALIBRATION DAT	E: 02/2022

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/18/23 Time: AM	•		
Company: The Romero Group, LLC		Contact:	
Department:		Phone #:	
Mailing Address: 350 Market Street, Suite 304, PO B	ox 4100	Thone #.	
City: Basalt		State: CO	Zip: 81621
The cross connection control design 1 / 11 11			
The cross-connection control device detailed hero State of Colorado, and is certified to comply with	n has been tested and these regulations.	d maintained as required b	by the regulations of the
Device Address: 132 Juniper Trail - Shadowrock	T.	postions Pins Days at	
Device Manufacture: Wilkins		cation: Fire Protection rientation: Horizontal	Protection: Containment
Serial #: 2947165		evice Model: 975XL	New Existing
		count #:	Size: 1.25"
		oodint II.	
INITIAL TEST Passed	Line Pressure	105 PSI	
INSTALLATION: Meets State/Local Standards	Fails !	State/Local Standards	
INADEQUATE DRAIN: Yes   If yes, size of drain	. Explanation:		
☐ REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	DDECGLIDE	
DOUBLE CHECK ASSEMBLY	KELIEI VALVE	PRESSURE V	ACUUM BREAKER
FIRST CHECK SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight Closed Tight C	OPENED	Opened	
R/P 8.2 PSID 2.9 PSID	AT	at	Closed
Leaked Leaked Leaked	PSID 2.4	PSID	Tight ☐ PSID
	-REPAIRS MADE-		1010
	•		
TES'	Γ AFTER REPAIRS		<u> </u>
	I AF IEK KEPAIKS		
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	PRESSURE V	ACUUM BREAKER
DOUBLE CHECK ASSEMBLY			
FIRST CHECK SECOND CHECK	· · · · · · · · · · · · · · · · · · ·	AIR INLET	CHECK VALVE
Closed Tight Closed Tight PSID	OPENED	Opened	Closed
1 SID	AT	at	Tight [
Leaked Leaked	PSID	PSID	PSID
he above is certified to be true:		CERTIFIED TESTER	
COMPANY: Fire Sprinkler Services, Inc.	N		• • • • • • • • • • • • • • • • • • • •
ADDRESS: 0241 Mel Ray Road		O: 8159 Certification Exp	Diration Date: 06/30/2025
CITY: Glenwood Springs	_ <u>N</u>	AME: Karl E. Roggie	
~		GNATURE: Karl Ray	
STATE: CO ZIP: 81601	_SI	IGNATURE:	<del></del>
	_ <u>T</u>	YPE OF TEST GAUGE: W	ilkins 845
		EST GAUGE SERIAL NUN	
		AST CALIBRATION DATI	
		DATE DATE	J. UZIZUZZ

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

			· · · · · · · · · · · · · · · · · · ·	
Date: 1/18/23	Time: AM			
Company: The Romer	o Group, LLC		Contact:	
Department:			Phone #:	
City: Peaclt	Market Street, Suite 304, Po	O Box 4100		
City: Basalt			State: CO	Zip: 81621
The cross-connection	control device detailed by	oron has been 4-4-1	1	
State of Colorado, and	d is certified to comply w	ith these regulations.	and maintained as required	by the regulations of the
Device Address: 132 J	uniper Trail - Shadowrock		Location: Domestic	
<u>Device Manufacture: V</u>	Vatts		Orientation: Horizontal	Protection: Containment
Serial #: A21916			Device Model: 007M1QT	New ☐ Existing ⊠ Size: 1"
			Account #:	Size. I
Dilimi	AT TECT D			
11/11/1/	AL TEST Passed	Line Pressur	e 70 PSI	
INSTALLATION:	Meets State/Local Standa		ls State/Local Standards	
INADEQUATE DRAIN	: Yes  If yes, size of dra	in Explanation:		
REDUCED PR	ESSURE ASSEMBLY	DELTERALIZA		
DOUBLE C	HECK ASSEMBLY	RELIEF VALVE	PRESSURE Y	VACUUM BREAKER
FIRST CHECK	SECOND CHECK	_	AIR INLET	CHECK VALVE
Closed Tight 🛛	Closed Tight 🛛	OPENED	Opened	
R/P 2.1 PSID	2.4 PSID	AT	at	Closed
Leaked	Leaked	PSID	PSID	Tight PSID
		-REPAIRS MADE	3-	
		EST AFTER REPAIRS	3	
REDUCED PRI	ESSURE ASSEMBLY	RELIEF VALVE	☐ PRESSURE V	ACUUM BREAKER
FIRST CHECK	HECK ASSEMBLY		AIR INLET	
Closed Tight	SECOND CHECK	·	AIR INLE	CHECK VALVE
R/P PSID	Closed Tight PSID	OPENED	Opened	Closed
Leaked	Leaked	AT PSID	at	Tight 🔲
		L LSID	PSID	PSID
The above is certified to be true:			CERTIFIED TESTER	
COMPANY: Fire Sprin			NO: 8159 Certification Ex	piration Date: 06/30/2025
ADDRESS: 0241 Mel	Ray Road		NAME: Karl E. Roggie	p=wion Bute. 00/30/2023
CITY: Glenwood	Springs	_		
STATE: CO	ZIP: 81601		SIGNATURE: "Kaul Ry	gii
			TYPE OF TEST GAUGE: V	
			TEST GAUGE SERIAL NU	
		·	LAST CALIBRATION DAT	E: 02/2022

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/18/23 Time: AM			
Company: The Romero Group, LLC		Contact:	
Department:		Phone #:	
Mailing Address: 350 Market Street, Suite 304, PO	Box 4100	Thone #.	
City: Basalt		State: CO	Zip: 81621
The cross-connection control daviage detailed by			
The cross-connection control device detailed her State of Colorado, and is certified to comply with	ron has been tested a high these regulations.	nd maintained as required	by the regulations of the
Device Address: 133 Juniper Trail - Shadowrock	1	Location: Fire Protection	Donate at land Control
Device Manufacture: Wilkins		Orientation: Horizontal	Protection: Containment
Serial #: 2876034		Device Model: 975XL	New ☐ Existing ⊠ Size: 1.25"
		Account #:	Size: 1.25"
INITIAL TEST Passed	Line Pressure	e 105 PSI	
INSTALLATION: Meets State/Local Standar	ds 🛛 Fail	s State/Local Standards	
INADEQUATE DRAIN: Yes If yes, size of drain	. Explanation:		
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	DDECCLIDE	WA CHILL CORP.
☐ DOUBLE CHECK ASSEMBLY	]	PRESSURE	VACUUM BREAKER
FIRST CHECK SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight Closed Tight C	OPENED	Opened	Closed
R/P 7.8 PSID 2.9 PSID	AT	at	Tight
Leaked Leaked	PSID 3.0	PSID	PSID
	-REPAIRS MADE		
	·		
	ST AFTER REPAIRS		
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	PRESSURE V	ACUUM BREAKER
DOUBLE CHECK ASSEMBLY			
FIRST CHECK SECOND CHECK  Closed Tight  Closed Tight		AIR INLET	CHECK VALVE
Closed Tight Closed Tight PSID PSID	OPENED	Opened	Closed
Leaked Leaked Leaked	AT	at	Tight 🔲
	PSID	PSID	PSID
The above is certified to be true:		CERTIFIED TESTER	
COMPANY: Fire Sprinkler Services, Inc.		NO: 8159 Certification Ex	initiation Date: 06/30/2025
ADDRESS: 0241 Mel Ray Road		NAME: Karl E. Roggie	spiration Date. 00/30/2023
CITY: Glenwood Springs	_		
STATE: CO ZIP: 81601		SIGNATURE: "Kal Ry	zů.
		TYPE OF TEST GAUGE: V	
		TEST GAUGE SERIAL NU	
		LAST CALIBRATION DAT	TE: 02/2022

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/18/23 Time: AM	
Company: The Romero Group, LLC	Contact:
Department:	Phone #:
Mailing Address: 350 Market Street, Suite 304, PO Box 4100	$T$ HOILO $\pi$ .
City: Basalt	State: CO Zip: 81621
The cross connection control 1.	
State of Colorado, and is certified to comply with these reg	n tested and maintained as required by the regulations of the ulations.
Device Address: 133 Juniper Trail - Shadowrock	Location D
Device Manufacture: Watts	Location: Domestic Protection: Containment Orientation: Horizontal New ☐ Existing ☑
Serial #: A21861	Existing [7]
	Device Model: 007M1QT Size: 1" Account #:
	Axeount II.
	ne Pressure 80 PSI
INSTALLATION: Meets State/Local Standards ⊠	Fails State/Local Standards
INADEQUATE DRAIN: Yes If yes, size of drain . Exp	planation:
☐ REDUCED PRESSURE ASSEMBLY RELIE	F VALVE PRESSURE VACIUM BREAVER
☑ DOUBLE CHECK ASSEMBLY	F VALVE PRESSURE VACUUM BREAKER
FIRST CHECK SECOND CHECK	AIR INLET CHECK VALVE
Closed Tight Closed Tight OP	EMED
R/P 2.2 PSID 2.1 PSID	Closed
Leaked PSIT	
-REPAII	RS MADE-
TEST AFTER	REPAIRS
REDUCED PRESSURE ASSEMBLY RELIEF	VALVE PRESSURE VACUUM BREAKER
DOUBLE CHECK ASSEMBLY FIRST CHECK SECOND CHECK	
Closed Tight Cl. 1511	
P/P PSID	NED Opened Closed
Looked C	at Tight 🗌
FSID	PSID PSID
he above is certified to be true:	CERTIFIED TESTER
COMPANY: Fire Sprinkler Services, Inc.	NO: 8159 Certification Expiration Date: 06/30/2025
ADDRESS: 0241 Mel Ray Road	NAME: Karl E. Roggie
CITY: Glenwood Springs	
STATE: CO ZIP: 81601	SIGNATURE Karl Roger
	TYPE OF TEST GAUGE: Wilkins 845
	TEST GAUGE SERIAL NUMBER: 10081223
	LAST CALIBRATION DATE: 02/2022

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/17/23 Time: PM			
Company: The Romero Group, LLC	<del></del>	Contact	
Department:	· · · · · · · · · · · · · · · · · · ·	Contact: Phone #:	
Mailing Address: 350 Market Street, Suite 304, PO	Box 4100	rnone #;	
City: Basalt		State: CO	Zip: 81621
The gross connection and 11 to 1 to 1			
The cross-connection control device detailed he State of Colorado, and is certified to comply with	ron has been tested a threat the threat thre	nd maintained as required l	by the regulations of the
Device Address: 134 Juniper Trail - Shadowrock		Location: Fire Protection	Durate of Co.
Device Manufacture: Wilkins		Orientation: Horizontal	Protection: Containment
Serial #: 2947167		Device Model: 975XL	New Existing Size: 1.25"
		Account #:	S126, 1,23
INITIAL TEST Passed	Line Pressure	OF DCI	
	·		
2000 Standar		s State/Local Standards	
INADEQUATE DRAIN: Yes If yes, size of drain	n Explanation:		
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	PRESSURE V	ACUUM BREAKER
DOUBLE CHECK ASSEMBLY		AIR INLET	
FIRST CHECK SECOND CHECK  Closed Tight  Closed Tight		AIRINLEI	CHECK VALVE
Closed Tight ⊠   Closed Tight ⊠   R/P 8.2 PSID   2.5 PSID	OPENED	Opened	Closed
Leaked Leaked Leaked	AT	at	Tight □
Leaked	PSID 2.3	PSID	PSID
	-REPAIRS MADE	-	
	EST AFTER REPAIRS		
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	PRESSURE V	ACUUM BREAKER
DOUBLE CHECK ASSEMBLY FIRST CHECK SECOND CHECK		AIR INLET	CHECK VALVE
C1	O D VIII VIII VIII VIII VIII VIII VIII V		CHECK VALVE
Closed Tight Closed Tight R/P PSID PSID	OPENED	Opened	Closed
Leaked Leaked Leaked	AT PSID	at	Tight 🗌
	FSID	PSID	PSID
COMPANY F: Control of the control of		CERTIFIED TESTER	
COMPANY: Fire Sprinkler Services, Inc.		NO: 8159 Certification Ex	piration Date: 06/30/2025
ADDRESS: 0241 Mel Ray Road		NAME: Karl E. Roggie	
CITY: Glenwood Springs		2/ 1.0	
STATE: CO ZIP: 81601		SIGNATURE: "Kal Ry	şu
		TYPE OF TEST GAUGE: W	Vilkins 845
		TEST GAUGE SERIAL NUI	
		LAST CALIBRATION DAT	
		ELLI CILIBITATION DAT	E. UZ/ZUZZ

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/17/23	Time: PM			
Company: The Rom	ero Group, LLC		Contact:	
Department:			Phone #:	
City David	0 Market Street, Suite 304, PO	Box 4100		
City: Basalt			State: CO	Zip: 81621
The cross-connection State of Colorado, a	on control device detailed he and is certified to comply with	ron has been tested and th these regulations.	d maintained as required	by the regulations of the
	Juniper Trail - Shadowrock		ocation: Domestic	
Device Manufacture	: Watts		rientation: Horizontal	Protection: Containment
Serial #: A21833			evice Model: 007M1QT	New Existing X
			count #:	Size: 1"
		A	Count #.	
	FIAL TEST Passed	Line Pressure	70 PSI	
INSTALLATION:	Meets State/Local Standar		State/Local Standards	
	IN: Yes 🔲 If yes, size of drain	n . Explanation:		
REDUCED I	PRESSURE ASSEMBLY	RELIEF VALVE	□ PRESSURE V	VACUUM BREAKER
	CHECK ASSEMBLY	]		ACOUM BREAKER
FIRST CHECK	SECOND CHECK	<u>L</u>	AIR INLET	CHECK VALVE
Closed Tight 🛛	Closed Tight 🛛	OPENED	Opened	Closed
R/P 1.3 PSID Leaked	2.0 PSID	AT	at	Tight
Leaked	Leaked	PSID	PSID	PSID
		-REPAIRS MADE-		
	TE RESSURE ASSEMBLY	EST AFTER REPAIRS		
DOUBLE	CHECK ASSEMBLY	RELIEF VALVE	☐ PRESSURE V	ACUUM BREAKER
FIRST CHECK	SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight	Closed Tight	ODENED		
R/P PSID	PSID	OPENED AT	Opened	Closed
Leaked	Leaked	PSID	at PSID	Tight
1 1 1 1 1 1		1010	TSID	PSID
he above is certified to be tr			CERTIFIED TESTER	
COMPANY: Fire Spi		_N	O: 8159 Certification Ex	piration Date: 06/30/2025
ADDRESS: 0241 M	lel Ray Road		AME: Karl E. Roggie	
CITY: Glenwoo	od Springs	. —		
STATE: CO	ZIP: 81601	, a	GNATURE: "Kal Ry	: •\$46
			COLUMN TOTAL	
			YPE OF TEST GAUGE: V	
		<u>T</u>	EST GAUGE SERIAL NU	MBER: 10081223
		_ <u>L</u> .	AST CALIBRATION DAT	E: 02/2022

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/18/23	Time: AM			
Company: The Romero	Group, LLC		Contact:	
Department:			Phone #:	
Mailing Address: 350 M	larket Street, Suite 304, PO	Box 4100		
City: Basalt			State: CO	Zip: 81621
The cross-connection of	ontrol device detailed has	non hoa hoan taata 1	1	
State of Colorado, and i	is certified to comply with	ton has been tested and these regulations.	nd maintained as required	by the regulations of the
Device Address: 135 Jur	niper Trail - Shadowrock	ĭ	ocation: Fire Protection	70
Device Manufacture: Wi	ilkins		rientation: Horizontal	Protection: Containment
Serial #: 4364683			evice Model: 975XL2	New ☐ Existing ☒ Size: 1.25"
			ccount #:	Size. 1.23
Th TITTOY 4 Y				
INITIAI	L TEST Passed	Line Pressure	95 PSI	
INSTALLATION:	Meets State/Local Standar	ds 🛛 Fails	State/Local Standards	
	Yes If yes, size of drain	. Explanation:		
REDUCED PRE	SSURE ASSEMBLY	RELIEF VALVE	DPESSIDE V	VACUUM BREAKER
DOUBLE CH	ECK ASSEMBLY			VACUUM BREAKER
FIRST CHECK	SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight	Closed Tight 🛛	OPENED	Opened	Closed
R/P 7.7 PSID Leaked	2.5 PSID	AT	at	Tight [
Leakeu	Leaked	PSID 2.9	PSID	PSID
		-REPAIRS MADE-		. :
	TE	ST AFTER REPAIRS		
☐ REDUCED PRES	SSURE ASSEMBLY	RELIEF VALVE	DDECGUER	· · · · · · · · · · · · · · · · · · ·
DOUBLE CHE	ECK ASSEMBLY	KEELEL VALVE	PRESSURE V	ACUUM BREAKER
FIRST CHECK	SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight	Closed Tight	OPENED	Opened	Closed
R/P PSID	PSID	AT	at	Tight
Leaked	Leaked	PSID	PSID	PSID
The above is certified to be true:				TOID
COMPANY: Fire Sprinkl	er Services Inc		CERTIFIED TESTER	
				xpiration Date: 06/30/2025
		_1	NAME: Karl E. Roggie	
CITY: Glenwood S			v · s	
STATE: CO	ZIP: 81601		SIGNATURE: "Karl Ry	zu
			TYPE OF TEST GAUGE: V	Wilkins 845
			EST GAUGE SERIAL NU	
		_ <u></u>	AST CALIBRATION DAT	E: 02/2022

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/18/23	Time: AM			
Company: The Rome	ro Group, LLC		Contact:	
Department:			Phone #:	
Mailing Address: 350	Market Street, Suite 304, PO	Box 4100		
City: Basalt			State: CO	Zip: 81621
The cross-connection State of Colorado, an	n control device detailed her	on has been tested and h these regulations.	maintained as required	by the regulations of the
Device Address: 135 Device Manufacture:	Juniper Trail - Shadowrock		ation: Domestic	Protection: Containment
Serial #: A21891	Watts		ntation: Horizontal	New Existing
			ice Model: 007M1QT	Size: 1"
		Acc	ount #:	
	IAL TEST Passed	Line Pressure 85	PSI	
INSTALLATION:	Meets State/Local Standard		ate/Local Standards	
	N: Yes If yes, size of drain	. Explanation:		
REDUCED P	RESSURE ASSEMBLY	RELIEF VALVE	☐ PRESSURE V	ACUUM BREAKER
<u></u> ■ DOUBLE (	CHECK ASSEMBLY			
FIRST CHECK	SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight ⊠ R/P 2.0 PSID	Closed Tight ⊠ 1.7 PSID	OPENED	Opened	Closed
Leaked	Leaked	AT	at	Tight □
	Leaked	PSID	PSID	PSID
		-REPAIRS MADE-		·
	TE	ST AFTER REPAIRS		
		SI AITEK KEPAIKS		
REDUCED PR	RESSURE ASSEMBLY	RELIEF VALVE	☐ PRESSURE V	ACUUM BREAKER
FIRST CHECK	HECK ASSEMBLY SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight	Closed Tight	OPENED	Opened	
R/P PSID	PSID	AT	at	Closed
Leaked	Leaked	PSID	PSID	Tight  PSID
The above is certified to be tru	e:		CERTIFIED TESTER	FSID
COMPANY: Fire Spri	nkler Services, Inc.			
· · · · · · · · · · · · · · · · · · ·	l Ray Road			piration Date: 06/30/2025
CITY: Glenwood		_ <u>NA</u>	ME: Karl E. Roggie	
STATE: CO	ZIP: 81601	SIC	NATURE: "Kal Roy	; Su
		·	PE OF TEST GAUGE: W	Jilking 845
			ST GAUGE SERIAL NUI	
		LA	ST CALIBRATION DAT	E: 02/2022

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

	•			
Date: 1/18/23	Time: PM			
Company: The Romer	o Group, LLC		Contact:	
Department:			Phone #:	
Mailing Address: 350	Market Street, Suite 304, PO	Box 4100	Thone #.	
City: Basalt			State: CO	Zip: 81621
The cross-connection	control device details 4 learn	. 1 1		
State of Colorado, and	control device detailed her d is certified to comply with	on has been tested a these regulations.	and maintained as required l	by the regulations of the
Device Address: 136 J	uniper Trail - Shadowrock		Location: Fire Protection	Protoctions Court
_Device Manufacture: \	Wilkins		Orientation: Horizontal	Protection: Containment  New   Existing
Serial #: 2853452			Device Model: 975XL	Size: 1.25"
			Account #:	5120. 1.25
INITI	AL TEST Passed	Line Pressure	e 110 PSI	
INSTALLATION:	Meets State/Local Standard		s State/Local Standards	
	: Yes If yes, size of drain	. Explanation:		
REDUCED PR	ESSURE ASSEMBLY	RELIEF VALVE	PRESSURE V	ACUUM BREAKER
FIRST CHECK	HECK ASSEMBLY			
Closed Tight 🛛	SECOND CHECK		AIR INLET	CHECK VALVE
R/P 7.9 PSID	Closed Tight  2.8 PSID	OPENED	Opened	Closed
Leaked	Leaked $\square$	AT PSID 2.5	at	Tight 🔲
	, =====================================	FSID 2.3	PSID	PSID
	·	-REPAIRS MADE	<b>)-</b>	
		ST AFTER REPAIRS		
REDUCED PR	ESSURE ASSEMBLY	RELIEF VALVE	PRESSURE V	ACUUM BREAKER
FIRST CHECK	HECK ASSEMBLY		AIR INLET	
Closed Tight	SECOND CHECK Closed Tight	0.553.755		CHECK VALVE
R/P PSID	PSID	OPENED	Opened	Closed
Leaked [	Leaked	AT PSID	at	Tight 🔲
71 1		TOID	PSID	PSID
The above is certified to be true			CERTIFIED TESTER	
COMPANY: Fire Sprin			NO: 8159 Certification Exp	oiration Date: 106/30/2025
ADDRESS: 0241 Mel			NAME: Karl E. Roggie	
CITY: Glenwood	Springs			
STATE: CO	ZIP: 81601		SIGNATURE: Karl Ray	şû.
	•		TYPE OF TEST GAUGE: W	Vilking 845
			TEST GAUGE SERIAL NUM	
		,	LAST CALIBRATION DATI	E: 02/2022

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/18/23		Time: PM	· · · · · · · · · · · · · · · · · · ·			
Company: Th Department:	e Romero	Group, LLC			Contact:	
Mailing Addr	250 M	-1-+ Ct			Phone #:	
City: Basalt	ess. 330 IVI	arket Street, Suite 304, PO	Box 4100			
_City. Dasait					State: CO	Zip: 81621
The cross-con State of Color	nection cado, and	ontrol device detailed he is certified to comply with	ron has been tested th these regulations	and m	naintained as required	by the regulations of the
_Device Addre	ss: 136 Jur	iper Trail - Shadowrock		Locat	tion: Domestic	Durata at a C
_Device Manuf	facture: Wa	atts			itation: Horizontal	Protection: Containment  New   Existing
Serial #: A218	338				ce Model: 007M1QT	New Existing Size: 1"
				Acco	unt #:	Size. 1
	INITIAI	L TEST Passed	Line Pressi	re 60	PSI	
INSTALLATIO	N:	Meets State/Local Standar	_			
				iiis Sta	te/Local Standards	
		Yes If yes, size of drain	n Explanation	:		
REDU	CED PRE	SSURE ASSEMBLY	RELIEF VALV	Έ	☐ PRESSURE V	ACUUM BREAKER
FIRST CH	IECK	ECK ASSEMBLY SECOND CHECK			AIR INLET	CHECK VALVE
Closed Tight		Closed Tight 🛛	OPENED		Opened	
R/P 1.8 PSID		2.0 PSID	AT		at	Closed
Leaked		Leaked	PSID		PSID	Tight ☐ PSID
			-REPAIRS MAD	DE-		
			EST AFTER REPAIR	S		
REDUC	CED PRES	SURE ASSEMBLY	RELIEF VALV	E	☐ PRESSURE V	ACUUM BREAKER
FIRST CH		ECK ASSEMBLY			AIR INLET	CHECK VALVE
Closed Tight		SECOND CHECK Closed Tight	OPEN IPP			CHECK VALVE
R/P PSII		PSID	OPENED		Opened	Closed
Leaked		Leaked	AT PSID	.	at PSID	Tight 🔲
			1010		PSID	PSID PSID
he above is certified				C	CERTIFIED TESTER	
		er Services, Inc.		NO:	8159 Certification Ex	piration Date: 06/30/2025
	241 Mel R				ME: Karl E. Roggie	
_	lenwood S				2	
STATE: C	0	ZIP: 81601		SIG	NATURE: "Karl Roy	şu .
				_TYP	E OF TEST GAUGE: W	Vilkins 845
					T GAUGE SERIAL NUI	
					T CALIBRATION DAT	

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/18/23 Time: AM			
Company: The Romero Group, LLC		Contact:	
Department:		Phone #:	
Mailing Address: 350 Market Street, Suite 304, PO	Box 4100	1 2000 11,	
City: Basalt		State: CO	Zip: 81621
The cross-connection control device detailed has	wan laas ta aa ta aa aa		
The cross-connection control device detailed her State of Colorado, and is certified to comply wit	ron has been tested an h these regulations.	d maintained as required	by the regulations of the
Device Address: 137 Juniper Trail - Shadowrock	Ĭ	ocation: Fire Protection	D 4 4 5
Device Manufacture: Wilkins		rientation: Horizontal	Protection: Containment
Serial #: 2876020		evice Model: 975XL	New Existing Size: 1.25"
		count #:	Size. 1.23
INITIAL TEST Passed	Line Pressure	100 PSI	
INSTALLATION: Meets State/Local Standard	ds 🛛 Fails	State/Local Standards	
INADEQUATE DRAIN: Yes 🔲 If yes, size of drain	. Explanation:		
☑ REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	DDECCIDE	IA CYLLINA DDELAYED
DOUBLE CHECK ASSEMBLY			VACUUM BREAKER
FIRST CHECK SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight Closed Tight Closed Tight	OPENED	Opened	Closed
R/P 8.3 PSID  Leaked  Leaked	AT	at	Tight [
Leaked Leaked Leaked	PSID 2.8	PSID	PSID
	-REPAIRS MADE-		·
TE	ST AFTER REPAIRS		
☐ REDUCED PRESSURE ASSEMBLY ☐ DOUBLE CHECK ASSEMBLY	RELIEF VALVE	PRESSURE V	ACUUM BREAKER
FIRST CHECK SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight Closed Tight Closed Tight	ODENED		
R/P PSID PSID	OPENED AT	Opened	Closed
Leaked Leaked Leaked	PSID	at PSID	Tight DCID
he above is certified to be true:			PSID
COMPANY: Fire Sprinkler Services, Inc.		CERTIFIED TESTER	
	<u>_N</u>	O: 8159 Certification Ex	piration Date: 06/30/2025
ADDRESS: 0241 Mel Ray Road	N	AME: Karl E. Roggie	
CITY: Glenwood Springs		iv .	
STATE: CO ZIP: 81601	S	IGNATURE: "Kal Ry	su
		YPE OF TEST GAUGE: V	Vilkins 845
		EST GAUGE SERIAL NU	
		The state of the s	
	_ 1/-	AST CALIBRATION DAT	E: 02/2022

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/18/23 Time: AM			
Company: The Romero Group, LLC		Contact:	
Department:		Phone #:	
Mailing Address: 350 Market Street, Suite 304, PO E	Box 4100		
City: Basalt		State: CO	Zip: 81621
The cross-connection control device detailed here State of Colorado, and is certified to comply with	on has been tested and i	maintained as required	by the regulations of the
with	these regulations.		
Device Address: 137 Juniper Trail - Shadowrock	Loca	ation: Domestic	Duoto etiana Cart
Device Manufacture: Watts		ntation: Horizontal	Protection: Containment New  Existing
Serial #: A21907		ice Model: 007M1QT	Size: 1"
		ount #:	SIEC. I
INITIAL TEST Passed	Line Pressure 85	PSI	
INSTALLATION: Meets State/Local Standards	Fails Sta	ate/Local Standards	
INADEQUATE DRAIN: Yes If yes, size of drain	. Explanation:		
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	PRESSURE	VACUUM BREAKER
□ DOUBLE CHECK ASSEMBLY			VACUUM BREAKER
FIRST CHECK SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight Close	OPENED	Opened	Closed
2.0 1 512	AT	at	Tight [
Leaked Leaked	PSID	PSID	PSID
	-REPAIRS MADE-		
	· · · · · · · · · · · · · · · · · · ·		
TES	T AFTER REPAIRS		
☐ REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	DDECOMP	
DOUBLE CHECK ASSEMBLY	KELIEF VALVE	PRESSURE \	ACUUM BREAKER
FIRST CHECK SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight Closed Tight	OPENED	Opened	
R/P PSID PSID	AT	at	Closed Tight □
Leaked Leaked Leaked	PSID	PSID	PSID
he above is certified to be true:		OFDIFIED BEGIND	1000
COMPANY: Fire Sprinkler Services, Inc.	·	CERTIFIED TESTER	
ADDRESS: 0241 Mel Ray Road			xpiration Date: 06/30/2025
CITY: Glenwood Springs	_NA	ME: Karl E. Roggie	
0.77		NATURE: Karl R.	
STATE: CO ZIP: 81601			
	_TYI	PE OF TEST GAUGE: Y	Wilkins 845
	TES	T GAUGE SERIAL NU	MBER: 10081223
		T CALIBRATION DAT	

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/19/23	Times AM			
Company: The Romero	Group LLC	· · · · · · · · · · · · · · · · · · ·		
Department:	Gloup, LLC		Contact:	
	larket Street, Suite 304, PO	D 4100	Phone #:	
City: Basalt	tarket Street, Suite 304, PO	B0X 4100		
City. Dasait			State: CO	Zip: 81621
The cross-connection c	ontrol device detailed her	on has been tested an	d maintained as required b	by the regulations of the
State of Colorado, and	is certified to comply wit	h these regulations.		,
Device Address: 140 Jun	niper Trail - Shadowrock	Ţ	ocation: Fire Protection	Protection: Containment
Davice Manufactures Willeins				
Serial #: 2947155			evice Model: 975XL	New Existing Size 1.25"
	· · · · · · · · · · · · · · · · · · ·		ccount #:	Size: 1.25"
		7.0	ccount #.	
INITIA	L TEST Passed	Line Pressure	115 PSI	
INSTALLATION:	Meets State/Local Standar	ds 🛛 Fails	State/Local Standards	
INADEQUATE DRAIN:	Yes If yes, size of drain	. Explanation:		
REDUCED PRE	ESSURE ASSEMBLY	RELIEF VALVE	PRESSURE V	ACUUM BREAKER
	IECK ASSEMBLY			
FIRST CHECK	SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight 🛛	Closed Tight 🔀	OPENED	Opened	Closed
R/P 8.3 PSID	2.7 PSID	AT	at	Tight
Leaked	Leaked	PSID 2.4	PSID	PSID
		-REPAIRS MADE-		
	TE	EST AFTER REPAIRS		
		———————		
	SSURE ASSEMBLY	RELIEF VALVE	☐ PRESSURE V	ACUUM BREAKER
DOUBLE CH FIRST CHECK	ECK ASSEMBLY		AIR INLET	CHECK VALVE
Closed Tight	SECOND CHECK	OPENED		
R/P PSID	Closed Tight PSID	OPENED	Opened	Closed
Leaked		AT	at	Tight □
Leaked	Leaked	PSID	PSID	PSID
The above is certified to be true:			CERTIFIED TESTER	
COMPANY: Fire Sprink	der Services, Inc.	]		piration Date: 06/30/2025
ADDRESS: 0241 Mel	Ray Road	_	NAME: Karl E. Roggie	phanon Date: 00/30/2023
CITY: Glenwood	Springs		17/	·
STATE: CO	ZIP: 81601	_	SIGNATURE: "Karl Roy	<del>g</del> u
			TYPE OF TEST GAUGE: V	Vilkins 845
			TEST GAUGE SERIAL NU	
			LAST CALIBRATION DAT	· · · · · · · · · · · · · · · · · · ·

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/19/23 Time:			
Company: The Romero Group, LLC		Contact:	
Department:		Phone #:	
Mailing Address: 350 Market Street, Suite 304, PO	Box 4100		
City: Basalt	-	State: CO	Zip: 81621
The cross-connection control device detailed her State of Colorado, and is certified to comply with	ron has been tested and r	naintained as required	by the regulations of the
	_		
Device Address: 140 Juniper Trail - Shadowrock Device Manufacture: Watts		tion: Domestic	Protection: Containment
Serial #: A21888		ntation: Horizontal	New Existing 🛛
5011dx 11. 1121000		ce Model: 007M1QT	Size: 1"
	Acco	ount #:	
INITIAL TEST Passed	Line Pressure 75	PSI	
INSTALLATION: Meets State/Local Standar	ds 🛛 Fails Sta	ite/Local Standards 🗌	
INADEQUATE DRAIN: Yes 🔲 If yes, size of drain	. Explanation:		
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	DDECCLIDE	VACUUM BREAKER
DOUBLE CHECK ASSEMBLY	]		ACUUM BREAKER
FIRST CHECK SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight Closed Tight C	OPENED	Opened	Closed
R/P 1.5 PSID 1.8 PSID	AT	at	Tight
Leaked Leaked Leaked	PSID	PSID	PSID
	-REPAIRS MADE-		
	ST AFTER REPAIRS		
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	☐ PRESSURE V	ACUUM BREAKER
DOUBLE CHECK ASSEMBLY FIRST CHECK SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight Closed Tight	OPENED	Opened	Closed
R/P PSID PSID	AT	at	Tight
Leaked Leaked Leaked	PSID	PSID PSID	PSID
The above is certified to be true:  COMPANY: Fire Sprinkler Services, Inc.		CERTIFIED TESTER	
	<del></del>		xpiration Date: 06/30/2025
	<u>NA</u>	ME: Karl E. Roggie	
CITY: Glenwood Springs STATE: CO ZIP: 81601	SIC	NATURE Kal Ry	
	<del></del>		
		PE OF TEST GAUGE: V	
		T GAUGE SERIAL NU	
	_LAS	ST CALIBRATION DAT	E: 02/2022

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/19/23	Time: PM			
Company: The Romero Group, LLC			Contact:	
Department:			Phone #:	
Mailing Address: 350 M	larket Street, Suite 304, PO	Box 4100		
City: Basalt			State: CO	Zip: 81621
The cross-connection c	ontrol device detailed he	ron has been tested a	and maintained as required b	by the regulations of the
State of Colorado, and	is certified to comply wit	th these regulations.		
Device Address: 141 Jui	niper Trail - Shadowrock		Location: Fire Protection	Protostion: Contains
Device Manufacture: Wilkins			Orientation: Horizontal	Protection: Containment New  Existing
Serial #: 2876021		Device Model: 975XL Size: 1.25"		
		Account #:		
INITIA	L TEST Passed	Line Pressur	re 100 PSI	
INSTALLATION:	Meets State/Local Standar	uda ⊠		
			ls State/Local Standards	
	Yes If yes, size of drain	n . Explanation:		
	ESSURE ASSEMBLY	RELIEF VALVI	☐ PRESSURE V	ACUUM BREAKER
	ECK ASSEMBLY		AIR INLET	
FIRST CHECK	SECOND CHECK		AIR INLET	CHECK VALVE
Closed Tight R/P 8.3 PSID	Closed Tight ⊠	OPENED	Opened	Closed
Leaked	2.6 PSID Leaked $\square$	AT	at	Tight 🗌
Leaked	Leaked	PSID 2.3	PSID	PSID
		-REPAIRS MADI	Ξ-	
	Tì	EST AFTER REPAIRS	S	
	SSURE ASSEMBLY	RELIEF VALVE	PRESSURE V	ACUUM BREAKER
	ECK ASSEMBLY		AIR INLET	CHECK VALVE
FIRST CHECK	SECOND CHECK			CHECK VALVE
Closed Tight \bigcap R/P PSID	Closed Tight	OPENED	Opened	Closed
Leaked	PSID Leaked	AT	at	Tight 🗌
	Leakeu	PSID	PSID	PSID
The above is certified to be true:			CERTIFIED TESTER	
COMPANY: Fire Sprinkler Services, Inc.			NO: 8159 Certification Expiration Date: 06/30/2025	
ADDRESS: 0241 Mel Ray Road			NAME: Karl E. Roggie	
CITY: Glenwood	Springs		12/	
STATE: CO	ZIP: 81601	$\mathbf{v}_{i}$	SIGNATURE: Karl Roggie	
			TYPE OF TEST GAUGE: Wilkins 845	
			TEST GAUGE SERIAL NUMBER: 10081223	
			LAST CALIBRATION DATE: 02/2022	
			LASI CALIBRATION DA	E. UZ/ZUZZ

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/19/23 Time: PM				
Company: The Romero Group, LLC		Contact:		
Department:		Phone #:		
Mailing Address: 350 Market Street, Suite 304, PO	Box 4100			
City: Basalt		State: CO	Zip: 81621	
The cross-connection control device detailed her State of Colorado, and is certified to comply with	on has been tested and h these regulations.	maintained as required	by the regulations of the	
Device Address: 141 Juniper Trail - Shadowrock	Loc	ation: Domestic	Duncturations C	
Device Manufacture: Watts		Location: Domestic         Protection: Containment           Orientation: Horizontal         New ☐ Existing ☒		
Serial #: A21866	Device Model: 007M1QT Size: 1"			
	Account #:			
INITIAL TEST Passed	Line Pressure 65	5 PSI		
INSTALLATION: Meets State/Local Standard	ds 🛛 Fails St	ate/Local Standards		
INADEQUATE DRAIN: Yes   If yes, size of drain	. Explanation:			
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	☐ PRESSURE	VACUUM BREAKER	
☑ DOUBLE CHECK ASSEMBLY				
FIRST CHECK SECOND CHECK Closed Tight   Closed Tig		AIR INLET	CHECK VALVE	
Closed Tight ⊠   Closed Tight ⊠   R/P 2.1 PSID   2.2 PSID	OPENED	Opened	Closed	
Leaked Leaked Leaked	AT PSID	at	Tight 🔲	
		PSID	PSID	
	-REPAIRS MADE-			
	· · · · · · · · · · · · · · · · · · ·			
TE	ST AFTER REPAIRS			
☐ REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	PRESSURE	ACUUM BREAKER	
☐ DOUBLE CHECK ASSEMBLY				
FIRST CHECK SECOND CHECK		AIR INLET	CHECK VALVE	
Closed Tight Closed Tight Closed Tight	OPENED	Opened	Closed	
R/P PSID PSID Leaked ☐ Leaked ☐	AT	at	Tight □	
Leaked Leaked	PSID	PSID	PSID	
The above is certified to be true:		CERTIFIED TESTER		
COMPANY: Fire Sprinkler Services, Inc.	NO		eniration Data: 06/20/2025	
ADDRESS: 0241 Mel Ray Road		NO: 8159 Certification Expiration Date: 06/30/2025  NAME: Karl E. Roggie		
CITY: Glenwood Springs		· · · · · · · · · · · · · · · · · · ·		
STATE: CO ZIP: 81601 SIGNATURE: "Karl Roggie				
	•	TYPE OF TEST GAUGE: Wilkins 845		
TEST GAUGE SERIAL NUMBE				
		ST CALIBRATION DAT		
	LA	OT CALIDICATION DA	IE. UZ/ZUZZ	

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

D-4 1/06/00					
Date: 1/26/23 Time: PM					
Company: The Romero Group, LLC		Contact:			
Department:		Phone #:			
Mailing Address: 350 Market Street, Suite 304, PO City: Basalt	Box 4100				
City. Dasait		State: CO	Zip: 81621		
The cross-connection control device detailed he State of Colorado, and is certified to comply with	ron has been tested and nath these regulations.	naintained as required	by the regulations of the		
Device Address: 142 Juniper Trail - Shadowrock	Loca	tion: Fire Protection	Protection: Containment		
Device Manufacture: Wilkins	Orientation: Horizontal New Existing				
Serial #: 2947094	Device Model: 975XL Size: 1.25"				
	Acco	unt #:			
INITIAL TEST Passed	Line Pressure 10:	5 PSI			
INSTALLATION: Meets State/Local Standar	ds 🛮 Fails Sta	te/Local Standards			
INADEQUATE DRAIN: Yes If yes, size of drain	n . Explanation:				
REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	PRESSURE	VACUUM BREAKER		
DOUBLE CHECK ASSEMBLY	]		VACOUM BREAKER		
FIRST CHECK SECOND CHECK		AIR INLET	CHECK VALVE		
Closed Tight Closed Tight C	OPENED	Opened	Closed		
R/P 8.1 PSID 2.4 PSID	AT	at	Tight [		
Leaked Leaked Leaked	PSID 2.3	PSID	PSID		
	-REPAIRS MADE-				
☐ REDUCED PRESSURE ASSEMBLY	EST AFTER REPAIRS				
DOUBLE CHECK ASSEMBLY	RELIEF VALVE	PRESSURE \	ACUUM BREAKER		
FIRST CHECK SECOND CHECK		AIR INLET	CHECK VALVE		
Closed Tight Closed Tight	OPENED	Opened	Closed		
R/P PSID PSID	AT	at	Tight		
Leaked Leaked	PSID	PSID	PSID		
The above is certified to be true:			TSID		
		CERTIFIED TESTER			
COMPANY: Fire Sprinkler Services, Inc.		NO: 8159 Certification Expiration Date: 06/30/2025			
ADDRESS: 0241 Mel Ray Road	_NA	ME: Karl E. Roggie			
CITY: Glenwood Springs		17/			
STATE: CO ZIP: 81601	NATURE: "Kail Roy	- gu			
<del></del>		SIGNITURE.			
TYPE OF TEST GAUGE: Wilkins 845					
TEST GAUGE SERIAL NUMBER: 10081223					
	_LAS	T CALIBRATION DA	ΓE: 02/2022		

0241 Mel Ray Road Glenwood Springs, CO 81601 Ph. (970) 928-9163 Fax (970) 928-8714 800-875-3105

Date: 1/26/23 Time: PM			
Company: The Romero Group, LLC		Contact:	
Department:		Phone #:	
Mailing Address: 350 Market Street, Suite 304, PO	Box 4100		
City: Basalt		State: CO	Zip: 81621
The cross-connection control device detailed her State of Colorado, and is certified to comply with	on has been tested and these regulations.	d maintained as required l	by the regulations of the
Device Address: 142 Juniper Trail - Shadowrock	i. L	ocation: Domestic	Protection: Containment
Device Manufacture: Watts			
Serial #: A21871	Device Model: 007M1QT Size: 1"		
		ccount #:	SIZC. I
INITIAL TEST Passed	Line Pressure	75 PSI	
INSTALLATION: Meets State/Local Standard	ds 🛛 Fails	State/Local Standards	
INADEQUATE DRAIN: Yes If yes, size of drain	. Explanation:		
☐ REDUCED PRESSURE ASSEMBLY	RELIEF VALVE	PRESSURE V	ACUUM BREAKER
DOUBLE CHECK ASSEMBLY		AIR INLET	
FIRST CHECK SECOND CHECK Closed Tight ☐ Closed Tight ☐	ODENED		CHECK VALVE
R/P 1.8 PSID 2.5 PSID	OPENED AT	Opened	Closed
Leaked Leaked Leaked	PSID	at PSID	Tight ☐ PSID
	-REPAIRS MADE-		1315
	ST AFTER REPAIRS		
☐ REDUCED PRESSURE ASSEMBLY ☐ DOUBLE CHECK ASSEMBLY	RELIEF VALVE	☐ PRESSURE V	ACUUM BREAKER
FIRST CHECK SECOND CHECK	X.	AIR INLET	CHECK VALVE
Closed Tight Closed Tight Closed Tight	OPENED	Opened	Closed
R/P PSID PSID	AT	at	Tight
Leaked Leaked Leaked	PSID	PSID	PSID
The above is certified to be true:		CERTIFIED TESTER	
COMPANY: Fire Sprinkler Services, Inc.	1		minution Detail 06/20/2025
ADDRESS: 0241 Mel Ray Road		NO: 8159 Certification Ex	piration Date: 06/30/2025
CITY: Glenwood Springs		NAME: Karl E. Roggie	
STATE: CO ZIP: 81601		SIGNATURE: "Karl Roy	şu .
	. <u>_</u> 1	TYPE OF TEST GAUGE: Wilkins 845 TEST GAUGE SERIAL NUMBER: 10081223 LAST CALIBRATION DATE: 02/2022	