

Fact Sheet

InLiven Probiotic Superfood

As far back as records take us, man has used the art of fermenting foods to improve the storage time and beneficial properties of foods.

Foods with short storage time, particularly the milk from camels, buffalo, goats, sheep and cows were fermented naturally to produce an acidic tasting food drink.

History suggests that some of the first yogurts were produced in goatskin bags, draped over the backs of camels in the hot deserts of North Africa. Temperatures reaching 40 C or 110 F were ideal for lactic acid producing bacteria to go to work. Since this period many races have fermented many types of foods in the need for developing new tastes and improving shelf life.

Fermented foods have a long history of nutritional and therapeutic benefits with many of the long-lived cultures around the world using some form of fermented foods to achieve longevity and maintain good health.

The famous Hunzas of Kashmir and the Georgians of the former Soviet Union, have been highlighted by their amazing history of longevity include fermented foods as a significant part of their diet.

Males of over 100 years participating in horse events such as polo, and women working in the farm fields at over 100 years, are not uncommon. Fermented foods such as yoghurt, fermented cheese, miso, tempeh and sauerkraut (fermented cabbage), provide beneficial bacteria to the digestive system, as long as they haven't been pasteurised.


There is a growing weight of scientific evidence that demonstrates fermented foods play a significant role in human health.

Health & Well-being in the Balance

It is generally accepted that the bacterial community resident in the human intestinal tract has a major impact on gastrointestinal function and thereby on human health and well-being.

Chronic diseases associated to modern lifestyle habits are usually related to immune system malfunction. By increasing the population of the beneficial lactobacillus bacteria, the health of the digestive system can be improved. A healthy intestinal tract should contain at least 85 percent of these 'friendly' bacteria to prevent over-colonisation of pathogenic, disease-causing micro-organisms.

Studies have also shown that maternal and neonatal diet may have long-lasting effects in the development of chronic adulthood diseases, such as insulin resistance, type 2 diabetes, obesity, dyslipidaemia, hypertension, and cardiovascular disease and have implicated the benefits of probiotics in the prevention of these diseases.



Interesting Human / Microorganism Facts

Microorganisms account for about 1 kilo of weight in our colon.

Bacteria make up around 60% of the dry mass of faeces.

The human body consisting of about 100 trillion cells, carries about ten times as many microorganisms in the intestines.

Medical Benefits of Probiotics

Medical research shows that probiotics:

- Improve digestion
- Increase nutrient assimilation
- Strengthen the immune system
- Increase resistance to yeast infections
- Manufacture B complex vitamins (biotin and vitamin K)
- Relieve symptoms of irritable bowel syndrome (IBS);
- Detoxify toxins and chemicals in gut
- Maintain correct pH balance in vaginal ecosystem
- Reduce high blood pressure
- Reduce cholesterol in the blood
- Produce cancer or tumour suppressing compounds
- Improve Autism and ADHD in children
- Protect liver function
- Decrease toxic overload from pathogenic bacteria
- May reduce risk of bowel cancer
- Assist elimination and detoxification
- Improve gastrointestinal wind
- Reduce symptoms of lactose intolerance
- Decrease the prevalence of allergies

However, to attain the health benefits attributed to Lactobacilli fermented foods, live active bacteria need to be consumed on a regular basis.

Dysbiosis Explained

Dysbiosis (when the bad guys outnumber the good guys)

Beneficial bacteria are essential for digestion and assimilation of nutrients and maintenance of the lining of the intestinal tract.

When the balance of bacteria is disrupted and harmful bacteria outnumber beneficial bacteria, this is called dysbiosis.

Dysbiosis is associated with increased gut permeability (leaky gut) and manifests in symptoms such as flatulence, bloating, diarrhoea or constipation, vomiting, reflux and colic (in infants).



Dysbiosis Warning Signs

Warning signs of dysbiosis (bacterial imbalance) may include:

- Allergies and food sensitivities
- Frequent colds, flu or infections
- Difficulty losing weight, sugar/carbohydrate craving
- Frequent fatigue, poor concentration
- Frequent constipation or diarrhoea
- Faulty digestion, acid reflux and other gut disorders
- Sleeping poorly, night sweats
- Painful joint inflammation, stiffness
- Bad breath, gum disease and dental problems
- Chronic yeast problems
- Acne, eczema, skin and foot fungus
- Extreme menstrual or menopausal symptoms

Dysbiosis Causes

Causes of dysbiosis (things that kills good bacteria)


The number of 'good' bugs in your digestive system can be imbalanced by a wide range of factors including:

- Excessive stress (both psychological and physical)
- Exposure to radiation
- Drinking fluoridated / chlorinated water
- Poor diet (low fibre, high fat, processed foods)
- Excessive alcohol consumption
- Carbonated drinks
- Antibiotic use
- Contraceptive pills
- Steroidal & hormonal drugs

4 Key Attributes of an Effective Probiotic

Not all probiotic supplements are created equal. An effective probiotic product should contain bacteria that can:

1. Maintain its high and active count through processing and storage until consumption.
2. Tolerate the acid conditions of the stomach.
3. Tolerate bile salts.
4. Increase its own numbers in the bowel and decrease the numbers of competing bacteria.



What's So Special About InLiven?

The Lactobacilli bacteria used in InLiven are the result of 20 years research.

Our unique lactobacilli bacteria have been subjected to a large number of stressors including heat, cold, chlorine, salt, alcohol and many preservatives found in food, resulting in a “super family” of very strong Lactobacilli unlike any others found in the world today.

The unique formulation provides the complete Lactobacillus family of 13 strains combined with 26 whole foods for 3 weeks prior to bottling.

During this three-week preparatory phase the formula is predigested by the lactobacilli in the same way it is in our own body. When consumed, the body is able to instantly assimilate the broad spectrum of nutrients.

InLiven is manufactured via a multi stage organic fermentation process using a mixed population of naturally occurring Lactobacilli bacteria and yeast.

The fermentation “pre-digests” the complex food & energy sources maximising the availability of nutrients and its energy value into an easily absorbed and utilised nutrient source. The organisms used in the fermentation may include:

LACTOBACILLUS FAMILY

1. Lactobacillus acidophilus
2. Lactobacillus brevis
3. Lactobacillus bulgaricus
4. Lactobacillus casei
5. Lactobacillus caucasicus
6. Lactobacillus delbreukii
7. Lactobacillus fermenti
8. Lactobacillus helveticus
9. Lactobacillus lactis
10. Lactobacillus leichmannii
11. Lactobacillus plantarum
12. Bifidobacterium bifidum
13. Bacillus coagulans

Spores are activated in the acidic environment of the stomach and begin germinating and proliferating in the intestine.

YEAST STRAINS

14. Saccharomyces boulardii
15. Saccharomyces cerevisiae

This process provides for successive fermentations such that competition effects contribute to selection of a dominant species ensuring high numbers of active, viable lactic acid bacteria are present which is supported by laboratory test reports for each batch.





Probiotics & Medical Conditions

Probiotics and Antibiotics

Probiotic supplementation is critical for the prevention of antibiotic-induced conditions (candida, urinary tract infections, and diarrhoea). Antibiotics destroy friendly gut bacteria along with the harmful bacteria.

Thus, taking probiotics after antibiotic therapy will restore gut flora to a healthy balance.

Lactic acid producing bacteria alter the pH of the large intestine, making it inhospitable to undesirable bacteria, moulds, mould spores and yeast, particularly Candida.

Probiotics and Autism

A medical study on probiotics for autism has proven so successful that the study 'failed', according to a New Scientist report on September 9, 2006. The study, by Prof Glenn Gibson at Reading University, UK, found that autistic children vastly improved their concentration and behaviour when given probiotics, or 'friendly bacteria'.

It involved 40 autistic children, aged 4 to 8, half of whom were given the probiotic bacteria *L. Plantanum* while the other half received a dummy 'probiotic'.

It was supposed to have been a blind study, where the participants were not told who were taking the actual probiotics and who were taking placebos or dummy medicine.

As part of this probiotics for autism study, parents were asked to record their children's mood and behaviour in a diary.


The results were too obvious. Parents whose autistic children were taking the actual probiotics saw such great improvements in their children's behaviour that they knew their children were taking the real thing.

Thus, problems arose during the 'crossover' point of this probiotics for autism study, where the two groups were supposed to switch medicines.

When it came time for the families to switch, the families who had been receiving the actual probiotics refused to change over to the placebo.

As a result the study experienced an astronomical drop-out rate that caused the study eventually to fail. Many of the parents whose children were taking the actual probiotics refused to make the switch as they wanted their autistic children to continue their improvement. One parent said it was "heartbreaking" to have to stop their child taking it.





Probiotics and Ageing

Recent studies suggest an association between inflammation status and the presence of chronic disease in the elderly. Probiotics might improve the inflammatory condition of the elderly.

Differences in the gut bacteria may be related to the progression of diseases and frailty in the elderly population. It appears possible to extend healthy aging and lifespan by manipulating the complex ecosystem of gut bacteria. Consumption of probiotics have been shown to improve the quality of life in the elderly.

Probiotics and Allergies / Eczema / Dermatitis

Gastrointestinal microflora dominated by lactic acid bacteria is crucial for the maturation and proper functioning of human immune system. There is very promising evidence to recommend the addition of probiotics for prevention and treatment of allergic diseases, especially atopic dermatitis.

Clinical improvement in allergic rhinitis and eczema has been reported too. Studies have also shown a significant risk reduction for atopic eczema in children aged 2-7 years by the administration of probiotics during pregnancy and demonstrated the efficacy of probiotics in the treatment of paediatric atopic dermatitis.

Probiotics and Anxiety / Depression

Research suggests that bacteria in the GI tract can communicate with the central nervous system. Probiotics could be proposed as a novel strategy as an adjuvant for psychiatric treatment of anxiety and depression.

Probiotics and Colon Cancer

Probiotics have the potential to impact significantly on the development, progression and treatment of colorectal cancer and may have a valuable role in cancer prevention. Studies point out the inverse relation between the consumption of probiotics and prebiotics in colon cancer diagnosis.


Probiotics and Cholesterol / Hypertension

Studies have shown that probiotics were found to improve certain metabolic disorders such as hypertension and that a diet rich in probiotics decreases total cholesterol and LDL cholesterol concentration in plasma for people with high, borderline high and normal cholesterol levels.

Probiotics and Infections

Lactobacillus acidophilus and Lactobacillus casei have demonstrated antibacterial activity of against methicillin-resistant Staphylococcus aureus (MRSA). Probiotics minimise the postoperative occurrence of infectious complications.

Probiotics may be beneficial for preventing acute upper respiratory tract infections and offer a potential new means to prevent urogenital infections and help maintain a healthy vaginal ecosystem.





Probiotics and Irritable Bowel Syndrome and other Gastrointestinal Diseases

Bacterial probiotic therapy shortens the duration of acute diarrhoeal illness in children. Probiotics may offer a safe and effective method to prevent travellers diarrhoea. Probiotic may be a safe and effective option for the relief of abdominal pain and bloating for patients with irritable bowel syndrome. Probiotic treatment is effective in maintaining remission in ulcerative colitis. It is probable that probiotics may be the future best treatment also for mild-to-moderate uncomplicated attacks of acute diverticulitis.

Probiotics and Leaky Gut / Food allergies

In modern society many of the beneficial necessary bacteria have been destroyed in the majority of people's digestive tract due to food intolerances, certain drug ingestion, bacterial/viral infections, modern lifestyle and stress. By promoting proper digestion of foods, friendly bacteria aid in preventing food allergies. If digestion is poor, the activity of intestinal bacteria on undigested food may lead to excessive production of histamine, which triggers allergic symptoms.

This leads to digestive problems and leaky gut, where the gut lining becomes inflamed.

This inflammation creates gaps in the gut wall which allows macro food particles and other foreign microbes to enter the body and create an immune response, resulting in allergies, further exacerbating food intolerances and possibly triggering autoimmune diseases. Probiotics decrease intestinal permeability and improve the ability to effectively digest, process, and absorb nutrients from foods.

Probiotics have been proven to enhance immunity, improve gut infections and reduce production of toxic by-products in the bowel.

Probiotics and Liver Function

Short-term oral supplementation with probiotics was associated with restoration of the bowel flora and greater improvement in alcohol-induced liver injury.


Probiotics and Obesity / Metabolic Syndrome

New findings explain how gut bacteria can be involved in the development, or control of, obesity and associated inflammation. The numbers of certain probiotic bacteria is inversely related to fat mass development, diabetes, and/or the low levels of inflammation associated with obesity. Future treatments for obesity may involve modulation of gut bacteria using probiotics.

Probiotics and Rheumatoid Arthritis

Treatment with *Bacillus coagulans*, a probiotic bacteria, appeared to be a safe and effective for patients suffering from rheumatoid arthritis.

See over the next few pages for 77 medical studies supporting the amazing health benefits of the ingredients in InLiven Probiotic Superfoods!



Probiotics and Well-being

1. Pro- and prebiotics--the tasty guardian angels? Simmering R, Blaut M. *Appl Microbiol Biotechnol*. 2001 Jan;55(1):19-28. Review.
2. Immunomodulatory effect of fibres, probiotics and synbiotics in different life-stages. Romeo J, Nova E, Wärnberg J, Gómez-Martínez S, Díaz Ligia LE, Marcos A. *Nutr Hosp*. 2010 May-Jun;25(3):341-9. Review.
3. Probiotics and their fermented food products are beneficial for health. Parvez S, Malik KA, Ah Kang S, Kim HY. *J Appl Microbiol*. 2006 Jun;100(6):1171-85. Review.
4. Epigenetic mechanisms elicited by nutrition in early life. Canani RB, Costanzo MD, Leone L, Bedogni G, Brambilla P, Cianfarani S, Nobili V, Pietrobelli A, Agostoni C. *Nutr Res Rev*. 2011 Dec;24(2):198-205. Epub 2011 Oct 18. Review.
5. Impact of maternal probiotic-supplemented dietary counseling during pregnancy on colostrum adiponectin concentration: a prospective, randomized, placebo-controlled study. Luoto R, Laitinen K, Nermes M, Isolauri E. *Early Hum Dev*. 2012 Jun;88(6):339-44. Epub 2011 Sep 25. Probiotics and Autism
6. The potential role of probiotics in the management of childhood autism spectrum disorders. Critchfield JW, van Hemert S, Ash M, Mulder L, Ashwood P. *Gastroenterol Res Pract*. 2011;2011:161358. Epub 2011 Oct 26.
7. Gastrointestinal flora and gastrointestinal status in children with autism--comparisons to typical children and correlation with autism severity. Adams JB, Johansen LJ, Powell LD, Quig D, Rubin RA. *BMC Gastroenterol*. 2011 Mar 16;11:22.

Probiotics and Ageing

8. Through ageing, and beyond: gut microbiota and inflammatory status in seniors and centenarians. Biagi E, Nylund L, Candela M, Ostan R, Bucci L, Pini E, Nikkila J, Monti D, Satokari R, Franceschi C, Brigidi P, De Vos W. *PLoS One*. 2010 May 17;5(5):e10667.
9. Gut microbiota as a candidate for lifespan extension: an ecological/evolutionary perspective targeted on living organisms as metaorganisms. Ottaviani E, Ventura N, Mandrioli M, Candela M, Franchini A, Franceschi C. *Biogerontology*. 2011 Dec;12(6):599-609. doi: 10.1007/s10522-011-9352-5. Epub 2011 Aug 4.
10. The inflammatory status of old age can be nurtured from the intestinal environment. Guigoz Y, Doré J, Schiffrin EJ. *Curr Opin Clin Nutr Metab Care*. 2008 Jan;11(1):13-20. Review.
11. Intestinal bacteria and ageing. Woodmansey EJ. *J Appl Microbiol*. 2007 May;102(5):1178-86. Review.
12. Consumption of the probiotic *Lactobacillus plantarum* CECT 7315/7316 improves general health in the elderly subjects. Bosch Gallego M, Espadaler Mazo J, Méndez Sánchez M, Pérez Carre M, Farrán Codina A, Audivert Brugué S, Bonachera Sierra MA, Cuñé Castellana J. *Nutr Hosp*. 2011 May-Jun;26(3):642-5. Spanish.
13. A mixture of *Lactobacillus plantarum* CECT 7315 and CECT 7316 enhances systemic immunity in elderly subjects. A dose-response, double-blind, placebo-controlled, randomized pilot trial. Mañé J, Pedrosa E, Lorén V, Gassull MA, Espadaler J, Cuñé J, Audivert S, Bonachera MA, Cabré E. *Nutr Hosp*. 2011 Jan-Feb;26(1):228-35.

14. Probiotics improve bowel movements in hospitalized elderly patients--the PROAGE study. Zaharoni H, Rimon E, Vardi H, Friger M, Bolotin A, Shahar DR. *J Nutr Health Aging*. 2011 Mar;15(3):215-20. Probiotics and Allergies / Eczema / Dermatitis

15. Efficacy of probiotics in the treatment of pediatric atopic dermatitis: a meta-analysis of randomized controlled trials. Michail SK, Stolfi A, Johnson T, Onady GM. *Ann Allergy Asthma Immunol*. 2008 Nov;101(5):508-16.

16. Impact of maternal supplementation with probiotics during pregnancy on atopic eczema in childhood--a meta-analysis. Doege K, Grajecki D, Zyriax BC, Detinkina E, Zu Eulenburg C, Buhling KJ. *Br J Nutr*. 2012 Jan;107(1):1-6. Epub 2011 Jul 26.

17. Effects of oral administration of *Lactobacillus acidophilus* L-92 on the symptoms and serum markers of atopic dermatitis in children. Torii S, Torii A, Itoh K, Urisu A, Terada A, Fujisawa T, Yamada K, Suzuki H, Ishida Y, Nakamura F, Kanzato H, Sawada D, Nonaka A, Hatanaka M, Fujiwara S. *Int Arch Allergy Immunol*. 2011;154(3):236-45. Epub 2010 Sep 21.

18. Effects of probiotics on atopic dermatitis: a randomised controlled trial. Weston S, Halbert A, Richmond P, Prescott SL. *Arch Dis Child*. 2005 Sep;90(9):892-7. Epub 2005 Apr 29.

19. Any benefits of probiotics in allergic disorders? Ozdemir O. *Allergy Asthma Proc*. 2010 Mar-Apr;31(2):103-11. Review.

20. Probiotics in the prevention and treatment of allergic diseases. Rozy A, Jaguś P, Chorostowska-Wynimko J. *Pneumonol Alergol Pol*. 2012;80(1):65-76. Review. Polish.

21. Probiotics in allergic rhinitis. Nogueira JC, Gonçalves Mda C. *Braz J Otorhinolaryngol*. 2011 Jan-Feb;77(1):129-34. Review.

22. Probiotics during weaning reduce the incidence of eczema. West CE, Hammarström ML, Hernell O. *Pediatr Allergy Immunol*. 2009 Aug;20(5):430-7. Epub 2009 Mar 9.

23. Improvements in seasonal allergic disease with *Lactobacillus plantarum* No. 14. Nagata Y, Yoshida M, Kitazawa H, Araki E, Gomyo T. *Biosci Biotechnol Biochem*. 2010;74(9):1869-77. Epub 2010 Sep 7.

24. Probiotics in the development and treatment of allergic disease. Isolauri E, Rautava S, Salminen S. *Gastroenterol Clin North Am*. 2012 Dec;41(4):747-62. doi: 10.1016/j.gtc.2012.08.007.


Probiotics and Anxiety / Depression


25. Communication between gastrointestinal bacteria and the nervous system. Bravo JA, Julio-Pieper M, Forsythe P, Kunze W, Dinan TG, Bienenstock J, Cryan JF. *Curr Opin Pharmacol*. 2012 Oct 4.

26. Major depressive disorder: probiotics may be an adjuvant therapy. Logan AC, Katzman M. *Med Hypotheses*. 2005;64(3):533-8. Probiotics and Colon Cancer

27. Anticarcinogenic, hypocholesterolemic, and antagonistic activities of *Lactobacillus acidophilus*. Mital BK, Garg SK. *Crit Rev Microbiol*. 1995;21(3):175-214. Review.

28. Probiotics and prebiotics in primary care for colon cancer. Denipote FG, Trindade EB, Burini RC. *Arq Gastroenterol*. 2010 Jan-Mar;47(1):93-8. Review. Portuguese.





29. Probiotics, prebiotics and synbiotics: a role in chemoprevention for colorectal cancer? Geier MS, Butler RN, Howarth GS. *Cancer Biol Ther*. 2006 Oct;5(10):1265-9. Epub 2006 Oct 19. Review.

30. The intestinal microbiota, gastrointestinal environment and colorectal cancer: a putative role for probiotics in prevention of colorectal cancer? Azcárate-Peril MA, Sikes M, Bruno-Bárcena JM. *Am J Physiol Gastrointest Liver Physiol*. 2011 Sep;301(3):G401-24. Epub 2011 Jun 23. Review

31. The application of probiotics in cancer. de Moreno de LeBlanc A, Matar C, Perdígón G. *Br J Nutr*. 2007 Oct;98 Suppl 1:S105-10. Review. Probiotics and Cholesterol / Hypertension

32. Influence of consumption of probiotics on the plasma lipid profile: a meta-analysis of randomised controlled trials. Guo Z, Liu XM, Zhang QX, Shen Z, Tian FW, Zhang H, Sun ZH, Zhang HP, Chen W. *Nutr Metab Cardiovasc Dis*. 2011 Nov;21(11):844-50. Epub 2011 Sep 17. Review.

33. The improvement of hypertension by probiotics: effects on cholesterol, diabetes, renin, and phytoestrogens. Lye HS, Kuan CY, Ewe JA, Fung WY, Liong MT. *Int J Mol Sci*. 2009 Aug 27;10(9):3755-75. Probiotics and Infections

34. Antibacterial activity of *Lactobacillus acidophilus* and *Lactobacillus casei* against methicillin-resistant *Staphylococcus aureus* (MRSA). Karska-Wysocki B, Bazo M, Smoragiewicz W. *Microbiol Res*. 2010 Oct 20;165(8):674-86. Epub 2010 Jan 29. 56.

35. Does the use of probiotics/synbiotics prevent postoperative infections in patients undergoing abdominal surgery? A meta-analysis of randomized controlled trials. Pitsouni E, Alexiou V, Saridakis V, Peppas G, Falagas ME. *Eur J Clin Pharmacol*. 2009 Jun;65(6):561-70. Epub 2009 Mar 27.

36. Impact of the administration of probiotics on the incidence of ventilator-associated pneumonia: a meta-analysis of randomized controlled trials. Siempos II, Ntaidou TK, Falagas ME. *Crit Care Med*. 2010 Mar;38(3):954-62.

37. Altered host-microbe interaction in HIV: a target for intervention with pro- and prebiotics. Hummelen R, Vos AP, van't Land B, van Norren K, Reid G. *Int Rev Immunol*. 2010 Oct;29(5):485-513. Review.

38. Preoperative probiotics decrease postoperative infectious complications of colorectal cancer. Zhang JW, Du P, Gao J, Yang BR, Fang WJ, Ying CM. *Am J Med Sci*. 2012 Mar;343(3):199-205.

39. Probiotics for preventing acute upper respiratory tract infections. Hao Q, Lu Z, Dong BR, Huang CQ, Wu T. *Cochrane Database Syst Rev*. 2011 Sep 7;(9):CD006895. Review.

40. Targeting the vaginal microbiota with probiotics as a means to counteract infections. Reid G, Dols J, Miller W. *Curr Opin Clin Nutr Metab Care*. 2009 Nov;12(6):583-7. Review.

41. Probiotics in critically ill patients. Madsen K. *J Clin Gastroenterol*. 2008 Sep;42 Suppl 3 Pt 1:S116-8. Review.

42. Are probiotics effective in the treatment of fungal colonization of the gastrointestinal tract? Experimental and clinical studies. Zwolińska-Wcisło M, Brzozowski T, Mach T, Budak A, Trojanowska D, Konturek PC, Pajdo R, Drozdowicz D, Kwiecień S. *J Physiol Pharmacol*. 2006 Nov;57 Suppl 9:35-49.

Probiotics and Gastrointestinal Diseases

43. Probiotics for the prevention and treatment of antibiotic-associated diarrhea: a systematic review and meta-analysis. Hempel S, Newberry SJ, Maher AR, Wang Z, Miles JN, Shanman R, Johnsen B, Shekelle PG. *JAMA*. 2012 May 9;307(18):1959-69. Review.

44. Efficacy of probiotic use in acute diarrhea in children: a meta-analysis. Huang JS, Bousvaros A, Lee JW, Diaz A, Davidson EJ. *Dig Dis Sci*. 2002 Nov;47(11):2625-34. 13.

45. Efficacy of probiotics in prevention of acute diarrhoea: a meta-analysis of masked, randomised, placebo-controlled trials. Sazawal S, Hiremath G, Dhingra U, Malik P, Deb S, Black RE. *Lancet Infect Dis*. 2006 Jun;6(6):374-82. Review.

46. *Lactobacillus* therapy for acute infectious diarrhea in children: a meta-analysis. Van Niel CW, Feudtner C, Garrison MM, Christakis DA. *Pediatrics*. 2002 Apr;109(4):678-84.

47. Meta-analysis of probiotics for the prevention of traveler's diarrhea. McFarland LV. *Travel Med Infect Dis*. 2007 Mar;5(2):97-105. Epub 2005 Dec 5.

48. Efficacy of probiotics in irritable bowel syndrome: a meta-analysis of randomized, controlled trials. Nikfar S, Rahimi R, Rahimi F, Derakhshani S, Abdollahi M. *Dis Colon Rectum*. 2008 Dec;51(12):1775-80. Epub 2008 May 9.

49. The efficacy of probiotics in the treatment of irritable bowel syndrome: a systematic review. Moayyedi P, Ford AC, Talley NJ, Cremonini F, Foxx-Orenstein AE, Brandt LJ, Quigley EM. *Gut*. 2010 Mar;59(3):325-32. Epub 2008 Dec 17. Review.

50. Meta-analysis of probiotics for the treatment of irritable bowel syndrome. McFarland LV, Dublin S. *World J Gastroenterol*. 2008 May 7;14(17):2650-61. Review.

51. ACP Journal Club: probiotics improve symptoms in adults with the irritable bowel syndrome. van Zanten SV. *Ann Intern Med*. 2010 Sep 21;153(6):JC3-7.


52. Adaptation of bacteria to the intestinal niche: probiotics and gut disorder. Dunne C. *Inflamm Bowel Dis*. 2001 May;7(2):136-45. Review.


53. Almost all irritable bowel syndromes are post-infectious and respond to probiotics: consensus issues. Cuomo R, Savarese MF, Gargano R. *Dig Dis*. 2007;25(3):241-4.

54. Alteration of intestinal microflora is associated with reduction in abdominal bloating and pain in patients with irritable bowel syndrome. Nobaek S, Johansson ML, Molin G, Ahrné S, Jeppsson B. *Am J Gastroenterol*. 2000 May;95(5):1231-8.

55. Probiotics use to treat irritable bowel syndrome. Hosseini A, Nikfar S, Abdollahi M. *Expert Opin Biol Ther*. 2012 Oct;12(10):1323-34. doi: 10.1517/14712598.2012.707179. Epub 2012 Aug 16.

56. Therapeutic effect of *Lactobacillus acidophilus*-SDC 2012, 2013 in patients with irritable bowel syndrome. Sinn DH, Song JH, Kim HJ, Lee JH, Son HJ, Chang DK, Kim YH, Kim JJ, Rhee JC, Rhee PL. *Dig Dis Sci*. 2008 Oct;53(10):2714-8. Epub 2008 Feb 15.





57. Remission induction and maintenance effect of probiotics on ulcerative colitis: a meta-analysis. Sang LX, Chang B, Zhang WL, Wu XM, Li XH, Jiang M. *World J Gastroenterol*. 2010 Apr 21;16(15):1908-15.

58. Acute diverticulitis of the colon--current medical therapeutic management. Tursi A. *Expert Opin Pharmacother*. 2004 Jan;5(1):55-9. Review.

59. *Bacillus coagulans* significantly improved abdominal pain and bloating in patients with IBS. Hun L. *Postgrad Med*. 2009 Mar;121(2):119-24.

60. Systematic review and meta-analysis of *Saccharomyces boulardii* in adult patients. McFarland LV. *World J Gastroenterol*. 2010 May 14;16(18):2202-22. Review.

61. *Bifidobacterium bifidum* MIMBb75 in irritable bowel syndrome. Quigley EM. *Aliment Pharmacol Ther*. 2011 Jul;34(1):100-1; author reply 101. doi: 10.1111/j.1365-2036.2011.04671.x.

62. A controlled, double-blind, randomized study on the efficacy of *Lactobacillus plantarum* 299V in patients with irritable bowel syndrome. Niedzielin K, Kordecki H, Birkenfeld B. *Eur J Gastroenterol Hepatol*. 2001 Oct;13(10):1143-7.

63. The effect of *Lactobacillus brevis* KB290 against irritable bowel syndrome: a placebo-controlled double-blind crossover trial. Murakami K, Habukawa C, Nobuta Y, Moriguchi N, Takemura T. *Biopsychosoc Med*. 2012 Aug 3;6(1):16. doi: 10.1186/1751-0759-6-16.

64. Randomised clinical trial: *Bifidobacterium bifidum* MIMBb75 significantly alleviates irritable bowel syndrome and improves quality of life--a double-blind, placebo-controlled study. Guglielmetti S, Mora D, Gschwender M, Popp K. *Aliment Pharmacol Ther*. 2011 May;33(10):1123-32. doi: 10.1111/j.1365-2036.2011.04633.x. Epub 2011 Mar 21.

65. A prospective, randomized, double-blind, placebo-controlled parallel-group dual site trial to evaluate the effects of a *Bacillus coagulans*-based product on functional intestinal gas symptoms. Kalman DS, Schwartz HI, Alvarez P, Feldman S, Pezzullo JC, Krieger DR. *BMC Gastroenterol*. 2009 Nov 18;9:85.

Probiotics and Liver Function

66. Improvement of constipation and liver function by plant-derived lactic acid bacteria: a double-blind, randomized trial. Higashikawa F, Noda M, Awaya T, Nomura K, Oku H, Sugiyama M. *Nutrition*. 2010 Apr;26(4):367-74. Epub 2009 Jul 22.

67. Probiotics restore bowel flora and improve liver enzymes in human alcohol-induced liver injury: a pilot study. Kirpich IA, Solovieva NV, Leikhter SN, Shidakova NA, Lebedeva OV, Sidorov PI, Bazhukova TA, Soloviev AG, Barve SS, McClain CJ, Cave M. *Alcohol*. 2008 Dec;42(8):675-82.

Probiotics and Obesity / Metabolic Syndrome

68. Modulation of the gut microbiota by nutrients with prebiotic properties: consequences for host health in the context of obesity and metabolic syndrome. Delzenne NM, Neyrinck AM, Cani PD. *Microb Cell Fact*. 2011 Aug 30;10 Suppl 1:S10. Epub 2011 Aug 30. Review.

69. Interaction between obesity and the gut microbiota: relevance in nutrition. Delzenne NM, Cani PD. *Annu Rev Nutr*. 2011 Aug 21;31:15-31. Review.

70. Interplay between obesity and associated metabolic disorders: new insights into the gut microbiota. Cani PD, Delzenne NM. *Curr Opin Pharmacol*. 2009 Dec;9(6):737-43. Epub 2009 Jul 21. Review.

71. Involvement of the gut microbiota in the development of low grade inflammation associated with obesity: focus on this neglected partner. Cani PD, Delzenne NM. *Acta Gastroenterol Belg*. 2010 Apr-Jun;73(2):267-9.

72. Gut microbiota and obesity. Krznarić Z, Vranešić Bender D, Kunović A, Kekez D, Stimac D. *Dig Dis*. 2012;30(2):196-200. doi: 10.1159/000336965. Epub 2012 Jun 20. Review.

73. Gut microbiota and obesity. Scarpellini E, Campanale M, Leone D, Purchiaroni F, Vitale G, Lauritano EC, Gasbarrini A. *Intern Emerg Med*. 2010 Oct;5 Suppl 1:S53-6. Review.

74. The role of the gut microbiota in energy metabolism and metabolic disease. Cani PD, Delzenne NM. *Curr Pharm Des*. 2009;15(13):1546-58. Review.

75. The Gut Microbiota, Obesity and Insulin Resistance. Shen J, Obin MS, Zhao L. *Mol Aspects Med*. 2012 Nov 15. doi:pii: S0098-2997(12)00128-8. 10.1016/j.mam.2012.11.001.

76. Colonic flora, Probiotics, Obesity and Diabetes. Marik PE. *Front Endocrinol (Lausanne)*. 2012;3:87. Epub 2012 Jul 11.

Probiotics and Rheumatoid Arthritis

77. *Bacillus coagulans*: a viable adjunct therapy for relieving symptoms of rheumatoid arthritis according to a randomized, controlled trial. Mandel DR, Eichas K, Holmes J. *BMC Complement Altern Med*. 2010 Jan 12;10:1.

