

# WESTGATE

THE FUTURE IS HERE... AND IT'S QUITE BRIGHT!



OUTDOOR



INDUSTRIAL



COMMERCIAL



RESIDENTIAL



RIBBON



LANDSCAPE



UNDERCABINET



EXIT & BM



ELECTRICAL



Loving Lighting!

# PRODUCT SHEET

2024 - SEASON 2



Westgatemfg.com | @westgatemfg



# CONTENTS

OUTDOOR LIGHTING	4	
INDUSTRIAL LIGHTING	66	
COMMERCIAL INDOOR LIGHTING	78	
RESIDENTIAL LIGHTING	133	
RIBBON LIGHTING	159	
LANDSCAPE LIGHTING	168	
UNDERCABINET LIGHTING	181	
EXIT & EMERGENCY LIGHTING	186	
ELECTRICAL PRODUCTS	193	
FINAL PRODUCTION DEALS	200	

## POLICIES

All transactions are subject to terms and conditions listed on Westgate website:



[www.westgatemfg.com/terms-and-conditions](http://www.westgatemfg.com/terms-and-conditions)

**MCT<sub>3</sub> MCT<sub>4</sub> MCT<sub>5</sub> MP MCTP**

MCT: Multi Color Temperature (Selectable), followed by 3 (3 CCT), 4 (4 CCT), 5 (5 CCT)

MP: Multi Power/Wattage (Selectable)

MCTP: Multi Color Temperature & Multi Power/Wattage (Selectable)

SR: Sensor Ready

EM: With presintalled Emergency

OPT: Customization Order-No Returnable

**WESTGATE**  
THE FUTURE IS HERE... AND IT'S QUITE BRIGHT!

# This season's New Arrivals



WHCX SERIES  
PAGE 7



WPCX SERIES  
PAGE 7



STP SERIES  
PAGE 12



SLX SERIES  
PAGE 13



WMQS SERIES  
PAGE 18



LDS-PIR SERIES  
PAGE 19



LDSC SERIES  
PAGE 19



CXU SERIES  
PAGE 55



BOL-602 SERIES  
PAGE 60



EVC SERIES  
PAGE 65



LTRC SERIES  
PAGE 82



LPCR SERIES  
PAGE 82



SRC SERIES  
PAGE 92



FDLH SERIES  
PAGE 124



LSC SERIES  
PAGE 124



TRE SERIES  
PAGE 130



RDMF SERIES  
PAGE 134



UCR SERIES  
PAGE 182





# OUTDOOR LIGHTING

**THUNDER SERIES**  
OUTDOOR LIGHTING



**LWAX-SM**  
White



**LWAX-SM**  
Dark Bronze




**LWAX-MD**  
Dark Bronze



**LWAX-LG**  
Dark Bronze



Shown with Shroud



Mounting Options  
Shown with LWAX-12W  
(See page 61)

## POWER & CCT-ADJUSTABLE CUTOFF WALL PACK, 120-277V TYPE 2 LENS

Dark Bronze & White



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LWAX-SM-12W-30K</b>	12W 1500LM 3000K	12
<b>LWAX-SM-12W-40K</b>	12W 1500LM 4000K	12
<b>LWAX-SM-12W-50K</b>	12W 1500LM 5000K	12
<b>LWAX-MD-30W-30K</b>	30W 3900LM 3000K	4
<b>LWAX-MD-30W-40K</b>	30W 3900LM 4000K	4
<b>LWAX-MD-30W-50K</b>	30W 3900LM 5000K	4
<b>LWAX-MD-20-50W-MCTP</b>	20W/30W/40W/50W 125LM/W 30K/40K/50K/57K <b>MCTP</b>	4
<b>LWAX-LG-50-120W-MCTP</b>	50W/80W/100W/120W 130LM/W 30K/40K/50K/57K <b>MCTP</b>	2
<b>LWAX-SM-12W-30K-WH</b>	12W 1500LM 3000K	12
<b>LWAX-SM-12W-50K-WH</b>	12W 1500LM 5000K	12
<b>LWA-SH1</b>	Shroud For LWAX SM, Bronze	
<b>LWA-SH2</b>	Shroud For LWAX MD, Bronze	
<b>LWA-SH3</b>	Shroud For LWAX LG, Bronze	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SM	<b>OPT-EM-LWAX-SM</b>	EXTERNAL BACK BOX	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CLR-85(BK/GR/SR/WH)</b>	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICROWAVE (BI-LEVEL)
MD	<b>OPT-EM-LWAX-MD</b>	INTERNAL	<b>VANDAL.RES.</b>	DESCRIPTION	<b>OPT-CLR-85MC (260 SET UP FEE PER PROJECT)</b>	<b>WEC-8RC</b>	OPTIONAL REMOTE
LG	<b>OPT-EM-LWAX-LG</b>	INTERNAL	<b>OPT-TRS-T20</b>	Tamper Resistant Screw			

**FOR COLD-WEATHER EM OPTION SEE PAGE 192**





LW360-25W-30K-G2  
LW360-25W-40K-G2  
LW360-25W-50K-G2  
LW360-25W-MCT-G2  
Bronze

LW360-40W-30K-G2  
LW360-40W-40K-G2  
LW360-40W-50K-G2  
LW360-60W-30K-G2  
LW360-60W-40K-G2  
LW360-60W-50K-G2  
LW360-60W-MCT-G2  
LW360-80W-30K-G2  
LW360-80W-40K-G2  
LW360-80W-50K-G2  
Bronze

LW360-120W-30K-G2  
LW360-120W-40K-G2  
LW360-120W-50K-G2  
Bronze

LW360-25W-MCT-WH-G2  
White

LW360-60W-MCT-WH-G2  
White

Shown with  
Extended EM Box  
& Shroud

Rotatable Heads with set screw

**LED 360° ROTATABLE WALL PACK, 120-277V**  
G2 SERIES OFFERS A LARGE, HINGED BACK BOX  
ALSO, IN THIS SERIES, 25W & 60W AVAIL. WITH MULTI-COLOR-TEMP(MCT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
LW360-25W-30K-G2	25W 3250LM 3000K Bronze	4
LW360-25W-40K-G2	25W 3250LM 4000K Bronze	4
LW360-25W-50K-G2	25W 3250LM 5000K Bronze	4
LW360-25W-MCT-G2	25W 3250LM 30K/40K/50K Bronze	4
LW360-40W-30K-G2	40W 5200LM 3000K Bronze	4
LW360-40W-40K-G2	40W 5200LM 4000K Bronze	4
LW360-40W-50K-G2	40W 5200LM 5000K Bronze	4
LW360-60W-30K-G2	60W 7800LM 3000K Bronze	2
LW360-60W-40K-G2	60W 7800LM 4000K Bronze	2
LW360-60W-50K-G2	60W 7800LM 5000K Bronze	2
LW360-60W-MCT-G2	60W 7800LM 30K/40K/50K Bronze	2
LW360-80W-30K-G2	80W 10400LM 3000K Bronze	2
LW360-80W-40K-G2	80W 10400LM 4000K Bronze	2
LW360-80W-50K-G2	80W 10400LM 5000K Bronze	2
LW360-120W-30K-G2	120W 15600LM 3000K Bronze	2
LW360-120W-40K-G2	120W 15600LM 4000K Bronze	2
LW360-120W-50K-G2	120W 15600LM 5000K Bronze	2
LW360-25W-MCT-WH-G2	25W 3250LM 30K/40K/50K White	4
LW360-60W-MCT-WH-G2	60W 7800LM 30K/40K/50K White	2
LW360-SH1	Shroud For LW360 Series, Bronze Finish	-

FOR FACTORY OPTION SEE LW360 BELOW  
FOR COLD-WEATHER EM OPTION SEE PAGE 192

**LED ROTATABLE WALL PACKS, 120-277V**

Dark Bronze & White



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
LW360-60W-30K	60W 8100LM 3000K Bronze	200-300MH	2
LW360-80W-30K	80W 10800LM 3000K Bronze	250-400 MH	2
LW360-80W-40K	80W 10800LM 4000K Bronze	250-400 MH	2
LW360-25W-30K-WH	25W 3375LM 3000K White	100-150 MH	4
LW360-25W-50K-WH	25W 3375LM 5000K White	100-150 MH	4
LW360-40W-30K-WH	40W 5400LM 3000K White	100-200 MH	4
LW360-40W-50K-WH	40W 5400LM 5000K White	100-200 MH	4
LW360-SH1	Shroud For LW360 Series, Bronze Finish		-

**WHILE SUPPLIES LAST**



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIP-	PHOTOCELL	DE-	PAINT	SENSOR	DESCRIPTION
25W, 40W, 60W, 80W	OPT-EM-LW360 OPT-EM-LW360-LG	INTERNAL INTERNAL	OPT-LW360-PC-B	BUTTON	OPT-CLR-85(BK/GR/SR/WH) OPT-CLR-95(BK/GR/SR/WH) OPT-CLR-35-SHR (BK/GR/SR/WH) OPT-CLR-95MC (260 SET UP FEE PER PROJECT)	OPT-SEN-LW360-3MRLV-5 WEC-8RC	PROGRAMMABLE MICROWAVE REMOTE CONTROL

FOR COLD-WEATHER EM OPTION SEE PAGE 192



Shown Installed as Uplight



## SPEC SERIES MODERN ADJUSTABLE WALL PACK FOR DOWN OR UP LIGHTING INSTALLATIONS WITH PHOTOCELL

OUTDOOR

WALLPACKS

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WAX-20-40W-MCTP</b>	20W/30W/40W 140LM/W 30K/40K/50K	1
<b>WAX-50-80W-MCTP</b>	50W/65W/80W 140LM/W 30K/40K/50K	1
<b>WAX-90-120W-MCTP</b>	90W/105W/120W 140LM/W 30K/40K/50K	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
40W	<b>OPT-EM-WAX-40</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CLR-85(BK/GR/SR/WH)</b>	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
80W	<b>OPT-EM-WAX-80</b>	INTERNAL			<b>OPT-CLR-85MC (260 SET UP FEE PER PROJECT)</b>		
120W	<b>OPT-EM-WAX-120</b>	INTERNAL	<b>480 V OPTION</b>	DESCRIPTION		<b>WEC-8RC</b>	REMOTE CONTROL
	<b>VANDAL RES.</b>	DESCRIPTION	<b>OPT-WP-480V</b>	CHANGE VOLTAGE			
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw					

FOR COLD-WEATHER EM OPTION SEE PAGE 192



20% Non-Cutoff Ambient Light

80% Full-Cutoff Light

## SPEC SERIES MODERN POWER & CCT ADJUSTABLE CUT-OFF WALL PACK WITH 20% FRONT LIGHT & PHOTOCELL



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WPAX-100W-MCTP</b>	60W/80W/100W 130LM/W 30K/40K/50K	2



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
All	<b>OPT-EM-WPAX</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CLR-85(BK/GR/SR/WH)</b>	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
	<b>VANDAL RES.</b>	DESCRIPTION	<b>480 V OPTION</b>	DESCRIPTION	<b>OPT-CLR-85MC (260 SET UP FEE PER PROJECT)</b>		
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw	<b>OPT-WP-480V</b>	CHANGE VOLTAGE		<b>WEC-8RC</b>	REMOTE CONTROL

FOR COLD-WEATHER EM OPTION SEE PAGE 192



WPFX-SM



WPFX-MD



WPFX-LG

## BUILDER SERIES FLAT WALL PACK WITH PHOTOCELL, GLASS LENS AND VANDAL SCREWS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WPFX-SM-15-40W-MCTP-P</b>	15W/25W/40W 130LM/W 30K/40K/50K	1
<b>WPFX-MD-20-40W-MCTP-P</b>	20W/30W/40W 135LM/W 30K/40K/50K	1
<b>WPFX-MD-40-80W-MCTP-P</b>	40W/60W/80W 130LM/W 30K/40K/50K	1
<b>WPFX-LG-80-120W-MCTP-P</b>	80W/100W/120W 130LM/W 30K/40K/50K	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SM	<b>OPT-EM-WPFX-SM</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CLR-85(BK/GR/SR/WH)</b>	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
MD	<b>OPT-EM-WPFX-MD</b>	INTERNAL			<b>OPT-CLR-85MC (260 SET UP FEE PER PROJECT)</b>		
LG	<b>OPT-EM-WPFX-LG</b>	INTERNAL	<b>480 V OPTION</b>	DESCRIPTION		<b>WEC-8RC</b>	REMOTE CONTROL
	<b>VANDAL RES.</b>	DESCRIPTION	<b>OPT-WP-480V</b>	CHANGE VOLTAGE			
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw					

FOR COLD-WEATHER EM OPTION SEE PAGE 192



**X-GEN FULL CUT-OFF WALL PACK, POWER AND CCT ADJUSTABLE**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>WPCX-36-60W-MCTP</b>	36W/48W/60W 135LM/W 30K/40K/50K		1
<b>WPCX-60-100W-MCTP</b>	60W/80W/100W 135LM/W 30K/40K/50K		1



**HALF-MOON WALL PACK-POWER & CCT ADJUSTABLE TYPE 3 LENS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WPMX-24-40W-MCTP-SR</b>	24W/32W/40W 135LM/W 30K/40K/50K	1
<b>WPMX-48-80W-MCTP-SR</b>	48W/64W/80W 135LM/W 30K/40K/50K	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
24W	<b>OPT-EM-WPMX-24</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	N/A	N/A	N/A
48W	<b>OPT-EM-WPMX-48</b>	INTERNAL					
	<b>VANDAL RES.</b>	DESCRIPTION	<b>480 V OPTION</b>	DESCRIPTION			
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw	<b>OPT-WP-480V</b>	CHANGE VOLTAGE			



**CYLINDER WALL PACK, POWER AND CCT ADJUSTABLE**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>WHCX-24-40W-MCTP</b>	24W/32W/40W 145LM/W 30K/40K/50K		1
<b>WHCX-48-80W-MCTP</b>	48W/64W/80W 145LM/W 30K/40K/50K		1



**120-277V SPEC SERIES X-GEN CUT-OFF WALL PACK (POWER & COLOR TEMP. TUNABLE)**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WPX-24W-MCTP</b>	12W/18W/24W 135LM/W 30K/40K/50K 10"W	4
<b>WPX-42W-MCTP</b>	11W/21W/32W/42W 135LM/W 30K/40K/50K 10"W	4
<b>WPX-80W-MCTP</b>	20W/40W/60W/80W 135LM/W 30K/40K/50K 12"W	2
<b>WPX-120W-MCTP</b>	80W/100W/120W 135LM/W 30K/40K/50K 12"W	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
42W	<b>OPT-EM-WPX-42</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CLR-85(BK/GR/SR/WH)</b>	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICROWAVE (BI-LEVEL FOR 80W)
80W	<b>OPT-EM-WPX-80</b>	INTERNAL			<b>OPT-CLR-85MC (260 SET UP FEE PER PROJECT)</b>	<b>WEC-8RC</b>	REMOTE CONTROL
	<b>VANDAL RES.</b>	DESCRIPTION	<b>480 V OPTION</b>	DESCRIPTION			
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw	<b>OPT-WP-480V</b>	CHANGE VOLTAGE			

FOR COLD-WEATHER EM OPTION SEE PAGE 192





**LED CUTOFF WALL PACK, 120-277V, 14" (W) x 9 1/4" (H) x 8 1/4" (D)**

TYPE 2 LENS



OUTDOOR WALLPACKS

120-277V



**POWER & CCT-ADJUSTABLE VERSION**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LWPX-30-80W-MCTP</b>	30W/40W/60W/80W 125LM/W 30K/40K/50K/57K <b>MCTP</b>	1

**LED SINGLE POWER & CCT VERSION**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LWPX-50W-30K</b>	50W 6600LM 3000K	1
<b>LWPX-50W-40K</b>	50W 6600LM 4000K	1
<b>LWPX-50W-50K</b>	50W 6600LM 5000K	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
50W	<b>OPT-EM-LWPX-50</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CLR-85(BK/GR/SR/WH)</b>	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICRO-WAVE (BI-LEVEL FOR 80W)
80W	<b>OPT-EM-LWPX-80</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CLR-85MC (260 SET UP FEE PER PROJECT)</b>	<b>WEC-8RC</b>	REMOTE CONTROL
	<b>VANDAL RES.</b>	DESCRIPTION	<b>480 V OPTION</b>	DESCRIPTION			
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw	<b>OPT-WP-480V</b>	CHANGE VOLTAGE			

FOR COLD-WEATHER EM OPTION SEE PAGE 192

**LED SEMI-CUTOFF VANDAL-PROOF WALL PACK, 120-277V**

Dark Bronze



120-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>LTW-50CW</b>	50W 4400LM 5000K	150-250 MH	1
<b>LTW-50NW</b>	50W 4400LM 4000K	150-250 MH	1
<b>LTW-50WW</b>	50W 4400LM 3000K	150-250 MH	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-LTW</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	N/A	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
	<b>480 V OPTION</b>	DESCRIPTION	<b>VANDAL RES.</b>	DESCRIPTION		<b>WEC-8RC</b>	REMOTE CONTROL
	<b>OPT-WP-480V</b>	CHANGE VOLTAGE	<b>OPT-TRS-T20</b>	Tamper Resistant Screw			



**VANDAL-PROOF OUTDOOR WALL LIGHT**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>WPV-12W-MCT-DT</b>	12W 80LM/W 30K/40K/50K		6

**LED VERSATILE WALL OR CEILING LIGHT, 120-277V**



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>WMV-20W-50K</b>	20W 2000LM 5000K 11.4"(L) X 4.5"(W) X 3.5"(H)	50-100 MH	6
<b>WMV-20W-40K</b>	20W 1900LM 4000K 11.4"(L) X 4.5"(W) X 3.5"(H)	50-100 MH	6
<b>WMV-20W-30K</b>	20W 1800LM 3000K 11.4"(L) X 4.5"(W) X 3.5"(H)	50-100 MH	6



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-WMV</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CLR-70(BK/GR/SR/WH)</b>	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
	<b>VANDAL RES.</b>	DESCRIPTION	<b>VANDAL RES.</b>	DESCRIPTION	<b>OPT-CLR-70MC (260 SET UP FEE PER PROJECT)</b>	<b>WEC-8RC</b>	REMOTE CONTROL
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw					



Shown with EM

**TRADITIONAL BULKHEADS, POWER & CCT SELECTABLE, WITH PHOTOCELL**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BKH-10W-MCTP-BK-P</b>	6W/8W/10W 85LM/W 30K/40K/50K Black	8
<b>BKH-10W-MCTP-BR-P</b>	6W/8W/10W 85LM/W 30K/40K/50K Bronze	8
<b>BKH-20W-MCTP-BK-P</b>	12W/18W/20W 85LM/W 30K/40K/50K Black	6
<b>BKH-20W-MCTP-BR-P</b>	12W/18W/20W 85LM/W 30K/40K/50K Bronze	6

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
20W	OPT-EM-BKH	INTERNAL	N/A	N/A	N/A	N/A	N/A



**WMXE-MD**  
Dark Bronze



**WMXE-LG**  
Dark Bronze



**WMXE-MD**  
Black



**WMXE-LG**  
Black

**BUILDER SERIES TRADITIONAL GLASS LENS WALL PACK WITH PHOTOCELL (PHOTOCELL DISCONNECT SWITCH)**



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

**POWER ADJUSTABLE BUILDER SERIES TRADITIONAL WALL PACK MIP**

<b>WMXE-MD-25-65W-50K-P</b>	25W/45W/65W 140LM/W 5000K	2
<b>WMXE-MD-45-85W-50K-P</b>	45W/65W/85W 140LM/W 5000K	2
<b>WMXE-MD-80-120W-50K-P</b>	80W/100W/120W 140LM/W 5000K	2

**POWER & 3CCT ADJUSTABLE BUILDER SERIES TRADITIONAL WALL PACK MCTP**

<b>WMXE-MD-25-65W-MCTP-P</b>	25W/45W/65W 140LM/W 3000K/4000K/5000K	2
<b>WMXE-MD-45-85W-MCTP-P</b>	45W/65W/85W 140LM/W 3000K/4000K/5000K	2
<b>WMXE-MD-80-120W-MCTP-P</b>	80W/100W/120W 140LM/W 3000K/4000K/5000K	2
<b>WMXE-LG-100-150W-MCTP-P</b>	100W/120W/150W 140LM/W 3000K/4000K/5000K	1
<b>WMXE-MD-45-85W-MCTP-P-BK</b>	45W/65W/85W 140LM/W 3000K/4000K/5000K	2
<b>WMXE-LG-100-150W-MCTP-P-BK</b>	100W/120W/150W 140LM/W 3000K/4000K/5000K	1

**POWER & 3CCT ADJUSTABLE BUILDER SERIES TRADITIONAL WALL PACK WITH EMERGENCY BACKUP MCTP**

<b>WMXE-MD-25-65W-MCTP-P-EM</b>	25W/45W/65W 140LM/W 30K/40K/50K	2
<b>WMXE-MD-45-85W-MCTP-P-EM</b>	45W/65W/85W 140LM/W 30K/40K/50K	2
<b>WMXE-MD-80-120W-MCTP-P-EM</b>	80W/100W/120W 140LM/W 30K/40K/50K	2
<b>WMXE-LG-100-150W-MCTP-P-EM</b>	100W/120W/150W 140LM/W 30K/40K/50K	1



FOR COLD-WEATHER EM OPTION SEE PAGE 192



**LED NON-CUTOFF WALL PACKS, 120-277V**

Dark Bronze

CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	REPLACEMENT RANGE	PKG. QTY.
<b>WML-HL-30W-30K</b>	30W 4200LM 3000K		100-150 MH	4
<b>WML-HL-60W-30K</b>	60W 8700LM 3000K		175-250 MH	2
<b>WML-HL-80W-30K</b>	80W 11600LM 3000K		250-400 MH	2



FOR COLD-WEATHER EM OPTION SEE PAGE 192 FOR SHIELD SEE WMX BELOW

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION
30W	OPT-EM-ODIINT	EXTERNAL BOX			OPT-SEN-3MRLV-5	PROGRAMMABLE MICROWAVE BI-LEVEL
50W, 60W	OPT-EM-OD3INT	INTERNAL	OPT-PC-B BUTTON	N/A	WEC-8RC	REMOTE CONTROL
80W, 120W-LG	OPT-EM-OD3INT	INTERNAL			480 V OPTION	DESCRIPTION
	VANDAL RES.	DESCRIPTION			OPT-WP-480V	CHANGE VOLTAGE
	OPT-TRS-T20	Tamper Resistant Screw				



**WMX-SM**  
Dark Bronze



**WMX-MD**  
Dark Bronze



**WMX-LG**  
Dark Bronze



Shield  
For WMX Series

**SPEC SERIES TRADITIONAL WALL PACK, GLASS LENS**



SPEC SERIES NO.	DESCRIPTION				PKG. QTY.
<b>SPEC SERIES TRADITIONAL WALL PACK, POWER ADJUSTABLE</b>					
<b>WMX-SM-15-30W-30K</b>	15W/20W/25W/30W	130LM/W	3000K	Replaces WML-HL-30W	4
<b>WMX-SM-15-30W-40K</b>	15W/20W/25W/30W	130LM/W	4000K	Replaces WML-HL-30W	4
<b>WMX-SM-15-30W-50K</b>	15W/20W/25W/30W	130LM/W	5000K	Replaces WML-HL-30W	4
<b>WMX-MD-20-50W-30K</b>	20/30W/40W/50W	130LM/W	3000K	Replaces WML-HL-50W	2
<b>WMX-MD-20-50W-40K</b>	20/30W/40W/50W	130LM/W	4000K	Replaces WML-HL-50W	2
<b>WMX-MD-20-50W-50K</b>	20/30W/40W/50W	130LM/W	5000K	Replaces WML-HL-50W	2
<b>WMX-MD-20-80W-30K</b>	20W/40W/60W/80W	130LM/W	3000K	Replaces WML-HL-60W TO 80W	2
<b>WMX-MD-20-80W-40K</b>	20W/40W/60W/80W	130LM/W	4000K	Replaces WML-HL-60W TO 80W	2
<b>WMX-MD-20-80W-50K</b>	20W/40W/60W/80W	130LM/W	5000K	Replaces WML-HL-60W TO 80W	2
<b>WMX-LG-50-120W-30K</b>	50W/80W/100W/120W	130LM/W	5000K	Replaces WML-HL-100W TO 120W	1
<b>WMX-LG-50-120W-40K</b>	50W/80W/100W/120W	130LM/W	5000K	Replaces WML-HL-100W TO 120W	1
<b>WMX-LG-50-120W-50K</b>	50W/80W/100W/120W	130LM/W	5000K	Replaces WML-HL-100W TO 120W	1
<b>SPEC SERIES TRADITIONAL WALL PACK, POWER &amp; CCT ADJUSTABLE</b>					
<b>WMXPRO-SM-15-30W-MCTP</b>	15W/20W/25W/30W	130LM/W	30K/40K/50K/57K		4
<b>WMXPRO-MD-20-60W-MCTP</b>	20W/30W/50W/60W	130LM/W	30K/40K/50K/57K		2
<b>WMXPRO-MD-20-80W-MCTP</b>	20W/40W/60W/80W	130LM/W	30K/40K/50K/57K		2
<b>WMXPRO-LG-50-120W-MCTP</b>	50W/80W/100W/120W	130LM/W	30K/40K/50K/57K		1
<b>SPEC SERIES RC TUNABLE WALL PACKS (POWER &amp; COLOR TEMP. TUNABLE)</b>					
<b>WMX-MCTP-D</b>	80W Max	9000LM Max	3000K-5700K		2
<b>WMX-MCTP-D-WH</b>	80W Max	9000LM Max	3000K-5700K		2
<b>MCTP-RC1</b>	Remote Control for Multi-Color Temp. & Power Outdoor Fixture (Required & One per projects)				

**WML-SH2** Shield For WML 50W, 60W, 80W, 100W, WMX  
**WML-SH3** Shield For FOR WML 120W

**FOR COLD-WEATHER EM OPTION SEE PAGE 192**  
**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SM	<b>OPT-EM-WMX-SM</b>	EXTERNAL BOX	<b>OPT-PC-B</b> BUTTON	<b>OPT-CLR-85(BK/GR/SR/WH)</b> <b>OPT-CLR-95(BK/GR/SR/WH)</b> <b>OPT-CLR-95MC (260 SET UP FEE PER PROJECT)</b>	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICRO-WAVE BI-LEVEL
MD	<b>OPT-EM-WMX-MD</b>	INTERNAL				
LG	<b>OPT-EM-WMX-LG</b>	INTERNAL				
	<b>VANDAL RES.</b>	DESCRIPTION			<b>WEC-8RC</b>	REMOTE CONTROL
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw			<b>480 V OPTION</b>	DESCRIPTION
					<b>OPT-WP-480V</b>	CHANGE VOLTAGE

**LED NON-CUTOFF WALL PACKS WITH DIRECTIONAL OPTIC LENS, 120-277V**

TYPE 3 LENS



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	WHILE SUPPLIES LAST	PKG. QTY.
<b>WML2-28W-50K-HL-SM</b>	28W 3780LM 5000K W:10"	100-150 MH		4
<b>WML2-28W-40K-HL-SM</b>	28W 3640LM 4000K W:10"	100-150 MH		4
<b>WML2-50W-30K-SM</b>	50W 5500LM 3000K W:10"	100-200 MH		4
<b>WML2-50W-30K-HL</b>	48W 6000LM 3000K W:14-1/4"	175-250 MH		1

**FOR COLD-WEATHER EM OPTION SEE PAGE 192**  
**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIP-	PAINT	SENSOR	DESCRIPTION
28W-SM, 50W-SM	<b>OPT-EM-LSW</b>	INTERNAL	<b>OPT-PC-B</b> BUTTON	<b>OPT-CLR-85(BK/GR/SR/WH)</b> <b>OPT-CLR-95(BK/GR/SR/WH)</b> <b>OPT-CLR-95MC (260 SET UP FEE PER PROJECT)</b>	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICROWAVE(BI-LEVEL FOR 80W & UP)
50W-HL	<b>OPT-EM-OD1INT</b>	INTERNAL				
80W-HL, 120W-HL-LG, 150-LG	<b>OPT-EM-OD2INT</b>	INTERNAL				
	<b>VANDAL RES.</b>	DESCRIPTION			<b>WEC-8RC</b>	REMOTE CONTROL
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw			<b>480 V OPTION</b>	DESCRIPTION
					<b>OPT-WP-480V</b>	CHANGE VOLTAGE





LMW  
Bronze



LMW  
White



Shown with EM



Shown with EM



Shown with Sensor



Shown with Sensor

**LED MINI CUTOFF WALLPACK, 120-277V, 5" X 5"**

See Below for bollard customization

Dark Bronze & White



CATALOG NO.	DESCRIPTION	PKG. QTY.
LMW-12W-30K	12W 1300LM 3000K Bronze	12
LMW-12W-40K	12W 1300LM 4000K Bronze	12
LMW-12W-50K	12W 1300LM 5000K Bronze	12
LMW-12W-30K-WH	12W 1300LM 3000K White	12
LMW-12W-40K-WH	12W 1300LM 4000K White	12
LMW-12W-50K-WH	12W 1300LM 5000K White	12
LMW-12W-30K-BK	12W 1320LM 3000K Black	12
LMW-12W-40K-BK	12W 1320LM 4000K Black	12
LMW-12W-50K-BK	12W 1320LM 5000K Black	12

**POWER & CTT - ADJUSTABLE LED MINI CUTOFF WALLPACK, 120-277V, 5" X 5"**

LMW-10-24W-MCTP-P	10W/15W/24W 110LM/W 30K/40K/50K Bronze	12
LMW-10-24W-MCTP-P-BK	10W/15W/24W 110LM/W 30K/40K/50K White	12
LMW-10-24W-MCTP-P-WH	10W/15W/24W 110LM/W 30K/40K/50K Black	12

FOR BOLLARD SETTINGS SEE PAGE 61



**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIP-	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LMW	EXTERNAL BACK BOX	OPT-PC-B1	N/A	OPT-SEN-LMW	PROGRAMMABLE MICROWAVE BI-LEVEL (ONLY 2" & 3")
	OPT-EM-LMW-WH	EXTERNAL BACK BOX			OPT-SEN-LMW-WH	PROGRAMMABLE MICROWAVE BI-LEVEL, WHITE (ONLY 2" & 3")
	0-10V DIM OPTION	DESCRIPTION				
	OPT-010DIM	0-10V Dimming				



WMS-S-50K-BR  
WMS-S-30K-BR  
Bronze



WMS-R-50K-BR  
WMS-R-50K-BR  
Bronze



WMS-S-50K-WH  
WMS-S-30K-WH  
White



WMS-R-50K-WH  
WMS-R-50K-WH  
White



Shown with EM



Shown with EM

**LED WALL/STEP LIGHTS, 120-277V**

Dark Bronze & White



CATALOG NO.	DESCRIPTION	PKG. QTY.
WMS-S-50K-BR	6W 660LM 5000K	24
WMS-S-30K-BR	6W 630LM 3000K	24
WMS-R-50K-BR	6W 660LM 5000K	24
WMS-R-30K-BR	6W 630LM 3000K	24
WMS-S-50K-WH	6W 660LM 5000K	24
WMS-S-30K-WH	6W 630LM 3000K	24
WMS-R-50K-WH	6W 660LM 5000K	24
WMS-R-30K-WH	6W 630LM 3000K	24

FOR BOLLARD SETTINGS SEE PAGE 61



**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION
6W	OPT-EM-WMS	EXTERNAL BACK BOX	N/A	N/A	OPT-CLR-65(BK/GR/SR/WH)	
6W	OPT-EM-WMS-WH	EXTERNAL BACK BOX			OPT-SEN-LMW	PROGRAMMABLE MICROWAVE
POST ALL MODELS	OPT-EM-WMS-POST	POST MOUNT			OPT-SEN-LMW-WH	PROGRAMMABLE MICROWAVE, WHITE



STP-10X10



STP-10X3



STP-8X3



COMMERCIAL LARGE WALL/STEP LIGHTS

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
STP-10X10-MCTP-BK	10W/18W/25W 37LM/W 35K/40K/50K Black	MCTP	4
STP-10X10-MCTP-GY	10W/18W/25W 37LM/W 35K/40K/50K Gray	MCTP	4
STP-10X3-MCT-BK	10W 47LM/W 30K/40K/50K Black	MCTP	6
STP-10X3-MCT-GY	10W 47LM/W 30K/40K/50K Gray	MCTP	6
STP-8X3-MCTP-BK	10W/15W 31LM/W 30K/40K/50K Black	MCTP	18
STP-8X3-MCTP-GY	10W/15W 31LM/W 30K/40K/50K Gray	MCTP	18

LED SMALL (11") WALL PACK WITH PHOTOCELL 120-277V TYPE 2 LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>POWER &amp; CCT-ADJUSTABLE SMALL WALL PACK WITH PHOTOCELL MCTP</b>		
LSWX-13-26W-MCTP-PC	13W/20W/26W 4231LM 30K/40K/50K Bronze	4
LSWX-13-26W-MCTP-PC-BK	13W/20W/26W 4231LM 30K/40K/50K Black	4
LSWX-13-26W-MCTP-PC-WH	13W/20W/26W 4231LM 30K/40K/50K White	4
<b>POWER-ADJUSTABLE SMALL WALL PACK WITH PHOTOCELL MP</b>		
LSWX-5-30W-30K-PC	5W/10W/20W/30W 124LM/W 3000K Bronze	6
LSWX-5-30W-40K-PC	5W/10W/20W/30W 124LM/W 4000K Bronze	6
LSWX-5-30W-50K-PC	5W/10W/20W/30W 124LM/W 5000K Bronze	6
<b>SINGLE POWER AND CCT SMALL WALL PACK WITH PHOTOCELL</b>		
LSWX-20W-30K-PC	20W 2450LM 3000K Bronze	6
LSWX-20W-50K-PC	20W 2450LM 5000K Bronze	6

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LSWX	INTERNAL	OPT-NOPC REMOVE PHOTOCELL	N/A	OPT-SEN-SLPIR	EXTERNAL, SECURITY LIGHT TYPE
	VANDAL RES.	DESCRIPTION				
	OPT-TRS-T20	Tamper Resistant Screw				

LED NON-CUTOFF (11") WALL PACK WITH PHOTOCELL, 120-277V (PHOTOCELL PREWIRED TO 120V)



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	WHILE SUPPLIES LAST	PKG. QTY.
LSW-22NW-PC	20W 2050LM 4000K	50-100 MH		6

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LSW	INTERNAL	OPT-NOPC REMOVE PHOTOCELL	N/A	OPT-SEN-SLPIR	EXTERNAL, SECURITY LIGHT TYPE
	VANDAL RES.	DESCRIPTION				
	OPT-TRS-T20	Tamper Resistant Screw				

MODERN LED SMALL (8.5") WALL PACK WITH PHOTOCELL, 120-277V

Dark Bronze & White



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SINGLE POWER &amp; CCT LED SMALL NON-CUTOFF WALL PACK WITH PHOTOCELL</b>		
LESW-15W-30K-P	15W 1675LM 3000K Bronze	10
LESW-15W-50K-P	15W 1875LM 5000K Bronze	10
LESW-20W-30K-P	20W 2300LM 3000K Bronze	10
LESW-20W-50K-P	20W 2500LM 5000K Bronze	10
LESW-15W-30K-P-WH	15W 1675LM 3000K White	10
LESW-15W-50K-P-WH	15W 1875LM 5000K White	10
LESW-20W-30K-P-WH	20W 2300LM 3000K White	10
LESW-20W-50K-P-WH	20W 2500LM 5000K White	10

**POWER & CCT - ADJUSTABLE LED SMALL NON-CUTOFF WALL PACK WITH PHOTOCELL MCTP**

LESW-8-15W-MCTP-P	8W/12W/15W 135LM/W 30K/40K/50K Bronze	
LESW-8-15W-MCTP-WH	8W/12W/15W 135LM/W 30K/40K/50K White	
LESW-15-30W-MCTP-P	15W/20W/30W 135LM/W 3000K/4000K/5000K Bronze	10
LESW-15-30W-MCTP-P-WH	15W/20W/30W 135LM/W 3000K/4000K/5000K White	10

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES. DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-LESW	INTERNAL	OPT-TRS-T20 Tamper Resistant Screw	N/A	OPT-SEN-3MRLV-6 WEC-3RC	PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL

OUTDOOR WALLPACKS

120-277V

120-277V



SLX-2H-BR-P  
Bronze



SLX-2H-WH-P  
White



SLX-2H-BK-P  
Black



SLX-2H-BR-D  
Bronze



SLX-2H-WH-D  
White



SLX-2H-BK-D  
Black

**X-GEN ADVANCE SECURITY LIGHTS, WITH AND WITHOUT MOTION SENSOR  
POWER AND CCT ADJUSTABLE, 120V**



CATALOG NO. DESCRIPTION **ARRIVES THIS SEASON  
CHECK & PRE-ORDER** PKG. QTY.

**X-GEN ADVANCE SECURITY LIGHTS WITH PIR SENSOR**

SLX-2H-MCTP-BR-P	16W-25W 130LM/W 30K/40K/50K Bronze	6
SLX-2H-MCTP-WH-P	16W-25W 130LM/W 30K/40K/50K White	6
SLX-2H-MCTP-BK-P	16W-25W 130LM/W 30K/40K/50K Black	6

**NO-SENSOR DIMMABLE X-GEN ADVANCE SECURITY LIGHTS**

SLX-2H-MCTP-BR-D	16W-25W 130LM/W 30K/40K/50K Bronze	6
SLX-2H-MCTP-WH-D	16W-25W 130LM/W 30K/40K/50K White	6
SLX-2H-MCTP-BK-D	16W-25W 130LM/W 30K/40K/50K Black	6



SL-10W-BZ-P  
Dark Bronze



SL-20W-BZ-P  
Dark Bronze



SL-30W-BZ-P  
Dark Bronze



SL-10W-WH-P  
White



SL-20W-WH-P  
White



SL-30W-WH-P  
White

**LED SECURITY LIGHTS WITH PIR SENSOR, 120VAC, 180° SENSOR, 100° BEAM ANGLE (120° 28W)  
80% DIM (OR OFF) WHEN NO MOTION DETECTED, 120-277V**



CATALOG NO. DESCRIPTION PKG. QTY.

SL-10W-MCT-BZ-P	10W 950LM 30K/40K/50K Bronze	MCTP	8
SL-10W-MCT-WH-P	10W 950LM 30K/40K/50K White	MCTP	8
SL-20W-50K-BZ-P	20W 1900LM 5000K Bronze		8
SL-20W-30K-BZ-P	20W 1900LM 3000K Bronze		8
SL-20W-MCT-BZ-P	20W 1900LM 3000K/4000K/5000K Bronze	MCTP	8
SL-20W-50K-WH-P	20W 1900LM 5000K White		8
SL-20W-30K-WH-P	20W 1900LM 3000K White		8
SL-20W-MCT-WH-P	20W 1900LM 3000K/4000K/5000K White	MCTP	8
SL-30W-50K-BZ-P	30W 2800LM 5000K Bronze	WHILE SUPPLIES LAST	8
SL-30W-30K-BZ-P	30W 2800LM 3000K Bronze	WHILE SUPPLIES LAST	8
SL-30W-MCT-BZ-P	30W 2800LM 3000K/4000K/5000K Bronze	MCTP	8
SL-30W-50K-WH-P	30W 2800LM 5000K White	WHILE SUPPLIES LAST	8
SL-30W-30K-WH-P	30W 2800LM 3000K White	WHILE SUPPLIES LAST	8
SL-30W-MCT-WH-P	30W 2800LM 3000K/4000K/5000K White	MCTP	8

WITH SENSOR

OUTDOOR  
SECURITY  
LIGHTS





SL-10W-50K-BZ-D  
SL-10W-30K-BZ-D  
SL-10W-MCT-BZ-D  
Dark Bronze



SL-10W-50K-WH-D  
SL-10W-30K-WH-D  
SL-10W-MCT-WH-D  
White



SL-20W-50K-BZ-D  
SL-20W-30K-BZ-D  
SL-20W-MCT-BZ-D  
Dark Bronze



SL-20W-50K-WH-D  
SL-20W-30K-WH-D  
SL-20W-MCT-WH-D  
White



SL-30W-50K-BZ-D  
SL-30W-30K-BZ-D  
SL-30W-MCT-BZ-D  
Dark Bronze



SL-30W-50K-WH-D  
SL-30W-30K-WH-D  
SL-30W-MCT-WH-D  
White

**NO-SENSOR DIMMABLE LED FLOOD LIGHTS, 120V**  
(SEE BELOW FOR OPTIONAL MOTION SENSOR OR PHOTOCELL)



CATALOG NO.	DESCRIPTION	PKG. QTY.
SL-10W-50K-BZ-D	10W 950LM 5000K Bronze	8
SL-10W-30K-BZ-D	10W 950LM 3000K Bronze	8
SL-10W-MCT-BZ-D	10W 950LM 30K/40K/50K Bronze <b>MCT<sub>B</sub></b>	8
SL-10W-50K-WH-D	10W 950LM 5000K White	8
SL-10W-30K-WH-D	10W 950LM 3000K White	8
SL-10W-MCT-WH-D	10W 950LM 30K/40K/50K White <b>MCT<sub>B</sub></b>	8
SL-20W-50K-BZ-D	20W 1900LM 5000K Bronze	8
SL-20W-30K-BZ-D	20W 1900LM 3000K Bronze	8
SL-20W-MCT-BZ-D	20W 1900LM 3000K/4000K/5000K White <b>MCT<sub>B</sub></b>	8
SL-20W-MCT-WH-D	20W 1900LM 3000K/4000K/5000K White <b>MCT<sub>B</sub></b>	8
SL-30W-50K-BZ-D	30W 2800LM 5000K Bronze <b>WHILE SUPPLIES LAST</b>	8
SL-30W-30K-BZ-D	30W 2800LM 3000K Bronze <b>WHILE SUPPLIES LAST</b>	8
SL-30W-MCT-BZ-D	30W 2800LM 3000K/4000K/5000K Bronze <b>MCT<sub>B</sub></b>	8
SL-30W-50K-WH-D	30W 2800LM 5000K White <b>WHILE SUPPLIES LAST</b>	8
SL-30W-30K-WH-D	30W 2800LM 3000K White <b>WHILE SUPPLIES LAST</b>	8
SL-30W-MCT-WH-D	30W 2800LM 3000K/4000K/5000K White <b>MCT<sub>B</sub></b>	8



SL-20W-50K-BZ  
SL-20W-30K-BZ  
SL-20W-50K-WH  
SL-20W-30K-WH  
Bronze/White



SL-28W-50K-BZ-P  
SL-28W-30K-BZ-P  
SL-28W-50K-WH-P  
SL-28W-30K-WH-P  
Bronze/White



SL-28W-50K-BZ-D  
SL-28W-30K-BZ-D  
SL-28W-MCT-BZ-D  
SL-28W-50K-WH-D  
SL-28W-30K-WH-D  
SL-28W-MCT-WH-D  
Bronze/White



SL-40W-50K-BZ-D  
SL-40W-30K-BZ-D  
SL-40W-MCT-BZ-D  
SL-40W-50K-WH-D  
SL-40W-30K-WH-D  
SL-40W-MCT-WH-D  
Bronze/White

**LED SQUARE HEAD SECURITY LIGHTS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>NON-DIMMABLE LED SECURITY LIGHTS WITHOUT SENSOR, BASE COMPATIBLE WITH 4" ROUND W/P BOXES, 120V</b>		
SL-20W-30K-BZ	20W 2000LM 3000K Bronze	8
SL-20W-50K-BZ	20W 2000LM 5000K Bronze	8
SL-20W-30K-WH	20W 2000LM 3000K White	8
SL-20W-50K-WH	20W 2000LM 5000K White	8
<b>LED SECURITY LIGHTS WITH PIR SENSOR, 180° SENSOR 80%, DIM (OR OFF) WHEN NO MOTION DETECTED, 120-277V</b>		
SL-28W-50K-BZ-P	28W 3400LM 5000K Bronze <b>WHILE SUPPLIES LAST</b>	4
SL-28W-30K-BZ-P	28W 3400LM 3000K Bronze <b>WHILE SUPPLIES LAST</b>	4
SL-28W-50K-WH-P	28W 3400LM 5000K White <b>WHILE SUPPLIES LAST</b>	4
SL-28W-30K-WH-P	28W 3400LM 3000K White <b>WHILE SUPPLIES LAST</b>	4
<b>DIMMABLE LED FLOOD LIGHTS WITH OPTIONAL MOTION SENSOR OR POTHOCCELL, 120V</b>		
SL-28W-50K-BZ-D	28W 3400LM 5000K Bronze	4
SL-28W-30K-BZ-D	28W 3400LM 3000K Bronze <b>WHILE SUPPLIES LAST</b>	4
SL-28W-MCT-BZ-D	28W 3400LM 3000K/4000K/5000K Bronze <b>MCT<sub>B</sub></b>	4
SL-28W-50K-WH-D	28W 3400LM 5000K White <b>WHILE SUPPLIES LAST</b>	4
SL-28W-30K-WH-D	28W 3400LM 3000K White <b>WHILE SUPPLIES LAST</b>	4
SL-28W-MCT-WH-D	28W 3400LM 3000K/4000K/5000K White <b>MCT<sub>B</sub></b>	4
SL-40W-50K-BZ-D	40W 4800LM 5000K Bronze <b>WHILE SUPPLIES LAST</b>	4
SL-40W-30K-BZ-D	40W 4800LM 3000K Bronze <b>WHILE SUPPLIES LAST</b>	4
SL-40W-MCT-BZ-D	40W 4800LM 3000K/4000K/5000K Bronze <b>MCT<sub>B</sub></b>	4
SL-40W-50K-WH-D	40W 4800LM 5000K White	4
SL-40W-30K-WH-D	40W 4800LM 3000K White	4
SL-40W-MCT-WH-D	40W 4800LM 3000K/4000K/5000K White <b>MCT<sub>B</sub></b>	4

FOR PHOTOCCELL & SENSOR SEE PAGES 62 & 63.

OUTDOOR SECURITY LIGHTS

NO SENSOR

NO SENSOR

WITH SENSOR

NO SENSOR


NO SENSOR



# Crest & Westgate

## LED WALL SCONCES

ALL MODELS PROVIDE UP/DOWN LIGHT




OUTDOOR  
DECORATIVE  
WALL MOUNT

CATALOG NO.		TRIM		COLOR TEMPERATURE		FINISH	
		CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
<b>CRE</b>	10W (900LM)	01	Lunette	30K	3000K	BR	Bronze
<b>CRE-MP</b>	5W/10W/15W/20W	02	Aperture	40K	4000K	SIL	Silver
		03	Grasp	50K	5000K		
		04	Curve				
		05	Pen				
		06	Still				
		07	Passage				
		08	Crush				
		10	Burrow				
		51	Tunnel				
		52	Grille				



100-277V AC

Sample Ordering:



Alternatively, you may purchase Light Engines and Trims separately for your stock to offer various combinations.

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR
ALL	OPT-EM-CRE (Not Compatible With CRES)	INTERNAL	OPT-PC-B	120-277V	OPT-CLR-85(BK/GR/SR/WH)	DEPENDS ON MODEL-CALL

### ADJUSTABLE BEAM ANGLE OUTDOOR/INDOOR DESIGNER WALL SCONCE



CATALOG NO.	DESCRIPTION	WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR
<b>CREA-56-MCTP-BR</b>	14W/18W/24W	80LM/W		30K/40K/50K	Square		Bronze	
<b>CREA-57-MCTP-BR</b>	14W/18W/24W	80LM/W		30K/40K/50K	Square		Bronze	
<b>CREA-56-MCTP-WH</b>	14W/18W/24W	80LM/W		30K/40K/50K	Round		White	
<b>CREA-57-MCTP-WH</b>	14W/18W/24W	80LM/W		30K/40K/50K	Round		White	





**WSX-20-40W-MCTP-HA**  
Horizontal Arm



**WSX-20-40W-MCTP-HAD**  
Decorative Horizontal Arm



**WSX-20-40W-MCTP-SCH**  
45" Suspended Chain, Canopy, Cord



**WSX-20-40W-MCTP-45DA**  
45-Degree Arm



**WSX-20-40W-MCTP-HLA**  
15" Long Horizontal Arm



Factory-Installed  
Wire Guard Option  
**OPT-WSX-WG**



**WSX-20-40W-MCTP-SRK-218**  
**WSX-20-40W-MCTP-SRK-224**

**SPEC SERIES POWER & CCT- ADJUSTABLE**

X-GEN SEASIDE LIGHT, 120-277V, (DIA: 10-3/4") **7 DAYS LEAD TIME**



DESCRIPTION	PKG. QTY.
<b>WSX-20-40W-MCTP-HA</b> 20W/30W/40W 100LM/W 30K/40K/50K Horizontal Arm	4
<b>WSX-20-40W-MCTP-45DA</b> 20W/30W/40W 100LM/W 30K/40K/50K 45-Degree Arm	1
<b>WSX-20-40W-MCTP-HAD</b> 20W/30W/40W 100LM/W 30K/40K/50K Decorative Horizontal Arm	1
<b>WSX-20-40W-MCTP-HLA</b> 20W/30W/40W 100LM/W 30K/40K/50K 15" Long Horizontal Arm	1
<b>WSX-20-40W-MCTP-SCH</b> 20W/30W/40W 100LM/W 30K/40K/50K 45" Suspended Chain, Canopy, Cord	1
<b>WSX-20-40W-MCTP-SRK-218</b> 20W/30W/40W 100LM/W 30K/40K/50K 18" or 36" Swivel Rod Kit	1
<b>WSX-20-40W-MCTP-SRK-224</b> 20W/30W/40W 100LM/W 30K/40K/50K 24" or 48" Swivel Rod Kit	1
<b>WSX-RL-WH</b> WSX Original White Lens Replacement (Default Lens)	
<b>WSX-RL-FR</b> WSX Optional Frosted Lens	
<b>WSX-RL-AB</b> WSX Optional Alabaster Lens	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-WSX</b>	BACK BOX	<b>OPT-PC-B</b>	BUTTON	N/A	<b>OPT-SEN-WSX</b>	back box
	<b>WIREGUARD</b>	DESCRIPTION					
	<b>OPT-WSX-WG</b>	WIREGUARD					



**GNB-25W-MCT-BR-P**  
Bronze



**GNB-40W-MCT-BR-P**  
Bronze



**GNB-25W-MCT-WH-P**  
White



**GNB-40W-MCT-WH-P**  
White

**3CCT GOOSENECK BARN LIGHT WITH INTEGRATED PHOTOCELL**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GNB-25W-MCT-BR-P</b>	25W 3000LM 3000K/4000K/5000K Bronze	2
<b>GNB-25W-MCT-WH-P</b>	25W 3000LM 3000K/4000K/5000K White	2
<b>GNB-40W-MCT-BR-P</b>	40W 4800LM 3000K/4000K/5000K Bronze	2
<b>GNB-40W-MCT-WH-P</b>	40W 4800LM 3000K/4000K/5000K White	2

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-GNB</b>	BACK BOX	N/A	N/A	N/A	N/A	N/A



**CCT-ADJUSTABLE LED OUTDOOR CYLINDER LIGHTS, IP65**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>2" LED CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 8"</b>		
WMC2-DL-MCT-BR-DT	6W 400LM 3000K/4000K/5000K 25° Bronze	12
WMC2-DL-MCT-BN-DT	6W 400LM 3000K/4000K/5000K 25° Brushed Nickel	12
WMC2-DL-MCT-WH-DT	6W 400LM 3000K/4000K/5000K 25° White	12
WMC2-DL-MCT-BK-DT	6W 400LM 3000K/4000K/5000K 25° Black	12
<b>2" LED CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10"</b>		
WMC2-UDL-MCT-BR-DT	12W 800LM 3000K/4000K/5000K 25° Bronze	12
WMC2-UDL-MCT-BN-DT	12W 800LM 3000K/4000K/5000K 25° Brushed Nickel	12
WMC2-UDL-MCT-WH-DT	12W 800LM 3000K/4000K/5000K 25° White	12
WMC2-UDL-MCT-BK-DT	12W 800LM 3000K/4000K/5000K 25° Black	12
<b>3" LED CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 6"</b>		
WMC3-DL-MCT-BR-DT	9W 650LM 3000K/4000K/5000K 30° Bronze	12
WMC3-DL-MCT-BN-DT	9W 650LM 3000K/4000K/5000K 30° Brushed Nickel	12
WMC3-DL-MCT-WH-DT	9W 650LM 3000K/4000K/5000K 30° White	12
WMC3-DL-MCT-BK-DT	9W 650LM 3000K/4000K/5000K 30° Black	12
<b>3" LED CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10"</b>		
WMC3-UDL-MCT-BR-DT	18W 1300LM 3000K/4000K/5000K 30° Bronze	12
WMC3-UDL-MCT-BN-DT	18W 1300LM 3000K/4000K/5000K 30° Brushed Nickel	12
WMC3-UDL-MCT-WH-DT	18W 1300LM 3000K/4000K/5000K 30° White	12
WMC3-UDL-MCT-BK-DT	18W 1300LM 3000K/4000K/5000K 30° Black	12
<b>4" LED CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 8"</b>		
WMC-DL-MCT-BR-DT	15W 1200LM 3000K/4000K/5000K 40° Bronze	6
WMC-DL-MCT-BN-DT	15W 1200LM 3000K/4000K/5000K 40° Brushed Nickel	6
WMC-DL-MCT-WH-DT	15W 1200LM 3000K/4000K/5000K 40° White	6
WMC-DL-MCT-BK-DT	15W 1200LM 3000K/4000K/5000K 40° Black	6
<b>4" LED CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12"</b>		
WMC-UDL-MCT-BR-DT	30W 2400LM 3000K/4000K/5000K 40° Bronze	6
WMC-UDL-MCT-BN-DT	30W 2400LM 3000K/4000K/5000K 40° Brushed Nickel	6
WMC-UDL-MCT-WH-DT	30W 2400LM 3000K/4000K/5000K 40° White	6
WMC-UDL-MCT-BK-DT	30W 2400LM 3000K/4000K/5000K 40° Black	6
<b>6" LED CYLINDER LIGHTS, 120-277V (DOWN LIGHT) H: 8"</b>		
WMCL-DL-MCT-BR	20W 1600LM 3000K/4000K/5000K 45° Bronze	4
WMCL-DL-MCT-BN	20W 1600LM 3000K/4000K/5000K 45° Brushed Nickel	4
WMCL-DL-MCT-WH	20W 1600LM 3000K/4000K/5000K 45° White	4
WMCL-DL-MCT-BK	20W 1600LM 3000K/4000K/5000K 45° Black	4
<b>6" LED CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 18"</b>		
WMCL-UDL-MCT-BR	40W 3200LM 3000K/4000K/5000K 45° Bronze	4
WMCL-UDL-MCT-BN	40W 3200LM 3000K/4000K/5000K 45° Brushed Nickel	4
WMCL-UDL-MCT-WH	40W 3200LM 3000K/4000K/5000K 45° White	4
WMCL-UDL-MCT-BK	40W 3200LM 3000K/4000K/5000K 45° Black	4
<b>8" LED CYLINDER LIGHTS, 120-277V (DOWN LIGHT) H: 10.1"</b>		
WMC8-DL-MCT-BR-D	40W 3200LM 3000K/4000K/5000K 50° Bronze	4
WMC8-DL-MCT-BN-D	40W 3200LM 3000K/4000K/5000K 50° Brushed Nickel	4
WMC8-DL-MCT-WH-D	40W 3200LM 3000K/4000K/5000K 50° White	4
WMC8-DL-MCT-BK-D	40W 3200LM 3000K/4000K/5000K 50° Black	4
<b>8" LED CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 10.1"</b>		
WMC8-UDL-MCT-BR-D	40W 3200LM 3000K/4000K/5000K 50° Bronze	4
WMC8-UDL-MCT-BN-D	40W 3200LM 3000K/4000K/5000K 50° Brushed Nickel	4
WMC8-UDL-MCT-WH-D	40W 3200LM 3000K/4000K/5000K 50° White	4
WMC8-UDL-MCT-BK-D	40W 3200LM 3000K/4000K/5000K 50° Black	4
<b>ACRYLIC DROP LENS FOR WMC</b>		
CWMC2-DL32	CMC2 And WMC2 32mm Acrylic Drop Lens	
CWMC3-DL32	CMC3 And WMC3 32mm Acrylic Drop Lens	
WMC4-DL32	WMC4 32mm Acrylic Drop Lens	
CWMC6-DL32	CMC6 And WMC6 32mm Acrylic Drop Lens	

OUTDOOR  
DECORATIVE  
WALL MOUNT

277V  
OPTION

277V  
OPTION

**ALL MODELS ARE AVAILABLE IN BRONZE, BRUSHED NICKEL, BLACK, & WHITE** Now avail. in WHT & BK  
FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2" & 3"	OPT-EM-WMC-EXT-BR	EXTERNAL BACK BOX	OPT-PC-BUM	BUTTON	N/A	OPT-SEN-WMC WEC-8RC	ONLY FOR 4" & UP REMOTE CONTROL
2" & 3"	OPT-EM-WMC-EXT-BN	EXTERNAL BACK BOX	277V OPTION	DESCRIPTION			
2" & 3"	OPT-EM-WMC-EXT-WH	EXTERNAL BACK BOX	OPT-277V	INTERNAL (ONLY FOR WMC DL UDL)			
2" & 3"	OPT-EM-WMC-EXT-BK	EXTERNAL BACK BOX					
4" & UP	OPT-EM-WMC	INTERNAL					



**ALL MODELS ARE AVAILABLE IN BRONZE, BRUSHED NICKEL, BLACK, & WHITE**

**4" & 5" CCT-ADJUSTABLE LED SQUARE OUTDOOR CYLINDER LIGHTS, IP65**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4" LED SQUARE CYLINDER LIGHTS, 120V (DOWN LIGHT) H: 8"</b>		
WMCS-DL-MCT-BR-DT	12W 960LM 3000K/4000K/5000K 30° Bronze	6
WMCS-DL-MCT-BN-DT	12W 960LM 3000K/4000K/5000K 30° Brushed Nickel	6
WMCS-DL-MCT-WH-DT	12W 960LM 3000K/4000K/5000K 30° White	6
WMCS-DL-MCT-BK-DT	12W 960LM 3000K/4000K/5000K 30° Black	6
<b>4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4"</b>		
WMCS-UDL-MCT-BR-DT	24W 1920LM 3000K/4000K/5000K 30° Bronze	6
WMCS-UDL-MCT-BN-DT	24W 1920LM 3000K/4000K/5000K 30° Brushed Nickel	6
WMCS-UDL-MCT-WH-DT	24W 1920LM 3000K/4000K/5000K 30° White	6
WMCS-UDL-MCT-BK-DT	24W 1920LM 3000K/4000K/5000K 30° Black	6
<b>5" LED SQUARE CYLINDER LIGHTS, 120-277V (DOWN LIGHT) H: 8"</b>		
WMCS5-DL-MCT-BR-DD	20W 1600LM 30K/40K/50K 30° Bronze	6
WMCS5-DL-MCT-BN-DD	20W 1600LM 30K/40K/50K 30° Brushed Nickel	6
WMCS5-DL-MCT-WH-DD	20W 1600LM 30K/40K/50K 30° White	6
WMCS5-DL-MCT-BK-DD	20W 1600LM 30K/40K/50K 30° Black	6
<b>5" LED SQUARE CYLINDER LIGHTS, 120-277V (UP/DOWN LIGHT) H: 12"</b>		
WMCS5-UDL-MCT-BR-DD	40W 3200LM 30K/40K/50K 30° Bronze	6
WMCS5-UDL-MCT-BN-DD	40W 3200LM 30K/40K/50K 30° Brushed Nickel	6
WMCS5-UDL-MCT-WH-DD	40W 3200LM 30K/40K/50K 30° White	6
WMCS5-UDL-MCT-BK-DD	40W 3200LM 30K/40K/50K 30° Black	6

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION
4" & UP	OPT-EM-WMCS	INTERNAL	OPT-PC-B BUTTON	N/A	OPT-SEN-WMC WEC-8RC	PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL

**UP-DOWN SELECTABLE CUBE WALL LIGHT, POWER AND CCT ADJUSTABLE, 4.87" (L) x 4.87" (H) X 4.87" (W)**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
WMQ5-UDL-MCTP-BK-P	2X9W 1500LM 27K/30K/40K/50K/60K Black		6
WMQ5-UDL-MCTP-BR-P	2X9W 1500LM 27K/30K/40K/50K/60K Bronze		6
WMQ5-UDL-MCTP-WH-P	2X9W 1500LM 27K/30K/40K/50K/60K White		6
WMQ5-UDL-MCTP-BN-P	2X9W 1500LM 27K/30K/40K/50K/60K Brushed Nickel		6

**RGBW LED OUTDOOR CYLINDER LIGHTS, IP65**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4" LED ROUND CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12"</b>		
WMC-UDL-RGBW-BK	24W 1920LM RGBW 25° Black	6
WMC-UDL-RGBW-WH	24W 1920LM RGBW 25° White	6
<b>4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4"</b>		
WMCS-UDL-RGBW-BK	24W 1920LM RGBW 30° Black	6
WMCS-UDL-RGBW-WH	24W 1920LM RGBW 30° White	6

OUTDOOR  
DECORATIVE  
WALL MOUNT



**LDS-MCT5-DT-ORB**  
Oil-Rubbed Bronze



**LDS-MCT5-DT-SIL**  
Silver



**LDL-MCT-D-BZ**  
Bronze



**LDL-MCT-D-SIL**  
Silver



**LDSXL-MCT-DD-ORB**  
Oil-Rubbed Bronze



**LDSXL-MCT-DD-SIL**  
Silver




**LDS-MCT5-DT-PIR-ORB**  
Oil-Rubbed Bronze



**LDS-MCT5-DT-PIR-SIL**  
Oil-Rubbed Bronze



**LDSC-18-MCTP-DD-ORB**  
Oil-Rubbed Bronze



**LDSC-18-MCTP-DD-SIL**  
Silver



**LDSC-24-MCTP-DD-ORB**  
Oil-Rubbed Bronze



**LDSC-24-MCTP-DD-SIL**  
Silver

OUTDOOR  
DECORATIVE  
WALL MOUNT

**OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>10" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120V (7" WIDE)</b>		
<b>LDS-MCT5-DT-ORB</b>	15W 980LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze	4
<b>LDS-MCT5-DT-SIL</b>	15W 980LM 27K/30K/35K/40K/50K Silver	4
<b>LDS-MCT5-DT-BK</b>	15W 980LM 27K/30K/35K/40K/50K Black	4
<b>10" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE WITH PIR SENSOR, 120V (7" WIDE)</b>		
<b>LDS-MCT5-DT-PIR-ORB</b>	15W 1500LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze	4
<b>LDS-MCT5-DT-PIR-SIL</b>	15W 1500LM 27K/30K/35K/40K/50K Silver	4
<b>LDS-MCT5-DT-PIR-BK</b>	15W 1500LM 27K/30K/35K/40K/50K Black	4
<b>18" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (6" WIDE)</b>		
<b>LDL-MCT-D-BZ</b>	20W 1500LM 3000K/4000K/5000K Bronze	6
<b>LDL-MCT-D-SIL</b>	20W 1500LM 3500K/4000K/5000K Silver	6
<b>LDL-MCT-D-BK</b>	20W 1500LM 3500K/4000K/5000K Black	6
<b>24" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (6" WIDE)</b>		
<b>LDSXL-MCT-DD-ORB</b>	25W 1800LM 30K/40K/50K Oil-Rubbed Bronze	4
<b>LDSXL-MCT-DD-SIL</b>	25W 1800LM 30K/40K/50K Silver	4
<b>LDSXL-MCT-DD-BK</b>	25W 1800LM 30K/40K/50K Black	4
LDSXL DIMMING: (DUAL FUNCTION) TRIAC DIMMABLE AT 120V & 0-10V DIMMING AT 120-277V		
<b>18" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (9" WIDE)</b>		
<b>LDSC-18-MCTP-DD-ORB</b>	15W/20W/25W 80LM/W 30K/40K/50K Oil-Rubbed Bronze	4
<b>LDSC-18-MCTP-DD-SIL</b>	15W/20W/25W 80LM/W 30K/40K/50K Silver	4
<b>LDSC-18-MCTP-DD-BK</b>	15W/20W/25W 80LM/W 30K/40K/50K Black	4
<b>24" OUTDOOR/INDOOR LED DECORATIVE WALL SCONCE, 120-277V (9" WIDE)</b>		
<b>LDSC-24-MCTP-DD-ORB</b>	20W/25W/30W 80LM/W 30K/40K/50K Oil-Rubbed Bronze	4
<b>LDSC-24-MCTP-DD-SIL</b>	20W/25W/30W 80LM/W 30K/40K/50K Silver	4
<b>LDSC-24-MCTP-DD-BK</b>	20W/25W/30W 80LM/W 30K/40K/50K Black	4





FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LDS	<b>OPT-EM-LDS</b>		<b>OPT-PC-B1</b>	BUTTON	<b>N/A</b>	<b>OPT-SEN-LDS-BR</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
LDSX-S	<b>OPT-EM-LDSX-S</b>		<b>277V OPTION</b>	DESCRIPTION		<b>OPT-SEN-LDS-GY</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
LDSX-L	<b>OPT-EM-LDSX-L</b>		<b>OPT-277V-LDS</b>	EXTERNAL BOX		<b>WEC-8RC</b>	OPTIONAL REMOTE



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LDSL	<b>OPT-EM-LDSL</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>N/A</b>	<b>N/A</b>	<b>N/A</b>
LDSXL	<b>OPT-EM-LDSXL</b>	INTERNAL					
LDSXL	<b>OPT-EM-LDSXL-277V</b>	INTERNAL					



**LDSW-MCT5-ORB**  
Oil-Rubbed Bronze



**LDSW-MCT5-SIL**  
Silver



**LDSS-MCT5-ORB**  
Oil-Rubbed Bronze



**LDSX-S-12-16W-MCTP-ORB**  
Oil-Rubbed Bronze



**LDSX-L-18-22W-MCTP-ORB**  
Oil-Rubbed Bronze

## OUTDOOR/INDOOR LED DECORATIVE WALL SCNCE

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>10" OUTDOOR/INDOOR LED DECORATIVE WALL SCNCE, 120V (10" WIDE) MCT5</b>		
<b>LDSW-MCT5-ORB</b>	12W 1200LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze	6
<b>LDSW-MCT5-SIL</b>	12W 1200LM 27K/30K/35K/40K/50K Silver	6
<b>10" OUTDOOR/INDOOR LED DECORATIVE WALL SCNCE, 120V (8.7" WIDE) MCT5</b>		
<b>LDSS-MCT5-ORB</b>	12W 1200LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze	6
<b>FULL-LENS WALL SCNCE, POWER &amp; CCT-ADJUSTABLE</b>		
<b>LDSX-S-12-16W-MCTP-ORB</b>	12W/14W/16W 100LM/W 30K/40K/50K 8" Oil-Rubbed Bronze	
<b>LDSX-L-18-22W-MCTP-ORB</b>	18W/20W/22W 100LM/W 30K/40K/50K 14" Oil-Rubbed Bronze	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LDS	<b>OPT-EM-LDS</b>		<b>OPT-PC-B1</b>	BUTTON	<b>N/A</b>	<b>OPT-SEN-LDS-BR</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
LDSX-S	<b>OPT-EM-LDSX-S</b>		<b>277V OPTION</b>	DESCRIPTION		<b>OPT-SEN-LDS-GY</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
LDSX-L	<b>OPT-EM-LDSX-L</b>		<b>OPT-277V-LDS</b>	EXTERNAL BOX		<b>WEC-8RC</b>	OPTIONAL REMOTE



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	277V OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LDSW, LDSS	<b>N/A</b>	N/A	<b>OPT-PC-B1</b>	BUTTON	<b>N/A</b>	<b>N/A</b>	N/A



LRS-J1S-MCT-C90-BK  
Black



LRS-J1S-MCT-C90-BN  
Brushed-Nickel



LRS-J1S-MCT-C90-BR  
Bronze



LRS-J-MCT-C90-BK  
Black



LRS-J-MCT-C90-BN  
Brushed-Nickel



LRS-J-MCT-C90-BR  
Bronze

**MODEL J ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS  
120V, SOLID ACRYLIC LENS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

**1-SIDE DECORATIVE OUTDOOR WALL LIGHT**

LRS-J1S-MCT-C90-BK	10W 700LM 3000K/4000K/5000K Black	10
LRS-J1S-MCT-C90-BR	10W 700LM 3000K/4000K/5000K Bronze	10
LRS-J1S-MCT-C90-BN	10W 700LM 3000K/4000K/5000K Brushed-Nickel	10

**2-SIDES DECORATIVE OUTDOOR WALL LIGHT**

LRS-J-MCT-C90-BK	20W 1400LM 3000K/4000K/5000K Black	10
LRS-J-MCT-C90-BR	20W 1400LM 3000K/4000K/5000K Bronze	10
LRS-J-MCT-C90-BN	20W 1400LM 3000K/4000K/5000K Brushed-Nickel	10



LRS-E-MCT-C90-BK  
Black



LRS-E-MCT-C90-MGBR  
Marine Grade Bronze



LRS-E-MCT-C90-WH  
White



LRS-F-MCT-C90-BK  
Black



LRS-F-MCT-C90-MGBR  
Marine Grade Bronze



LRS-F-MCT-C90-WH  
White



LRS-G-MCT-C90-BK  
Black



LRS-G-MCT-C90-MGBR  
Marine Grade Bronze



LRS-G-MCT-C90-WH  
White



LRS-H-MCT-C90-BK  
Black



LRS-H-MCT-C90-MGBR  
Marine Grade Bronze



LRS-H-MCT-C90-WH  
White

**ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

**ROUND MODEL E ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V**

LRS-E-MCT-C90-BK	12W 650LM 3000K/4000K/5000K Black	12
LRS-E-MCT-C90-WH	12W 650LM 3000K/4000K/5000K White	12
LRS-E-MCT-C90-MGBR	12W 650LM 3000K/4000K/5000K Marine Grade Bronze	12

**ROUND MODEL F ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V**

LRS-F-MCT-C90-BK	12W 650LM 3000K/4000K/5000K Black	12
LRS-F-MCT-C90-WH	12W 650LM 3000K/4000K/5000K White	12
LRS-F-MCT-C90-MGBR	12W 650LM 3000K/4000K/5000K Marine Grade Bronze	12

**SQUARE MODEL G ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V**

LRS-G-MCT-C90-BK	12W 650LM 3000K/4000K/5000K Black	12
LRS-G-MCT-C90-WH	12W 650LM 3000K/4000K/5000K White	12
LRS-G-MCT-C90-MGBR	12W 650LM 3000K/4000K/5000K Marine Grade Bronze	12

**SQUARE MODEL H ARCHITECTURAL OUTDOOR/INDOOR LED WALL LIGHTS, 120V**

LRS-H-MCT-C90-BK	12W 650LM 3000K/4000K/5000K Black	12
LRS-H-MCT-C90-WH	12W 650LM 3000K/4000K/5000K White	12
LRS-H-MCT-C90-MGBR	12W 650LM 3000K/4000K/5000K Marine Grade Bronze	12



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LRS-E, LRS-F	OPT-EM-LRS-R-BK	BACK BOX	OPT-PC-LRS-RBK	EXTERNAL BOX	N/A	OPT-277V-LRS-R	EXTERNAL BOX
LRS-G, LRS-H, LRS-J, LRS-J1S	OPT-EM-LRS-S-BK	BACK BOX	OPT-PC-LRS-RMGBR	EXTERNAL BOX	N/A	OPT-277V-LRS-S	EXTERNAL BOX
LRS-E, LRS-F	OPT-EM-LRS-R-WH	BACK BOX	OPT-PC-LRS-RWH	EXTERNAL BOX			
LRS-G, LRS-H	OPT-EM-LRS-S-WH	BACK BOX	OPT-PC-LRS-SBK	EXTERNAL BOX			
LRS-E, LRS-F	OPT-EM-LRS-R-MGBR	BACK BOX	OPT-PC-LRS-SMGBR	EXTERNAL BOX			
LRS-G, LRS-H	OPT-EM-LRS-S-MGBR	BACK BOX	OPT-PC-LRS-SWH	EXTERNAL BOX			
LRS-J, LRS-J1S	OPT-EM-LRS-S-BR	BACK BOX					
LRS-J, LRS-J1S	OPT-EM-LRS-S-BN	BACK BOX					

OUTDOOR  
DECORATIVE  
WALL MOUNT



**LVW-100-MCT-ORB**  
5.25"(D) x 2.66"(H)



**LVW-110-MCT-ORB**  
3.12"(W) x 3.40"(H) x 3.71"(D)



**LVW-110-UD-MCT-ORB**  
3.71"(W) x 4.12"(H) x 5.20"(D)



**LVW-115-MCT-ORB**  
5.25"(D) x 3.75"(H)



**LVW-200-MCT-ORB**  
5.20"(SQ) x 2.66"(H)



**LVW-210-MCT-ORB**  
3.75"(W) x 4.12"(H) x 3.4"(D)



**LVW-210-UD-MCT-ORB**  
3.75"(W) x 4.12"(H) x 5.20"(D)



**LVW-215-MCT-ORB**  
5.25"(SQ) x 4.33"(H)



**LVW-250-MCT-ORB**  
5.75"(W) x 5.75"(H) x 2.25"(D)



**LVW-300-MCT-ORB**  
**LVW-300-MCT-WH**  
7"(W) x 5"(H) x 2.25"(D)



**LVW-310-MCT-ORB**  
**LVW-310-MCT-WH**  
7.50"(W) x 4.20"(H) x 2"(D)

**12V SELECTABLE CCT LED MINI WALL SCONCES**



12V

CATALOG NO.	DESCRIPTION
<b>LVW-100-MCT-ORB</b>	3W <b>200LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-110-MCT-ORB</b>	3W <b>200LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-110-UD-MCT-ORB</b>	6W <b>400LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-115-MCT-ORB</b>	3W <b>200LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-200-MCT-ORB</b>	3W <b>200LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-210-MCT-ORB</b>	3W <b>200LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-210-UD-MCT-ORB</b>	6W <b>400LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-215-MCT-ORB</b>	3W <b>200LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-250-MCT-ORB</b>	6W <b>400LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-300-MCT-ORB</b>	6W <b>400LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-300-MCT-WH</b>	6W <b>400LM</b> 30K/40K/50K White
<b>LVW-310-MCT-ORB</b>	6W <b>400LM</b> 30K/40K/50K Oil-Rubbed Bronze
<b>LVW-310-MCT-WH</b>	6W <b>400LM</b> 30K/40K/50K White



**LRS-TU-MCT5-DD-BK**  
Black



**LRS-TU-MCT5-DD-BN**  
Brushed Nickel



**LRS-TU-MCT5-DD-BR**  
Bronze



**LRS-TU-MCT5-DD-WH**  
White

**TUNNEL OUTDOOR WALL SCONCE, RESIDENTIAL/COMMERCIAL DUAL DIMMING**

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>LRS-TU-MCT5-DD-BK</b>	2X12W <b>1920LM</b> 27K/30K/35K/40K/50K Black		6
<b>LRS-TU-MCT5-DD-BN</b>	2X12W <b>1920LM</b> 27K/30K/35K/40K/50K Brushed Nickel		6
<b>LRS-TU-MCT5-DD-BR</b>	2X12W <b>1920LM</b> 27K/30K/35K/40K/50K Bronze		6
<b>LRS-TU-MCT5-DD-WH</b>	2X12W <b>1920LM</b> 27K/30K/35K/40K/50K White		6





LRS-A-40K-PC  
LRS-A-MCT-PC  
Dark Bronze



LRS-B-40K-PC  
LRS-B-MCT-PC  
Dark Bronze



LRS-C-MCT-D  
Dark Bronze



LRS-PV-MCT-DD  
Oil-Rubbed Bronze



LRS-D-30K-D  
LRS-D-40K-D  
Dark Bronze



LRS-L-MCT5-BK  
Black



LRS-S-MCT5-ORB  
Oil-Rubbed Bronze



LRS-SWG-MCT5-ORB  
Oil-Rubbed Bronze



**LED RESIDENTIAL LANTERNS, 120V**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>12" OUTDOOR/INDOOR CEILING LIGHT, 120-277V</b>	<b>MCT5</b> DIMMABLE DIMMING 0-10V	
LRS-PV-MCT-DD	25W 1920LM 30K/40K/50K 12". Oil-Rubbed Bronze	4
<b>LED RESIDENTIAL LANTERNS WITH PHOTOCELL, 120V</b>		
LRS-A-40K-PC	12W 1150LM 4000K	6
LRS-A-MCT-PC	12W 1150LM 3000K/4000K/5000K <b>MCT5</b>	6
LRS-B-40K-PC	6W 550LM 4000K <b>WHILE SUPPLIES LAST</b>	12
LRS-B-MCT-PC	6W 550LM 3000K/4000K/5000K <b>MCT5</b>	12
<b>LED DIMMABLE RESIDENTIAL LIGHTS, 120V</b>		
LRS-C-MCT-D	12W 1100LM 3000K/4000K/5000K <b>MCT5</b>	6
LRS-D-30K-D	12W 1100LM 3000K <b>WHILE SUPPLIES LAST</b>	6
LRS-D-40K-D	12W 1100LM 4000K <b>WHILE SUPPLIES LAST</b>	6
<b>LED OUTDOOR LARGE WALL LANTERN, 120V 5CCT (12.40 X 8.80 X 8.80)</b>		
LRS-L-MCT5-BK	12W 1200LM 27K/30K/35K/40K/50K Black 12.4"X8.8"X8.8"	6
<b>LED SEASIDE OUTDOOR WALL LANTERN, 120V 5CCT (10.50 X 8.70 X 8.70)</b>		
LRS-S-MCT5-ORB	12W 1200LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze	4
<b>LED SEASIDE OUTDOOR WALL LANTERN WITH WIREGUARD., 120V 5CCT (11.00 X 8.75 X 10.35)</b>		
LRS-SWG-MCT5-ORB	12W 1200LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze	4

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LRS-L, LRS-S, LRS-SWG	N/A	N/A	OPT-PC-B	BUTTON	N/A	N/A	N/A



LRS-R1-MCT5-DD-ORB  
Oil-rubbed bronze



LRS-R2-MCT5-DD-ORB  
Oil-rubbed bronze



LRS-T1-MCT5-DD-ORB  
Oil-rubbed bronze



LRS-T2-MCT5-DD-ORB  
Oil-rubbed bronze



LRS-S1-MCT5-DD-ORB  
Oil-rubbed bronze



LRS-S2-MCT5-DD-ORB  
Oil-rubbed bronze

**DUAL-DIMMING MODERN RESIDENTIAL/COMMERCIAL WALL SCONCES**



CATALOG NO.	DESCRIPTION
<b>LRS R MODERN RESIDENTIAL/COMMERCIAL WALL SCONCES</b>	
LRS-R1-MCT5-DD-ORB	20W 1500LM 27K/30K/35K/40K/50K
LRS-R2-MCT5-DD-ORB	25W 1875LM 27K/30K/35K/40K/50K
<b>LRS T MODERN RESIDENTIAL/COMMERCIAL WALL SCONCES</b>	
LRS-T1-MCT5-DD-ORB	20W 1500LM 27K/30K/35K/40K/50K
LRS-T2-MCT5-DD-ORB	25W 1875LM 27K/30K/35K/40K/50K
<b>LRS S MODERN RESIDENTIAL/COMMERCIAL WALL SCONCES</b>	
LRS-S1-MCT5-DD-ORB	20W 1500LM 27K/30K/35K/40K/50K
LRS-S2-MCT5-DD-ORB	25W 1875LM 27K/30K/35K/40K/50K

OUTDOOR  
DECORATIVE  
WALL MOUNT



**LRS-N1-MCT-P-ORB**  
13" Oil-Rubbed Bronze



**LRS-M1-MCT-P-ORB**  
10" Oil-Rubbed Bronze



**LRS-M2-MCT-P-ORB**  
10" Oil-Rubbed Bronze



Shown with  
Optional  
Bubble Glass



Shown with  
Optional  
Crackled Glass



**LRS-V**  
Oil-rubbed bronze



**RESIDENTIAL LANTERNS WITH PHOTOCELL, CCT SELECTABLE**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>10" MODEL M RESIDENTIAL LANTERNS WITH PHOTOCELL, CCT SELECTABLE</b>		
<b>LRS-M1-MCT-P-ORB</b>	12W 500LM 30K/40K/50K With Frosted Lens & Ornament guard	6
<b>LRS-M2-MCT-P-ORB</b>	12W 500LM 30K/40K/50K With Frosted Lens & Outer Clear Glass	6
<b>LRS-M-RL-FG</b>	Replacement Default Frosted Lens For LRS-M Series	
<b>LRS-M-RL-BG</b>	Replacement Bubble Glass Lens For LRS-M Series	
<b>LRS-M-RL-CG</b>	Replacement Crackled Glass Lens For LRS-M Series	
<b>13" MODEL N RESIDENTIAL LANTERNS WITH PHOTOCELL, CCT SELECTABLE</b>		
<b>LRS-N1-MCT-P-ORB</b>	20W 850LM 30K/40K/50K With Frosted Lens & Outer Clear Glass	4
<b>LRS-N-RL-FG</b>	Replacement Default Frosted Lens For LRS-N Series	
<b>LRS-N-RL-BG</b>	Replacement Bubble Glass Lens For LRS-N Series	
<b>LRS-N-RL-CG</b>	Replacement Crackled Glass Lens For LRS-N Series	
<b>MODEL V DIE-CAST MODERN WALL SCONCES</b>		
<b>LRS-V-MCT-P-ORB</b>	12W 500LM 30K/40K/50K	



**LRS-O**  
Bronze



Can be Installed  
as Uplight



**LRS-CR2-MCT-BR**  
Bronze



**LRS-WS-12**  
Bronze



**LRS-WS-18**  
Bronze




**LRS-K-24-MCT5-BR**  
Bronze

**DIE-CAST MODERN WALL SCONCES, SELECTABLE 3CCT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>MODEL O DIE-CAST MODERN WALL SCONCES - UP LIGHT OR DOWN LIGHT INSTALLATION</b>		
<b>LRS-O1-MCT-BR</b>	6W 420LM 30K/40K/50K Bronze, 5" H	10
<b>LRS-O2-MCT-BR</b>	9W 630LM 30K/40K/50K Bronze, 6" H	10
<b>LRS-O3-MCT-BR</b>	12W 840LM 30K/40K/50K Bronze, 8" H	10
<b>MODEL CR DIE-CAST MODERN WALL SCONCES</b>		
<b>LRS-CR2-MCT-BR</b>	2x6W 840LM 30K/40K/50K Bronze, 6" H	8
<b>MODEL WS DIE-CAST MODERN WALL SCONCES</b>		
<b>LRS-WS-12-MCT5-BR</b>	20W 1000LM 27K/30K/35K/40K/50K Bronze, 12" H	10
<b>LRS-WS-18-MCT5-BR</b>	30W 1500LM 27K/30K/35K/40K/50K Bronze, 18" H	10
<b>MODEL K DIE-CAST MODERN WALL SCONCES</b>		
<b>LRS-K-24-MCT5-BR</b>	24W 700LM 27K/30K/35K/40K/50K Bronze, 24" H	8

OUTDOOR  
DECORATIVE  
WALL MOUNT



**WALL CUBE WITH ADJ. BEAM ANGLE UP/DOWN LIGHTS, OUTDOOR, 5CCT**



OUTDOOR  
DECORATIVE  
WALL MOUNT

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRS-Q-MCT5-BR</b>	15w <b>800LM</b> 27K/30K/35K/40K/50K	10
<b>LRS-Q-MCT5-BK</b>	15w <b>800LM</b> 27K/30K/35K/40K/50K	10



**LRS-P1-MCT-BR**  
Bronze

**LRS-P2-MCTP-BR**  
Bronze

**DIE-CAST HIGH PERFORMANCE SELECTABLE 3CCT WALL PACK, PC LENS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRS-P1-MCT-BR</b>	15w <b>975LM</b> 30K/40K/50K Bronze, 10"H	8
<b>LRS-P2-MCTP-BR</b>	20W/25W/30W <b>70LM/W</b> 30K/40K/50K Bronze, 15"H	4



**LRS-MC-MCT5-P-BK**  
Black



**LRS-MC-MCT5-P-WH**  
Bronze



**LRS-MC-MCT5-P-BN**  
Brushed Nickel



**LRS-MC-MCT5-P-BR**  
Bronze

**MINI-CONE OUTDOOR WALL SCENCE WITH PHOTOCELL, 5" HEIGHT, 5CCT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRS-MC-MCT5-P-BK</b>	10w <b>700LM</b> 27K/30K/35K/40K/50K Black	10
<b>LRS-MC-MCT5-P-WH</b>	10w <b>700LM</b> 27K/30K/35K/40K/50K White	10
<b>LRS-MC-MCT5-P-BN</b>	10w <b>700LM</b> 27K/30K/35K/40K/50K Brushed nickel	10
<b>LRS-MC-MCT5-P-BR</b>	10w <b>700LM</b> 27K/30K/35K/40K/50K Bronze	10



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-LRS-MC</b>	EXTERNAL BACK BOX	<b>N/A</b>	N/A	<b>N/A</b>	<b>N/A</b>	N/A





TC-FL-36W-RGBW-BT-BR  
Round Flood Light



TC-FL-72W-RGBW-BT-BK  
Round Flood Light



TC-FLS-96W-RGBW-BT-BK  
Square Flood Light



TC-WW-36W-RGBW-BT-BK  
TC-WW-72W-RGBW-BT-BK  
4' Wall Wash



DMX-FL-SH1  
Shield only



DMX-FLS-SH1  
Shield only



DMX-FLS-SHFG1  
Shield only



DMX-WW-SH2  
Shield only



WEC-2UGW-WIFI

**WESTGATE SMART APP COMPATIBLE RGBW SERIES**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TC-FL-36W-RGBW-BT-BR</b>	36W RGBW Bronze Round Flood Light	1
<b>TC-FL-72W-RGBW-BT-BK</b>	72W RGBW Black Round Flood Light	1
<b>TC-WW-36W-RGBW-BT-BK</b>	36W RGBW Black Linear Light	1
<b>TC-WW-72W-RGBW-BT-BK</b>	72W RGBW Black Linear Light	1
<b>TC-FLS-96W-RGBW-BT-BK</b>	96W RGBW Black Square Flood Light	1
<b>DMX-FL-SH1</b>	Half Glare Shield for TC-FL-72W & DMX-FL-72W	
<b>DMX-WW-SH2</b>	Half Glare Shield for TC-LIN-36W/72W & DMX-LIN-36W	
<b>DMX-FLS-SH1</b>	Half Glare Shield for TC-FLS-96W & DMX-FLS-36W/72W/96W	
<b>DMX-FLS-SHFG1</b>	Full Glare Shield for TC-FL-96W & DMX-FL-36W/72W/96W	
<b>WEC-2UGW-WIFI</b>	Bluetooth to WiFi Gateway for full remote access and programming, also needed for scheduling	



**WMC-UDL-RGBW-BK**  
Black



**WMC-UDL-RGBW-WH**  
White



**WMCS-UDL-RGBW-BK**  
Black



**WMCS-UDL-RGBW-WH**  
White

**RGBW LED OUTDOOR CYLINDER LIGHTS, IP65**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4" LED ROUND CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12"</b>		
<b>WMC-UDL-RGBW-BK</b>	24W 1920LM RGBW 25° Black	6
<b>WMC-UDL-RGBW-WH</b>	24W 1920LM RGBW 25° White	6
<b>4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4"</b>		
<b>WMCS-UDL-RGBW-BK</b>	24W 1920LM RGBW 30° Black	6
<b>WMCS-UDL-RGBW-WH</b>	24W 1920LM RGBW 30° White	6



# DMX 512 COMPATIBLE RGBW SERIES

SPECIAL ORDER FOR PROJECTS - MINIMUM 3 MONTHS LEAD TIME

DMX Controller & Cables Needed.

In a DMX lighting setup, Lights need to be connected with cables. The cables can be "daisy chained" so that each light can plug into the one before it instead of all lights plugging into the DMX board itself.



DMX-FL-72W-RGBW-BT-BK  
Round Flood Light



DMX-FLS-96W-RGBW-BT-BK  
Square Flood Light



DMX-WW-36W-RGBW-BT-BK  
DMX-WW-72W-RGBW-BT-BK  
Wall Wash



DMX-FL-SH1  
Shield only



DMX-FLS-SHFG1  
Shield only




DMX-WW-SH2  
Shield only



DMX-FLS-SH2  
Shield only

## DMX 512 COMPATIBLE RGBW SERIES

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>DMX-FL-72W-RGBW-BT-BK</b>	72W <b>RGBW</b> Black Round Flood Light	1
<b>DMX-FLS-96W-RGBW-BT-BK</b>	96W <b>RGBW</b> Black Square Flood Light	1
<b>DMX-WW-36W-RGBW-BT-BK</b>	36W <b>RGBW</b> Black Linear Light	1
<b>DMX-WW-72W-RGBW-BT-BK</b>	72W <b>RGBW</b> Black Linear Light	1
<b>DMX-FL-SH1</b>	Half Glare Shield for TC-FL-72W & DMX-FL-72W	
<b>DMX-WW-SH2</b>	Half Glare Shield for TC-LIN-36W/72W & DMX-LIN-36W	
<b>DMX-FLS-SH1</b>	Half Glare Shield for TC-FLS-96W & DMX-FLS-36W/72W/96W	
<b>DMX-FLS-SHFG1</b>	Full Glare Shield for TC-FL-96W & DMX-FL-36W/72W/96W	



## SPEC SERIES X GEN. RGB STADIUM LIGHTS, DMX512 CONTROLLED - SPECIAL ORDER



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SFX-G9-500W-45D-RGB</b>	500W RGB	1
<b>SFX-G9-800W-45D-RGB</b>	800W RGB	1



OUTDOOR

DMX 512



**BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL**  
**TYPE 3 LENS (PHOTOCELL DISCONNECT SWITCH)**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>POWER &amp; CCT ADJUSTABLE BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL</b>		
<b>LFXE-MD-50-100W-MCTP-KN-P</b>	50W/80W/100W 135LM/W 30K/40K/50K	4
<b>LFXE-MD-50-100W-MCTP-KN-P-BK</b>	50W/80W/100W 135LM/W 30K/40K/50K	4
<b>LFXE-MD-50-100W-MCTP-KN-P-WH</b>	50W/80W/100W 135LM/W 30K/40K/50K	4
<b>LFXE-MD-50-100W-MCTP-TR-P</b>	50W/80W/100W 135LM/W 30K/40K/50K	4
<b>POWER &amp; 3CCT ADJUSTABLE BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL (COMPATIBLE WITH LFX MOUNTING OPTIONS)</b>		
<b>LFXE-LG-80-150W-50K-P</b>	80W/100W/150W 135LM/W 5000K	1
<b>LFXE-LG-80-150W-MCTP-P</b>	80W/100W/150W 135LM/W 30K/40K/50K	1
<b>POWER &amp; 3CCT ADJUSTABLE BUILDER SERIES FLOOD/AREA LIGHTS WITH PHOTOCELL (COMPATIBLE WITH LFX MOUNTING OPTIONS)</b>		
<b>LFXE-XL-200-300W-50K-P</b>	200W/240W/300W 135LM/W 5000K	1
<b>LFXE-XL-200-300W-MCTP-P</b>	200W/240W/300W 135LM/W 30K/40K/50K	1

FOR MOUNTING OPTIONS SEE PAGE 31. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)  
FOR COLD-WEATHER EXTERNAL EM OPTION SEE PAGE 192



**SPEC SERIES POWER & CCT ADJUSTABLE FLOOD/AREA LIGHT, 120-277V TYPE 3 LENS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LFXPRO-LG-50-150W-MCTP</b>	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K	1
<b>LFXPRO-LG-50-150W-MCTP-WH</b>	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K	1
<b>LFXPRO-LG-50-150W-MCTP-BK</b>	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K	1
<b>LFXPRO-XL-150-300W-MCTP</b>	150W/200W/240W/300W 125LM/W 30K/40K/50K/57K	1
<b>LFXPRO-XL-150-300W-MCTP-WH</b>	150W/200W/240W/300W 125LM/W 30K/40K/50K/57K	1
<b>LFXPRO-XL-150-300W-MCTP-BK</b>	150W/200W/240W/300W 125LM/W 30K/40K/50K/57K	1

FOR MOUNTING OPTIONS SEE PAGE 31. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)  
FOR COLD-WEATHER L EM OPTION SEE PAGE 192





**LF4PRO**  
Dark Bronze



Shown with  
LFX-SF Slip Fitter

**SPEC SERIES POWER & CCT ADJUSTABLE ARCHITECTURAL ROUND-BACK FLOOD LIGHT, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LF4PRO-50-150W-MCTP</b>	50W/80W/100W/150W <b>125LM/W</b> 30K/40K/50K/57K	1
FOR COLD-WEATHER EM OPTION SEE PAGE 192		
FOR MOUNTING OPTIONS SEE PAGE 31. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)		



Photocell & Sensor-Ready  
Plug & Play

**LFXMAX SPEC SERIES MAXIMUM-FEATURE AREA/FLOOD LIGHT, SENSOR & PHOTOCELL READY, ROTATE LENS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LFXMAX-LG-70-150W-MCTP-PSR</b>	70W/100W/150W <b>145LM/W</b> 30K/40K/50K	1
<b>LFXMAX-XL-200-300W-MCTP-PSR</b>	200W/250W/300W <b>145LM/W</b> 30K/40K/50K	1
<b>LFXMAX-LG-70-150W-MCTP-PSR-480V</b>	70W/100W/150W <b>145LM/W</b> 30K/40K/50K	1
<b>LFXMAX-XL-200-300W-MCTP-PSR-480V</b>	200W/250W/300W <b>145LM/W</b> 30K/40K/50K	1
<b>LFXMAX-TR-A</b>	LFMAX-LG TR U-Shaped Mounting Bracket	
<b>LFXMAX-LG-LENS-T1S</b>	LFMAX-LG Type T1S Lens	
<b>LFXMAX-LG-LENS-T2M</b>	LFMAX-LG Type T2M Lens	
<b>LFXMAX-LG-LENS-T4M</b>	LFMAX-LG Type T4M Lens	
<b>LFXMAX-LG-LENS-T5M</b>	LFMAX-LG Type T5M Lens	
<b>LFXMAX-LG-LENS-TFTM</b>	LFMAX-LG Type TFTM Lens	
<b>LFXMAX-LG-LENS-AFR</b>	LFMAX-LG Type AFR Lens	
<b>LFXMAX-LG-LENS-T5W</b>	LFMAX-LG Type T5W Lens	
<b>LFXMAX-XL-LENS-T1S</b>	LFMAX-XI Type T1S Lens	
<b>LFXMAX-XL-LENS-T2M</b>	LFMAX-XI Type T2M Lens	
<b>LFXMAX-XL-LENS-T4M</b>	LFMAX-XI Type T4M Lens	
<b>LFXMAX-XL-LENS-T5M</b>	LFMAX-XI Type T5M Lens	
<b>LFXMAX-XL-LENS-TFTM</b>	LFMAX-XI Type TFTM Lens	
<b>LFXMAX-XL-LENS-AFR</b>	LFMAX-XI Type AFR Lens	
<b>LFXMAX-XL-LENS-T5W</b>	LFMAX-XI Type T5W Lens	
<b>LFXMAX-LG-SHROUD-H</b>	LFMAX-LG Half Shroud	
<b>LFXMAX-XL-SHROUD-H</b>	LFMAX-XI Half Shroud	
<b>PHOTOCELL &amp; SENSOR ACCESSORIES FOR LFXMAX SERIES</b>		
<b>PC-TWIST</b>	Twist Lock Photocell 1800W Tungston 120-277V Ac /1800W	
<b>PC-TWIST-480V</b>	Twist Lock Photocell 1800W Tungston 490V	
<b>WEC-3PDR-48-480V</b>	120V-480V Pir Ip65 Bi-Level Motion Sensor, Remote Capable (Optional Remote Control WEC-3RC)	
<b>WEC-3MR-72-TLB-BK</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
<b>WEC-3MBT-72-TLB-BK</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
<b>WEC-3PR-72-TLB-WH</b>	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	

FOR COLD-WEATHER EM OPTION SEE PAGE 192  
FOR MOUNTING OPTIONS SEE PAGE 31. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)





**LFX-LG**  
Dark Bronze

**LFX-XL**  
Dark Bronze

**LFX-XXL**  
Dark Bronze

**SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, TYPE 3 LENS**

Dark Bronze



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, 120-277V</b>		
LFX-LG-50-150W-30K	50W/80W/100W/150W 140LM/W 3000K	1
LFX-LG-50-150W-40K	50W/80W/100W/150W 140LM/W 4000K	1
LFX-LG-50-150W-50K	50W/80W/100W/150W 140LM/W 5000K	1
LFX-XL-150-300W-30K	150W/200W/240W/300W 145LM/W 3000K	1
LFX-XL-150-300W-40K	150W/200W/240W/300W 145LM/W 4000K	1
LFX-XL-150-300W-50K	150W/200W/240W/300W 145LM/W 5000K	1
LFX-XXL-300-600W-50K	300W/400W/500W/600W 140LM/W 5000K	1
<b>SPEC SERIES POWER-ADJUSTABLE FLOOD/AREA LIGHT, 480V</b>		
LFX-LG-50-150W-50K-480V	50W/80W/100W/150W 140LM/W 5000K	1
LFX-XL-150-300W-50K-480V	150W/200W/240W/300W 145LM/W 5000K	1
LFX-XXL-300-600W-50K-480V	300W/400W/500W/600W 140LM/W 5000K	1
<b>SPEC SERIES POWER &amp; CCT -ADJUSTABLE FLOOD/AREA LIGHT, PHOTOCELL READY 480V</b>		
LFX-LG-80-150W-MCTP-480V-SC	80W/100W/150W 145LM/W 30K/40K/50K	2
LFX-XL-200-300W-MCTP-480V-SC	200W/240W/300W 145LM/W 30K/40K/50K	3



FOR COLD-WEATHER EM OPTION SEE PAGE 192

FOR MOUNTING OPTIONS SEE PAGE 31. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LFX-LG	OPT-EM-LFX-LG	EXTERNAL	OPT-3MPC	ELECTRONIC	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-3MR-3	PROGRAMMABLE MICRO-WAVE BI-LEVEL
LFX-XL	OPT-EM-LFX-XL	EXTERNAL BOX	OPT-LF3-PCK	TWIST-LOCK		WEC-8RC	REMOTE CONTROL
	LENS OPTION	DESCRIPTION	OPT-LF3-PCK-480V	TWIST-LOCK	OPT-CLR-95MC		
	OPT-LFX-LG-TYPEIV	TYPE IV	WIRES PULLED OUT	DESCRIPTION	(260 SET UP FEE PER PROJECT)		
	OPT-LFX-XL-TYPEIV	TYPE IV	OPT-010WPO	0-10V Dim. Wires Pulled Out			
	OPT-LFX-LG-TYPEV	TYPE V					
	OPT-LFX-XL-TYPEV	TYPE V					



**SPEC SERIES POWER & CCT- ADJUSTABLE AREA/FLOOD LIGHT**

W/ PRE-INSTALLED MOUNTINGS, 120-277V, TYPE 5 LENS 7 DAYS LEAD TIME



DESCRIPTION	MOUNTING	PKG. QTY.
GPX-18-60W-MCTP-PWM 18W/30W/45W/60W 150LM/W 30K/40K/50K Pole/Wall Mount		1
GPX-18-60W-MCTP-SF 18W/30W/45W/60W 150LM/W 30K/40K/50K Slip fitter for 2-3/8" Poles/Piles		1

FOR GPX OPTIONS & ACCESSORIES SEE PAGE 45.

OUTDOOR  
AREA  
LIGHTS

**MOUNTING OPTIONS FOR LFX, LFXPRO, LF4PRO, LFXE, LFXMAX SERIES**



**LFX-SF (Bronze)**

**LFX-SF-WH (White)**

**LFX-SF-BK (Black)**

Slip Fitter for LFX & LFX-XXL & LFXPRO & LFXMAX & LF4PRO & LFXE Series



**LFX-EXT (Bronze)**

**LFX-EXT-WH (White)**

**LFX-EXT-BK (Black)**

Straight Arm for LFX & LFX-XXL & LFXPRO & LFXMAX & LF4PRO & LFXE Series



**LFX-ASA (Bronze)**

**LFX-ASA-WH (White)**

**LFX-ASA-BK (Black)**

Adjustable Straight Arm for LFX & LFX-XXL & LFXPRO & LFXMAX & LF4PRO & LFXE Series



**LFX-AWB (Bronze)**

**LFX-AWB-WH (White)**

**LFX-AWB-BK (Black)**

Adjustable Wall Junction Box for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO & LFXE Series



**LFX-YK (Bronze)**

**LFX-YK-WH (White)**

**LFX-YK-BK (Black)**

Yoke for LFX & LFX-XXL & LFXPRO & LFXMAX & LF4PRO & LFXE Series



**LFX-TR-A (Bronze)**

**LFX-TR-A-WH (White)**

**LFX-TR-A-BK (Black)**

U Bracket for LFX & LFXPRO "LG" & LF4PRO & LFXE Series



**LFX-TR-B (Bronze)**

**LFX-TR-B-WH (White)**

**LFX-TR-B-BK (Black)**

U Bracket for LFX "XL" & LFX-XXL & LFXPRO "XL" & LFXE Series



**LFX-PASF (Bronze)**

**LFX-PASF-WH (White)**

**LFX-PASF-BK (Black)**

Pole Adapter for Slip Fitter for LFX & LFX-XXL & LFXMAX & LFXPRO & LF4PRO & LFXE Series

OUTDOOR AREA LIGHTS

**PHOTOCELL FOR LFX SERIES**

**Microwave Photocell**



**OPT-3MPC**

**Twist-Lock Photocell Kit**



**OPT-LF3-PCK**

**OPT-LF3-PCK-480V**

**PHOTOCELL FOR LFXE SERIES**



**OPT-3MPC**  
COMPATIBLE WITH  
EXT, ASA, SF MOUNTING

**7-PIN SOCKET FOR SMART CONTROL RECEIVERS**

RECEIVER NOT INCL.

**SMART CONTROL RECEIVER SOCKET**



**OPT-TLS0C7P**



**LF-SHROUD-A**  
Dark Bronze  
Reversible



**LF-SHROUD-D**  
Dark Bronze



**LF-SHROUD-B**  
Dark Bronze  
Reversible



**LF-SHROUD-E**  
Dark Bronze



**LF-SHROUD-F**  
Dark Bronze



**LF-SHROUD-G**  
Dark Bronze



**LFX-WG-A**  
**LFX-WG-B**  
**LFXPRO-WG-A**  
**LFXPRO-WG-B**

**SHROUD & WIRE GUARD FOR LFX, LFX PRO, LF4 PRO SERIES**

CATALOG NO.	DESCRIPTION
<b>LF-SHROUD-A</b>	Half Shroud for LFX & LFXPRO "LG" & LF4PRO Series, Reversible (Back or Front)
<b>LF-SHROUD-B</b>	Half Shroud for LFX & LFXPRO "XL" Series, Reversible (Back or Front)
<b>LF-SHROUD-F</b>	Half Shroud for LFX "XXL" Series
<b>LF-SHROUD-D</b>	Full Shroud for LFX & LFXPRO "LG" & LF4PRO Series
<b>LF-SHROUD-E</b>	Full Shroud for LFX & LFXPRO "XL" Series
<b>LF-SHROUD-G</b>	Full Shroud for LFX "XXL" Series
<b>LFX-WG-A</b>	Wire Guard for LFX "LG" Series
<b>LFX-WG-B</b>	Wire Guard for LFX "XL" Series
<b>LFXPRO-WG-A</b>	Wire Guard for LFXPRO "LG" Series
<b>LFXPRO-WG-B</b>	Wire Guard for LFXPRO "XL" Series



**LFE-15W**  
Dark Bronze



**LFE-30W**  
Dark Bronze



**LFE-50W**  
Dark Bronze

**BUILDER SERIES COMPACT FLOOD LIGHTS, INCL. 3CCT VERSIONS WITH 1/2" KNUCKLE, 120V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
LFE-15W-30K-KN	15W 1600LM 3000K	48
LFE-15W-40K-KN	15W 1600LM 4000K	48
LFE-15W-50K-KN	15W 1600LM 5000K	48
<b>3CCT VERSION COMPACT FLOOD LIGHTS MCTP</b>		
LFE-15W-MCT-KN	15W 1600LM 3000K/4000K/5000K	48
LFE-30W-MCT-KN	30W 3250LM 3000K/4000K/5000K	24
LFE-50W-MCT-KN	50W 5250LM 3000K/4000K/5000K	16
<b>3CCT VERSION COMPACT FLOOD LIGHTS WITH PHOTOCELL MCTP</b>		
LFE-15W-MCT-KN-P	15W 1600LM 30K/40K/50K	48
LFE-30W-MCT-KN-P	30W 3250LM 30K/40K/50K	24
LFE-50W-MCT-KN-P	50W 5250LM 30K/40K/50K	16



**LFX-XS**  
Dark Bronze



**LFX-SM**  
Dark Bronze



**LFX-SM**  
White



**LFX-SM**  
Black



**LFX-SM**  
Silver



**LFX-MD**  
Dark Bronze



**LFX-MD**  
White



**LFX-MD**  
Black



**LFX-MD**  
Silver

**SPEC SERIES X-GEN. SMALL FLOOD LIGHTS**

0-10V DIM., INCL. MULTI POWER & MULTI POWER + 3CCT (WITH KNUCKLE) 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>EXTRA SMALL FLOOD LIGHT</b>		
LFX-XS-15W-30K-KN	15W 1950LM 3000K	18
LFX-XS-15W-40K-KN	15W 1950LM 4000K	18
LFX-XS-15W-50K-KN	15W 1950LM 5000K	18
<b>POWER-ADJUSTABLE SMALL FLOOD LIGHT MP</b>		
LFX-SM-10-30W-30K-KN	10W/15W/20W/30W 130LM/W 3000K	10
LFX-SM-10-30W-40K-KN	10W/15W/20W/30W 130LM/W 4000K	10
LFX-SM-10-30W-50K-KN	10W/15W/20W/30W 130LM/W 5000K	10
LFX-MD-15-50W-30K-KN	15W/20W/30W/50W 130LM/W 3000K	6
LFX-MD-15-50W-40K-KN	15W/20W/30W/50W 130LM/W 4000K	6
LFX-MD-15-50W-50K-KN	15W/20W/30W/50W 130LM/W 5000K	6
<b>POWER &amp; CCT-ADJUSTABLE SMALL FLOOD LIGHT MCTP</b>		
LFX-SM-10-30W-MCTP-KN	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-WH	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-BK	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-SM-10-30W-MCTP-KN-SV	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-KN	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-KN-WH	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-KN-BK	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-KN-SV	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6

OUTDOOR  
FLOOD LIGHTS

**LED FLOOD LIGHTS LF3 SERIES WITH KNUCKLE, 120-277V (NOT DIMMABLE)**




CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	REPLACEMENT RANGE	PKG. QTY.
 <b>LF3-15NW-KN</b>	15W <b>1700LM</b> 4000K Bronze		50-70 MH	18
<b>LF3-50NW-KN</b>	50W <b>6100LM</b> 4000K Bronze		100-175 MH	6
<b>LF3-WH-15CW-KN</b>	15W <b>1600LM</b> 5000K White		50-70 MH	18

**LED FLOOD LIGHTS LF3 SERIES, 120-277V (1-10V DIMMABLE)**

Dark Bronze



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	REPLACEMENT RANGE	PKG. QTY.
 <b>LF3-HL-30W-40K-D-KN</b>	30W <b>3600LM</b> 4000K <b>0-10V dimming</b>		70-100 MH	1
<b>LF3-HL-50W-30K-D-KN</b>	50W <b>6100LM</b> 3000K <b>0-10V dimming</b>		100-175 MH	1
<b>LF3-HL-50W-40K-D-KN</b>	50W <b>6100LM</b> 4000K <b>0-10V dimming</b>		100-175 MH	1



**LF4-15W-50K-KN**  
**LF4-15W-30K-KN**  
Dark Bronze




**LF4-30W-50K-D-KN**  
**LF4-30W-30K-D-KN**  
Dark Bronze



**LF4-50W-50K-D-KN**  
**LF4-50W-30K-D-KN**  
Dark Bronze

**SPEC SERIES LED ARCHITECTURAL ROUND-BACK FLOOD LIGHTS, 0-10V DIMMING 120-277V**



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	REPLACEMENT RANGE	PKG. QTY.
 <b>LF4-15W-50K-KN</b>	15W <b>1900LM</b> 5000K			12
<b>LF4-15W-30K-KN</b>	15W <b>1900LM</b> 3000K			12
<b>LF4-30W-50K-D-KN</b>	30W <b>4050LM</b> 5000K			6
<b>LF4-30W-30K-D-KN</b>	30W <b>4050LM</b> 3000K			6
<b>LF4-50W-50K-D-KN</b>	50W <b>6750LM</b> 5000K			6
<b>LF4-50W-30K-D-KN</b>	50W <b>6750LM</b> 3000K			6

**LED ARCHITECTURAL ROUND-BACK FLOOD LIGHTS, 120V-277V**



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	WHILE SUPPLIES LAST	PKG. QTY.
 <b>LF4-12CW-KN</b>	12W <b>1300LM</b> 5000K	50-70 MH		12
<b>LF4-50CW-KN</b>	50W <b>5600LM</b> 5000K	100-175 MH		6



**LFE-15W-30K-TR**  
**LFE-15W-40K-TR**  
**LFE-15W-50K-TR**  
Dark Bronze



**LFE-15W-MCT-TR**  
**LFE-30W-MCT-TR**  
Dark Bronze



**LFE-50W-MCT-TR**  
Dark Bronze

**BUILDER SERIES COMPACT FLOOD LIGHTS, INCL. 3CCT VERSIONS WITH U BRACKET, 120V**



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	REPLACEMENT RANGE	PKG. QTY.
 <b>LFE-15W-30K-TR</b>	15W <b>1600LM</b> 3000K			48
<b>LFE-15W-40K-TR</b>	15W <b>1600LM</b> 4000K			48
<b>LFE-15W-50K-TR</b>	15W <b>1600LM</b> 5000K			48
<b>3CCT VERSION COMPACT FLOOD LIGHTS</b>				
<b>LFE-15W-MCT-TR</b>	15W <b>1600LM</b> 3000K/4000K/5000K			48
<b>LFE-30W-MCT-TR</b>	30W <b>3250LM</b> 3000K/4000K/5000K			24
<b>LFE-50W-MCT-TR</b>	50W <b>5250LM</b> 3000K/4000K/5000K			16

OUTDOOR  
FLOOD LIGHTS





**LFX-XS**  
Dark Bronze



**LFX-SM**  
Dark Bronze



**LFX-MD**  
Dark Bronze

## SPEC SERIES X-GEN. SMALL FLOOD LIGHTS

0-10V DIM., INCL. MULTI POWER & MULTI POWER + 3CCT (WITH U BRACKET) 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>EXTRA SMALL FLOOD LIGHT</b>		
LFX-XS-15W-30K-TR	15W 1950LM 3000K	18
LFX-XS-15W-40K-TR	15W 1950LM 4000K	18
LFX-XS-15W-50K-TR	15W 1950LM 5000K	18
<b>POWER-ADJUSTABLE SMALL FLOOD LIGHT MP</b>		
LFX-SM-10-30W-30K-TR	10W/15W/20W/30W 130LM/W 3000K	10
LFX-SM-10-30W-50K-TR	10W/15W/20W/30W 130LM/W 5000K	10
LFX-MD-15-50W-30K-TR	15W/20W/30W/50W 130LM/W 3000K	10
LFX-MD-15-50W-50K-TR	15W/20W/30W/50W 130LM/W 5000K	10
<b>POWER &amp; CCT-ADJUSTABLE SMALL FLOOD LIGHT MCTP</b>		
LFX-SM-10-30W-MCTP-TR	10W/15W/20W/30W 130LM/W 30K/40K/50K/57K	6
LFX-MD-15-50W-MCTP-TR	15W/20W/30W/50W 130LM/W 30K/40K/50K/57K	6

## LED FLOOD LIGHTS LF3 SERIES WITH U BRACKET, 120-277V (NOT DIMMABLE)



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>LF3-15NW-TR</b>	15W 1700LM 4000K	50-70 MH	18
<b>LF3-WH-30W-TR</b>	30W 3600LM 3000K White	70-100 MH	10
<b>LF3-30NW-TR</b>	30W 3600LM 4000K	70-100 MH	10
<b>LF3-50NW-TR</b>	50W 6100LM 4000K	100-175 MH	6

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LFX-MD-KN & LFX-MD-TR	N/A	N/A	OPT-PC-BUM	BUTTON	N/A	N/A	N/A



LF4 with Half Shroud



LF3-HL with Half Shroud



LF4 with Full-Glare Shroud



LF3-HL with Full-Glare Shroud

## SHROUD FOR LFX, LF3 & LF4 SMALL SERIES

CATALOG NO.	DESCRIPTION
<b>LF4-SH1</b>	Fits LF4-12W & 15W, LF4-12V-6W & 12W (Polycarbonate)
<b>LF4-SH2</b>	Fits LF4-30W, LF4-12V-24W & 30W (Polycarbonate)
<b>LF4-SH3</b>	Fits LF4-50W, LF4-12V-50W (Polycarbonate)
<b>LF4-SH4</b>	Fits LF4-80W & 100W, (Aluminum)
<b>LF4-SH5</b>	Fits LF4-150W (Aluminum)
<b>LF3-SH1</b>	Shroud for LFX-SM* & LF3-30W & LF3-HL-30W, Reversible, Aluminum
<b>LF3-SH2</b>	Shroud for LFX-SM-MCTP & LFX-MD & LF3-50W & LF3-HL-50W, Reversible, Aluminum
<b>LF3-SH1FG</b>	Full-Glare Shroud for LF3-30W & LF3-HL-30W & LF4-12W & LF4-30W, Aluminum
<b>LF3-SH2FG</b>	Full-Glare Shroud for LF3-50W & LF3-HL-50W & LF4-50W, Aluminum



**LFE-80W-MCT-D**  
**LFE-100W-MCT-D**  
Dark Bronze



Shown with  
1/2in knuckle mounting option,  
fits 80w and larger



Shown with  
slip fitter mounting option,  
fits 80w and larger



Shown with  
bottom bracket mounting  
option, fits 80w and larger

**COMPACT FLOOD LIGHTS**  
3CCT VERSIONS, 120~277V, MOUNTING OPT. SOLD SEPARATELY



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LFE-80W-MCT-D</b>	80W <b>10500LM</b> 3000K/4000K/5000K	1
<b>LFE-100W-MCT-D</b>	100W <b>13000LM</b> 3000K/4000K/5000K	1
<b>LFE-KN</b>	LFE 1/2in knuckle mounting option, fits 80w and larger	
<b>LFE-SF</b>	LFE slip fitter mounting option, fits 80w and larger	
<b>LFE-YK</b>	LFE bottom bracket mounting option, fits 80w and larger	



**LF4PRO**  
Dark Bronze



Shown with  
LFX-SF Slip Fitter

**SPEC SERIES POWER & CCT ADJUSTABLE**  
ARCHITECTURAL ROUND-BACK FLOOD LIGHT, 120~277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LF4PRO-50-150W-MCTP</b>	50W/80W/100W/150W <b>125LM/W</b> 30K/40K/50K/57K	1

FOR MOUNTING OPTIONS SEE PAGE 31. (LFX MOUNTING OPTIONS COMPATIBLE WITH LFXE-LG & LFXE-XL, LFXPRO, LFX, LF4PRO, LFXMAX)



**LFCO-50W-50K**  
Dark Bronze



**LFCO-150W-40K**  
Dark Bronze



**LFCO-SA**  
Straight Arm



**LFCO-SF**  
Slip Fitter



**LFCO-TRI**  
(For 50W, 80W, 100W, 150W)  
"U" Bracket



**LFCO-YK**  
Yoke

**ECONOMY FLOOD/AREA LIGHT SERIES TYPE 3 LENSES**

Dark Bronze



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LFCO-50W-50K</b>	50W <b>6900LM</b> 5000K	1
<b>LFCO-150W-40K</b>	150W <b>19900LM</b> 4000K	1

**WHILE SUPPLIES LAST**



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
UP TO 230W 300W	<b>OPT-EM-0D2EXT</b>	EXTERNAL BOX	<b>OPT-3MPC</b>	ELECTRONIC	<b>OPT-CLR-95(BK/GR/ SR/WHJ (300W Only)</b>	<b>OPT-SEN-3MR-3</b>	PROGRAMMABLE MI-CROWAVE BI-LEVEL
	<b>OPT-EM-0D2EXT</b>	EXTERNAL		<b>WIRES PULLED OUT DESCRIPTION</b>		<b>WEC-8RC</b>	REMOTE CONTROL
			<b>OPT-010WPO</b>	0-10V Dim. Wires Pulled Out			

**POLE / ADAPTER  
ACCESSORIES  
BRONZE FINISH**

- 3"** PSS3SVTZ
- 4"** PSS4SVTZ
- 5"** PSS5SVTZ



3", 4", 5" square pole vertical tenon, 3", 4", 5", bronze. Goes inside 3", 4", 5" pole to accept 2" slip fitter.

- 3"** PRPT3
- 4"** PRPT4
- 5"** PRPT5



Tenon adaptor, 3", 4", 5" round pole, to standard tenon, bronze



**PSR4**  
Round to Square Adapter kit for 3", 4" and 5" round poles. Separate gasket provided for each size pole.




**LF-AD-SF**

Slip onto pole top 2" Dim. fixture mounts directly on the side or top of the fixture



**LF-AD-KNU**

Fits over a standard tenon or bullhorn to adapt it to a 1/2" NPT threaded hub for knuckle fixtures.



**PSS4C**

Pole cap polycarbonate



**PSS3R**

3" Center Bullhorn replacement cap

OUTDOOR ACCESSORIES

**WALL MOUNT  
ACCESSORIES  
BRONZE FINISH**

**LF3-WMA**  
Wall mount plate bronze



**LFX-PASF (Bronze)**



**LFX-PASF-WH (White)**

**LFX-PASF-BK (Black)**  
Pole Adapter for Slip Fitter for LFX & LFX-XXL & LFXPRO & LF4PRO Series

**ACC-WM2**  
Wall mount bracket 90° curve bronze with 2" tenon to be used with Westgate slip fitter fixtures(-SF)



**ACC-WM3**  
Wall mount bracket 90° bronze with 2" tenon to be used with Westgate slip fitter fixtures(-SF)



**ACC-WM4**  
Wall mount bracket bronze with 2" tenon to be used with Westgate slip fitter fixtures (-SF)




**BULLHORNS  
BRONZE FINISH**




**PT2-180-R**  
Double in-line at 180°, 1"(H), 3" between centers



**PT2-180-S**  
Square Pole Base Double in-line at 180°, 1"(H), 3" between centers, slips into 4" pole




**PT3-180**  
Double in-line at 180°, 1"(H), 2"-7" between centers, slips on 2-3/8" pole



**PT3-120**  
Triple at 120°, 1"(H), 3"-5" between centers, slips on 2-3/8" tenon



**PT4-090**  
Quad at 90°, 1"(H), 2'-10" between centers, slips on 2-3/8" tenon



**PT4-180**  
Quad in-line at 180°, 1"(H), 2'-7" between centers, slips on 2-3/8" pole



**ACC-WMA-30-WH**

**ACC-WMA-30-BR**

**ACC-WMA-24-WH**

**ACC-WMA-24-BR**

**ACC-WMA-18-WH**

Flood Light Wall-Mounting Arm 30In/24in/18, White

**ACC-WMA-18-BR**

Flood Light Wall-Mounting Arm 30In/24in/18in, Bronze



**ACC-WPM20**

20In Wall And Pole Mounting Arm For Flood Lights With A Slip Fitter

**ACC-WMA-18-BK**


**BULLHORNS  
BRONZE FINISH**



**PTA-190**  
90 degree round pole tenon adapter for 1 fixture, slips into 2-3/8" pole



**PTA-290**  
90 degree round pole tenon adapter for 2 fixture, slips into 2-3/8" pole




**PTA-2180**  
180 degree round pole tenon adapter for 2 fixture, slips into 2-3/8" pole



**PTA-390**  
90 degree round pole tenon adapter for 3 fixture, slips into 2-3/8" pole



**PTA-3120**  
120 degree round pole tenon adapter for 3 fixture, slips into 2-3/8" pole



**PTA-490**  
90 degree round pole tenon adapter for 4 fixture, slips into 2-3/8" pole


**TENONS  
BRONZE FINISH**



**PSS4L1HTZ**  
Square (single) horizontal tenon, bronze. goes inside 4" pole. No adaptor needed



**PSS4T180HTZ**  
Square (twin) horizontal tenon, 180°, bronze. goes inside 4" pole. No adaptor needed



**PSS4T90HTZ**  
Square (twin) horizontal tenon, 90°, bronze. goes inside 4" pole. No adaptor needed




**PSS4TR90HTZ**  
Square (triple) horizontal tenon, 90°, bronze. goes inside 4" pole. No adaptor needed




**PSS4Q90HTZ**  
Square (quad) horizontal tenon, 90°, bronze. Slips on 4" pole. (fits inside pole top)



**PSS4Q90VTZ**  
4" 90° quad square vertical tenon. (fits inside pole top)



**PSS4T4VTZ**  
Twin square vertical tenon for 4" square pole. Two 2-3/8" vertical tenons. (fits inside pole top)



**PSS4TRVTZ**  
Triple square vertical tenon for 4" square pole. Three 2-3/8" vertical tenons. (fits inside pole top)

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

TYPE	CATALOG NO.	PAINT
WALL MOUNT/POLE/ADAPTER	LF3-WMA, ACC-WM2, ACC-WM3, ACC-WM4, PSS3SVTZ, PSS4SVTZ, PSS5SVTZ, PRPT3, PRPT4, PRPT5, PSR4, LF-AD-KNU, PSS4C	OPT-CLR-35(BK/GR/SR/WH)
BULLHORNS	PTA-190, PTA-290, PTA-2180, PTA-390, PTA-3120, PTA-490	OPT-CLR-35(BK/GR/SR/WH)
BULLHORNS	PT2-180-R, PT2-180-S, PT2-180, PT3-120, PT4-090, PT4-180	OPT-CLR-60(BK/GR/SR/WH)
TENONS	PSS4T180HTZ, PSS4T90HTZ, PSS4TR90HTZ, PSS4Q90HTZ	OPT-CLR-40(BK/GR/SR/WH)
TENONS	PSS4Q90VTZ, PSS4T4VTZ, PSS4TRVTZ	OPT-CLR-75(BK/GR/SR/WH)



**FLDX-SM** Bronze    **FLDX-SM** Black    **FLDX-MD** Bronze    **FLDX-MD** Black    **FLDX-LG** Bronze    **FLDX-LG** Black

Can be used as **SIGN LIGHT**  
Shown with ACC-WMA-30-BR  
(See page 36)

Shown with optional  
FLDVX-FS Flat Shroud



**SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS, 120-277V**

120-277V

CATALOG NO.	DESCRIPTION				PKG. QTY.
<b>FLDX-SM-15W-30K-BR</b>	15W	1800LM	3000K	60°	12
<b>FLDX-SM-15W-30K-BK</b>	15W	1800LM	3000K	60°	12
<b>FLDX-SM-15W-40K-BR</b>	15W	1800LM	4000K	60°	12
<b>FLDX-SM-15W-40K-BK</b>	15W	1800LM	4000K	60°	12
<b>FLDX-SM-15W-50K-BR</b>	15W	1800LM	5000K	60°	12
<b>FLDX-SM-15W-50K-BK</b>	15W	1800LM	5000K	60°	12
<b>FLDX-MD-10-30W-30K-BR</b>	10W/20W/30W	120LM/W	3000K	60°	8
<b>FLDX-MD-10-30W-30K-BK</b>	10W/20W/30W	120LM/W	3000K	60°	8
<b>FLDX-MD-10-30W-40K-BR</b>	10W/20W/30W	120LM/W	4000K	60°	8
<b>FLDX-MD-10-30W-40K-BK</b>	10W/20W/30W	120LM/W	4000K	60°	8
<b>FLDX-MD-10-30W-50K-BR</b>	10W/20W/30W	120LM/W	5000K	60°	8
<b>FLDX-MD-10-30W-50K-BK</b>	10W/20W/30W	120LM/W	5000K	60°	8
<b>FLDX-LG-10-30W-MCTP-BR</b>	10W/20W/30W	120LM/W	3000K/4000K/5000K	60°	4
<b>FLDX-LG-10-30W-MCTP-BK</b>	10W/20W/30W	120LM/W	3000K/4000K/5000K	60°	4
<b>FLDX-LG-30-50W-MCTP-BR</b>	30W/40W/50W	120LM/W	3000K/4000K/5000K	35°	4
<b>FLDX-LG-30-50W-MCTP-BK</b>	30W/40W/50W	120LM/W	3000K/4000K/5000K	35°	4
<b>FLDVX-FS-SM-BR</b>	Flat Shroud For Sm Size Housing, Bronze				
<b>FLDVX-FS-SM-BK</b>	Flat Shroud For Sm Size Housing, Black				
<b>FLDVX-FS-MD-BR</b>	Flat Shroud For Md Size Housing, Bronze				
<b>FLDVX-FS-MD-BK</b>	Flat Shroud For Md Size Housing, Black				
<b>FLDVX-FS-LG-BR</b>	Flat Shroud For Lg Size Housing, Bronze				
<b>FLDVX-FS-LG-BK</b>	Flat Shroud For Lg Size Housing, Black				
<b>FLDVX-SM-RL35</b>	35-Degree Repl. Lens For Sm Size Housing				
<b>FLDVX-MD-RL35</b>	35-Degree Repl. Lens For Md Size Housing				
<b>FLDVX-LG-RL35</b>	35-Degree Repl. Lens For Lg Size Housing				
<b>FLDVX-LG-RL60</b>	60-Degree Repl. Lens For Lg Size Housing				



**FLDXPRO-SM-BR** Bronze    **FLDXPRO-SM-BK** Black    **FLDXPRO-SM-WH** White    **FLDXPRO-MD-BR** Bronze    **FLDXPRO-MD-BK** Black    **FLDXPRO-MD-WH** White

**SPEC SERIES POWER, CCT & BEAM ANGLE- ADJUSTABLE LED X-GEN BULLET FLOOD LIGHTS WITH INTEGRATED PHOTOCELL, 120-277V**

120-277V

CATALOG NO.	DESCRIPTION				PKG. QTY.
<b>FLDXPRO-SM-5-15W-MCTPB-BR</b>	5W/10W/15W	95LM/W	30K/40K/50K	Bronze	4
<b>FLDXPRO-SM-5-15W-MCTPB-BK</b>	5W/10W/15W	95LM/W	30K/40K/50K	Black	4
<b>FLDXPRO-SM-5-15W-MCTPB-WH-P</b>	5W/10W/15W	95LM/W	30K/40K/50K	White	4
<b>FLDXPRO-MD-10-30W-MCTPB-BR</b>	10W/20W/30W	95LM/W	30K/40K/50K	Bronze	4
<b>FLDXPRO-MD-10-30W-MCTPB-BK</b>	10W/20W/30W	95LM/W	30K/40K/50K	Black	4
<b>FLDXPRO-MD-10-30W-MCTPB-WH-P</b>	10W/20W/30W	95LM/W	30K/40K/50K	White	4



OUTDOOR  
GARDEN LIGHTS





**SPEC SERIES RGBW BLUETOOTH WESTGATE APP BULLET, 120-277V**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>FLDX-MD-15W-RGBW-BT-BR</b>	15W <b>720LM</b> RGBW Bronze		4



**BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TC-FL-36W-RGBW-BT-BR</b>	36W <b>824LM</b> RGBW	4

**LED GARDEN FLOOD LIGHTS, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GL-12W-30K-BR</b>	12W <b>960LM</b> 3000K Bronze	6
<b>GL-12W-40K-BR</b>	12W <b>960LM</b> 4000K Bronze	6
<b>GL-12W-50K-BR</b>	12W <b>960LM</b> 5000K Bronze	6
<b>GL-24W-30K-BR</b>	24W <b>1920LM</b> 3000K Bronze	6
<b>GL-24W-40K-BR</b>	24W <b>1920LM</b> 4000K Bronze	6
<b>GL-24W-50K-BR</b>	24W <b>1920LM</b> 5000K Bronze	6



**GL-MCTP-BR**  
Bronze



**GL-MCTP-BK**  
Black



**GL-MCTP-WH**  
White



**MCTP-RC1**  
Required & One per projects



**LED WHITE TUNABLE GARDEN FLOOD REMOTE SOLD SEPARATELY, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GL-MCTP-BK</b>	20W MAX. <b>1400LM MAX.</b> 3000K-5700K Black	6
<b>GL-MCTP-BR</b>	20W MAX. <b>1400LM MAX.</b> 3000K-5700K Bronze	6
<b>GL-MCTP-WH</b>	20W MAX. <b>1400LM MAX.</b> 3000K-5700K White	6
<b>MCTP-RC1</b>	Remote Control for Multi-Color Temp. & Power Outdoor Fixture (Required & One per projects)	-

OUTDOOR  
GARDEN LIGHTS

120-277V

120-277V

120-277V

120-277V



Flat

**AD120-017-MCT-ORB**  
Oil-Rubbed Bronze



Flat

**AD120-017-MCT-BK**  
Black



Flat

**AD120-017-MCT-WH**  
White



Shroud

**AD120-018-MCT-ORB**  
Oil-Rubbed Bronze



Shroud

**AD120-018-MCT-BK**  
Black

**120V GARDEN BULLET WITHOUT OR WITH SHROUD, INTEGRATED 3CCT**

120V

CATALOG NO.	DESCRIPTION
<b>AD120-017-MCT-ORB</b>	8W <b>700LM</b> 30K/40K/50K 17"
<b>AD120-017-MCT-BK</b>	8W <b>700LM</b> 30K/40K/50K 17"
<b>AD120-017-MCT-WH</b>	8W <b>700LM</b> 30K/40K/50K 17"
<b>AD120-018-MCT-ORB</b>	8W <b>700LM</b> 30K/40K/50K 18"
<b>AD120-018-MCT-BK</b>	8W <b>700LM</b> 30K/40K/50K 18"



**3RD GENERATION 3CCT FLOOD HEAD, 120-277V**



120-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FLD3-13W-MCT-D-KN</b>	13W <b>1820LM</b> 3000K/4000K/5000K	12
<b>FLD3-25W-MCT-D-KN</b>	25W <b>3500LM</b> 3000K/4000K/5000K	12



**FLD2-15W**  
Bronze



**FLD2-28W**  
Bronze



**FLD2-42W**  
Bronze



SHOWN WITH SHROUD

**GARDEN AND FLAG BULLET LIGHT, 120-277V**



120-277V

CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>FLD2-15W-30K-D-KN</b>	15W <b>1900LM</b> 3000K	50-70 MH	12
<b>FLD2-15W-50K-D-KN</b>	15W <b>1900LM</b> 5000K	50-70 MH	12
<b>FLD2-28W-30K-D-KN</b>	28W <b>3500LM</b> 3000K	70-100 MH	8
<b>FLD2-28W-50K-D-KN</b>	28W <b>3500LM</b> 5000K	70-100 MH	8
<b>FLD2-42W-30K-D-KN</b>	42W <b>5200LM</b> 3000K	100-175 MH	6
<b>FLD2-42W-50K-D-KN</b>	42W <b>5200LM</b> 5000K	100-175 MH	6

FOR SHROUDS SEE PAGE 62.

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	WIRES PULLED OUT	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-010WPO</b>	0-10V Dim. Wires Pulled Out	N/A	N/A	N/A	N/A	N/A

**12-VOLT AC/DC LED GARDEN FLOOD LIGHTS**



12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GL-12V-12W-30K-BR</b>	12W <b>960LM</b> 3000K bronze Spike Incl.	6
<b>GL-12V-12W-40K-BR</b>	12W <b>960LM</b> 4000K bronze Spike Incl.	6
<b>GL-12V-12W-50K-BR</b>	12W <b>960LM</b> 5000K bronze Spike Incl.	6
<b>GL-12V-24W-30K-BR</b>	24W <b>1920LM</b> 3000K bronze Spike Incl.	6
<b>GL-12V-24W-40K-BR</b>	24W <b>1920LM</b> 4000K bronze Spike Incl.	6
<b>GL-12V-24W-50K-BR</b>	24W <b>1920LM</b> 5000K bronze Spike Incl.	6



**FLVX-SM**  
Bronze

**FLVX-SM**  
Black

**FLVX-MD**  
Bronze

**FLVX-MD**  
Black

**FLVX-LG**  
Bronze

**FLVX-LG**  
Black

Shown with optional  
FLDVX-FS Flat Shroud



**12V SPEC SERIES LED X-GEN BULLET FLOOD LIGHTS WITH LONG SHROUDS**

CATALOG NO.	DESCRIPTION					PKG. QTY.
<b>FLVX-SM-6W-30K-BR</b>	6W	700LM	3000K	60°	Bronze	12
<b>FLVX-SM-6W-30K-BK</b>	6W	700LM	3000K	60°	Black	12
<b>FLVX-SM-6W-40K-BR</b>	6W	700LM	4000K	60°	Bronze	12
<b>FLVX-SM-6W-40K-BK</b>	6W	700LM	4000K	60°	Black	12
<b>FLVX-SM-12W-30K-BR</b>	12W	1400LM	3000K	60°	Bronze	12
<b>FLVX-SM-12W-30K-BK</b>	12W	1400LM	3000K	60°	Black	12
<b>FLVX-SM-12W-40K-BR</b>	12W	1400LM	4000K	60°	Bronze	12
<b>FLVX-SM-12W-40K-BK</b>	12W	1400LM	4000K	60°	Black	12
<b>FLVX-MD-24W-30K-BR</b>	24W	2900LM	3000K	60°	Bronze	8
<b>FLVX-MD-24W-30K-BK</b>	24W	2900LM	3000K	60°	Black	8
<b>FLVX-MD-24W-40K-BR</b>	24W	2900LM	4000K	60°	Bronze	8
<b>FLVX-MD-24W-40K-BK</b>	24W	2900LM	4000K	60°	Black	8
<b>FLVX-LG-30-50W-MCTP-BR</b>	30W/40W/50W	95LM/W	30K/40K/50K	35°	Bronze	4
<b>FLVX-LG-30-50W-MCTP-BK</b>	30W/40W/50W	95LM/W	30K/40K/50K	35°	Black	4
<b>FLDVX-FS-SM-BR</b>	Flat Shroud For Sm Size Housing, Bronze					
<b>FLDVX-FS-SM-BK</b>	Flat Shroud For Sm Size Housing, Black					
<b>FLDVX-FS-MD-BR</b>	Flat Shroud For Md Size Housing, Bronze					
<b>FLDVX-FS-MD-BK</b>	Flat Shroud For Md Size Housing, Black					
<b>FLDVX-SM-RL35</b>	35-Degree Repl. Lens For Sm Size Housing					
<b>FLDVX-MD-RL35</b>	35-Degree Repl. Lens For Md Size Housing					
<b>FLDVX-LG-RL60</b>	60-Degree Repl. Lens For LG Size Housing					

12V



**FLVXPRO-SM**  
Bronze

**FLVXPRO-SM**  
Black

**FLVXPRO-MD**  
Bronze

**FLVXPRO-MD**  
Black

**12V SPEC SERIES POWER, CCT & BEAM ANGLE- ADJUSTABLE LED X-GEN BULLET FLOOD LIGHTS WITH INTEGRATED PHOTOCELL**



CATALOG NO.	DESCRIPTION					PKG. QTY.
<b>FLVXPRO-SM-6-12W-MCTPB-BR</b>	3W/6W/12W	90LM/W	30K/40K/50K			4
<b>FLVXPRO-SM-6-12W-MCTPB-BK</b>	3W/6W/12W	90LM/W	30K/40K/50K			4
<b>FLVXPRO-MD-10-30W-MCTPB-BR</b>	10W/20W/30W	90LM/W	30K/40K/50K			4
<b>FLVXPRO-MD-10-30W-MCTPB-BK</b>	10W/20W/30W	90LM/W	30K/40K/50K			4

12V



**SPEC SERIES RGBW BLUETOOTH WESTGATE APP BULLET, 12V**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>FLVX-MD-15W-RGBW-BT-BR</b>	15W <b>720LM</b> RGBW Bronze		4



**BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 40D LENS, 12V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TC-GL-12V-15W-RGBW-BT-BR</b>	15W <b>405LM</b> RGBW	6



**BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 12V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TC-FL-12V-36W-RGBW-BT-BR</b>	36W <b>824LM</b> RGBW	4



**12-VOLT AC (AC/DC ON 6W&12W) LED BULLET LANDSCAPE FLOOD LIGHT**



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>FLV12-6W-30K</b>	6W <b>500LM</b> 3000K SPIKE Incl. 35°	35-50 MR16	12
<b>FLV12-6W-50K</b>	6W <b>550LM</b> 5000K SPIKE Incl. 35°	35-50 MR16	12
<b>FLV12-12W-30K</b>	12W <b>1200LM</b> 3000K SPIKE Incl. 35°		12
<b>FLV12-12W-50K</b>	12W <b>1300LM</b> 5000K SPIKE Incl. 35°		12
<b>FLV12-24W-30K</b>	24W <b>2200LM</b> 3000K SPIKE Incl. 35°		12
<b>FLV12-24W-50K</b>	24W <b>2500LM</b> 5000K SPIKE Incl. 35°		12
<b>FLV12-32W-30K</b>	32W <b>3200LM</b> 3000K SPIKE Incl. 35°		12
<b>FLV12-32W-50K</b>	32W <b>3500LM</b> 5000K SPIKE Incl. 35°		12

FOR SHROUDS SEE PAGE 62.

12V

12V

OUTDOOR  
GARDEN LIGHTS





**12-VOLT AC (AC/DC ON 6W&12W) INTEGRATED LED WALL WASH LIGHTS**




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LF4-12V-6W-30K</b>	6W <b>440LM</b> 3000K BRONZE SPIKE Incl.	12
<b>LF4-12V-6W-50K</b>	6W <b>500LM</b> 5000K BRONZE SPIKE Incl.	12
<b>LF4-12V-12W-30K</b>	12W <b>1080LM</b> 3000K BRONZE SPIKE Incl.	12
<b>LF4-12V-12W-50K</b>	12W <b>1260LM</b> 5000K BRONZE SPIKE Incl.	12
<b>LF4-12V-24W-30K</b>	24W <b>2155LM</b> 3000K BRONZE SPIKE Incl.	6
<b>LF4-12V-24W-50K</b>	24W <b>2500LM</b> 5000K BRONZE SPIKE Incl.	6
<b>LF4-12V-30W-30K</b>	30W <b>2700LM</b> 3000K BRONZE SPIKE Incl.	6
<b>LF4-12V-30W-50K</b>	30W <b>3150LM</b> 5000K BRONZE SPIKE Incl.	6
<b>LF4-12V-50W-30K</b>	50W <b>4500LM</b> 3000K BRONZE SPIKE Incl.	6
<b>LF4-12V-50W-50K</b>	50W <b>5250LM</b> 5000K BRONZE SPIKE Incl.	6

FOR SHROUDS SEE PAGE 62.

OUTDOOR

GARDEN LIGHTS

12V



**12-VOLT AC/DC INTEGRATED LED LANDSCAPE UPLIGHTS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LFLV-7W-27K</b>	7W <b>500LM</b> 2700K BRONZE 40° ADJUSTABLE HOOD	12
<b>LFLV-7W-30K</b>	7W <b>500LM</b> 3000K BRONZE 40° ADJUSTABLE HOOD	12
<b>LFLV-7W-40K</b>	7W <b>550LM</b> 4000K BRONZE 40° ADJUSTABLE HOOD	12
<b>LFLV-7W-50K</b>	7W <b>550LM</b> 5000K BRONZE 40° ADJUSTABLE HOOD	12
<b>LFLV-12W-27K</b>	12W <b>800LM</b> 2700K BRONZE 60° ADJUSTABLE HOOD	12
<b>LFLV-12W-30K</b>	12W <b>800LM</b> 3000K BRONZE 60° ADJUSTABLE HOOD	12
<b>LFLV-12W-40K</b>	12W <b>900LM</b> 4000K BRONZE 60° ADJUSTABLE HOOD	12
<b>LFLV-12W-50K</b>	12W <b>900LM</b> 5000K BRONZE 60° ADJUSTABLE HOOD	12

12V

**12-VOLT AC/DC LED GARDEN LIGHT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LF12-6W-27K-KN</b>	6W <b>400LM</b> 2700K <b>GNUCKLE</b> , SPIKE INCL. 45° COB WITH ALUM REFL.	40
<b>LF12-6W-30K-KN</b>	6W <b>400LM</b> 3000K <b>GNUCKLE</b> , SPIKE INCL. 45° COB WITH ALUM REFL.	40
<b>LF12-6W-40K-KN</b>	6W <b>450LM</b> 4000K <b>GNUCKLE</b> , SPIKE INCL. 45° COB WITH ALUM REFL.	40
<b>LF12-6W-50K-KN</b>	6W <b>450LM</b> 5000K <b>GNUCKLE</b> , SPIKE INCL. 45° COB WITH ALUM REFL.	40
<b>LF12-6W-RGBW-KN</b>	6W <b>450LM</b> RGB + 3000K <b>GNUCKLE</b> , SPIKE INCL. 45° COB WITH ALUM REFL.	40

NEEDS RGBW CONTROLLER SEE PAGE 174.

12V

## WEATHERPROOF LED SQUARE FLOOD HEADS, 120V

Dark Bronze & White



120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FLH-10W-30K-BR</b>	10W <b>1000LM</b> 3000K Bronze	12
<b>FLH-10W-50K-BR</b>	10W <b>1000LM</b> 5000K Bronze	12
<b>FLH-10W-30K-WH</b>	10W <b>1000LM</b> 3000K White	12
<b>FLH-10W-50K-WH</b>	10W <b>1000LM</b> 5000K White	12

## WEATHERPROOF LED ROUND FLOOD HEADS, 120V

Dark Bronze & White



120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FLS-10W-30K-BR</b>	10W <b>950LM</b> 3000K BRONZE 100°	12
<b>FLS-10W-50K-BR</b>	10W <b>950LM</b> 5000K BRONZE 100°	12
<b>FLS-10W-30K-WH</b>	10W <b>950LM</b> 3000K WHITE 100°	12
<b>FLS-10W-50K-WH</b>	10W <b>950LM</b> 5000K WHITE 100°	12

## LED WORK LIGHT S-HOOK, USB CABLE & ADAPTOR INCL.



CATALOG NO.	DESCRIPTION
<b>WL-EZCG-10W-50K</b>	10W <b>300-600LM</b> 5000K
<b>WL-EZCG-SOLP</b>	Solar panel 10 ft. cord & magnetic base



## 3IN1 LED WORK LIGHT(WORK LIGHT/SOS LIGHT/POWER BANK) USB CABLE INCL.

CATALOG NO.	DESCRIPTION
<b>WL-3IN1-10W</b>	10W <b>400LM</b> 6000K



Retail Packaging - MOQ 1 Master Carton of 10



## SPEC SERIES SOLAR SIGN AND BILLBOARD LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SOLS-1FT-MCT</b>	5W <b>500LM</b> 3000K/6000K 1FT	18
<b>SOLS-2FT-60K</b>	10W <b>1000LM</b> 6000K 2FT	9
<b>SOLS-4FT-60K</b>	20W <b>2000LM</b> 6000K 4FT	4

## LED OUTDOOR SIGN LIGHTS WITH 1/2" ADJUSTABLE KNUCKLES, 120-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>LOHB-2FT-50W-30K</b>	50W <b>6500LM</b> 3000K	150-250MH	4
<b>LOHB-2FT-50W-50K</b>	50W <b>6700LM</b> 5000K	150-250MH	4
<b>LOHB-4FT-120W-30K</b>	120W <b>15300LM</b> 3000K	200-400MH	1
<b>LOHB-4FT-120W-50K</b>	120W <b>15600LM</b> 5000K	200-400MH	1
<b>LOHB-4FT-120W-30K-WH</b>	120W <b>15300LM</b> 3000K	200-400MH White	1
<b>LOHB-4FT-120W-50K-WH</b>	120W <b>15600LM</b> 5000K	200-400MH White	1



**LOHB-C**  
Surface/Ceiling Mounting conversion Bracket w/screw holes in base, (set of 2)



**LOHB-H-2FT**  
2Ft. Surface Mounting conversion yoke, Steel  
**(Also need LOHB-G)**



**LOHB-G**  
Side by side fixture coupling  
Also used with LOHB-G Surf. Mt. Bracket (set of 2)



**BUILDER SERIES POWER & COLOR-TEMP. SELECTABLE  
DUSK-TO-DAWN BARN/AREA LIGHT, 120-277V (Photocell & Arm Incl.)**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRX-36-60W-MCTP-P</b>	36W/42W/60W <b>130LM/W</b> 3000K/4000K/5000K	4
<b>LRX-72-120W-MCTP-TL</b>	72W/96W/120W <b>130LM/W</b> 3000K/4000K/5000K	4

**SPEC SERIES POWER & CCT DUSK-TO-DAWN BARN/AREA LIGHT  
120-277V (NEMA Photocell & Arm Incl.)**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRX-20-50W-MCTP</b>	20W/30W/40W/50W <b>130LM/W</b> 30K/40K/50K/57K	2
<b>LRX-50-120W-MCTP</b>	50W/80W/100W/120W <b>130LM/W</b> 30K/40K/50K/57K	1

**DUSK-TO-DAWN AREA LIGHT  
WITH NEMA TWIST-LOCK PHOTOCELL, 120-277V (Arm & Mounting Strap Incl.)**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LR2-50NW-P</b>	50W <b>5050LM</b> 4000K 103° 100-175 MH	2

**LED DUSK-TO-DAWN BARN LIGHTS WITH PHOTOCELL (Arm Optional)**



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>LR-ECO-20W-30K-P</b>	20W <b>2400LM</b> 3000K	70-100MH	1
<b>LR-ECO-ARM</b>	90° Arm for LR-ECO Series,(Mounting Strap Incl.)		-

**HIGH-OUTPUT DUAL-SELECTABLE VAPOR-TIGHT WITH ADJ. ANGLE**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>VTA-15-30W-MCTP</b>	15W/20W/30W <b>110LM/W</b> 30K/40K/50K	6

**LED UNIVERSAL VAPOR LIGHTS, (ALL MOUNTING OPTIONS IN ONE BOX) 120-277V, IP65 NEMA 3R**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>VTU-12W-30K</b>	12W <b>840LM</b> 3000K	2
<b>VTU-12W-50K</b>	12W <b>900LM</b> 5000K	2
<b>VTU-20W-30K</b>	20W <b>1685LM</b> 3000K	2
<b>VTU-20W-50K</b>	20W <b>1785LM</b> 5000K	2

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-VTU</b>	INTERNAL	<b>OPT-PC-B</b> BUTTON	<b>OPT-CLR-85(BK/GR/SR/WH)</b>	<b>OPT-SEN-3MRLV-5</b> <b>WEC-BRC</b>	PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL

OUTDOOR  
PATH  
LIGHTS



GPX-18-60W-MCTP-A1 Single Arm for 2-3/8" Poles "POLE IS NOT INCL."  
 GPX-18-60W-MCTP-A2 Twin Arm for 2-3/8" Poles "POLE IS NOT INCL."  
 GPX-18-60W-MCTP-PWM Pole/Wall Mount  
 GPX-18-60W-MCTP-SF Slip fitter for 2-3/8" Poles "POLE IS NOT INCL."  
 GPX-18-60W-MCTP-BM Bell Mount for 2-3/8" Poles "POLE IS NOT INCL."  
 GPX-18-60W-MCTP-CM Ceiling Mount  
 GPX-18-60W-MCTP-PM75 Pipe Mount with 3/4" Hub "STEM IS NOT INCL."  
 GPX-18-60W-MCTP-CAT Catenary Suspension Mount "SUSP. CABLE IS NOT INCL."

**SPEC SERIES POWER & CCT- ADJUSTABLE AREA/FLOOD LIGHT** Bronze Finish  
 120-277V, TYPE 5 LENS (TYPE 2 & TYPE 3 LENS ALSO AVAILABLE) 7 DAYS LEAD TIME



DESCRIPTION	MOUNTING	PKG. QTY.
<b>GPX-18-60W-MCTP-A1</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K	Single Arm for 2-3/8" Poles/Piles	1
<b>GPX-18-60W-MCTP-A2</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K	Twin Arm for 2-3/8" Poles/Piles	1
<b>GPX-18-60W-MCTP-PWM</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K	Pole/Wall Mount	1
<b>GPX-18-60W-MCTP-SF</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K	Slip fitter for 2-3/8" Poles/Piles	1
<b>GPX-18-60W-MCTP-BM</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K	Bell Mount for 2-3/8" Poles/Piles	1
<b>GPX-18-60W-MCTP-CM</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K	Ceiling Mount	1
<b>GPX-18-60W-MCTP-PM75</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K	Pipe Mount with 3/4" Hub	1
<b>GPX-18-60W-MCTP-CAT</b> 18W/30W/45W/60W 150LM/W 35K/40K/50K	Catenary Suspension Mount	1
<b>GPX-22-75W-MCTP-A1</b> 22W/37W/56W/75W 137LM/W 40K/50K	Single Arm for 2-3/8" Poles/Piles	1
<b>GPX-22-75W-MCTP-A2</b> 22W/37W/56W/75W 137LM/W 40K/50K	Twin Arm for 2-3/8" Poles/Piles	1
<b>GPX-22-75W-MCTP-PWM</b> 22W/37W/56W/75W 137LM/W 40K/50K	Pole/Wall Mount	1
<b>GPX-22-75W-MCTP-SF</b> 22W/37W/56W/75W 137LM/W 40K/50K	Slip fitter for 2-3/8" Poles/Piles	1
<b>GPX-22-75W-MCTP-BM</b> 22W/37W/56W/75W 137LM/W 40K/50K	Bell Mount for 2-3/8" Poles/Piles	1
<b>GPX-22-75W-MCTP-CM</b> 22W/37W/56W/75W 137LM/W 40K/50K	Ceiling Mount	1
<b>GPX-22-75W-MCTP-PM75</b> 22W/37W/56W/75W 137LM/W 40K/50K	Pipe Mount with 3/4" Hub	1
<b>GPX-22-75W-MCTP-CAT</b> 22W/37W/56W/75W 137LM/W 40K/50K	Catenary Suspension Mount	1

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	OPT-EM-GPX	INTERNAL	OPT-3MPC	ELECTRONIC	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-3MR-3	BI-LEVEL MICROWAVE
	LENS OPTION	DESCRIPTION	480V OPTION	DESCRIPTION		WEC-8RC	REMOTE CONTROL
	OPT-GPX-LENS-TYPE2S	TYPE 2S	OPT-WP-480V	CHANGE VOLTAGE			
	OPT-GPX-LENS-TYPE3S	TYPE 3S					
	OPT-GPX-LENS-FL	FROSTED GLASS LENS					



**GPE-60-100W-MCTP-BK**  
Black



**GPE-60-100W-MCTP**  
Bronze



GPE  
Folds For Shipment



**GPET-30-60W-MCTP**  
**GPET-60-100W-MCTP**  
Pole is not Incl.

**POWER & CCT- ADJUSTABLE GARDEN POST-TOP LIGHTS, 120-277V** Bronze Finish



CATALOG NO.	DESCRIPTION
<b>POWER &amp; CCT- ADJUSTABLE GARDEN POST-TOP LIGHTS, 120-277V (FITS ON 3" OD PIPES/POLES)</b>	
<b>GPE-40-60W-MCTP</b>	40W/50W/60W 130LM/W 30K/40K/50K Bronze
<b>GPE-60-100W-MCTP</b>	60W/80W/100W 130LM/W 30K/40K/50K Bronze
<b>GPE-60-100W-MCTP-BK</b>	60W/80W/100W 130LM/W 30K/40K/50K Black
<b>GPE-30-25-REDUCER</b>	GPE Neck Reducer from 3" Inner Diameter to 2.5"
<b>POWER &amp; CCT- ADJUSTABLE GARDEN POST-TOP LIGHTS, 120-277V, (FITS ON 2-3/8" OD PIPES/POLES) 7 DAYS LEAD TIME</b>	
<b>GPET-40-60W-MCTP</b>	40W/50W/60W 130LM/W 30K/40K/50K Bronze
<b>GPET-60-100W-MCTP</b>	60W/80W/100W 130LM/W 30K/40K/50K Bronze

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
GPE	OPT-EM-GPE	INTERNAL	OPT-3MPC	ELECTRONIC	OPT-CLR-95(BK/GR/SR/WH)	OPT-SEN-3MR-3	BI-LEVEL MICROWAVE
GPET	OPT-EM-GPET	INTERNAL				WEC-8RC	REMOTE CONTROL





**SPEC SERIES 17" MODERN LUCITE POST TOP, POWER & CCT- ADJUSTABLE**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GPL-18-60W-MCTP</b>	18W/30W/45W/60W 140LM/W 30K/40K/50K	1

FOR FACTORY OPTION SEE GPC BELOW  
FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-GPL</b>	INTERNAL	<b>OPT-LF3-PCK</b>	BUTTON	N/A	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICROWAVE BI-LEVEL

**SPEC SERIES 24" X 14" SQ COACH POST TOP, POWER & CCT- ADJUSTABLE**

(FITS ON 3" OD PIPES/POLES) Black Finish



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GPC-60-100W-MCTP</b>	60W/80W/100W 90LM/W 3000K/4000K/5000K (Open Design)	1
<b>GPC-SH</b>	GPC House-Side Glare Shield	

Shown With Frosted Lens  
FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-GPC</b>	INTERNAL	<b>OPT-LF3-PCK</b>	BUTTON	N/A	<b>OPT-SEN-3MRLV-5</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
	<b>OPT-GPC-GSF</b>	4 SIDE	<b>OPT-GPC-PCLF</b>	FROSTED		<b>WEC-3RC</b>	REMOTE CONTROL
	<b>OPT-GPC-GBF</b>	BOTTOM ONLY	<b>OPT-GPC-PCLC</b>	CLEAR			

**DAB-B20** 20"      **DAB-B23** 23"

**DAB-A16** 16"      **DAB-C25**

Shown with 2 Fixtures 2 BA Arms  
A PA2-2 Pole Adapter on A Pole  
(POLE NOT INCLUDED)

**DAB-BA**

**DAB-PA2-1**  
**DAB-PA3-1**  
**DAB-PA4-1**

**DAB-PA2-2**  
**DAB-PA3-2**  
**DAB-PA4-2**

Shown with **DAB-WB-C** For Walls      Shown with **DAB-WB-A** For Walls      Shown with **DAB-PB-B** For Poles

**WEC-3RC**      **WEC-3PR-72-TLB-WH**  
**WEC-3MR-72-TLB-BK**  
**WEC-3MBT-72-TLB-BK**

Sensor-Ready Plug & Play

**DESIGNER AREA BELL LIGHT SYSTEM (PHOTOCELL DISCONNECT SWITCH), SENSOR READY**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>DAB-A16-50-100W-MCTP-SR</b>	50W/80W/100W 130LM/W 30K/40K/50K 16"	1
<b>DAB-B20-50-100W-MCTP-SR</b>	50W/80W/100W 130LM/W 30K/40K/50K 20"	1
<b>DAB-B23-80-150W-MCTP-SR</b>	80W/100W/150W 130LM/W 30K/40K/50K 23" <b>3 MONTHS LEAD TIME</b>	1
<b>DAB-C25-50-100W-MCTP-BK</b>	50W/80W/100W 140LM/W 30K/40K/50K 25"	1
<b>DAB-C25-100-200W-MCTP-BK</b>	100W/150W/200W 140LM/W 30K/40K/50K 25"	1
<b>DAB-BA</b>	DAB Bell Arm For Mounting On Single Or Double Pole Adapters, Black	
<b>DAB-PB-B</b>	DAB Decorative Straight Pole Bracket Model B, For Flat Or Round Poles, Black	
<b>DAB-WB-A</b>	DAB Straight Wall Bracket Model A, Black	
<b>DAB-PA2-1</b>	DAB 2In Pole Adapter For 1 Bell Arm, Black	
<b>DAB-PA2-2</b>	DAB 2In Pole Adapter For 2 Bell Arms, Black	
<b>DAB-PA3-1</b>	DAB 3In Pole Adapter For 1 Bell Arm, Black	
<b>DAB-PA3-2</b>	DAB 3In Pole Adapter For 2 Bell Arms, Black	
<b>DAB-PA4-1</b>	DAB 4In Pole Adapter For 1 Bell Arm, Black	
<b>DAB-PA4-2</b>	DAB 4In Pole Adapter For 2 Bell Arms, Black	
<b>DAB-WB-C</b>	DAB Bent Decorative Wall Bracket Model C, Black	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER


WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-DAB</b>	INTERNAL	<b>OPT-LF3-PCK</b>	BUTTON	N/A		FIELD-INSTALLED SENSOR OPTION SEE ABOVE



**PML-S-MCT-ORB**  
Oil-Rubbed Bronze



**PML-M-MCT-ORB**  
Oil-Rubbed Bronze



**PML-L-MCT-ORB**  
Oil-Rubbed Bronze



Shown with optional Honey Color Glass Lens (Field-installed)



**PML-R-MCT-BR**  
Bronze



**PML-V-MCT-ORB**  
Oil-Rubbed Bronze



**PML-MCT-BK**  
Black



**PML-BASE-BK**  
Black

**SELECTABLE CCT PIER-MOUNT LIGHTS, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SELECTABLE CCT PIER-MOUNT LIGHTS, 120-277V</b>		
<b>PML-S-MCT-ORB</b>	12W 345LM 30K/40K/50K Oil-Rubbed Bronze, 8"W	6
<b>PML-M-MCT-ORB</b>	15W 430LM 30K/40K/50K Oil-Rubbed Bronze, 12"W	4
<b>PML-L-MCT-ORB</b>	18W 460LM 30K/40K/50K Oil-Rubbed Bronze, 16"W	4
<b>PML-S-HGLK</b>	PML-S Honey Color Glass Replacement Lens Kit	
<b>PML-M-HGLK</b>	PML-M Honey Color Glass Replacement Lens Kit	
<b>PML-L-HGLK</b>	PML-L Honey Color Glass Replacement Lens Kit	
<b>SELECTABLE CCT PIER-MOUNT LIGHTS, 120-277V</b>		
<b>PML-R-MCT-BR</b>	12W 840LM 30K/40K/50K Bronze, 9"Dia	4
<b>PML-BASE-R-BK</b>	Decorative Round Post And Pier Mounting Base, Black	
<b>PML-BASE-R-ORB</b>	Decorative Round Post And Pier Mounting Base, Oil-Rubbed Bronze	
<b>SELECTABLE CCT PIER-MOUNT LIGHTS, 120-277V</b>		
<b>PML-V-MCT-ORB</b>	12W 1500LM 30K/40K/50K Oil-Rubbed Bronze	
<b>SELECTABLE CCT PIER-MOUNT LIGHTS, 120-277V</b>		
<b>PML-MCT-BK</b>	12W 1200LM 3000K/4000K/5000K Black	
<b>PML-BASE-BK</b>	Decorative Pier Mount Base For Post Top Lights - Black	



**MODERN TOP-HAT POST-TOP AREA LIGHT WITH INDIRECT LIGHT SOURCE, CCT & WATTAGE SELECT**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GPH-12-40W-MCTP-BK</b>	12W/20W/30W/40W 100LM/W 30K/40K/50K 22" Dia X 20" H	1
<b>GPH-12-40W-MCTP-BR</b>	12W/20W/30W/40W 100LM/W 30K/40K/50K 22" Dia X 20" H	1
<b>GPH-12-40W-MCTP-GY</b>	12W/20W/30W/40W 100LM/W 30K/40K/50K 22" Dia X 20" H	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	3IN POLE ENTRY OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-GPH-3IN-BK</b>	3IN POLE ENTRY Black	N/A	N/A	N/A	N/A	N/A
	<b>OPT-GPH-3IN-BR</b>	3IN POLE ENTRY Bronze					
	<b>OPT-GPH-3IN-GY</b>	3IN POLE ENTRY Gray					



EXPF-30W-50K  
EXPF-60W-50K  
EXPF-100W-50K  
EXPF-240W-50K

LF-AD-SF-GY

Shown with Pole (Not Included)  
EXPF-30W-60K  
EXPF-180W-60K

Shown with Flat Wire Guard

Shown with DomeGlass & Dome Wire Guard

Shown with U Shape Lens & Wireguard



**HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, CLASS 1, DIV. 2**

OUTDOOR

SPECIALTY LED



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, 120-277V CLASS 1, DIV. 2</b>		
EXPF-30W-60K	30W 3450LM 6000K	1
EXPF-30W-50K	30W 4200LM 5000K	1
EXPF-60W-50K	60W 8400LM 5000K	1
EXPF-100W-50K	100W 14000LM 5000K	1
EXPF-180W-60K	180W 20700LM 6000K	1
EXPF-240W-50K	240W 21000LM 5000K	1
LF-AD-SF-GY	Slips Onto Pole Top 2" Dim. Fixture Mounts Directly On The Side Or	-
<b>ROUND HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, 120-277V CLASS 1, DIV. 2</b>		
EXPR-30W-50K	30W 146 LM/W 5000K	2
EXPR-60W-50K	60W 143 LM/W 5000K	2
EXPR-100W-50K	100W 153 LM/W 5000K	1
EXPR-150W-50K	150W 155 LM/W 5000K	1
EXPR-30-60W-WGF	Flat Wire Guard For EXPR 30W To 60W	
EXPR-100-150W-WGF	Flat Wire Guard For EXPR 100W To 150W	
EXPR-30-60W-LD	Dome Lens For EXPR 30W To 60W	
EXPR-100-150W-LD	Dome Lens For EXPR 100W To 150W	
EXPR-30-60W-WGD	Dome Wire Guard For EXPR 30W To 60W	
EXPR-100-150W-WGD	Dome Wire Guard For EXPR 100W To 150W	
EXPR-30-60W-LU	U- shape Jelly-Jar Lens For EXPR 30W To 60W	
EXPR-30-60W-WGU	U- shape Jelly-Jar Wire Guard For EXPR 30W To 60W	
<b>HAZARDOUS LOCATION FLOOD/HIGHBAY LIGHTS, 120-277V CLASS 1, DIV. 2</b>		
EXPL-40W-50K	40W 135 LM/W 5000K	1
EXPL-80W-50K	80W 135 LM/W 5000K	1
EXPL-120W-50K	120W 130 LM/W 5000K	1
<b>HAZARDOUS LOCATION ROUND FLOOD/HIGHBAY LIGHTS, 480V CLASS 1, DIV. 2</b>		
EXPR-150W-50K-480V	150W 150 LM/W 5000K	1
<b>HAZARDOUS LOCATION LINEAR FLOOD/HIGHBAY LIGHTS, 480V CLASS 1, DIV. 2</b>		
EXPL-80W-50K-480V	80W 135 LM/W 5000K	1

120-277V

480V 120-277V



SHOWN WITH OPTIONAL SLIP FITTER

**GENERATION 7 STADIUM LIGHTS, 120-277V OR 277-480V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GENERATION 7 STADIUM LIGHTS, 120-277V</b>		
SFX-G7-200-500W-45D-50K	200W/300W/400W/500W 150LM/W 5000K	1
SFX-G7-700-1000W-45D-50K	700W/800W/900W/1000W 150LM/W 5000K	1
<b>GENERATION 7 STADIUM LIGHTS, 277-480V</b>		
SFX-G7-200-500W-45D-50K-480V	200W/300W/400W/500W 150LM/W 5000K	1
SFX-G7-700-1000W-45D-50K-480V	700W/800W/900W/1000W 150LM/W 5000K	1
SFX-G7-1400-1700W-45D-50K-480V	1400W/1500W/1600W/1700W 150LM/W 5000K	1
SFX-G7-2100-2400W-45D-50K-480V	2100/2200/2300/2400W 140LM/W 5000K	1
SFX-G7-SF	Slip Fitter/Pole Adapter For SFX-G7	

SHOWN WITH  
OPTIONAL  
SHROUD




**SPEC SERIES NEW GEN. LED STADIUM FLOOD LIGHTS - ALSO SUITABLE FOR BUILDING FACADES**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SFX-G9-600W-30D-50K</b>	600W 150LM/W 5000K	1
<b>SFX-G9-SH1</b>	Shroud for 600W	
<b>SFX-POINTER</b>	LED Laser Aiming Device	

**SPEC SERIES X GEN. RGB STADIUM LIGHTS, DMX512 CONTROLLED - SPECIAL ORDER**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SFX-G9-500W-45D-RGB</b>	500W RGB	1
<b>SFX-G9-800W-45D-RGB</b>	800W RGB	1

SHOWN WITH  
OPTIONAL  
SHROUD



**HIGH-MAST ROADWAY LIGHT**



CATALOG NO.	DESCRIPTION
<b>HML-60-200W-XXK-CLR</b>	High-Mast 60W To 200W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
<b>HML-90-300W-XXK-CLR</b>	High-Mast 90W To 300W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
<b>HML-135-450W-XXK-CLR</b>	High-Mast 135W To 450W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
<b>HML-150-500W-XXK-CLR</b>	High-Mast 150W To 500W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
<b>HML-180-600W-XXK-CLR</b>	High-Mast 180W To 600W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
<b>HML-225-750W-XXK-CLR</b>	High-Mast 225W To 750W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
<b>HML-300-1000W-XXK-CLR</b>	High-Mast 300W To 1000W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
<b>HML-360-1200W-XXK-CLR</b>	High-Mast 360W To 1200W, 120-277V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
<b>HML-60-200W-XXK-CLR-480V</b>	High-Mast 60W To 200W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
<b>HML-90-300W-XXK-CLR-480V</b>	High-Mast 90W To 300W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
<b>HML-135-450W-XXK-CLR-480V</b>	High-Mast 135W To 450W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
<b>HML-150-500W-XXK-CLR-480V</b>	High-Mast 150W To 500W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
<b>HML-180-600W-XXK-CLR-480V</b>	High-Mast 180W To 600W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
<b>HML-225-750W-XXK-CLR-480V</b>	High-Mast 225W To 750W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
<b>HML-300-1000W-XXK-CLR-480V</b>	High-Mast 300W To 1000W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
<b>HML-360-1200W-XXK-CLR-480V</b>	High-Mast 360W To 1200W, 277-480V, Specify 3 Watt Stops, Specify CCT, Specify Bk Or Gy
<b>HML-SH1-CLR</b>	HML High-Mast Glare Shield For Up To 750W Version, Specify Bk Or Gy
<b>HML-SCK</b>	HML High-Mast NEMA Socket And Shorting Cap Pre-Installed





SOLF Shown with Adjustable Slip Filter for Poles up to 2-3/4" O.D.



SOLF Shown with Square Pole Mount



SOLF Shown with Round Pole Mount



SOLF Shown with Wall Mount

**LED SOLAR ROADWAY/FLOOD LIGHTS** **PROGRAMMABLE- Default Settings**  
15 second after the zone is cleared the light goes down to 40%  
NO WIRING, INCL. INTELLIGENT CONTROLS, 1 DAY CHARGE 3 DAY OPR., LiFePo4 5YR. BATTERY




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SOLF-17W-50K</b>	8W LED 200LM/W LED 17W 1600LM 5000K	1
<b>SOLF-36W-50K</b>	20W LED 200LM/W LED 36W 4000LM 5000K	1
<b>SOLF-54W-50K</b>	30W LED 200LM/W LED 54W 6000LM 5000K	1
<b>SOLF-SFA</b>	Adjustable Slip Filter for Poles up to 2-3/4" O.D.	-
<b>SOLF-WM-17W</b>	Wall Mount for SOLF-17W	-
<b>SOLF-WM-36W/54W</b>	Wall Mount for SOLF-36W & 54W	-
<b>SOLF-PMR-17W</b>	Round Pole Mount for SOLF-17W	-
<b>SOLF-PMR-36W/54W</b>	Round Pole Mount for SOLF-36W & 54W	-
<b>SOLF-PMS-17W</b>	Square Pole Mount for SOLF-17W	-
<b>SOLF-PMS-36W/54W</b>	Square Pole Mount for SOLF-36W & 54W	-
<b>SOLF-RC</b>	Remote Control for SOLF Series	-



Shown with Pole/Wall Mount Arm, Sold Separately



Shown with Pole-Top Mount (2" Poles), Sold Separately



SOLA-RC

**ROADWAY AND AREA SPLIT SOLAR LIGHTS, WITH ADVANCED CONTROLLER**  
REMOTE SOLAR PANEL INCL. WITH FIXTURE (WALL & POLE MOUNTING OPTIONS AVAIL. SOLD SEPARATELY)




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SOLA-SPLT-15W-50K</b>	15W 2250LM 5000K	1
<b>SOLA-SPLT-30W-50K</b>	30W 4500LM 5000K	1
<b>SOLA-SPLT-PM</b>	Pole Mounting Arm For Split Solar Lights	-
<b>SOLA-SPLT-WM</b>	Wall Mounting Arm For Split Solar Lights	-
<b>SOLA-RC</b>	Sola Solar Light Remote Control Unit - One Per Project	-



SOLA-5W-50K-WA  
20" Pole/Wall Mount Arm Included



Shown Back Side



SOLA-RC

OUTDOOR  
ROADWAY  
LIGHTS

**ROADWAY AND AREA SOLAR LIGHTS, WITH ADVANCED CONTROLLER  
INTEGRATED SOLAR PANEL, 20" WALL/POLE MOUNT ARM INCL.**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SOLA-5W-50K-WA</b>	5W <b>750LM</b> 5000K	1
<b>SOLA-RC</b>	Sola Solar Light Remote Control Unit - One Per Project	



**AVAIL. IN  
3000K**



SOLN Shown with **SOLN-PMRS** Round & Square Pole Mounting Accessory



SOLN Shown with **SOLN-SFA** Slip Fitter Mounting Accessory

SOLN Shown with **SOLN-WM** Wall Mounting Arm

**POWERFUL HIGH-LUMEN SMART INTEGRATED SOLAR STREET AND FLOOD LIGHT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SOLN-30W-50K</b>	30W <b>6000LM</b> 3000K	1
<b>SOLN-30W-30K</b>	30W <b>6000LM</b> 5000K	1
<b>SOLN-50W-50K</b>	50W <b>10000LM</b> 3000K	1
<b>SOLN-50W-30K</b>	50W <b>10000LM</b> 5000K	1
<b>SOLN-70W-50K</b>	70W <b>14000LM</b> 3000K	1
<b>SOLN-70W-30K</b>	70W <b>14000LM</b> 5000K	1
<b>SOLN-WM-15-30W</b>	SOLN 15-30W Wall Mounting Accessory	
<b>SOLN-WM-50-70W</b>	SOLN 50-70W Wall Mounting Accessory	
<b>SOLN-SFA</b>	SOLN Series Slip Fitter Mounting Accessory	
<b>SOLN-PMRS-15-30W</b>	SOLN 15-30W Round And Square Pole Mounting Accessory	
<b>SOLN-PMRS-50-70W</b>	SOLN 50-70W Round And Square Pole Mounting Accessory	
<b>SOLF-RC</b>	Remote Control for SOLN Series (One Per Project)	



STL4 Shown with Slip Fitter



STL4 Shown with Half Shroud (Reversible)



STL4 Shown with Full Shroud

## LED STREET/ROADWAY LIGHTS

w/NEMA TWIST-LOCK PHOTOCELL SOCKET, (SHORTING CAP INCL.) FOR PHOTOCELL SEE PAGE 62



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>STL4-15-50W-30K</b>	15W/20W/30W/50W 145LM/W 3000K	1
<b>STL4-15-50W-50K</b>	15W/20W/30W/50W 145LM/W 5000K	1
<b>STL4-30-100W-30K</b>	30W/50W/80W/100W 145LM/W 3000K	1
<b>STL4-30-100W-50K</b>	30W/50W/80W/100W 145LM/W 5000K	1
<b>STL4-50-150W-30K</b>	50W/80W/100W/150W 140LM/W 3000K	1
<b>STL4-50-150W-50K</b>	50W/80W/100W/150W 140LM/W 5000K	1
<b>STL4-80-200W-30K</b>	80W/100W/150W/200W 140LM/W 3000K	1
<b>STL4-80-200W-50K</b>	80W/100W/150W/200W 140LM/W 5000K	1
<b>STL4-30-100W-30K-480V</b>	30W/50W/80W/100W 140LM/W 3000K	1
<b>STL4-30-100W-50K-480V</b>	30W/50W/80W/100W 140LM/W 5000K	1
<b>STL4-50-150W-30K-480V</b>	50W/80W/100W/150W 140LM/W 3000K	1
<b>STL4-50-150W-50K-480V</b>	50W/80W/100W/150W 140LM/W 5000K	1
<b>STL4-80-200W-30K-480V</b>	80W/100W/150W/200W 140LM/W 3000K	1
<b>STL4-80-200W-50K-480V</b>	80W/100W/150W/200W 140LM/W 5000K	1

STL4-SF

STL4 Series Street Light Slip Fitter



STL3 Shown with Wall Mounting Arm - 12-3/4" Length for 50W & above



STL3 Shown with Half Shroud (Reversible)



STL3 Shown with Full Shroud

## LED STREET/ROADWAY LIGHTS

w/NEMA TWIST-LOCK PHOTOCELL SOCKET, (SHORTING CAP INCL.) FOR PHOTOCELL SEE PAGE 62



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>STL2-30W-30K</b>	30W 3900LM 3000K	100-277V <b>WHILE SUPPLIES LAST</b>	5
<b>STL2-30W-50K</b>	30W 3900LM 5000K	100-277V <b>WHILE SUPPLIES LAST</b>	5
<b>STL3-50W-50K</b>	50W 6750LM 5000K	100-277V	1
<b>STL3-50W-30K-L</b>	50W 6750LM 3000K 18.2"(L) x 9"(W) x 4.5"(H)	100-277V <b>WHILE SUPPLIES LAST</b>	1
<b>STL3-50W-50K-L</b>	50W 6750LM 5000K 18.2"(L) x 9"(W) x 4.5"(H)	100-277V	1
<b>STL2-80W-30K</b>	80W 10800LM 3000K	100-277V <b>WHILE SUPPLIES LAST</b>	1
<b>STL2-80W-50K</b>	80W 10800LM 5000K	100-277V <b>WHILE SUPPLIES LAST</b>	1
<b>STL2-100W-30K</b>	100W 13500LM 3000K	100-277V	1
<b>STL3-100W-50K</b>	100W 13500LM 5000K	100-277V	1
<b>STL2-150W-30K</b>	150W 21000LM 3000K	100-277V <b>WHILE SUPPLIES LAST</b>	1
<b>STL3-150W-50K</b>	150W 21000LM 5000K	100-277V	1
<b>STL3-200W-30K</b>	200W 27000LM 3000K	100-277V	1
<b>STL3-200W-50K</b>	200W 27000LM 5000K	100-277V	1
<b>STL3-90W-50K-480V</b>	90W 13500LM 5000K	277-480V	1
<b>STL3-150W-50K-480V</b>	150W 21000LM 5000K	277-480V	1
<b>STL3-200W-50K-480V</b>	200W 27000LM 5000K	277-480V	1
<b>STL2-WMA</b>	Wall Mounting Arm - 12-3/4" Length for 50W & above	-	-

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	SHROUD	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODEL	OPT-STL-SH-CW OPT-STL-SH-FG	HALF SHROUD FULL SHROUD	N/A	N/A	N/A	N/A	N/A



**SPEC SERIES LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V**

Bronze & White



CATALOG NO.	DESCRIPTION						PKG. QTY.
<b>SPEC SERIES LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V</b>							
<b>CDX-35W-35K-BR</b>	35W	4600LM	3500K	Bronze	10.6" (L) x 10.6" (W) x 4-1/2" (H)		2
<b>CDX-35W-35K-WH</b>	35W	4600LM	3500K	White	10.6" (L) x 10.6" (W) x 4-1/2" (H)		2
<b>CDX-35W-40K-BR</b>	35W	4600LM	4000K	Bronze	10.6" (L) x 10.6" (W) x 4-1/2" (H)		2
<b>CDX-35W-40K-WH</b>	35W	4600LM	4000K	White	10.6" (L) x 10.6" (W) x 4-1/2" (H)		2
<b>CDX-35W-50K-BR</b>	35W	4600LM	5000K	Bronze	10.6" (L) x 10.6" (W) x 4-1/2" (H)		2
<b>CDX-35W-50K-WH</b>	35W	4600LM	5000K	White	10.6" (L) x 10.6" (W) x 4-1/2" (H)		2
<b>CDX-55W-35K-BR</b>	55W	7250LM	3500K	Bronze	10.6" (L) x 10.6" (W) x 4-1/2" (H)		2
<b>CDX-55W-35K-WH</b>	55W	7250LM	3500K	White	10.6" (L) x 10.6" (W) x 4-1/2" (H)		2
<b>CDX-55W-40K-BR</b>	55W	7250LM	4000K	Bronze	10.6" (L) x 10.6" (W) x 4-1/2" (H)		2
<b>CDX-55W-40K-WH</b>	55W	7250LM	4000K	White	10.6" (L) x 10.6" (W) x 4-1/2" (H)		2
<b>CDX-55W-50K-BR</b>	55W	7250LM	5000K	Bronze	10.6" (L) x 10.6" (W) x 4-1/2" (H)		2
<b>CDX-55W-50K-WH</b>	55W	7250LM	5000K	White	10.6" (L) x 10.6" (W) x 4-1/2" (H)		2

**SPEC SERIES POWER & CCT- ADJUSTABLE LED ADJUSTABLE CANOPY/PARKING LIGHTS, 120-277V**

**CDX-35-55W-MCTP-BR** 35W/45W/55W 120LM/W 30K/40K/50K

**CDX-35-55W-MCTP-WH** 35W/45W/55W 120LM/W 30K/40K/50K



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION	
35W	<b>OPT-EM-CDX-35</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CLR-95(BK/GR/SR/WH)</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL	
55W	<b>OPT-EM-CDX-55</b>	INTERNAL					<b>WEC-3RC</b>	OPTIONAL REMOTE CONTROL
	<b>VANDAL RES.</b>	DESCRIPTION						
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw						



**POWER-ADJUSTABLE CANOPY LIGHT, 120-277V (WET LOCATION)**

Dark Bronze



CATALOG NO.	DESCRIPTION						PKG. QTY.
<b>CDLX-SM-5-25W-30K</b>	5W/10W/15W/25W	120LM/W	3000K	8"X8"X3"			6
<b>CDLX-SM-5-25W-40K</b>	5W/10W/15W/25W	120LM/W	4000K	8"X8"X3"			6
<b>CDLX-SM-5-25W-50K</b>	5W/10W/15W/25W	120LM/W	5000K	8"X8"X3"			6
<b>CDLX-MD-15-45W-30K</b>	15W/25W/35W/45W	120LM/W	3000K	10"X10"X3.63"			4
<b>CDLX-MD-15-45W-40K</b>	15W/25W/35W/45W	120LM/W	4000K	10"X10"X3.63"			4
<b>CDLX-MD-15-45W-50K</b>	15W/25W/35W/45W	120LM/W	5000K	10"X10"X3.63"			4
<b>CDLX-LG-30-80W-30K</b>	30W/40W/60W/80W	120LM/W	3000K	14"X14"X4"			2
<b>CDLX-LG-30-80W-40K</b>	30W/40W/60W/80W	120LM/W	4000K	14"X14"X4"			2
<b>CDLX-LG-30-80W-50K</b>	30W/40W/60W/80W	120LM/W	5000K	14"X14"X4"			2



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION	
SM	<b>OPT-EM-CDLX-SM</b>	INTERNAL	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CLR-95(BK/GR/SR/WH)</b>	<b>OPT-SEN-2MD-35</b>	PROGRAMMABLE MICROWAVE BI-LEVEL	
MD	<b>OPT-EM-CDLX-MD</b>	INTERNAL					<b>WEC-3RC</b>	OPTIONAL REMOTE CONTROL
LG	<b>OPT-EM-CDLX-LG</b>	INTERNAL						
	<b>VANDAL RES.</b>	DESCRIPTION	<b>480V OPTIONS</b>	DESCRIPTION				
	<b>OPT-TRS-T20</b>	Tamper Resistant Screw		<b>OPT-480V-CDLX-80</b>	480V			





Sensor-Ready  
Plug & Play For CAX



**ANGLED-BEAM GARAGE CANOPY, CCT AND WATTAGE SELECTABLE, SENSOR READY**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>CAX-20-45W-MCTP-SR</b>	20W/30W/45W 140LM/W 30K/40K/50K	8
<b>CAX-30-60W-MCTP-SR</b>	30W/45W/60W 140LM/W 30K/40K/50K	8
<b>CAX-40-75W-MCTP-SR</b>	40W/60W/75W 140LM/W 30K/40K/50K	8
<b>CAX-60-90W-MCTP-SR</b>	60W/75W/90W 140LM/W 30K/40K/50K	8
<b>WEC-3MR-72-TLB-BK-3PIN</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
<b>WEC-3MBT-72-TLB-BK-3PIN</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
<b>WEC-3PR-72-TLB-WH-3PIN</b>	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION
45W & 60W	<b>OPT-EM-CAX-40-60</b>	INTERNAL	<b>OPT-PC-B</b> BUTTON	<b>OPT-CLR-95(BK/GR/SR/WH)</b>	<b>FIELD-INSTALLED SENSOR OPTION SEE ABOVE</b>	
75W & 90W	<b>OPT-EM-CAX-75-90</b>	INTERNAL				
	<b>VANDAL RES. OPT-TRS-T20</b>	DESCRIPTION Tamper Resistant Screw				



OPTIONAL FROSTED LENS, FIELD REPLACE

**LED GARAGE/CANOPY LIGHTS, 120-277V (WET LOCATION)**



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>CGL-40W-50K-D</b>	40W 5200LM 5000K 9" (L) x 9" (W) x 4-1/2" (H)	100-150 MH	4
<b>CGL-40W-40K-D</b>	40W 5200LM 4000K 9" (L) x 9" (W) x 4-1/2" (H)	100-150 MH	4
<b>CGL-55W-50K-D</b>	55W 7100LM 5000K 9" (L) x 9" (W) x 4-1/2" (H)	150-200 MH	4
<b>CGL-55W-40K-D</b>	55W 7100LM 4000K 9" (L) x 9" (W) x 4-1/2" (H)	150-200 MH	4
<b>CGL-75W-50K-D</b>	75W 9700LM 5000K 10" (L) x 10" (W) x 5" (H)	250-320 MH	2
<b>CGL-75W-40K-D</b>	75W 9700LM 4000K 10" (L) x 10" (W) x 5" (H)	250-320 MH	2
<b>CGL-100W-50K-D</b>	100W 13000LM 5000K 10" (L) x 10" (W) x 5" (H)	350-400 MH	2
<b>CGL-100W-40K-D</b>	100W 13000LM 4000K 10" (L) x 10" (W) x 5" (H)	350-400 MH	2
<b>CGL-FL1</b>	Frosted Replacement Lens for CGL-40W & 55W		
<b>CGL-FL2</b>	Frosted Replacement Lens for CGL-75W & 100W		

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL DESCRIPTION	PAINT	SENSOR	DESCRIPTION
40W & 55W	<b>OPT-EM-CGL-40-55</b>	INTERNAL	<b>OPT-PC-B</b> BUTTON	<b>OPT-CLR-95(BK/GR/SR/WH)</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
75W & 100W	<b>OPT-EM-CGL-75-100</b>	INTERNAL				
	<b>VANDAL RES. OPT-TRS-T20</b>	DESCRIPTION Tamper Resistant Screw				



Sensor-Ready  
Plug & Play For CXER Only

**X-GEN GARAGE LIGHT WITH UPLIGHT, POWER AND CCT ADJUSTABLE, SENSOR READY**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
CXU-18-60W-MCTP-SR	18W/30W/45W/60W	9900LM 30K/40K/50K White	1
CXU-30-100W-MCTP-SR	30W/50W/75W/100W	16500LM 30K/40K/50K White	1



CXES-10-30W  
Bronze



CXES-30-60W  
Bronze



CXES-40-80W  
Bronze



CXES-10-30W-WH  
CXES-30-60W-WH  
CXES-40-80W-WH  
White



CXER-40-80W  
Bronze



CXER-30-50W  
Bronze



CXER-40-80W-WH  
White



CXER-30-50W-WH  
White



Sensor-Ready  
Plug & Play For CXER Only

**BUILDER SERIES NEW CONCEPT GARAGE AND CEILING LIGHTS**  
POWER & CCT ADJUSTABLE, DAMP LOCATION



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SQUARE NEW CONCEPT GARAGE AND CEILING LIGHTS, POWER &amp; CCT ADJUSTABLE, DAMP LOCATION</b>		
CXES-10-30W-MCTP	10W/20W/30W 130LM/W 30K/40K/50K	4
CXES-30-60W-MCTP	30W/45W/60W 130LM/W 30K/40K/50K	2
CXES-40-80W-MCTP	40W/60W/80W 130LM/W 30K/40K/50K	2
CXES-10-30W-MCTP-WH	10W/20W/30W 130LM/W 30K/40K/50K	4
CXES-30-60W-MCTP-WH	30W/45W/60W 130LM/W 30K/40K/50K	2
CXES-40-80W-MCTP-WH	40W/60W/80W 130LM/W 30K/40K/50K	2
withEM CXES-10-30W-MCTP-EM	10W/20W/30W 130LM/W 30K/40K/50K	4
withEM CXES-30-60W-MCTP-EM	30W/45W/60W 130LM/W 30K/40K/50K	2
withEM CXES-40-80W-MCTP-EM	40W/60W/80W 130LM/W 30K/40K/50K	2
<b>ROUND NEW CONCEPT GARAGE AND CEILING LIGHTS, POWER &amp; CCT ADJUSTABLE, DAMP LOCATION</b>		
CXER-30-50W-MCTP-SR	30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY)	4
CXER-40-80W-MCTP-SR	40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY)	2
CXER-30-50W-MCTP-SR-WH	30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY)	4
CXER-40-80W-MCTP-SR-WH	40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY)	2
withEM CXER-30-50W-MCTP-SR-EM	30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY)	4
withEM CXER-40-80W-MCTP-SR-EM	40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY)	2
withEM CXER-30-50W-MCTP-SR-EM-WH	30W/40W/50W 135LM/W 30K/40K/50K (SENSOR-READY)	4
withEM CXER-40-80W-MCTP-SR-EM-WH	40W/60W/80W 135LM/W 30K/40K/50K (SENSOR-READY)	2
WEC-3MR-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
WEC-3PR-72-TLB-WH	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	



**POWER-ADJUSTABLE SURFACE-MOUNT CANOPY LIGHT, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GSX-SRFC-80-150W-50K</b>	80W/100W/120W/150W 140LM/W 5000K	1



**POWER-ADJUSTABLE RECESSED GAS STATION CANOPY LIGHT, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>GSX-RECS-80-150W-50K</b>	80W/100W/120W/150W 140LM/W 5000K	1

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-GSX</b>	MUST MOUNT ABOVE	<b>N/A</b>	N/A	<b>N/A</b>	<b>OPT-3PDR-52</b> <b>WEC-3RC</b>	BI-LEVEL MICROWAVE REMOTE CONTROL




**SPEC SERIES POWER & CCT- ADJUSTABLE GARAGE LIGHT, 120-277V, TYPE 5 LENS**

**7 DAYS LEAD TIME**



DESCRIPTION	MOUNTING	PKG. QTY.
<b>GPX-18-60W-MCTP-CM</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K	Ceiling Mount	1
<b>GPX-18-60W-MCTP-PM75</b> 18W/30W/45W/60W 150LM/W 30K/40K/50K	Pipe Mount with 3/4" Hub	1

FOR GPX OPTIONS & ACCESSORIES SEE PAGE 45.



**BOLLARD POST SYSTEM FOR FLOOD LIGHTS**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BPS-BASE-2FT</b>	Bollard Pole System 2Ft Base	2
<b>BPS-BASE-3FT</b>	Bollard Pole System 3Ft Base	2
<b>BPS-BASE-5FT</b>	Bollard Pole System 5Ft Base	2
<b>BPS-LH1</b>	Bollard Pole System Single Lamp Holder Section 1Ft With 1/2" Hub	4
<b>BPS-LH2</b>	Bollard Pole System Double Lamp Holder Section 1Ft With 1/2" Hubs	4
<b>BPS-EP-1FT</b>	Bollard Pole System 1Ft Extension Pole	4
<b>BPS-EP-2FT</b>	Bollard Pole System 2Ft Extension Pole	4
<b>BPS-LHT</b>	Bollard Pole System Top Cap Lamp Holder With 1/2" Hub	50



**SOLAR G4 MODULAR BOLLARD SYSTEM**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BOL-G4-301-SOLAR-40K-BK</b>	3W 130LM/W 4000K Head	1
<b>BOL-G4-301-SOLAR-40K-BR</b>	3W 130LM/W 4000K Head	1
<b>BOL-G4-SHAFT-14-BK</b>	G4 Bollard Shaft 14 Inch, Black	
<b>BOL-G4-SHAFT-14-BR</b>	G4 Bollard Shaft 14 Inch, Bronze	
<b>BOL-G4-SHAFT-30-BK</b>	G4 Bollard Shaft 30 Inch, Black	
<b>BOL-G4-SHAFT-30-BR</b>	G4 Bollard Shaft 30 Inch, Bronze	
<b>BOL-G4-SHAFT-30-GFCI-BK</b>	G4 Bollard Shaft 30 Inch With GFCI Outlet Compartment, Black	
<b>BOL-G4-SHAFT-30-GFCI-BR</b>	G4 Bollard Shaft 30 Inch With GFCI Outlet Compartment, Bronze	
<b>BOL-G4-ABK-R</b>	G4 Bollard Round Anchor Bolts & Mounting Plate	
<b>BOL-G4-GSH-01-BK</b>	G4 Bollard Round Anchor Bolts & Mounting Plate, Black	
<b>BOL-G4-SOLAR-RC</b>	Remote Control, Required 1 Per Projects	





BOL-G4-201 + BOL-G4-SHAFT



Anchor Bolts & Mounting Plate



**HEAD, SHAFT, & ANCHOR BOLTS SET**  
**SOLD SEPARATELY**



**G4 MODULAR BOLLARD SYSTEM**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BOL-G4-201-MCTP-BK</b>	7W/14W/22W <b>110LM/W</b> 30K/40K/50K Head	1
<b>BOL-G4-201-MCTP-BR</b>	7W/14W/22W <b>110LM/W</b> 30K/40K/50K Head	1
<b>BOL-G4-SHAFT-14-BK</b>	G5 Bollard Shaft 14 Inch, Black	
<b>BOL-G4-SHAFT-14-BR</b>	G5 Bollard Shaft 14 Inch, Bronze	
<b>BOL-G4-SHAFT-30-BK</b>	G5 Bollard Shaft 33 Inch, Black	
<b>BOL-G4-SHAFT-30-BR</b>	G5 Bollard Shaft 33 Inch, Bronze	
<b>BOL-G4-SHAFT-30-GFCI-BK</b>	G4 Bollard Shaft 30 Inch With GFCI Outlet Compartment, Black	
<b>BOL-G4-SHAFT-30-GFCI-BR</b>	G4 Bollard Shaft 30 Inch With GFCI Outlet Compartment, Bronze	
<b>BOL-G4-ABK-R</b>	G4 Bollard Round Anchor Bolts & Mounting Plate	
<b>BOL-G4-GSH-01-BK</b>	G4 Bollard Round Anchor Bolts & Mounting Plate	



BOL-G5-101  
+  
BOL-G5-SHAFT

BOL-G5-401  
+  
BOL-G5-SHAFT



Anchor Bolts & Mounting Plate



**HEAD, SHAFT, & ANCHOR BOLTS SET**  
**SOLD SEPARATELY**



**WESTGATE MODERN MODULAR BOLLARD SYSTEM G5**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BOL-G5-101-MCTP-BK</b>	8W/13W/18W/25W <b>130LM/W</b> 30K/40K/50K Head	1
<b>BOL-G5-101-MCTP-BR</b>	8W/13W/18W/25W <b>130LM/W</b> 30K/40K/50K Head	1
<b>BOL-G5-401-MCTP-BK</b>	5W/8W/12W/15W <b>130LM/W</b> 30K/40K/50K Head	1
<b>BOL-G5-401-MCTP-BR</b>	5W/8W/12W/15W <b>130LM/W</b> 30K/40K/50K Head	1
<b>BOL-G5-SHAFT-14-BK</b>	G5 Bollard Shaft 14 Inch, Black	
<b>BOL-G5-SHAFT-14-BR</b>	G5 Bollard Shaft 14 Inch, Bronze	
<b>BOL-G5-SHAFT-33-BK</b>	G5 Bollard Shaft 33 Inch, Black	
<b>BOL-G5-SHAFT-33-BR</b>	G5 Bollard Shaft 33 Inch, Bronze	
<b>BOL-G5-ABK-R</b>	G5 Bollard Round Anchor Bolts & Mounting Plate	
<b>BOL-G5-GSH-01</b>	G5 Bollard 180-Degree Glare Shield	



**WESTGATE MODULAR BOLLARD SYSTEM G2**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BOL-G2-102F-MCTP-BK</b>	14w/19w/24w 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-102F-MCTP-BR</b>	14w/19w/24w 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-103F-MCTP-BK</b>	14w/19w/24w 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-103F-MCTP-BR</b>	14w/19w/24w 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-107F-MCTP-BK</b>	14w/19w/24w 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-107F-MCTP-BR</b>	14w/19w/24w 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-103D-MCTP-BK</b>	14w/19w/24w 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-103D-MCTP-BR</b>	14w/19w/24w 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-107D-MCTP-BK</b>	14w/19w/24w 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-107D-MCTP-BR</b>	14w/19w/24w 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-118-MCTP-BK</b>	14w/19w/24w 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-118-MCTP-BR</b>	14w/19w/24w 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-135-MCTP-BK</b>	12w/18w/20w 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-135-MCTP-BR</b>	14w/19w/24w 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-140-MCTP-BK</b>	14w/19w/24w 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-140-MCTP-BR</b>	14w/19w/24w 125LM/W 30K/40K/50K Head	4
<b>BOL-G2-SHAFT-31-BK</b>	G2 Bollard Shaft 31 Inch, Black	
<b>BOL-G2-SHAFT-31-BR</b>	G2 Bollard Shaft 31 Inch, Bronze	
<b>BOL-G2-SHAFT-19-BK</b>	G2 Bollard Shaft 19 Inch, Black	
<b>BOL-G2-SHAFT-19-BR</b>	G2 Bollard Shaft 19 Inch, Bronze	
<b>BOL-G2-SHAFT-14-BK</b>	G2 Bollard Shaft 14 Inch, Black	
<b>BOL-G2-SHAFT-14-BR</b>	G2 Bollard Shaft 14 Inch, Bronze	
<b>BOL-G2-SHAFT-9-BK</b>	G2 Bollard Shaft 9 Inch, Black	
<b>BOL-G2-SHAFT-9-BR</b>	G2 Bollard Shaft 9 Inch, Bronze	
<b>BOL-G2-ABK-R</b>	G2 Bollard Round Replacement Anchor Bolts & Mounting Plate	
<b>BOL-G2-102F-CR-WH</b>	G2 Bollard Head 102F Replacement Cone Reflector, White	
<b>BOL-G2-103-LAK-BK</b>	G2 Bollard Louver Kit For Model 103, Black	
<b>BOL-G2-103-LAK-BR</b>	G2 Bollard Louver Kit For Model 103, Bronze	
<b>BOL-R-ACC-FL</b>	Field-installed replacement frosted lens	



**BOL-602-40-S-MCTP**  
Black/Bronze






**BOL-602-26-S-MCTP**  
Black/Bronze



**BOL-602-40-S-RGBW**  
Black/Bronze

**SQUARE BOLLARD LONG LENS, POWER AND CCT ADJUSTABLE**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>SQUARE BOLLARD LONG LENS, POWER AND CCT ADJUSTABLE</b>			
<b>BOL-602-40-S-MCTP-BK</b>	10W/18W/25W 55LM/W 35K/40K/50K Black		1
<b>BOL-602-40-S-MCTP-BR</b>	10W/18W/25W 55LM/W 35K/40K/50K Bronze		1
<b>BOL-602-26-S-MCTP-BK</b>	10W/18W/25W 55LM/W 35K/40K/50K Black		1
<b>BOL-602-26-S-MCTP-BR</b>	10W/18W/25W 55LM/W 35K/40K/50K Bronze		1
<b>WG SMART APP COMPATIBLE RGBW SQUARE BOLLARD LONG LENS, POWER AND CCT ADJUSTABLE</b>			
<b>TC-BOL-602-40-S-RGBW-BK</b>	34W RGBW	  	
<b>BOL-602-ABK</b>	BOL-602 Anchor Bolts And Mounting Plate		



**SQUARE BOLLARD OPEN DESIGN, POWER AND CCT ADJUSTABLE**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>BOL-608-32-S-MCTP-BK</b>	10W/18W/25W 55LM/W 30K/40K/50K		1
<b>BOL-608-32-S-MCTP-BR</b>	10W/18W/25W 55LM/W 30K/40K/50K		1
<b>BOL-608-26-S-MCTP-BK</b>	10W/18W/25W 55LM/W 30K/40K/50K		1
<b>BOL-608-26-S-MCTP-BR</b>	10W/18W/25W 55LM/W 30K/40K/50K		1
<b>BOL-608-ABK</b>	BOL-602 Anchor Bolts And Mounting Plate		

**POST FOR WMS, LMW, LWA-12W, LWAX-12W SERIES**

CATALOG NO.	DESCRIPTION
<b>WMS-POST1-18</b>	18" One side optional Post, Bronze Finish
<b>WMS-POST2-18</b>	18" Two side optional Post, Bronze Finish
<b>WMS-POST1-36</b>	36" One side optional Post, Bronze Finish
<b>WMS-POST2-36</b>	36" Two side optional Post, Bronze Finish

**BOLLARD CUSTOMIZATION**

CATALOG NO.	POST SIZE		FIXTURES PER POLE		COLOR TEMPERATURE		FINISH	
	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
<b>WMS-S</b>	18	18 Inch	1	1 Sided	30K	3000K	BR	Bronze
<b>WMS-R</b>	36	36 Inch	2	2 Sided	40K	4000K	WH	White
<b>LMW</b>					50K	5000K		

For more information on each fixture model, refer to: LWA-12 page 4, LMW page 11, WMS page 11.



OUTDOOR  
GARDEN LIGHTS



**BOL-44-R-L-C-MCTP-BK**  
Black



**BOL-42-R-L-C-MCTP-BK**  
Black



**BOL-42-S-C-C-MCTP-BK**  
Black

**7 DAYS LEAD TIME ALL MODELS ARE AVAILABLE IN BRONZE & BLACK**

**ROUND AND SQUARE BOLLARD, 120-277VAC, (ADJUSTABLE POWER 12-22W & CCT 30K/40K/50K)**



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	PKG. QTY.
<b>BOL-44-R-L-C-MCTP-BK</b>	Bollard 44In Round Dome Top Louver Clear Lens, Black,, 6" Dia		1
<b>BOL-42-R-L-C-MCTP-BK</b>	Bollard 42In Round Flat Top Louver Clear Lens, Black,, 6" Dia		1
<b>BOL-42-S-C-C-MCTP-BK</b>	Bollard 42In Square Flat Top Cone Clear Lens, Black,, 6" SQ		1
<b>BOL-42-S-C-C-MCTP-BR</b>	Bollard 42In Square Flat Top Cone Clear Lens, Bronz,, 6" SQ		1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-BOL</b>	INTERNAL SHIELD OPTION DESCRIPTION	<b>OPT-PC-B</b>	BUTTON	<b>OPT-CRL-95(BK/GR/SR/WH)</b>	<b>OPT-SEN-WMC</b>	MICROWAVE BI-LEVEL
	<b>OPT-BOL-SHI</b>	Shield					



FIXTURE  
**ACCESSORIES**



**LF-THREAD**

1/2" hub adaptor for fixtures with trunnion bracket (on fixtures up to 50W)



**WRC-3-BRZ**

Weatherproof cover with three (3) 1/2" hubs



**SPS-75**

4" SQ. Swivel-type cover & 3/4" hub with 1/2" reducer



**HB-HOOK**

High Bay 2-1/2" heavy-duty Zinc Alloy hook with 1/2" steel locknut, set screw, cable bushing

**SHROUDS**



**REVERSIBLE**

**LF4-SH1**

Fits LF4-12W & 15W, LF4-12V-6W & 12W (Polycarbonate)

**LF4-SH2**

Fits LF4-30W, LF4-12V-24W & 30W (Polycarbonate)

**LF4-SH3**

Fits LF4-50W, LF4-12V-50W (Polycarbonate)

**LF4-SH4**

Fits LF4-80W & 100W, (Aluminum)

**LF4-SH5**

Fits LF4-150W (Aluminum)



**LF3-SH1FG**

Full-Glare Shrouds for LF4 12W, 30W

**LF3-SH2FG**

Full-Glare Shrouds for LF4 50W

**LF3 Full-Glare Shrouds compatible with LF4 Series**



**FL-SH1**

Fits FLD2-15W, FLV12-6W

**FL-SH2**

Fits FLD2-28W, FLV12-12W & 24W

**FL-SH3**

Fits FLD2-42W, FLV12-32W

**FL-SH4**

Fits FLD2-50W

**PHOTOCONTROLS**



**PC-1**  
**PC-1H**



**PC-1S**



**PC-2S**



**PC-B**  
**PC-BU**



**PC-BP**



**PC-BUM**



**PC-TLSC**



**PC-TLSOC-3PIN**



**PC-TLSOC-7PIN**



**PC-TWIST**  
**PC-TWIST-480V**



**LF3-PCK**  
**LF3-PCK-480V**



**SL-PC**



**WEC-3MPC-GY**



**WEC-3MPCN**

**PHOTOCONTROLS FOR OUTDOOR**

CATALOG NO.	DESCRIPTION
<b>PC-1</b>	120V Stem Mount 1800W Photocell
<b>PC-1H</b>	277V Stem Mount 1800W Photocell
<b>PC-1S</b>	Photocell Swivel Arm 120V , 1000W
<b>PC-2S</b>	Swivel Photocell , 120Vac , 1800W
<b>PC-B</b>	Button Photocell , 120Vac , 500W
<b>PC-BU</b>	Button Photocell, 120-277Vac , 500W
<b>PC-BP</b>	Photocell With 1-Gauge Stainless Steel Plate And Gasket , 120Vac , 500W
<b>PC-BUM</b>	Mini Button Photocell, 120-277Vac , 500W
<b>PC-TLSC</b>	Twist Lock Shorting Cap For Photocell Socket
<b>PC-TLSOC-3PIN</b>	3-Pin Socket Twist Lock For Smart Control Systems
<b>PC-TLSOC-7PIN</b>	7-Pin Socket Twist Lock For Smart Control Systems
<b>PC-TWIST</b>	Twist Lock Photocell 1800W Tungeston 120-277V Ac /1800W
<b>PC-TWIST-480V</b>	Twist Lock Photocell 1800W Tungeston 490V
<b>LF3-PCK</b>	Twist-Lock Photocell Kit, 120-277V
<b>LF3-PCK-480V</b>	Twist-Lock Photocell Kit, 480V
<b>SL-PC</b>	Micro Button Photocell, 120/277V, 40W
<b>WEC-3MPC-GY</b>	Microwave IP67 Photocell With 1/2" Thread, Gray
<b>WEC-3MPCN</b>	Ultra-Violet Photocell, 120-277V 1/2in NPT Size

**SURGE PROTECTOR**



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

TYPE	CATALOG NO.	DESCRIPTION
OUTDOOR FIXTURES	<b>OPT-SP-10KV</b>	Factory Installed, 10KV surge protector



WEC-3MRLV-5-BR WEC-3MRLV-5-GY WEC-3MRLV-5-WH WEC-3MRLV-5-CLR  
 WEC-3MR-3-BR WEC-3MR-3-WH  
 WEC-3MDR-42 WEC-3PDR-52 WEC-3PDR-48-480V WEC-3MR-48 WEC-3PR-60 WEC-3MR-4-BR WEC-3MR-4-WH  
 WEC-3PDR-58-BR WEC-3PDR-58-WH WEC-2MRHB2 WEC-3MR-45 WEC-2MD-35

WEC-2MD-33 WEC-2MDR-36 WEC-2MDR-33 WEC-2P-44 WEC-2ADP  
 SL-HPIR-BR SL-HPIR-WH SL-PIR-BR SL-PIR-WH WEC-2P-58 WEC-2CPDR-3 YM183-W YM2108-W YM2108-T-W WEC-2DLH-22 WEC-ON50-BR WEC-ON50-WH

LLHB-SE LLHB-SMB LLHB-SENB  
 WEC-2PR-28-AJ-WH WEC-2BT-28-AJ-WH WEC-3PR-78-AJ-WH WEC-3PBT-78-AJ-WH WEC-3MDBTH-6 WEC-2MDR-36 WEC-2MDBTH-36 WEC-3MBT-72-TLB-BK WEC-3MBT-72-TLB-WH WEC-3PBT-72-TLB-WH WEC-2UGW-WIFI

OUTDOOR  
SENSORS  
MOTTO



**MOTION SENSORS FOR OUTDOOR** See Compatible Sensor list in Description

CATALOG NO.	DESCRIPTION
WEC-3MRLV-5-BR	600W Max, 0-10V Microwave, 120-277V - Bronze (Optional Remote Control <b>WEC-8RC</b> )
WEC-3MRLV-5-GY	600W Max, 0-10V Microwave, 120-277V - Gray (Optional Remote Control <b>WEC-8RC</b> )
WEC-3MRLV-5-WH	600W Max, 0-10V Microwave, 120-277V - White (Optional Remote Control <b>WEC-8RC</b> )
WEC-3MRLV-5-CLR	600W Max, 0-10V Microwave, 120-277V - Clear (Optional Remote Control <b>WEC-8RC</b> )
WEC-3MRLV-6-BR	IP65 120-277 Vac Split Microwave Sensor, Bi-Level, Dip And Rc, Bronze
WEC-3MRLV-6-GY	IP65 120-277 Vac Split Microwave Sensor, Bi-Level, Dip And Rc, Gray
WEC-3MRLV-6	IP65 120-277 Vac Split Microwave Sensor, Bi-Level, Dip And Rc
WEC-3MR-3-BR	600W Max, Microwave IP67 Sensor, 1/2" Thread, Bronze (Optional Remote Control <b>WEC-8RC</b> )
WEC-3MR-3-WH	600W Max, Microwave IP67 Sensor, 1/2" Thread, White (Optional Remote Control <b>WEC-8RC</b> )
WEC-3MDR-42	600W Max, 0-10V Mw 120-277V Sensor Dip & Rc (Optional Remote Control <b>WEC-3RC</b> )
WEC-3PDR-52	600W Max, 0-10V PIR 120-277V Sensor Dip & Rc (Optional Remote Control <b>WEC-3RC</b> )
WEC-3PDR-48-480V	120V-480V Pir Ip65 Bi-Level Motion Sensor, Remote Capable (Optional Remote Control <b>WEC-3RC</b> )
WEC-3MR-48	600W Max, 0-10V Mw 120-277V IP66 Metal Knuckle Sensor Dip & Rc (Optional Remote Control <b>WEC-3RC</b> )
WEC-3PR-60	600W Max, 0-10V PIR 120-277V Ip66 Knuckle Sensor Dip & Rc (Optional Remote Control <b>WEC-3RC</b> )
WEC-2MD-TRIAC	Triac Bi-Level Microwave Sensor 120V, Clear
WEC-2PR-28-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & Rc (Optional RC <b>WEC-3RC</b> )
WEC-2BT-28-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level <b>Bluetooth App</b> *Ready
WEC-3PR-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level & Rc (Optional RC <b>WEC-3RC</b> )
WEC-3PBT-78-AJ-WH	PIR Sensor 1-Pin Audio Jack Contact 600W 40Ft 120-277V 0-10V Bi-Level <b>Bluetooth App</b> *Ready
WEC-AJ-SOCKET	12-24Vdc 1-Pin Audio Jack Sensor Receptacle Socket 1/2In Npt
WEC-3MR-4-BR	600W Max, 90-Degree IP67 Microwave Sensor, Bronze (Optional Remote Control <b>WEC-8RC</b> )
WEC-3MR-4-WH	600W Max, 90-Degree IP67 Microwave Sensor, White (Optional Remote Control <b>WEC-8RC</b> )
WEC-3PDR-58-BR	600W Max, 0-10V PIR IP65 120-277V Sensor Dip And Rc , Bronze (Optional Remote Control <b>WEC-3RC</b> )
WEC-3PDR-58-WH	600W Max, 0-10V PIR IP65 120-277V Sensor Dip And Rc , Bronze (Optional Remote Control <b>WEC-3RC</b> )
WEC-2MRHB2	600W Max, 0-10V Microwave Highbays Sensor Kit (Optional Remote Control <b>WEC-7RC</b> )
WEC-3MR-45	600W Max, 0-10V Mw 120-277V IP66 Highbay Sensor & Rc (Optional Remote Control <b>WEC-3RC</b> )
WEC-2MD-35	600W Max, 0-10V Mw 120-277V Sensor Dip, White
WEC-2MD-33	600W Max, 0-10V Mw 120-277V Low-Ceiling Sensor Dip
WEC-2MDR-36	600W Max, 0-10V Mw 120-277V Sensor + Sensor Head Dip & Rc, White (Optional Remote Control <b>WEC-2RC</b> )
WEC-2MDR-33	600W Max, Microwave Sensor For Linear Strip Lights With Dip (Optional Remote Control <b>WEC-2RC-33</b> )
WEC-2P-44	600W Max, 0-10V PIR 6-24Vdc Troffer Sensor Dip
WEC-2ADP	Ac To Dc Adapter Module For Ant-4
SL-PIR-WH	White 180°, 350W Max Load
SL-PIR-BZ	Bronze 180°, 350W Max Load
SL-HPIR-WH	White 240°, 350W Max Load
SL-HPIR-BZ	Bronze 240°, 350W Max Load
WEC-2CPDR-3	600W Max, 0-10V PIR 120-277V Ceiling Sensor Dip & Rc (Optional Remote Control <b>WEC-3RC</b> )
WEC-2P-58	600W Max, On/Off PIR 120-277V Highbay Sensor
WEC-2DLH-22	600W Max, 0-10V Daylight Harvesting Module, White
WEC-3MBT-72-TLB-BK	600W Max, Zhaga 12-24VDC Microwave Sensor, <b>Bluetooth App</b> *Ready, Black, With Base
WEC-3MBT-72-WH	Microwave Sensor Zhaga Base Bluetooth Mesh, <b>Bluetooth App</b> *Ready
WEC-3PBT-72-WH	Pir Sensor Zhaga Base Bluetooth Mesh, <b>Bluetooth App</b> *Ready
WEC-3MDBTH-6	Split Microwave Sensor For Outdoor Bluetooth Mesh, <b>Bluetooth App</b> *Ready
WEC-2MDBTH-36	Split Microwave Sensor For Indoor Bluetooth Mesh, <b>Bluetooth App</b> *Ready
WEC-2UGW-WIFI	Industrial Gateway With Multi-Signal Input - Wifi Output
WEC-ON50-BR	Sensor Mounting Offset Nipple, 1/2 Inch Size , Bronze
WEC-ON50-WH	Sensor Mounting Offset Nipple, 1/2 Inch Size , White
LLHB-SE	Highbay Sensor Extender Module
LLHB-SMB	Motion Sensor Mounting Box For Linear High Bay Fixtures
LLHB-SENB	Galvanized Steel Sensor Mounting Bracket
YM183-W	Occupancy Pir Sensor, 180°, 30Ft (720Ft), 120V 800/1200W Max, Single Pole, Neutral Req.
YM2108-W	Vacancy & Occupancy Pir Sensor, 180°, 30Ft (720Ft), 120V 800/1200W Max, Single Pole, Neutral Req.
YM2108-T-W	Vacancy & Occupancy Pir Sensor, 180°, 25Ft (600Ft), 120V 600/1000W Max, 3-Way, Neutral Req.





WEC-2RC



WEC-3RC



WEC-8RC



WEC-2RC-33

## REMOTE CONTROL FOR MOTION SENSORS (FOR COMPATIBILITY, SEE PREVIOUS PAGE)

CATALOG NO.	DESCRIPTION
<b>WEC-8RC</b>	Remote Control For WEC-3MR-4 & WEC-3MR-3
<b>WEC-2RC</b>	Remote Control For WEC-2MD-36, Silver
<b>WEC-3RC</b>	Remote Control For Motion Sensors
<b>WEC-2RC-33</b>	Remote Control For WEC-2MDR-33 Motion Sensor



**WEC-MOD-010V-BT**  
**WEC-MOD-010V-WIFI**  
**WEC-MOD-TR-WIFI**

**WEC-MOD-WIFI-RC**  
**(WORKS WITH WIFI MODULES ONLY)**  
**NOT WITH BLUETOOTH MODULE OR SWITCHES**

The WEC-MOD installed on a 0~10V or Triac fixture to control the luminaries via WIFI, BT or a remote control.

## WESTGATE SMART LIGHTING CONTROL MODULES - 1/2" KNUCKLE



CATALOG NO.	DESCRIPTION
<b>WEC-MOD-010V-BT</b>	WG Smart Lighting Control Module 1000W 0-10V Bluetooth IP65
<b>WEC-MOD-010V-WIFI</b>	WG Smart Lighting Control Module 1000W 0-10V Wifi IP65
<b>WEC-MOD-TR-WIFI</b>	WG Smart Lighting Control Module 300W Triac Wifi IP65
<b>WEC-MOD-WIFI-RC</b>	WG Smart Remote Control Compatible With Wifi Lighting Modules



**WEC-SW-PBI-010V-BT**  
**WEC-SW-PBI-TR-WIFI**

This stand-alone "wall dimmer" functions similarly to traditional wall switches by directly wiring to the fixture.

## WESTGATE SMART LIGHTING CONTROL SWITCHES SWITCHES WORK AS STAND ALONE OR WITH WESTGATE APP.



CATALOG NO.	DESCRIPTION
<b>WEC-SW-PBI-010V-BT</b>	WG Smart Push Button Wall Switch 1000W 0-10V Bluetooth + Wall Plate
<b>WEC-SW-PBI-TR-WIFI</b>	WG Smart Push Button Wall Switch 300W Triac Wifi + Wall Plate



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG



CATALOG NO.	DESCRIPTION
<b>OPT-EM-CW2EXT</b>	COLD-WEATHER EXTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION
<b>OPT-EM-CW2INT</b>	COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION
<b>OPT-EM-CW1INT</b>	COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 18W FACTORY OPTION

## 10KV SURGE PROTECTION MODULE UL1449

CATALOG NO.	DESCRIPTION
<b>SPI0KV</b>	100-300V 10Kv 8A Surge Protection Module UL1449
<b>SPI0KV-480V</b>	480V 10Kv Surge Protection Device UL1449



OUTDOOR  
SMART CONTROL



OUTDOOR  
EV  
CHARGER

## EV CHARGER, 48-AMP ADJUSTABLE POWER



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
-------------	-------------	--

**EVC-A-48A-MP-BT** Level 2 EV Charger 48A Selectable Power, Westgate App Enabled



# INDUSTRIAL LIGHTING



INDUSTRIAL

HIGHBAY



**UHX**  
Black



**UHX**  
White




**HB-RING**



**HB-EB-50/75**



**UHX-SMB**



**UHX-WG**



**UHX-SA-5075**



**UHX-ALR**  
**UHX-ALRW**



**UHX-PCR**



**UHX-PCPD**



**UHX-PCC**



**UHX-FL**



**UHX-SC**



**SCL-GS210**  
**SCL-GS220**

## SPEC SERIES NEW GENERATION - UFO HIGHBAY, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>UHX-150W-MP-50K</b>	50W/80W/100W/150W 140LM/W 5000K Black <b>MP</b>	1
<b>UHX-150W-MP-40K</b>	50W/80W/100W/150W 140LM/W 4000K Black <b>MP</b>	1
<b>UHX-230W-MP-50K</b>	100W/150W/200W/230W 140LM/W 5000K Black <b>MP</b>	1
<b>UHX-230W-MP-40K</b>	100W/150W/200W/230W 140LM/W 4000K Black <b>MP</b>	1
<b>UHX-300W-MP-50K</b>	150W/200W/240W/300W 140LM/W 5000K Black <b>MP</b>	1
<b>UHX-150W-MCTP</b>	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K Black <b>MCTP</b>	1
<b>UHX-230W-MCTP</b>	100W/150W/200W/230W 125LM/W 30K/40K/50K/57K Black <b>MCTP</b>	1
<b>UHX-150W-MCTP-WH</b>	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K White <b>MCTP</b>	1
<b>UHX-230W-MCTP-WH</b>	100W/150W/200W/230W 125LM/W 30K/40K/50K/57K White <b>MCTP</b>	1
<b>HB-RING</b>	Highbay top ring adapter, 1/2in	
<b>HB-EB-50/75</b>	UFO top threaded hub expansion bushing from 1/2" to 3/4"	
<b>UHX-SMB</b>	Surface Mounting Yoke Bracket For 100W To 300W	
<b>UHX-WG-A</b>	Wire Guard, Fits On Fixtures 150W (MP & MCTP) & 230W (MP Only)	
<b>UHX-WG-B</b>	Wire Guard, Fits On Fixtures 230W (MCTP Only) & 300W MP	
<b>UHX-ALR-A</b>	60° Alum. Reflector For 150W (MP & MCTP) & 230W (MP Only)	
<b>UHX-ALR-B</b>	60° Alum. Reflector For 230W (MCTP Only) & 300W MP	
<b>UHX-ALRW-A</b>	90° Alum. Reflector For 150W (MP & MCTP) & 230W (MP Only)	
<b>UHX-ALRW-B</b>	90° Alum. Reflector For 230W (MCTP Only) & 300W MP	
<b>UHX-PCR-A</b>	Prismatic PC Reflector For 150W (MP & MCTP) & 230W (MP Only)	
<b>UHX-PCR-B</b>	Prismatic PC Reflector For 230W (MCTP Only) & 300W MP	
<b>UHX-PCDC</b>	PC Drop Lens Cover For PC Reflectors (Not for Alum. Reflectors), Fits All Sizes	
<b>UHX-PCC</b>	PC Bottom Cover For PC Reflectors (Not for Alum. Reflectors), Fits All Sizes	
<b>UHX-SC</b>	Safety Cable	
<b>SCL-GS210</b>	Heavy-Duty Adjustable 5/64" 10 Ft. Suspension Kit With Loop Gripper & Hook(1)	
<b>SCL-GS220</b>	Heavy-Duty Adjustable 5/64" 20 Ft. Suspension Kit With Loop Gripper & Hook(1)	
<b>UHX-FL-A</b>	Replacement <b>Frosted PC Lens</b> For UHX-150W-MP only	
<b>UHX-FL-B</b>	Replacement <b>Frosted PC Lens</b> For UHX-150W-MCTP & UHX-230W-MP only	
<b>UHX-FL-C</b>	Replacement <b>Frosted PC Lens</b> For 230W-MCTP & 300W	
<b>UHX-CL-A</b>	Replacement Clear Lens For Up To 150W	
<b>UHX-CL-B</b>	Replacement Clear Lens For 230W-MP (NOT FOR 230W-MCTP)	
<b>UHX-CL-C</b>	Replacement Clear Lens For 230W-MCTP & 300W	
<b>UHX-SA-5075</b>	1/2in Stem-mounting adapter with cable passage with 3/4in bushing	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-UHX</b>	ON TOP	<b>OPT-HBC-125TL-BK</b>	8FT, 15A, 125V,16/3TL,BLK	<b>N/A</b>	<b>OPT-SEN-UHX</b>	MICROWAVE
	<b>WIRE CABLE OPTION</b>	<b>DESCRIPTION</b>	<b>OPT-HBC-125TL-WH</b>	8FT, 15A, 125V,16/3TL,WHT			
	<b>OPT-HBC-5WR-20FT-BK</b>	5-WIRE CABLE	<b>OPT-HBC-277TL-BK</b>	8FT, 15A, 277V,16/3TL,BLK			
			<b>OPT-HBC-277TL-WH</b>	8FT, 15A, 277V,16/3TL,WHT			
			<b>OPT-HBC-125SB-BK</b>	10FT, 15A, 125V,18/3STR,BLK			
			<b>OPT-HBC-125SB-WH</b>	10FT, 15A, 125V,18/3STR,WHT			



**UHX-SR**  
Black



**UHX-SR**  
White



Sensor-Ready  
Plug & Play

**SPEC SERIES UFO HIGHBAY - SENSOR READY SERIES**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>MP</b> UHX-150W-MP-40K-SR	50W/80W/100W/150W 140LM/W 4000K Black	1
<b>MP</b> UHX-150W-MP-50K-SR	50W/80W/100W/150W 140LM/W 5000K Black	1
<b>MP</b> UHX-230W-MP-40K-SR	100W/150W/200W/230W 140LM/W 4000K Black	1
<b>MP</b> UHX-230W-MP-50K-SR	100W/150W/200W/230W 140LM/W 5000K Black	1
<b>MP</b> UHX-300W-MP-50K-SR	150W/200W/230W/300W 140LM/W 5000K Black	1
<b>MCTP</b> UHX-150W-MCTP-SR	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K Black	1
<b>MCTP</b> UHX-150W-MCTP-WH-SR	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K White	1
<b>MCTP</b> UHX-230W-MCTP-SR	100W/150W/200W/230W 130LM/W 30K/40K/50K/57K Black	1
<b>MCTP</b> UHX-230W-MCTP-WH-SR	100W/150W/200W/230W 130LM/W 30K/40K/50K/57K White	1
<b>WEC-3MR-72-TLB-BK</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
<b>WEC-3MBT-72-TLB-BK</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
<b>WEC-3PR-72-TLB-WH</b>	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	

FOR FACTORY-INSTALLED OPTIONS AND ACCESSORIES SEE UHX BELOW PAGE 66



**SPEC SERIES NEW GENERATION - UFO HIGHBAY, 480V 7 DAYS LEAD TIME**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>MP</b> UHX-150W-MP-50K-480V	50W/80W/100W/150W 160LM/W 5000K Black	1
<b>MP</b> UHX-230W-MP-50K-480V	100W/150W/200W/230W 160LM/W 5000K Black	1
<b>MP</b> UHX-300W-MP-50K-480V	150W/200W/240W/300W 160LM/W 5000K Black	1
<b>MCTP</b> UHX-150W-MCTP-480V	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K Black	1
<b>MCTP</b> UHX-230W-MCTP-480V	100W/150W/200W/230W 125LM/W 30K/40K/50K/57K Black	1
<b>MCTP</b> UHX-150W-MCTP-WH-480V	50W/80W/100W/150W 125LM/W 30K/40K/50K/57K White	1
<b>MCTP</b> UHX-230W-MCTP-WH-480V	100W/150W/200W/230W 125LM/W 30K/40K/50K/57K White	1

480V

FOR FACTORY-INSTALLED OPTIONS AND ACCESSORIES SEE UHX BELOW PAGE 66



**UHXE-80-150W-MCTP4-SR**  
**UHXE-165-220W-MCTP4-SR**  
Black



**UHXE-80-150W-MCTP4-SR-WH**  
**UHXE-165-220W-MCTP4-SR-WH**  
Bronze



**HB-RING**



**HB-EB-50/75**



**UHX-SA-5075**



**UHX-SC**



SHOWN WITH  
UHXE-RPMB



SHOWN WITH  
UHXE-PCR-A-90D  
UHXE-PCR-B-90D



SHOWN WITH  
UHXE-SMB



SHOWN WITH  
UHXE-PCR-A-60D  
UHXE-PCR-B-60D



Sensor-Ready  
Plug & Play



**UHXE-PCC-A**  
**UHXE-PCC-B**

**BUILDER SERIES POWER AND CCT- ADJUSTABLE  
UFO HIGHBAY, 120-277V (SENSOR-READY)**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>UHXE-80-150W-MCTP4-SR</b>	80W/110W/150W 140LM/W 30K/35K/40K/50K Black	1
<b>UHXE-165-220W-MCTP4-SR</b>	165W/190W/220W 140LM/W 30K/35K/40K/50K Black	1
<b>UHXE-80-150W-MCTP4-SR-WH</b>	80W/110W/150W 140LM/W 30K/35K/40K/50K White	1
<b>UHXE-165-220W-MCTP4-SR-WH</b>	165W/190W/220W 140LM/W 30K/35K/40K/50K White	1
<b>UHXE-SMB</b>	UHXE Surface Mounting U Bracket, Black	
<b>UHXE-RPMB</b>	UHXE 1-FT Rigid Pipe Stand with Canopy for Hard Surface (not Swivel)	
<b>UHXE-PCR-A-90D</b>	UHXE-80-150W 90-Degree PC Reflector	
<b>UHXE-PCR-A-60D</b>	UHXE-80-150W 60-Degree PC Reflector	
<b>UHXE-PCR-B-90D</b>	UHXE-165-220W 90-Degree PC Reflector	
<b>UHXE-PCR-B-60D</b>	UHXE-165-220W 60-Degree PC Reflector	
<b>UHXE-PCC-A</b>	UHXE-80-150W Bottom Cover For Pc Reflector, Fits Both 60D 90D	
<b>UHXE-PCC-B</b>	UHXE-165-220W Bottom Cover For Pc Reflector, Fits Both 60D 90D	
<b>HB-RING</b>	Highbay top ring adapter, 1/2in	
<b>HB-EB-50/75</b>	UFO top threaded hub expansion bushing from 1/2" to 3/4"	
<b>UHX-SC</b>	Safety Cable	
<b>UHX-SA-5075</b>	1/2in Stem-mounting adapter with cable passage with 3/4in bushing	
<b>WEC-3MR-72-TLB-BK</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)	
<b>WEC-3MBT-72-TLB-BK</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)	
<b>WEC-3PR-72-TLB-WH</b>	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG-IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL 120-277V	<b>OPT-EM-UHXE</b>	ON TOP	<b>OPT-HBC-125TL-BK</b>	8FT, 15A, 125V.16/3TL,BLK	N/A	<b>SENSOR READY</b>	SEE ABOVE TABLE
			<b>OPT-HBC-125TL-WH</b>	8FT, 15A, 125V.16/3TL,WHT			
			<b>OPT-HBC-277TL-BK</b>	8FT, 15A, 277V.16/3TL,BLK			
			<b>OPT-HBC-277TL-WH</b>	8FT, 15A, 277V.16/3TL,WHT			
			<b>OPT-HBC-125SB-BK</b>	10FT, 15A, 125V.18/3STR,BLK			
			<b>OPT-HBC-125SB-WH</b>	10FT, 15A, 125V.18/3STR,WHT			

## ECONOMY HIGH BAY LAMP & SOCKET, ADJUSTABLE ANGLE (UFO ALTERNATIVE)



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>UHL-100W-50K</b>	100W <b>12000LM</b> 5000K Black	18
<b>UHL-150W-50K</b>	150W <b>18000LM</b> 5000K Black	8
<b>ELB-18150-B</b>	20W MAX, 175VDC, LI-ION 4000MAH BATTERY	



## HIGH LUMEN LED MINI HIGH BAY, 120-277 VAC, PC REFLECTOR INCLUDED



120-277V

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LHB2-50W-50K</b>	50W <b>6750LM</b> 5000K 8-1/4" Dia X 5-1/2"(H), Black	1
<b>LHB2-50W-40K</b>	50W <b>6750LM</b> 4000K 8-1/4" Dia X 5-1/2"(H), Black	1
<b>LHB2-50W-30K</b>	50W <b>6750LM</b> 3000K 8-1/4" Dia X 5-1/2"(H), Black	1
<b>LHB2-50W-50K-WH</b>	50W <b>6750LM</b> 5000K 8-1/4" Dia X 5-1/2"(H), White	1
<b>LHB2-50W-40K-WH</b>	50W <b>6750LM</b> 4000K 8-1/4" Dia X 5-1/2"(H), White	1
<b>LHB2-50W-30K-WH</b>	50W <b>6750LM</b> 3000K 8-1/4" Dia X 5-1/2"(H), White	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL 120-277V	<b>OPT-EM-LHB2</b>	ULHB-HBMK	<b>OPT-HBC-125TL-BK</b>	8FT, 15A, 125V,16/3TL,BLK	<b>N/A</b>	<b>OPT-SEN-ULHB</b>	ULHB-SK
			<b>OPT-HBC-125TL-WH</b>	8FT, 15A, 125V,16/3TL,WHT			
			<b>OPT-HBC-277TL-BK</b>	8FT, 15A, 277V,16/3TL,BLK			
			<b>OPT-HBC-277TL-WH</b>	8FT, 15A, 277V,16/3TL,WHT			
			<b>OPT-HBC-125SB-BK</b>	10FT, 15A, 125V,18/3STR,BLK			
			<b>OPT-HBC-125SB-WH</b>	10FT, 15A, 125V,18/3STR,WHT			



## 4FT X 2 MAGNETIC RETROFIT STRIP KIT WITH EXT. DRIVER- POWER & CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RMS-4FT-35W-MCTP</b>	20W/28W/35W <b>140LM/W</b> 27K/30K/35K/40K/50K	10
<b>RMS-4FT-LENS</b>	4FT X 2 Frosted Lens Kit For 4FT RMS Magnetic Retrofit Kit	



## PREMIUM STRIP-LIGHT LED RETROFIT KIT WITH LENS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SLRP-4FT-20-40W-MCTP</b>	20W/30W/40W <b>127LM/W</b> 35K/40K/50K	4
<b>SLRP-8FT-40-80W-MCTP</b>	40W/60W/80W <b>127LM/W</b> 35K/40K/50K	4

## LED T5 RETROFIT LAMPS WITH INTERNAL DRIVER (SURFACE MOUNTING BRACKETS & SCREWS INCLUDED), FOR DIMMABLES SEE PAGE 184



CATALOG NO.	DESCRIPTION	MAX RUN	PKG. QTY.
<b>T5-22IN-9W-40K</b>	9W <b>1035LM</b> 4000K 2FT	24'	24
<b>T5-22IN-9W-50K</b>	9W <b>1125LM</b> 5000K 2FT	24'	24
<b>T5-47IN-16W-40K</b>	16W <b>1840LM</b> 4000K 4FT	31'	24
<b>T5-47IN-16W-50K</b>	16W <b>2000LM</b> 5000K 4FT	31'	24
<b>T5-6FT-PC</b>	6 FT. Plug-in Power Cord	-	-
<b>T5-6FT-PCS</b>	7 FT. Plug-in Power Cord	-	-
<b>T5-8IN-JUMP</b>	8" Linking Cable	-	-
<b>T5-6FT-PT</b>	6' AC Input Wire (PIGTAIL)	-	-
<b>T5-COUPLER</b>	Coupler	-	-
<b>T5-MAGSET</b>	Clip-on Secure Magnet Set	-	-

120-277V







**LLHC-80-150W-MCTP**  
White

**LLHC-165-220W-MCTP**  
White




**ADJUSTABLE LENSES**

**BUILDER SERIES POWER & CCT- ADJUSTABLE COMPACT LINEAR HIGHBAY** **MCTP**

	DESCRIPTION	PKG. QTY.
<b>LLHC-80-150W-MCTP</b>	80W/110W/150W 150LM/W 30K/35K/40K/50K 10"(H) X 14 2/3"(W) X 1 8/9"(D)	1
<b>LLHC-165-220W-MCTP</b>	165W/190W/220W 150LM/W 30K/35K/40K/50K 10"(H) X 23"(W) X 1 8/9"(D)	1
<b>LLHC-80-150W-MCTP-SR</b>	80W/110W/150W 150LM/W 30K/35K/40K/50K <b>SENSOR READY</b>	1
<b>LLHC-165-220W-MCTP-SR</b>	165W/190W/220W 150LM/W 30K/35K/40K/50K <b>SENSOR READY</b>	1
<b>LLHC-WG1</b>	LLHC Wireguard for 150W	
<b>LLHC-WG2</b>	LLHC Wireguard for 220W	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-LLHC</b>	EXTERNAL	<b>OPT-HBC-125TL-WH</b>	8FT, 15A, 125V, WHITE	N/A	<b>OPT-SEN-3MR-3-WH</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
			<b>OPT-HBC-277TL-WH</b>	8FT, 15A, 277V, WHITE		<b>WEC-3RC</b>	REMOTE CONTROL
			<b>OPT-HBC-125SB-WH</b>	10FT, 15A, 125V, 18/35TR, WHT			



Wireguard




Sensor-Ready  
Plug & Play

**X-GENERATION COMPACT LINEAR HIGHBAY, SENSOR READY**  
**POWER & CCT SELECT, 90DX90D LENS**





CATALOG NO.	DESCRIPTION
<b>LHCX-110-150W-MCTP-SR</b>	110W/130W/150W 140LM/W 30K/40K/50K 14.17" X 11.00" X 1.77"
<b>LHCX-165-215W-MCTP-SR</b>	165W/180W/215W 140LM/W 30K/40K/50K 18.11" X 11.81" X 1.77"
<b>LHCX-255-320W-MCTP-SR</b>	255W/290W/320W 140LM/W 30K/40K/50K 23.03" X 11.81" X 1.77"
<b>LHCX-SMK</b>	Surface-mounting Kit
<b>LHCX-WG1</b>	Wireguard For 150W Max Model
<b>LHCX-WG2</b>	Wireguard For 215W Max Model
<b>LHCX-WG3</b>	Wireguard For 320W Max Model
<b>LHCX-PM75</b>	LHCX Pendant Mounting Accessory, 3/4in Hole On Top And Two 1/2in KO
<b>LHCX-LENS-150W-45X90</b>	LHCX 110-150W Size Special Narrow-Aisle Lens Kit 45Dx90D
<b>LHCX-LENS-215W-45X90</b>	LHCX 165-215W Size Special Narrow-Aisle Lens Kit 45Dx90D
<b>LHCX-LENS-320W-45X90</b>	LHCX 255-320W Size Special Narrow-Aisle Lens Kit 45Dx90D
<b>LHCX-LENS-150W-110X110</b>	LHCX 110-150W Size Special Wide-Angle Lens Kit 110Dx110D
<b>LHCX-LENS-215W-110X110</b>	LHCX 165-215W Size Special Wide-Angle Lens Kit 110Dx110D
<b>LHCX-LENS-320W-110X110</b>	LHCX 255-320W Size Special Wide-Angle Lens Kit 110Dx110D
<b>LHCX-LENS-150W-65X65</b>	LHCX 110-150W Size Special Medium-Angle Lens Kit 65Dx65D
<b>LHCX-LENS-215W-65X65</b>	LHCX 165-215W Size Special Medium-Angle Lens Kit 65Dx65D
<b>LHCX-LENS-320W-65X65</b>	LHCX 255-320W Size Special Medium-Angle Lens Kit 65Dx65D
<b>WEC-3MR-72-TLB-BK</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Black, With Base (Optional Remote Control WEC-3RC)
<b>WEC-3MBT-72-TLB-BK</b>	600W Max, Zhaga 12-24VDC Microwave Sensor, Bluetooth App Ready, Black, With Base (Optional Remote Control WEC-3RC)
<b>WEC-3PR-72-TLB-WH</b>	600W Max, Zhaga 12-24VDC PIR Sensor, White, With Base (Optional Remote Control WEC-3RC)

## LED LINEAR HIGH BAY ACCESSORIES

CATALOG NO.	DESCRIPTION
 <b>ELB-2048-EXTR</b>	Field-installed emergency driver, Input voltage: 100-277AC, Output voltage: 12V-48VDC, Output power: 20W (Max), Emergency operation: ≥90 mins., Recharge: 24 Hrs.
<b>CH-1212</b>	Steel jack chain, 100ft., 12GA, (Meets weight requirements for Linear High Bays)
<b>CH-1010</b>	Steel jack chain, 100ft., 10GA
<b>SCL-GSY10</b>	Adjustable 10 Ft. 1/16", 1.5mm SusPension Kit With Y-Connector & Loop Grip & Hooks(2)
<b>SCL-GSY20</b>	Adjustable 20 Ft. 1/16", 1.5mm SusPension Kit With Y-Connector & Loop Grip & Hooks(2)
<b>LH-SCREW</b>	Steel flat hanger screw with single hole, 1/4" x 3"

## LED LINEAR HIGH BAY, FIXTURE HANGERS INCL., SUSPENSION CABLE NOT INCL.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LED LINEAR HIGH BAY, 120-277V</b>		
<b>120-277V</b> 	<b>LLHB-120W-50K-D</b> 100W <b>15500LM</b> 5000K Frosted lens, 4FTx11-1/4"	1
	<b>LLHB-120W-40K-D</b> 100W <b>15500LM</b> 4000K Frosted lens, 4FTx11-1/4"	1
	<b>LLHB-180W-50K-D</b> 150W <b>23250LM</b> 5000K Frosted lens, 4FTx15-7/8"	1
	<b>LLHB-180W-40K-D</b> 150W <b>23250LM</b> 4000K Frosted lens, 4FTx15-7/8"	1
	<b>LLHB-240W-MP-50K-D</b> 240W Max. <b>150LM/W</b> 4000K Frosted lens, 4FTx20-1/2"	1
	<b>LLHB-240W-MP-40K-D</b> 240W Max. <b>150LM/W</b> 5000K Frosted lens, 4FTx20-1/2"	1
<b>LED LINEAR HIGH BAY, 480V (7DAYS LEAD TIME)</b>		
<b>480V</b> 	<b>LLHB-120W-50K-D-480V</b> 100W <b>15500LM</b> 5000K Frosted lens, 4FTx11-1/4"	1
	<b>LLHB-120W-40K-D-480V</b> 100W <b>15500LM</b> 4000K Frosted lens, 4FTx11-1/4"	1
	<b>LLHB-180W-50K-D-480V</b> 150W <b>23250LM</b> 5000K Frosted lens, 4FTx15-7/8"	1
	<b>LLHB-180W-40K-D-480V</b> 150W <b>23250LM</b> 4000K Frosted lens, 4FTx15-7/8"	1
	<b>LLHB-240W-MP-50K-D-480V</b> 240W Max. <b>150LM/W</b> 5000K Frosted lens, 4FTx20-1/2"	1
	<b>LLHB-240W-MP-40K-D-480V</b> 240W Max. <b>150LM/W</b> 4000K Frosted lens, 4FTx20-1/2"	1

Updated higher lumens at lower wattages. Per industry standards, Lumens are reported without frosted lens (Removable).  
FOR SUSPENSION ACCESSORIES SEE PAGES 108 TO 111



### FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	CLEAR LENS	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-LLHB</b>	MOUNTED ON TOP	<b>OPT-LLHB-CL-120/180</b>	120W & 180W	<b>OPT-CLR-95(BK/GR/SR/WH)</b>	<b>OPT-2P-58</b>	PIR SENSOR (Not remote capable)
	<b>FLEX WHIP</b>	DESCRIPTION	<b>OPT-LLHB-CL-240</b>	240W		<b>OPT-SEN-3MR-4-WH</b>	PROGRAMMABLE MICROWAVE
	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>UP LIGHT</b>	DESCRIPTION		<b>WEC-8RC</b>	OPTIONAL REMOTE
	<b>OPT-FWH-65</b>	6FT 5-Wire Whip	<b>OPT-LLHB-ULM-4FT-40W</b>	500W & ABOVE	<b>SURF. OPTION</b>	<b>PLUG IN CORD</b>	DESCRIPTION
	<b>OPT-FWH-66</b>	6FT 6-Wire Whip	<b>OPT-LLHB-ULM-4FT-60W</b>	500W & ABOVE	<b>OPT-LLHB-SMK</b>	<b>OPT-HBC-125TL-WH</b>	8FT, 15A, 125V, WHITE
					<b>SURGE PROTECTOR</b>	<b>OPT-HBC-277TL-WH</b>	8FT, 15A, 277V, WHITE
					<b>OPT-SP-10KV</b>	<b>OPT-HBC-125SB-WH</b>	10FT, 15A, 125V, 18/3STR, WHT

## SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	PKG. QTY.
<b>LLHB4-50W-40K-D</b>	50W <b>7750LM</b> 4000K 1FT. X 13.75		1
<b>LLHB4-50W-50K-D</b>	50W <b>7750LM</b> 5000K 1FT. X 13.75		1
<b>LLHB4-100W-50K-D</b>	100W <b>15500LM</b> 5000K 2FT. X 13.77		1
<b>LLHB4-150W-40K-D</b>	150W <b>23250LM</b> 4000K 2FT. X 17.75		1
<b>LLHB4-150W-50K-D</b>	150W <b>23250LM</b> 5000K 2FT. X 17.75		1
<b>LLHB4-410W-50K-D</b>	410W <b>53300LM</b> 5000K 4FT. X 23.20		1
<b>LLHB4-500W-50K-D</b>	500W <b>62500LM</b> 5000K 4FT. X 23.20		1

FOR SUSPENSION ACCESSORIES SEE PAGES 108 TO 111



### FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIP-	UP LIGHT	DESCRIPTION	SURF. OPTION	SENSOR	DESCRIPTION
50W TO 150W	<b>OPT-EM-LLHB4-50-150</b>	EXTERNAL	<b>OPT-LLHB-ULM-2FT-20W</b>	150W & ABOVE	<b>OPT-LLHB4-SMK</b>	<b>OPT-SEN-LLHB4</b>	MICROWAVE BI-LEVEL
200W TO 500W	<b>OPT-EM-LLHB4-200-500</b>	INTERNAL	<b>OPT-LLHB-ULM-2FT-40W</b>	150W & ABOVE	<b>FLEX WHIP</b>	<b>PLUG IN CORD</b>	DESCRIPTION
	<b>SURGE PROTECTOR</b>	DESCRIP-	<b>OPT-LLHB-ULM-4FT-40W</b>	500W & ABOVE	<b>OPT-FWH-63</b>	<b>OPT-HBC-125TL-WH</b>	8FT, 15A, 125V, WHITE
	<b>OPT-SP-10KV</b>	120V	<b>OPT-LLHB-ULM-4FT-60W</b>	500W & ABOVE	<b>OPT-FWH-65</b>	<b>OPT-HBC-277TL-WH</b>	8FT, 15A, 277V, WHITE
	<b>OPT-SP-10KV-480V</b>	480V			<b>OPT-FWH-66</b>	<b>OPT-HBC-125SB-WH</b>	10FT, 15A,

4Ft



LLHB4-MCTP  
LLHB4-MP ( 200W TO 500W)  
White

2Ft



LLHB4-MP ( 100W TO 150W)  
White



OPT-LLHB4-SMK


2Ft



LLHB4-MCTP-BK  
Black



LLHB4-100W-WG  
LLHB4-150W-WG



LLHB4-RODKIT

INDUSTRIAL

LINEAR  
HIGHBAY

**SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V**



120-277V

480V

480V

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>POWER &amp; CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V</b>		
LLHB4-80-150W-MCTP	80W/110W/150W 125LM/W 35K/40K/50K	1
LLHB4-80-150W-MCTP-BK	80W/110W/150W 125LM/W 35K/40K/50K	1
<b>POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 120-277V</b>		
LLHB4-100W-MP-40K-D	50W/80W/100W 155LM/W 4000K 2FT. X 13.77	1
LLHB4-100W-MP-50K-D	50W/80W/100W 155LM/W 5000K 2FT. X 13.77	1
LLHB4-150W-MP-40K-D	80W/110W/150W 155LM/W 4000K 2FT. X 17.75	1
LLHB4-150W-MP-50K-D	80W/110W/150W 155LM/W 5000K 2FT. X 17.75	1
LLHB4-200W-MP-40K-D	100W/150W/200W 155LM/W 4000K 4FT. X 13.75	1
LLHB4-200W-MP-50K-D	100W/150W/200W 155LM/W 5000K 4FT. X 13.75	1
LLHB4-300W-MP-40K-D	150W/225W/300W 155LM/W 4000K 4FT. X 17.75	1
LLHB4-300W-MP-50K-D	150W/225W/300W 155LM/W 5000K 4FT. X 17.75	1
LLHB4-410W-MP-50K-D	200W/300W/410W 130LM/W 5000K 4FT. X 23.20	1
LLHB4-500W-MP-50K-D	250W/400W/500W 120LM/W 5000K 4FT. X 23.20	1
<b>POWER &amp; CCT ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V (7DAYS LEAD TIME)</b>		
LLHB4-80-150W-MCTP-480V	80W/110W/150W 125LM/W 35K/40K/50K	1
LLHB4-80-150W-MCTP-BK-480V	80W/110W/150W 125LM/W 35K/40K/50K	1
<b>POWER ADJUSTABLE 4TH GENERATION OF LINEAR HIGH BAYS, 480V (7DAYS LEAD TIME)</b>		
LLHB4-100W-MP-40K-D-480V	50W/80W/100W 155LM/W 4000K 2FT. X 13.77	1
LLHB4-100W-MP-50K-D-480V	50W/80W/100W 155LM/W 5000K 2FT. X 13.77	1
LLHB4-150W-MP-40K-D-480V	80W/110W/150W 155LM/W 4000K 2FT. X 17.75	1
LLHB4-150W-MP-50K-D-480V	80W/110W/150W 155LM/W 5000K 2FT. X 17.75	1
LLHB4-200W-MP-40K-D-480V	100W/150W/200W 155LM/W 4000K 4FT. X 13.75	1
LLHB4-200W-MP-50K-D-480V	100W/150W/200W 155LM/W 5000K 4FT. X 13.75	1
LLHB4-300W-MP-40K-D-480V	150W/225W/300W 155LM/W 4000K 4FT. X 17.75	1
LLHB4-300W-MP-50K-D-480V	150W/225W/300W 155LM/W 5000K 4FT. X 17.75	1
LLHB4-410W-MP-50K-D-480V	200W/300W/410W 130LM/W 5000K 4FT. X 23.20	1
LLHB4-500W-MP-50K-D-480V	250W/400W/500W 120LM/W 5000K 4FT. X 23.20	1
LLHB4-100W-WG	Wire Guard for 100W	-
LLHB4-150W-WG	Wire Guard for 150W	-
LLHB4-RODKIT	Rod kit 3-1/4" Dia X 40" H and 1/2" Thread	-

FOR FACTORY-INSTALLED OPTIONS SEE LLHB4 ABOVE, FOR SUSPENSION ACCESSORIES SEE PAGES 108 TO 111  
Per industry standards, Lumens are reported without frosted lens (Removable).



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIP-	UP LIGHT	DESCRIPTION	SURF. OPTION	SENSOR	DESCRIPTION
50W TO 150W	OPT-EM-LLHB4-50-150	EXTERNAL	OPT-LLHB-ULM-2FT-20W	150W & ABOVE	OPT-LLHB4-SMK	OPT-SEN-LLHB4	MICROWAVE BI-LEVEL
200W TO 500W	OPT-EM-LLHB4-200-500	INTERNAL	OPT-LLHB-ULM-2FT-40W	150W & ABOVE	FLEX WHIP	PLUG IN CORD	DESCRIPTION
	SURGE PROTECTOR	DESCRIP-	OPT-LLHB-ULM-4FT-40W	500W & ABOVE	OPT-FWH-63	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE
	OPT-SP-10KV	120V	OPT-LLHB-ULM-4FT-60W	500W & ABOVE	OPT-FWH-65	OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE
	OPT-SP-10KV-480V	480V			OPT-FWH-66	OPT-HBC-125SB-WH	10FT, 15A, 125V, 18/3STR, WHT



Sensor-Ready Plug & Play see page 63  
(one Sensor per Fixture)

LTPV-SLC-SR

LTPV-EC-SR

LTPV-SLC-SR

**BUILDER SERIES MODULAR LINEAR VAPOR TIGHT,**  
QUICK CONNECT, TRI-PROOF: WATER, DUST & IMPACT RESISTANCE



CATALOG NO.	DESCRIPTION	PKG. QTY.
LTPV-2FT-18W-MCTP-D	10W/15W/18W 130LM/W 30K/40K/50K	9
LTPV-4FT-36W-MCTP-D	20W/28W/36W 130LM/W 30K/40K/50K	9
LTPV-8FT-70W-MCTP-D	55W/60W/70W 140LM/W 30K/40K/50K	9
LTPV-SLC	LLPV Seamless Coupling Channel With Connection Cable	10
LTPV-SLC-SR	LLPV Seamless Coupling Channel Sensor-Ready	10
LTPV-EC-SR	LLPV Sensor-Ready Endcap	10



LVTE-2FT

LVTE-4FT

LVTE-8FT

LVTE-4FT-100-155W-MCTP-HL

LLVT-8FT-65W-40K-D  
LLVT-8FT-65W-50K-D  
LLVT-8FT-100W-40K-D  
LLVT-8FT-100W-50K-D

**BUILDER SERIES LINEAR VAPOR-TIGHT FIXTURES, CCT & WATTAGE SELECTABLE**

CATALOG NO.	DESCRIPTION	PKG. QTY.
LVTE-2FT-15-25W-MCTP	15W/17W/20W/25W 140LM/W 35K/40K/50K	4
LVTE-4FT-20-35W-MCTP	20W/28W/36W 140LM/W 35K/40K/50K	4
LVTE-4FT-30-46W-MCTP	30W/38W/46W 140LM/W 35K/40K/50K	4
LVTE-4FT-30-60W-MCTP	30W/45W/66W 140LM/W 35K/40K/50K	4
LVTE-8FT-65-110W-MCTP	65W/75W/90W/110W 140LM/W 35K/40K/50K	1
LVTE-4FT-100-155W-MCTP	100W/120W/135W/150W 150LM/W 35K/40K/50K	1
LVTE-4FT-150-200W-MCTP	150W/175W/200W 150LM/W 35K/40K/50K	1
LVTE-4FT-200-245W-MCTP	200W/230W/245W 150LM/W 35K/40K/50K	1
<b>4.75" WIDE LED LINEAR VAPOR LIGHT</b>		
LLVT-8FT-65W-40K-D	65W 8450LM 4000K	1
LLVT-8FT-65W-50K-D	65W 8450LM 5000K	1
LLVT-8FT-100W-40K-D	100W 13000LM 4000K	1
LLVT-8FT-100W-50K-D	100W 13000LM 5000K	1

4.75" WIDE



2Ft



LLVT-2FT-25W-MCT-D



6-1/4" WIDE  
POLYCARBONATE IP65

4Ft



LLVT-4FT-40W-MCT-D  
LLVT-4FT-75W-MCT-D

**LED TRADITIONAL LINEAR VAPOR LIGHT, 120-277V**

OPAL PC LENS, SS CLAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>6-1/4" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT</b>		
LLVT-2FT-25W-MCT-D	25W 3125LM 3500K/4000K/5000K <b>MCT</b>	6
LLVT-2FT-25W-MCTP-D	15W/20W/25W 130LM/W 35K/40K/50K	6
LLVT-2FT-RL	2FT REPLACEMENT LENS	-
<b>6-3/4" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT</b>		
LLVT-4FT-40W-MCT-D	40W 5000LM 3500K/4000K/5000K <b>MCT</b>	6
LLVT-4FT-40W-MCTP-D	20W/30W/40W 130LM/W 3500K/4000K/5000K	6
LLVT-4FT-75W-MCT-D	75W 9375LM 3500K/4000K/5000K <b>MCT</b>	6
LLVT-4FT-75W-MCTP-D	40W/60W/75W 130LM/W 3500K/4000K/5000K	6
LLVT-4FT-RL	4FT REPLACEMENT LENS	-

FOR FACTORY-INSTALLED OPTIONS SEE LLVT OPTIONS, FOR SUSPENSION ACCESSORIES SEE PAGES 108 TO 111

120-277V

INDUSTRIAL

VAPOR & HIGH BAY

4Ft



14-1/2" WIDE  
POLYCARBONATE IP65

LLVT-4FT

**\*LED LINEAR VAPOR LIGHT (100-150W)**

CLEAR PC LENS, SS CLAMPS

\*SHOWN WITH CLEAR LENS (INCLUDED)



CATALOG NO.	DESCRIPTION	PKG. QTY.
LLVT-4FT-100W-MCTP-D	50W/80W/100W 130LM/W 35K/40K/50K 52" X 14.5"	1
LLVT-4FT-150W-MCTP-D	80/110/150W 130LM/W 35K/40K/50K 52" X 14.5"	1
LLVT-4FT-200W-MCTP-D	100W/150W/200W 130LM/W 35K/40K/50K 52" X 14.5"	1
LLVT-4FT-RL2T	OPTIONAL REPLACEMENT FROSTED LENS FOR LLVT	-

FOR SUSPENSION ACCESSORIES SEE PAGES 108 TO 111

120-277V

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DES	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
25W to 46W	OPT-EM-LLVT-25-46	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
65W to 155W	OPT-EM-LLVT-65-155	INTERNAL	OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE	N/A	WEC-3RC	OPTIONAL RC
	SURGE PROTECTOR	DES	OPT-HBC-125SB-WH	10FT, 15A, 125V/18/3STR, WHT			
	OPT-SP-10KV	120V	PHOTOCELL	DESCRIPTION			
	OPT-SP-10KV-480V	480V	OPT-PC-B	BUTTON			



4ft

LLVT-4FT-100W-MCT-D-480V  
LLVT-4FT-150W-MCT-D-480V

4ft



LLVT-4FT-40W-MCT-D-480V  
LLVT-4FT-75W-MCT-D-480V

8ft



LLVT-8FT-65W-50K-D-480V  
LLVT-8FT-65W-40K-D-480V  
LLVT-8FT-100W-50K-D-480V  
LLVT-8FT-100W-40K-D-480V



**LED LINEAR VAPOR LIGHT, 480V 7 DAYS LEAD TIME**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4ft</b>	<b>6-3/4" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT, 480V</b>	
	LLVT-4FT-40W-MCT-D-480V 40W 5000LM 35K/40K/50K <b>MCT</b>	6
	LLVT-4FT-75W-MCT-D-480V 75W 9375LM 35K/40K/50K <b>MCT</b>	6
<b>4ft</b>	<b>14-1/2" WIDE POLYCARBONATE LED LINEAR VAPOR LIGHT, 480V</b>	
	LLVT-4FT-100W-MCT-D-480V 100W 13500LM 35K/40K/50K <b>MCT</b>	1
	LLVT-4FT-150W-MCT-D-480V 150W 20250LM 35K/40K/50K <b>MCT</b>	1
<b>8ft</b>	<b>3" WIDE LED LINEAR VAPOR LIGHT, 480V</b>	
	LLVT-8FT-65W-50K-D-480V 65W 8450LM 5000K	1
	LLVT-8FT-65W-40K-D-480V 65W 8450LM 4000K	1
	LLVT-8FT-100W-50K-D-480V 100W 13000LM 5000K	1
	LLVT-8FT-100W-40K-D-480V 100W 13000LM 4000K	1

480V



FOR SUSPENSION ACCESSORIES SEE PAGES 108 TO 111

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DES	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
25W to 46W	OPT-EM-LLVT-25-46	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V,WHITE	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
65W to 155W	OPT-EM-LLVT-65-155	INTERNAL	OPT-HBC-277TL-WH	8FT, 15A, 277V,WHITE	N/A	WEC-3RC	OPTIONAL RC
	SURGE PROTECTOR	DES	OPT-HBC-125SB-WH	10FT, 15A, 125V,18/3STR,WHT			
	OPT-SP-10KV	120V	PHOTOCELL	DESCRIPTION			
	OPT-SP-10KV-480V	480V	OPT-PC-B	BUTTON			



LDL-R-30W-60K-A40



LDL-R-60W-60K-A40



LDL-S-50W-60K-B40R



LDL-R-E26-A40

**LOADING DOCK LIGHTS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
LDL-R-30W-60K-A40	30W 3300LM 6000K	2
LDL-R-60W-60K-A40	60W 6600LM 6000K	2
LDL-S-50W-60K-B40R	50W 7000LM 6000K	2
LDL-R-E26-A40	Loading Dock For Par Lamps With 1ft Wp Connector And 40In Bracket	



**LED 180 DEGREE FLAT HID RETROFIT LAMP**



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
CL-FLT-54W-50K-E39	54W <b>WHILE SUPPLIES LAST</b> 5940LM 5000K 9.6"(L) x 4.5"(W) x 3.2"(H)	70-150 MH	8
CL-FLT-75W-50K-E39	75W <b>WHILE SUPPLIES LAST</b> 9000LM 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	150-320 MH	8
CL-FLT-115W-50K-E39	115W <b>WHILE SUPPLIES LAST</b> 13570LM 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	320-400 MH	8
<b>POWER &amp; CTT - ADJUSTABLE LED 180 DEGREE FLAT HID RETROFIT LAMP</b>			
CL-FLT-54-75W-50K-E39	54W/63W/75W 150LM/W 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	150-320 MH	8
CL-FLT-75-115W-50K-E39	75W/97W/115W 150LM/W 5000K 11.7"(L) x 5.5"(W) x 3.4"(H)	320-400 MH	8



**POWER & CCT SWITCHES**



CL-EHL-12-27W-MCTP-E26  
CL-EHL-36-54W-MCTP-E39  
CL-EHL-80-120W-MCTP-E39



CL-EHL  
(12W TO 27W)



CL-EHL  
(36W TO 54W)



CL-EHL  
(75W TO 120W)



**Internal Driver**  
CL-HL  
(200W TO 300W)



**External Driver**  
CL-HL-200W-EXTR  
CL-HL-200W-480W



**HIGH-LUMEN LED CORN LAMP, 100-277V AC**

CATALOG NO.	DESCRIPTION					PKG. QTY.
<b>POWER &amp; CCT ADJUSTABLE HIGH-LUMEN LED CORN LAMP, 100-277V AC</b>						
CL-EHL-12-27W-MCTP-E26	27MAX	150LM/W	30K/40K/50K	E26 H: 6.69" X D: 2.36"		24
CL-EHL-36-54W-MCTP-E39	54MAX	150LM/W	30K/40K/50K	E39 H: 9.84" X D: 3.34"		12
CL-EHL-80-120W-MCTP-E39	120MAX	150LM/W	30K/40K/50K	E39 H: 11.14" X D: 5.11"		6
CL-EHL-80-120W-MCTP-EX39	80W/100W/120W	135LM/W	30K/40K/50K	E39 H: 11.14" X D: 5.11"		6
<b>HIGH-LUMEN LED CORN LAMP, 100-277V AC, DLC EXCEPT E26</b>						
CL-EHL-12W-30K-E26	12W	1500LM	3000K	E26 H: 4.90" X D: 2.36"	30-50MH	24
CL-EHL-12W-50K-E26	12W	1860LM	5000K	E26 H: 4.90" X D: 2.36"	30-50MH	24
CL-EHL-18W-30K-E26	18W	2250LM	3000K	E26 H: 5.70" X D: 2.36"	50-60MH	24
CL-EHL-18W-50K-E26	18W	2610LM	5000K	E26 H: 5.70" X D: 2.36"	50-60MH	24
CL-EHL-27W-30K-E26	27W	3375LM	3000K	E26 H: 6.69" X D: 2.36"	50-70MH	24
CL-EHL-27W-50K-E26	27W	4185LM	5000K	E26 H: 6.69" X D: 2.36"	50-70MH	24
CL-EHL-36W-30K-E26	36W	4500LM	3000K	E26 H: 7.55" X D: 3.34"	50-100MH	12
CL-EHL-36W-50K-E26	36W	5580LM	5000K	E26 H: 7.55" X D: 3.34"	50-100MH	12
CL-EHL-36W-30K-E39	36W	4500LM	3000K	E39 H: 8.30" X D: 3.34"	50-100MH	12
CL-EHL-36W-50K-E39	36W	5580LM	5000K	E39 H: 8.30" X D: 3.34"	50-100MH	12
CL-EHL-45W-30K-E39	45W	5625LM	3000K	E39 H: 9.84" X D: 3.34"	70-100MH	12
CL-EHL-45W-50K-E39	45W	6975LM	5000K	E39 H: 9.84" X D: 3.34"	70-100MH	12
CL-EHL-54W-30K-E39	54W	6750LM	3000K	E39 H: 9.84" X D: 3.34"	70-125MH	12
CL-EHL-54W-50K-E39	54W	8370LM	5000K	E39 H: 9.84" X D: 3.34"	70-125MH	12
CL-EHL-75W-30K-E39	75W	9375LM	3000K	E39 H: 9.84" X D: 5.11"	70-125MH	6
CL-EHL-75W-50K-E39	75W	11625LM	5000K	E39 H: 9.84" X D: 5.11"	70-125MH	6
CL-EHL-100W-30K-E39	100W	12500LM	3000K	E39 H: 10.31" X D: 5.11"	70-175MH	6
CL-EHL-100W-50K-E39	100W	15500LM	5000K	E39 H: 10.31" X D: 5.11"	70-175MH	6
CL-EHL-120W-30K-E39	120W	15600LM	3000K	E39 H: 11.14" X D: 5.11"	200-400MH	6
CL-EHL-120W-50K-E39	120W	17400LM	5000K	E39 H: 11.14" X D: 5.11"	200-400MH	6
CL-HL-200W-50K-E39	200W	28000LM	5000K	E39 H: 14.25" X D: 5.75"	600MH	6
CL-HL-240W-50K-E39	240W	34800LM	5000K	E39 H: 13.15" X D: 5.50"	800W HID	6
CL-HL-300W-50K-E39	300W	43500LM	5000K	E39 H: 13.15" X D: 5.50"	800W HID	6
CL-HL-200W-50K-E39-EXTR	200W	28000LM	5000K	E39 H: 14.25" X D: 5.75"	600MH	4
480V CL-HL-200W-50K-E39-480V	200W	28000LM	5000K	E39 H: 14.25" X D: 5.75"	600MH	4
CL-EHL-75W-30K-EX39	75W	135LM/W	3000K	EX39 H: 9.84" X D: 5.11"	70-125MH	6
CL-EHL-75W-50K-EX39	75W	135LM/W	5000K	EX39 H: 9.84" X D: 5.11"	70-125MH	6
CL-EHL-100W-30K-EX39	100W	135LM/W	3000K	EX39 H: 10.31" X D: 5.11"	70-175MH	6
CL-EHL-100W-50K-EX39	100W	135LM/W	5000K	EX39 H: 10.31" X D: 5.11"	70-175MH	6
CL-EHL-120W-30K-EX39	120W	135LM/W	3000K	EX39 H: 11.14" X D: 5.11"	200-400MH	6
CL-EHL-120W-50K-EX39	120W	135LM/W	5000K	EX39 H: 11.14" X D: 5.11"	200-400MH	6
E26-ENLARGER	ENLARGES E26 (MED.), BASE TO BE USED IN E39 (MOGUL) SOCKET					6
E39-REDUCER	REDUCES E39 (MOGUL), BASE TO BE USED IN E26 (MED.) SOCKET					6

NOTE: FOR 125W OR BELOW: IF USED IN ENCLOSED FIXTURE, CHECK SPEC SHEET FOR MINIMUM SPACE REQUIRED  
FOR 200W OR ABOVE: DO NOT USE THE LAMPS IN ENCLOSED FIXTURES  
THE DIMENSION OF THE EXTERNAL DRIVER FOR 200-EXTR & 480V LAMPS IS 9.5"X2.5"X1.5"

**HIGH-LUMEN LED CORN LAMP WITH UP LIGHT, 100-277V AC**



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	REPLACEMENT RANGE	PKG. QTY.
CL-HL-27W-30K-E26	27W 3510LM 3000K E26 H: 7.13" X D: 3.74"		50-70MH	12
CL-HL-45W-30K-E39	45W 5850LM 3000K E39 H: 10.20" X D: 3.74"		70-100MH	12
CL-HL-75W-30K-E39	75W 9750LM 3000K E39 H: 12.17" X D: 3.74"		70-125MH	12
CL-HL-100W-30K-E39	100W 13000LM 3000K E39 H: 9.88" X D: 5.75"		70-175MH	6
E26-ENLARGER	ENLARGES E26 (MED.), BASE TO BE USED IN E39 (MOGUL) SOCKET			6
E39-REDUCER	REDUCES E39 (MOGUL), BASE TO BE USED IN E26 (MED.) SOCKET			6

## LED 180 DEGREE FLAT HID RETROFIT LAMP



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>CL-FLT-36-54W-50K-E39</b>	36W/45W/54W 150LM/W 5000K Flat	6
<b>CL-FLTW-54-75W-50K-E39</b>	54W/63W/75W 150LM/W 5000K Adjustable	6
<b>CL-FLTW-75-110W-50K-E39</b>	75W/97W/110W 150LM/W 5000K Adjustable	6



## HIGH-PERFORMANCE HIGH BAY LAMP, POWER & CCT ADJUSTABLE




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>HBL-80-120W-MCT-E39</b>	80W/100W/120W 150LM/W 30K/40K/50K E39 Mogul Base	4
<b>HBL-120-160W-MCT-E39</b>	120W/140W/160W 150LM/W 30K/40K/50K E39 Mogul Base	4



## LED HIGH POWER LAMPS, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>HPL-16W-30K-E26</b>	16W 2000LM 3000K E26 Medium Base <b>WHILE SUPPLIES LAST</b>	20
<b>HPL-16W-50K-E26</b>	16W 2000LM 5000K E26 Medium Base <b>WHILE SUPPLIES LAST</b>	20
<b>HPL-20W-30K-E26</b>	20W 2500LM 3000K E26 Medium Base	20
<b>HPL-20W-50K-E26</b>	20W 2500LM 5000K E26 Medium Base	20
<b>HPL-24W-30K-E26</b>	24W 3000LM 3000K E26 Medium Base <b>WHILE SUPPLIES LAST</b>	20
<b>HPL-32W-30K-E26</b>	32W 4000LM 3000K E26 Medium Base	20
<b>HPL-32W-50K-E26</b>	32W 4000LM 5000K E26 Medium Base	20
<b>HPL-34W-30K-E26</b>	34W 4250LM 3000K E26 Medium Base	12
<b>HPL-34W-50K-E26</b>	34W 4250LM 5000K E26 Medium Base	12
<b>HPL-HB-60W-50K-E39</b>	60W 6480LM 5000K E39 Mogul Base <b>WHILE SUPPLIES LAST</b>	4
<b>HPL-HB-75W-50K-E39</b>	75W 8100LM 5000K E39 Mogul Base <b>WHILE SUPPLIES LAST</b>	4
<b>HPL-HB-100W-50K-E39</b>	100W 12500LM 5000K E39 Mogul Base <b>WHILE SUPPLIES LAST</b>	4
<b>HPL-HB-140W-50K-E39</b>	140W 15120LM 5000K E39 Mogul Base <b>WHILE SUPPLIES LAST</b>	4
<b>HPL-HB-R1</b>	Optional PC Reflector for HPL-HB-60W	12
<b>HPL-HB-R2</b>	Optional PC Reflector for HPL-HB-75W	8
<b>HPL-HB-R3</b>	Optional PC Reflector for HPL-HB-120W & HPL-HB-140W	8



## 2WIRE ECONOMY CONSTRUCTION STRING LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>CL-CONST-50FT-50W-2WIRE</b>	5X10W 6000LM 5000K 50FT	1
<b>CL-CONST-100FT-50W-2WIRE</b>	10X10W 12000LM 5000K 100FT	1

## LED CONSTRUCTION / TEMPORARY LIGHT WITH SOCKET FOR LINKING MULTIPLE UNITS



CATALOG NO.	DESCRIPTION	EQUIVALENCY	PKG. QTY.
<b>CL-CONST-40W-50K</b>	40W 4800LM 5000K 6FT CORD WITH 15A 3 PRONG STRAIGHT BLADE PLUG	400 MH	1
<b>CL-CONST-100W-50K</b>	100W 12000LM 5000K 6FT CORD WITH 15A 3 PRONG STRAIGHT BLADE PLUG	400 MH	1





# COMMERCIAL INDOOR LIGHTING



## LED BACKLIT PANEL LIGHT, 100-277VAC

MCTP: MULTI COLOR TEMPERATURE & MULTI POWER



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LPNG-2X2-4KLM-27K-D</b>	40W <b>3800LM</b> 2700K	4
<b>LPNG-2X2-MCTP4</b>	20/30/40W 3000K/3500K/4000K/5000K	4
<b>LPNG-2X4-4KLM-50K-D</b>	40W <b>4200LM</b> 5000K <b>WHILE SUPPLIES LAST</b>	4
<b>LPNG-2X4-5KLM-50K-D</b>	50W <b>5250LM</b> 5000K <b>WHILE SUPPLIES LAST</b>	4
<b>LPNG-2X4-5KLM-35K-D</b>	50W <b>5140LM</b> 3500K <b>WHILE SUPPLIES LAST</b>	4
<b>LPNG-2X4-MCTP4</b>	30/40/50W 3000K/3500K/4000K/5000K	4
<b>LPNG-2X4-6KLM-50K-D</b>	60W <b>6600LM</b> 5000K	4
<b>LPNG-2X4-6KLM-40K-D</b>	60W <b>6600LM</b> 4000K	4
<b>LPNG-2X4-6KLM-35K-D</b>	60W <b>6300LM</b> 3500K	4
<b>LPNG-2X4-7KLM-50K-D</b>	60W <b>7920LM</b> 5000K	4
<b>LPNG-2X4-7KLM-40K-D</b>	60W <b>7920LM</b> 4000K	4
<b>LPNG-2X4-7KLM-35K-D</b>	60W <b>7560LM</b> 3500K	4
<b>LPNG-2X4-7KLM-27K-D</b>	60W <b>6500LM</b> 2700K <b>WHILE SUPPLIES LAST</b>	4
<b>LPNG-1X4-MCTP</b>	20/30/40W 3500K/4000K/5000K	4
<b>LPNG-1X4-MCTP4</b>	20/30/40W 3000K/3500K/4000K/5000K	4

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-EM-LPNG</b>	EXTERNAL	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>OPT-CLR-LPNG</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
	<b>PLUG IN CORD</b>	DESCRIPTION	<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>WEC-3RC</b>	REMOTE CONTROL
	<b>OPT-HBC-125TL-BK</b>	8FT, 15A, 125V, BLACK	<b>OPT-FWH-66</b>	6FT 6-Wire Whip			
	<b>OPT-HBC-277TL-BK</b>	8FT, 15A, 277V, BLACK					
	<b>OPT-HBC-125SB-BK</b>	10FT, 15A, 125V, 18/3STR, BLCK					



## SLOT RECESSED COMMERCIAL LINEAR LIGHTS, 6" WIDE, CCT & WATTAGE SELECT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SRL6-2FT-MCTP</b>	10W/15W/20W <b>110LM/W</b> 35K/40K/50K	6
<b>SRL6-4FT-MCTP</b>	20W/30W/40W <b>110LM/W</b> 35K/40K/50K	6
<b>SRL6-8FT-MCTP</b>	40W/60W/80W <b>110LM/W</b> 35K/40K/50K	6

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

SIZE	EM OPTION	DESCRIPTION	VANDAL RES.	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2FT, 4FT	<b>OPT-EM-SRL6</b>	EXTERNAL	N/A	N/A	N/A	N/A	N/A
	<b>OPT-EM-SRL6-8FT</b>	EXTERNAL					

## PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

### PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE












<b>LPNP-2X2-4KLM-MCTP</b>	20W/30W/35W <b>125LM/W</b> 35K/40K/50K	4
<b>LPNP-1X4-4KLM-MCTP</b>	20W/30W/35W <b>125LM/W</b> 35K/40K/50K	4
<b>LPNP-2X4-5KLM-MCTP</b>	30W/35W/40W <b>125LM/W</b> 35K/40K/50K	4


### PREMIUM FLAT PANELS, 125 LM/W, POWER AND WATTAGE SELECTABLE, SENSOR READY


<b>LPNP-2X2-MCTP-SR</b>	19W/25W/32W <b>125LM/W</b> 35K/40K/50K	4
<b>LPNP-1X4-MCTP-SR</b>	19W/25W/32W <b>125LM/W</b> 35K/40K/50K	4
<b>LPNP-2X4-MCTP-SR</b>	24W/32W/40W <b>125LM/W</b> 35K/40K/50K	4



## ACCESSORIES FOR PANEL LIGHTS

CATALOG NO.	DESCRIPTION
 <b>LPNG-SRFC-2X2</b>	Surface mounting kit for 2X2 panel <b>EXCLUSIVE SCREWLESS DESIGN</b>
 <b>LPNG-SRFC-2X4</b>	Surface mounting kit for 2X4 panel <b>EXCLUSIVE SCREWLESS DESIGN</b>
 <b>LPNG-SRFC-1X4</b>	Surface mounting kit for 1X4 panel <b>EXCLUSIVE SCREWLESS DESIGN</b>
 <b>LTRE-2X2-SMK</b>	Designer Surface mounting kit for 2X2 panel
 <b>LTRE-2X4-SMK</b>	Designer Surface mounting kit for 2X4 panel
 <b>LTRE-1X4-SMK</b>	Designer Surface mounting kit for 1X4 panel
 <b>SCL-GSY10</b>	Adj. 10FT 1/16" double suspension kit with Y end and heavy-duty locking hook, loop gripper on top
 <b>SCL-GSY20</b>	Adj. 20FT 1/16" double suspension kit with Y end and heavy-duty locking hook, loop gripper on top
 <b>LPNG-RMK-1X4</b>	1x4' Recessed Mounting Flange Kit for installation in hard ceilings and surfaces
 <b>LPNG-RMK-2X2</b>	2x2' Recessed Mounting Flange Kit for installation in hard ceilings and surfaces
 <b>LPNG-RMK-2X4</b>	2x4' Recessed Mounting Flange Kit for installation in hard ceilings and surfaces


	<b>ELB-2048-EXTR</b>	Field-installed emergency ballast; Input voltage: 100-277VAC, 50-60Hz; Input power: 4.8W (max); Output voltage: 12V-48VDC; Output power: 20W (max) Emergency operation: >90 mins.; Use w/ up to 60W LED fixtures; 20% lumens required by UL in power failure for FACTORY-INSTALLED OPTION see above.
--	----------------------	--

	<b>LPNG-EMMB</b>	Emergency Battery Mounting Bracket for 2x2 & 2x4 Panels-Allows backup unit installation on top of panel(Recommended for EM Installations on 2X2 & 2X4)
	<b>LPNG-EMMB-1X4</b>	Emergency Battery Mounting Bracket for 1X4 Panels-Allows backup unit installation on top of panel

## T-BAR GRID LIGHT (FRAME LIGHT) REMOTE DRIVER MCTP: MULTI COLOR TEMPERATURE & MULTI POWER

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TGL-2X2-MCTP</b>	27W/35W/40W <b>150LM/W</b> 3500K/4000K/5000K	10
 <b>TGL-2X4-MCTP</b>	35W/45W/54W <b>150LM/W</b> 3500K/4000K/5000K	10
 <b>ELB-TBAR1</b>	T-BAR BRACKET FOR MOUNTING THE REMOTE DRIVER	-

## SINGLE CCT T-BAR GRID LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TGL-2X4-30K</b>	60W <b>6000LM</b> 3000K	10

## FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-TGL</b> EXTERNAL	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	N/A	N/A

## PREMIUM HIGH-OUTPUT LED PANELS, 125LM/W

2X4

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>LP-2X4-50W-50K-D-HL</b>	50W <b>6260LM</b> 5000K	2
 <b>LP-2X4-50W-40K-D-HL</b>	50W <b>6260LM</b> 4000K	2

## FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LP</b>	EXTERNAL	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	N/A	N/A	N/A
			<b>OPT-FWH-65</b>	6FT 5-Wire Whip			
			<b>OPT-FWH-66</b>	6FT 6-Wire Whip			


COMMERCIAL  
PANELS &  
T-BAR

## 5CCT EDGE-LESS ARCHITECTURAL FLUSH MOUNT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FEL-R6-MCT5</b>	10W <b>700LM</b> 27K/30K/35K/40K/50K	20
<b>FEL-R8-MCT5</b>	15W <b>1050LM</b> 27K/30K/35K/40K/50K	10
<b>FEL-R10-MCT5</b>	20W <b>1400LM</b> 27K/30K/35K/40K/50K	10
<b>FEL-R12-MCT5</b>	25W <b>1750LM</b> 27K/30K/35K/40K/50K	5
<b>FEL-R14-MCT5</b>	30W <b>2100LM</b> 27K/30K/35K/40K/50K	5
<b>FEL-1X2-MCT5</b>	30W <b>2100LM</b> 27K/30K/35K/40K/50K	3
<b>FEL-1X4-MCT5</b>	60W <b>4200LM</b> 27K/30K/35K/40K/50K	3

## POWER & CCT ADJUSTABLE INTERNAL-DRIVER LED SURFACE/RECESSED MOUNT PANELS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LPS-2X2-20-40W-MCTP-D</b>	20W/33W/40W <b>100LM/W</b> 30K/40K/50K	1
<b>LPS-2X4-30-50W-MCTP-D</b>	30W/40W/50W <b>100LM/W</b> 30K/40K/50K	1
<b>LPS-1X4-20-40W-MCTP-D</b>	20W/33W/40W <b>100LM/W</b> 30K/40K/50K	1

## INTERNAL-DRIVER LED SURFACE MOUNT PANELS, 1X4 & LARGER CAN BE RECESS MOUNT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LPS-S4-50K-D</b>	10W <b>700LM</b> 5000K 4" Square 120VAC	20
<b>LPS-S4-40K-D</b>	10W <b>700LM</b> 4000K 4" Square 120VAC	20
<b>LPS-S4-30K-D</b>	10W <b>700LM</b> 3000K 4" Square 120VAC	20
<b>LPS-S6-50K-D</b>	12W <b>900LM</b> 5000K 6" Square 120VAC	20
<b>LPS-S6-40K-D</b>	12W <b>900LM</b> 4000K 6" Square 120VAC	20
<b>LPS-S6-30K-D</b>	12W <b>900LM</b> 3000K 6" Square 120VAC	20
<b>LPS-S8-50K-D</b>	16W <b>1280LM</b> 5000K 8" Square 120VAC	20
<b>LPS-S8-40K-D</b>	16W <b>1280LM</b> 4000K 8" Square 120VAC	20
<b>LPS-S8-30K-D</b>	16W <b>1280LM</b> 3000K 8" Square 120VAC	20
<b>LPS-1X1-50K-D</b>	18W <b>1700LM</b> 5000K 1' X 1' 120-277VAC	16
<b>LPS-1X1-40K-D</b>	18W <b>1700LM</b> 4000K 1' X 1' 120-277VAC	16
<b>LPS-1X1-30K-D</b>	18W <b>1700LM</b> 3000K 1' X 1' 120-277VAC	16
<b>LPS-1X2-50K-D</b>	25W <b>2500LM</b> 5000K 1' X 2' 120-277VAC	8
<b>LPS-1X2-40K-D</b>	25W <b>2500LM</b> 4000K 1' X 2' 120-277VAC	8
<b>LPS-1X2-30K-D</b>	25W <b>2500LM</b> 3000K 1' X 2' 120-277VAC	8
<b>LPS-1X4-50K-D</b>	40W <b>4000LM</b> 5000K 1' X 4' 120-277VAC	1 <small>WHILE SUPPLIES LAST</small>
<b>LPS-1X4-40K-D</b>	40W <b>4000LM</b> 4000K 1' X 4' 120-277VAC	1 <small>WHILE SUPPLIES LAST</small>
<b>LPS-2X2-50K-D</b>	40W <b>4400LM</b> 5000K 2' X 2' 120-277VAC	1 <small>WHILE SUPPLIES LAST</small>
<b>LPS-2X2-40K-D</b>	40W <b>4400LM</b> 4000K 2' X 2' 120-277VAC	1
<b>LPS-2X2-30K-D</b>	40W <b>4400LM</b> 3000K 2' X 2' 120-277VAC	1
<b>LPS-2X4-50K-D</b>	50W <b>5500LM</b> 5000K 2' X 4' 120-277VAC	1 <small>WHILE SUPPLIES LAST</small>
<b>LPS-2X4-40K-D</b>	50W <b>5500LM</b> 4000K 2' X 4' 120-277VAC	1 <small>WHILE SUPPLIES LAST</small>
<b>LPS-2X4-30K-D</b>	50W <b>5500LM</b> 3000K 2' X 4' 120-277VAC	1
<b>LPS-JBOX</b>	Junction Box for 1 X 4, 2 X 2, 2 X 4 LPS T-Bar installation	

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	FLEX WHIP	DESCRIPTION	EM OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>OPT-EM-LPS</b>	EXTERNAL	N/A	N/A	N/A
	<b>OPT-FWH-65</b>	6FT 5-Wire Whip					
	<b>OPT-FWH-66</b>	6FT 6-Wire Whip					

COMMERCIAL  
FLAT  
PANELS

1X1  
1X2  
1X4  
2X2  
2X4



**SPEC SERIES LED SELECTABLE COLOR TEMP. & WATTAGE TROFFERS, AC 100-277V**

**NO PARTIAL MUST BUY IN QTY OF TWO**



SHOWN WITH SURFACE MOUNTING KIT (SMK)

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LTRE-2X2-MCTP</b>	26W, 32W, 40W <b>125LM/W</b> 3500K, 4000K, 5000K	2
<b>LTRE-2X4-MCTP</b>	32W, 40W, 50W <b>125LM/W</b> 3500K, 4000K, 5000K	2
<b>LTRE-1X4-MCTP</b>	26W, 32W, 40W <b>125LM/W</b> 3500K, 4000K, 5000K	2
<b>LTRE-2X2-SMK</b>	Surface mounting kit for LTRE-2X2	-
<b>LTRE-2X4-SMK</b>	Surface mounting kit for LTRE-2X4	-
<b>LTRE-1X4-SMK</b>	Surface mounting kit for LTRE-1X4	-

FOR RECESSED MOUNTING FLANGE KIT (LPNG-RMK) SEE PAGE NO. 79

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LTRE</b>	MOUNTED ON TOP	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>N/A</b>	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
	<b>Ribbed LENS OPTION</b>	<b>DESCRIPTION</b>	<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>WEC-3RC</b>	REMOTE CONTROL
	<b>OPT-2X2-RL</b>	Ribbed LENS FOR 2X2	<b>OPT-FWH-66</b>	6FT 6-Wire Whip			
	<b>OPT-2X4-RL</b>	Ribbed LENS FOR 2X4					



**BUILDER SERIES POWER & CCT- ADJUSTABLE STACK TROFFER REQUIRES 1 MINUTE ASSEMBLY**

**NO PARTIAL MUST BUY IN PKG. QTY.**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LTRS-2X2-MCTP</b>	25W/35W/36W/40W <b>125LM/W</b> 3500K/4000K/5000K	6
<b>LTRS-2X4-MCTP</b>	30W/40W/45W/50W <b>125LM/W</b> 3500K/4000K/5000K	6
<b>LTRS-1X4-MCTP</b>	25W/35W/36W/40W <b>125LM/W</b> 3500K/4000K/5000K	4

**ELB-18150-B** Field-Installed Battery Back Up: 20W MAX, 175VDC, Li-ion 4000mAh

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LTRS</b>	EXTERNAL	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>OPT-CLR-LPNG</b>	<b>OPT-SEN-2MDR-36</b>	MICROWAVE BI-LEVEL
	<b>PLUG IN CORD</b>	<b>DESCRIPTION</b>	<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>WEC-3RC</b>	REMOTE CONTROL
	<b>OPT-HBC-125TL-BK</b>	8FT, 15A, 125V, BLACK	<b>OPT-FWH-66</b>	6FT 6-Wire Whip			
	<b>OPT-HBC-277TL-BK</b>	8FT, 15A, 277V, BLACK					
	<b>OPT-HBC-125SB-BK</b>	10FT, 15A, 125V, 18/3STR, BLCK					

**SPEC SERIES ARCHITECTURAL TROFFER, BACK-LIT LED DESIGN POWER & CCT SELECTABLE**

**NO PARTIAL MUST BUY IN QTY OF FOUR**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LTRB-2X2-MCTP</b>	25W/30W/35W <b>110LM/W</b> 35K/40K/50K	4
<b>LTRB-2X4-MCTP</b>	30W/40W/50W <b>110LM/W</b> 35K/40K/50K	4
<b>LTRB-1X4-MCTP</b>	25W/30W/35W <b>110LM/W</b> 35K/40K/50K	4



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LTRB</b>	EXTERNAL	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	<b>OPT-CLR-LPNG</b>	<b>OPT-SEN-2MDR-36</b>	MICROWAVE BI-LEVEL
	<b>PLUG IN CORD</b>	<b>DESCRIPTION</b>	<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>WEC-3RC</b>	REMOTE CONTROL
	<b>OPT-HBC-125TL-BK</b>	8FT, 15A, 125V, BLACK	<b>OPT-FWH-66</b>	6FT 6-Wire Whip			
	<b>OPT-HBC-277TL-BK</b>	8FT, 15A, 277V, BLACK					
	<b>OPT-HBC-125SB-BK</b>	10FT, 15A, 125V, 18/3STR, BLCK					



## SPEC SERIES LED SELECTABLE COLOR TEMP. & WATTAGE DUAL LENS TROFFER LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LTRD-2X2-MCTP</b>	25W/30W/35W 125LM/W 3500K/4000K/5000K	1
<b>LTRD-2X4-MCTP</b>	30W/40W/50W 125LM/W 3500K/4000K/5000K	1

TO SURFACE MOUNT, SELECT LTRD-SMK KITS FROM THE LTRD SERIES ABOVE




FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LTRD</b>	MOUNTED ON TOP	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	N/A	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
			<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>WEC-3RC</b>	REMOTE CONTROL
			<b>OPT-FWH-66</b>	6FT 6-Wire Whip			

## PREMIUM CURVED INDIRECT TROFFER, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>LTRC-2X2-MCTP</b>	25W/30W/40W 125LM/W 35K/40K/50K		4
<b>LTRC-2X4-MCTP</b>	30W/40W/50W 125LM/W 35K/40K/50K		2



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LTRC</b>	MOUNTED ON TOP	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	N/A	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
			<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>WEC-3RC</b>	REMOTE CONTROL
			<b>OPT-FWH-66</b>	6FT 6-Wire Whip			

## PREMIUM IP65 CLEANROOM PANEL, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>LPCR-2X2-MCTP</b>	25W/30W/40W 125LM/W 35K/40K/50K		2
<b>LPCR-2X4-MCTP</b>	30W/40W/50W 125LM/W 35K/40K/50K		1
<b>LPCR-1X4-MCTP</b>	25W/30W/40W 125LM/W 35K/40K/50K		2



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LPCR</b>	MOUNTED ON TOP	<b>OPT-FWH-63</b>	6FT 3-Wire Whip	N/A	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
			<b>OPT-FWH-65</b>	6FT 5-Wire Whip		<b>WEC-3RC</b>	REMOTE CONTROL
			<b>OPT-FWH-66</b>	6FT 6-Wire Whip			

## PREMIUM HIGH-LUMEN RETROFIT FLAT PANEL



CATALOG NO.	DESCRIPTION	NO PARTIAL MUST BUY IN PKG. QTY.	PKG. QTY.
<b>LRP-HL-2X2-MCTP</b>	16W/20W/24W 125LM/W 35K/40K/50K		2
<b>LRP-HL-2X4-MCTP</b>	24W/30W/40W 125LM/W 35K/40K/50K		2



## PREMIUM HIGH-LUMEN RETROFIT TROFFER-POWER & CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	NO PARTIAL MUST BUY IN PKG. QTY.	PKG. QTY.
<b>LRT-HL-2X2-MCTP</b>	15W/20W/25W 125LM/W 35K/40K/50K		2
<b>LRT-HL-2X4-MCTP</b>	30W/40W/50W 125LM/W 35K/40K/50K		2



COMMERCIAL  
TROFFERS

## DURABLE (PC BODY) TROFFER LIGHTS, 140LM/W



2X2

CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	PKG. QTY.
LTRP-2X2-35W-50K-D	35W 4900LM 5000K		1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER


WATTS	EM OPTION	DESCRIPTION	FLEX WHIP	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-LTRP	MOUNTED ON TOP	OPT-FWH-63	6FT 3-Wire Whip	N/A	OPT-SEN-2MDR-36	PROGRAMMABLE MICROWAVE BI-LEVEL
			OPT-FWH-65	6FT 5-Wire Whip		WEC-3RC	REMOTE CONTROL
			OPT-FWH-66	6FT 6-Wire Whip			




**SCXA2-4FT-40W-MCTP-BB**  
UGR25 50D FULL OPTIC




**SCXA2-4FT-40W-MCTP-CD-BB**  
UGR25 50D COMBINED DISTRIBUTION  
OPTIC + PC LENS



**SCXA2-4FT-40W-MCTP-WW**  
UGR25 50D FULL OPTIC



**SCXA2-4FT-40W-MCTP-CD-WW**  
UGR25 50D COMBINED DISTRIBUTION  
OPTIC + PC LENS



**SCX2-TRACK-H**

## ARCHITECTURAL 2" OPTIC & COMBINED-DISTRIBUTION LINEAR



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCXA2-4FT-40W-MCTP-CD-BB	20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends	6
SCXA2-4FT-40W-MCTP-CD-WW	20W/30W/40W 100LM/W 30K/35K/40K 7.5" Optic Ends	6
SCXA2-6FT-60W-MCTP-CD-BB	40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends	4
SCXA2-6FT-60W-MCTP-CD-WW	40W/50W/60W 100LM/W 30K/35K/40K 15" Optic Ends	4
SCXA2-8FT-80W-MCTP-CD-BB	60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends	4
SCXA2-8FT-80W-MCTP-CD-WW	60W/70W/80W 100LM/W 30K/35K/40K 23" Optic Ends	4
SCXA2-4FT-40W-MCTP-BB	20W/30W/40W 100LM/W 30K/35K/40K	6
SCXA2-4FT-40W-MCTP-WW	20W/30W/40W 100LM/W 30K/35K/40K	6
SCXA2-6FT-60W-MCTP-BB	40W/50W/60W 100LM/W 30K/35K/40K	4
SCXA2-6FT-60W-MCTP-WW	40W/50W/60W 100LM/W 30K/35K/40K	4
SCXA2-8FT-80W-MCTP-BB	60W/70W/80W 100LM/W 30K/35K/40K	4
SCXA2-8FT-80W-MCTP-WW	60W/70W/80W 100LM/W 30K/35K/40K	4
SCX2-TRACK-H-BK	SCXA2 Tack Light Socket End Extension H-Type Black	
SCX2-TRACK-H-WH	SCXA2 Tack Light Socket End Extension H-Type White	
SCXA2-BCP-4FT-BK	SCXA2 4Ft Blank Cover-Plate Accessory Black	
SCXA2-BCP-6FT-BK	SCXA2 6Ft Blank Cover-Plate Accessory Black	
SCXA2-BCP-8FT-BK	SCXA2 8Ft Blank Cover-Plate Accessory Black	
SCXA2-BCP-4FT-WH	SCXA2 4Ft Blank Cover-Plate Accessory White	
SCXA2-BCP-6FT-WH	SCXA2 6Ft Blank Cover-Plate Accessory White	
SCXA2-BCP-8FT-WH	SCXA2 8Ft Blank Cover-Plate Accessory White	
SCXA2-OLS-50D-BK	SCXA2 Replacement Standard Optic Lens 50D 8in Long, Black	
SCXA2-OLS-50D-WH	SCXA2 Replacement Standard Optic Lens 50D 8in Long, White	
SCXA2-RLS-UGR10-50D-BK	SCXA2 UGR10 50D Reflector Accessory Black	
SCXA2-RLS-UGR10-70D-BK	SCXA2 UGR10 70D Reflector Accessory Black	
SCXA2-RLS-UGR10-50D-WH	SCXA2 UGR10 50D Reflector Accessory White	
SCXA2-RLS-UGR10-70D-WH	SCXA2 UGR10 70D Reflector Accessory White	

## UGR OPTIC LENS




CATALOG NO.	DESCRIPTION
OPT-SCXA2-4FT-WH-50D	UGR Less Than 10, 50D Optic, White
OPT-SCXA2-4FT-WH-70D	UGR Less Than 10, 70D Optic, White
OPT-SCXA2-4FT-BK-50D	UGR Less Than 10, 50D Optic, Black
OPT-SCXA2-4FT-BK-70D	UGR Less Than 10, 70D Optic, Black
OPT-SCXA2-6FT-WH-50D	UGR Less Than 10, 50D Optic, White
OPT-SCXA2-6FT-WH-70D	UGR Less Than 10, 70D Optic, White
OPT-SCXA2-6FT-BK-50D	UGR Less Than 10, 50D Optic, Black
OPT-SCXA2-6FT-BK-70D	UGR Less Than 10, 70D Optic, Black
OPT-SCXA2-8FT-WH-50D	UGR Less Than 10, 50D Optic, White
OPT-SCXA2-8FT-WH-70D	UGR Less Than 10, 70D Optic, White
OPT-SCXA2-8FT-BK-50D	UGR Less Than 10, 50D Optic, Black
OPT-SCXA2-8FT-BK-70D	UGR Less Than 10, 70D Optic, Black

# BUILDER SERIES POWER & CCT- ADJUSTABLE LINEAR LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SCE-4FT-40W-MCTP-D</b>	30W/35W/40W 110LM/W 3500K/4000K/5000K White	8
<b>SCE-4FT-40W-MCTP-D-BK</b>	30W/35W/40W 110LM/W 3500K/4000K/5000K Black	8
<b>SCE-4FT-40W-MCTP-D-SIL</b>	30W/35W/40W 110LM/W 3500K/4000K/5000K Silver	8
<b>SCE-6FT-50W-MCTP-D</b>	40W/45W/50W 110LM/W 3500K/4000K/5000K White	6
<b>SCE-6FT-50W-MCTP-D-BK</b>	40W/45W/50W 110LM/W 3500K/4000K/5000K Black	6
<b>SCE-6FT-50W-MCTP-D-SIL</b>	40W/45W/50W 110LM/W 3500K/4000K/5000K Silver	6
<b>SCE-8FT-70W-MCTP-D</b>	50W/60W/70W 110LM/W 35K/40K/50K White	
<b>SCE-8FT-70W-MCTP-D-BK</b>	50W/60W/70W 110LM/W 35K/40K/50K Black	
<b>SCE-8FT-70W-MCTP-D-SIL</b>	50W/60W/70W 110LM/W 35K/40K/50K Silver	
<b>SCE-ULM-4FT-MCTP-D</b>	4Ft SCE Series Uplight Module 35/40/50K Transfers 30% Power To Top	
<b>SCE-ULM-6FT-MCTP-D</b>	6Ft SCE Series Uplight Module 35/40/50K Transfers 30% Power To Top	
<b>SCE-ULM-8FT-MCTP-D</b>	8Ft SCE Series Uplight Module 35/40/50K Transfers 30% Power To Top	
<b>SCE-SB</b>	SCE Series Straight Linking Bracket - Creates a Seamless Connection	
<b>SCE-TB</b>	SCE Series T Linking Bracket	
<b>SCE-LB</b>	SCE Series L Linking Bracket	
<b>SCE-XB</b>	SCE Series X Linking Bracket	
<b>SCE-SB-BK</b>	SCE Series Straight Linking Bracket - Creates a Seamless Connection, Black	
<b>SCE-TB-BK</b>	SCE Series T Linking Bracket, Black	
<b>SCE-LB-BK</b>	SCE Series L Linking Bracket, Black	
<b>SCE-XB-BK</b>	SCE Series X Linking Bracket, Black	
<b>SCE-SB-SIL</b>	SCE Series Straight Linking Bracket - Creates a Seamless Connection, Silver	
<b>SCE-TB-SIL</b>	SCE Series T Linking Bracket, Silver	
<b>SCE-LB-SIL</b>	SCE Series L Linking Bracket, Silver	
<b>SCE-XB-SIL</b>	SCE Series X Linking Bracket, Silver	



SCE-XB



SCE-SB



SCE-LB



SCE-TB

FOR SUSPENSION KIT SEE PAGES 108 TO 111

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-SCE	INTERNAL	N/A	N/A	N/A	N/A	N/A



Surface Mounted




SCX4-IP66-SUR-4FT-40-80W-MCTP  
SCX4-IP66-SUR-8FT-80-160W-MCTP



SCX4-IP66-ACPT-6FT  
SCX4-IP66-ACPT-10FT

SCX4-IP66-JUMP-6IN  
SCX4-IP66-JUMP-12IN



Wall Mounted OR Suspended



SCX4-IP66-SUS-4FT-40-80W-MCTP  
SCX4-IP66-SUS-8FT-80-160W-MCTP

Rod Kit Sold Separately

## POWER & CCT- ADJUSTABLE LINEAR LIGHT, 120-277V, IP66 WET LOCATION



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SCX4-IP66-SUR-4FT-40-80W-MCTP</b>	40W/60W/80W 105LM/W 35K/40K/50K Surface Mounted	4
<b>SCX4-IP66-SUR-8FT-80-160W-MCTP</b>	80W/120W/160W 105LM/W 35K/40K/50K Surface Mounted	2
<b>SCX4-IP66-SUS-4FT-40-80W-MCTP</b>	40W/60W/80W 105LM/W 35K/40K/50K Suspended	4
<b>SCX4-IP66-SUS-8FT-80-160W-MCTP</b>	80W/120W/160W 105LM/W 35K/40K/50K Suspended	2
<b>SCX4-IP66-ACPT-6FT</b>	SCX4-IP66 6Ft Ac Pigtail With Female Wet Loc. Connector	
<b>SCX4-IP66-ACPT-10FT</b>	SCX4-IP66 10Ft Ac Pigtail With Female Wet Loc. Connector	
<b>SCX4-IP66-JUMP-6IN</b>	SCX4-IP66 6In Ac Jump Cable With Male And Female Wet Loc. Connector	
<b>SCX4-IP66-JUMP-12IN</b>	SCX4-IP66 12In Ac Jump Cable With Male And Female Wet Loc. Connector	
<b>SCX4-IP66-CB</b>	SCX4-IP66 Coupling Bracket	
<b>SCX4-IP66-RODKIT-18IN</b>	SCX4-IP66 18In Suspension Rod Kit	
<b>SCX4-IP66-RODKIT-24IN</b>	SCX4-IP66 24In Suspension Rod Kit	
<b>SCX4-IP66-SCBK</b>	SCX4-IP66 Bracket Set For Suspension With Aircraft Cable	

FOR SUSPENSION KIT (SCL-GS210 & SCL-GS220) SEE PAGES 109

\*MCT4: MULTI COLOR TEMPERATURE  
(3000K, 3500K, 4000K, 5000K)



SCX-1FT-10W-MCT4-D	N/A	N/A	N/A	N/A
SCX-2FT-20W-MCT4-D	SCX-2FT-20W-MCT4-D-REG	SCX-2FT-20W-MCT4-D-LUV	SCX-2FT-20W-MCT4-D-LUV-WH	SCX-2FT-20W-MCT4-D-DL
SCX-3FT-30W-MCT4-D	SCX-3FT-30W-MCT4-D-REG	SCX-3FT-30W-MCT4-D-LUV	SCX-3FT-30W-MCT4-D-LUV-WH	SCX-3FT-30W-MCT4-D-DL
SCX-4FT-40W-MCT4-D	SCX-4FT-40W-MCT4-D-REG	SCX-4FT-40W-MCT4-D-LUV	SCX-4FT-40W-MCT4-D-LUV-WH	SCX-4FT-40W-MCT4-D-DL
SCX-6FT-60W-MCT4-D	SCX-6FT-60W-MCT4-D-REG	SCX-6FT-60W-MCT4-D-LUV	SCX-6FT-60W-MCT4-D-LUV-WH	SCX-6FT-60W-MCT4-D-DL
SCX-8FT-80W-MCT4-D	SCX-8FT-80W-MCT4-D-REG	SCX-8FT-80W-MCT4-D-LUV	SCX-8FT-80W-MCT4-D-LUV-WH	SCX-8FT-80W-MCT4-D-DL

UPLIGHT FOR SCX SERIES AND THEIR VARIANTS				
2FT	3FT	4FT	6FT	8FT
OPT-SCX-ULM-2FT-8W-MCT4	OPT-SCX-ULM-3FT-12W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-6FT-24W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4




**MODULES FOR SCX SERIES**


<p><b>6in Module</b></p> <p>SCX-6IN-MCT4</p>	<p><b>9in Module</b></p> <p>SCX-9IN-MCT4</p>	<p><b>L Module</b></p> <p>SCX-L-MCT4</p>	<p><b>T Module</b></p> <p>SCX-T-MCT4</p>	<p><b>X Module</b></p> <p>SCX-X-MCT4</p>
<p><b>Inside Corner Module</b></p> <p>SCX-IC-MCT4</p>	<p><b>Outside Corner Module</b></p> <p>SCX-OC-MCT4</p>	<p><b>Y Module</b></p> <p>SCX-Y-MCT4</p>	<p><b>120° Corner</b></p> <p>SCX-C120-MCT4</p>	<p><b>C60 Module</b></p> <p>SCX-C60-MCT4</p>

COMMERCIAL  
LINEAR  
LIGHTS






SCX-2FT-20W-MCT4-D-DLP	SCX-2FT-20W-MCT4-D-IND	SCX-2FT-20W-MCT4-D-IDL	SCX-L1FT-20W-MCT4	SCX-Y2FT-60W-MCT4-D
N/A	SCX-3FT-30W-MCT4-D-IND	SCX-3FT-30W-MCT4-D-IDL	SCX-L2FT-40W-MCT4	 UPLIGHT OPT-SCX-ULM-Y2FT-24W-MCT4
SCX-4FT-40W-MCT4-D-DLP	SCX-4FT-40W-MCT4-D-IND	SCX-4FT-40W-MCT4-D-IDL	 UPLIGHT OPT-SCX-ULM-L2FT-16W-MCT4	
N/A	SCX-6FT-60W-MCT4-D-IND	SCX-6FT-60W-MCT4-D-IDL		
N/A	SCX-8FT-80W-MCT4-D-IND	SCX-8FT-80W-MCT4-D-IDL		
 UPLIGHT OPT-SCX-ULM-2FT-8W-MCT4				
N/A				
OPT-SCX-ULM-4FT-16W-MCT4				
N/A				
N/A				




SHOWN WITH  
SUSPENSION KIT

SCL-3CS10


ADJ. 10FT 1/16in TRIPLE-CABLE  
SUSPENSION CANOPY KIT WITH  
KEYHOLE END CONNECTORS  
(NO CORD INCL.)



MADE USING  
SCX + L CORNERS



SCX-L2FT-40W-MCT4  
INSTALLED



MADE USING  
SCX + C120 CORNERS




SCX-Y2FT-60W-MCT4  
INSTALLED

\*MCT4: MULTI COLOR TEMPERATURE  
(3000K, 3500K, 4000K, 5000K)



# SCX

**SUPERIOR ARCHITECTURAL**  
SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM



SCX MODELS	SCX 2-3/4" (Linkable)	LOUVER 2-3/4" (Linkable)	DROP LENS 2-3/4"
1FT BLACK 10W & 110LM/W	SCX-1FT-10W-MCT4-D-BK	N/A	N/A
2FT BLACK 20W & 110LM/W	SCX-2FT-20W-MCT4-D-BK	SCX-2FT-20W-MCT4-D-LUV-BK	SCX-2FT-20W-MCT4-D-DL-BK
3FT BLACK 30W & 110LM/W	SCX-3FT-30W-MCT4-D-BK	SCX-3FT-30W-MCT4-D-LUV-BK	SCX-3FT-30W-MCT4-D-DL-BK
4FT BLACK 40W & 110LM/W	SCX-4FT-40W-MCT4-D-BK	SCX-4FT-40W-MCT4-D-LUV-BK	SCX-4FT-40W-MCT4-D-DL-BK
6FT BLACK 60W & 110LM/W	SCX-6FT-60W-MCT4-D-BK	SCX-6FT-60W-MCT4-D-LUV-BK	SCX-6FT-60W-MCT4-D-DL-BK
8FT BLACK 80W & 110LM/W	SCX-8FT-80W-MCT4-D-BK	SCX-8FT-80W-MCT4-D-LUV-BK	SCX-8FT-80W-MCT4-D-DL-BK

UPLIGHT FOR SCX BLACK SERIES AND THEIR VARIANTS				
2FT	3FT	4FT	6FT	8FT
OPT-SCX-ULM-2FT-8W-MCT4	OPT-SCX-ULM-3FT-12W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-6FT-24W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4

MODULES FOR SCX BLACK SERIES				
<p>6in Module</p>  <p>SCX-6IN-MCT4-BK</p>	<p>9in Module</p>  <p>SCX-9IN-MCT4-BK</p>	<p>L Module</p>  <p>SCX-L-MCT4-BK</p>	<p>T Module</p>  <p>SCX-T-MCT4-BK</p>	<p>X Module</p>  <p>SCX-X-MCT4-BK</p>
<p>Inside Corner Module</p>  <p>SCX-IC-MCT4-BK</p>	<p>Y Module</p>  <p>SCX-Y-MCT4-BK</p>	<p>120° Corner</p>  <p>SCX-C120-MCT4-BK</p>	<p>C60 Module</p>  <p>SCX-C60-MCT4-BK</p>	

COMMERCIAL  
LINEAR  
LIGHTS

\*MCT4: MULTI COLOR TEMPERATURE  
(3000K, 3500K, 4000K, 5000K)



# SCX

**SUPERIOR ARCHITECTURAL**  
SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM



SCX 4FT. Only

SCX4 4" (Linkable)	WHITE LOUVER 4" (Linkable)	IDL 4"	WALLWASH 4"
	<b>7 DAYS LEAD TIME</b> 	<b>7 DAYS LEAD TIME</b> 	<b>7 DAYS LEAD TIME</b> 

1FT 10W & 110LM/W	SCX4-1FT-10W-MCT4-D	SCX4-1FT-10W-MCT4-D-LUV-WH	N/A	N/A
2FT 20W & 110LM/W	SCX4-2FT-20W-MCT4-D	SCX4-2FT-20W-MCT4-D-LUV-WH	SCX4-2FT-20W-MCT-D-IDL	SCX4-2FT-20W-MCT4-WSH
3FT 30W & 110LM/W	SCX4-3FT-30W-MCT4-D	SCX4-3FT-30W-MCT4-D-LUV-WH	SCX4-3FT-30W-MCT-D-IDL	SCX4-3FT-30W-MCT4-WSH
4FT 40W & 110LM/W	SCX4-4FT-40W-MCT4-D	SCX4-4FT-40W-MCT4-D-LUV-WH	SCX4-4FT-40W-MCT-D-IDL	SCX4-4FT-40W-MCT4-WSH
6FT 60W & 110LM/W	SCX4-6FT-60W-MCT4-D	SCX4-6FT-60W-MCT4-D-LUV-WH	SCX4-6FT-60W-MCT-D-IDL	N/A
8FT 80W & 110LM/W	SCX4-8FT-80W-MCT4-D	SCX4-8FT-80W-MCT4-D-LUV-WH	SCX4-8FT-80W-MCT-D-IDL	N/A

COMMERCIAL  
LINEAR  
LIGHTS

UPLIGHT FOR SCX4 SERIES AND THEIR VARIANTS				
2FT	3FT	4FT	6FT	8FT
OPT-SCX-ULM-2FT-8W-MCT4	OPT-SCX-ULM-3FT-12W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-6FT-24W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4

MODULES FOR SCX4 SERIES				
<b>L Module</b>  SCX4-L-MCT4	<b>T Module</b>  SCX4-T-MCT4	<b>X Module</b>  SCX4-X-MCT4	<b>Inside Corner</b>  SCX4-IC-MCT4	

# SCX

## SUPERIOR ARCHITECTURAL

SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM













1FT 10W & 110LM/W	SCX2-1FT-10W-MCT4-D	SCX2-1FT-10W-MCT4-D-TR	N/A	N/A
2FT 20W & 110LM/W	SCX2-2FT-20W-MCT4-D	SCX2-2FT-20W-MCT4-D-TR	SCX6-2FT-20-30W-MCTP	SCX6-2FT-20-30W-MCTP-LUV-WH
3FT 30W & 110LM/W	SCX2-3FT-30W-MCT4-D	SCX2-3FT-30W-MCT4-D-TR	SCX6-3FT-30-45W-MCTP	SCX6-3FT-30-45W-MCTP-LUV-WH
4FT 40W & 110LM/W	SCX2-4FT-40W-MCT4-D	SCX2-4FT-40W-MCT4-D-TR	SCX6-4FT-40-60W-MCTP	SCX6-4FT-40-60W-MCTP-LUV-WH
6FT 60W & 110LM/W	SCX2-6FT-60W-MCT4-D	SCX2-6FT-60W-MCT4-D-TR	SCX6-6FT-60-90W-MCTP	SCX6-6FT-60-90W-MCTP-LUV-WH
8FT 80W & 110LM/W	SCX2-8FT-80W-MCT4-D	SCX2-8FT-80W-MCT4-D-TR	SCX6-8FT-80-120W-MCTP	SCX6-8FT-80-120W-MCTP-LUV-WH

⚙️ UPLIGHT FOR SCX2 SERIES AND THEIR VARIANTS				
2FT	3FT	4FT	6FT	8FT
OPT-SCX-ULM-2FT-8W-MCT4	OPT-SCX-ULM-3FT-12W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-6FT-24W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4

⚙️ UPLIGHT FOR SCX6 SERIES AND THEIR VARIANTS				
2FT	3FT	4FT	6FT	8FT
OPT-SCX6-ULM-2FT-8W-MCT4	OPT-SCX6-ULM-3FT-12W-MCT4	OPT-SCX6-ULM-4FT-16W-MCT4	OPT-SCX6-ULM-6FT-24W-MCT4	OPT-SCX6-ULM-8FT-32W-MCT4

### MODULES FOR SCX2 & SCX6 SERIES

<p>L Module</p>  <p>SCX2-L-MCT4</p>	<p>T Module</p>  <p>SCX2-T-MCT4</p>	<p>X Module</p>  <p>SCX2-X-MCT4</p>	<p>Inside Corner Module</p>  <p>SCX2-IC-MCT4</p>	<p>Outside Corner Module</p>  <p>SCX2-OC-MCT4</p>
<p>C60 Module</p>  <p>SCX2-C60-MCT4</p>	<p>T Module</p>  <p>SCX6-L-MCTP</p>	<p>X Module</p>  <p>SCX6-T-MCTP</p>	<p>Inside Corner Module</p>  <p>SCX6-X-MCTP</p>	<p>Outside Corner Module</p>  <p>SCX6-IC-MCTP</p>








COMMERCIAL  
LINEAR  
LIGHTS



# SCX


**SUPERIOR ARCHITECTURAL**  
SEAMLESS LINKABLE LINEAR LIGHTING SYSTEM

SCO SERIES	SCXT-DL	SCXT-FL	SCXR (Linkable)	SCXR (Linkable)
 <p><b>4Ft</b> <b>MCT</b></p> <p><b>MCT: MULTI COLOR TEMPERATURE (3500K, 4000K, 5000K)</b></p>	 <p><b>MCTP</b></p> <p>See Next Page for More Info</p> <p><small>ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)</small></p>	 <p><b>MCTP</b></p> <p>See Next Page for More Info</p> <p><small>ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)</small></p>	 <p><b>MCT4</b></p>	 <p><b>MCT4</b></p>

SCO-4FT-40W-MCT-BB	SCXT-2FT-10-20W-MCTP-D-DL	SCXT-2FT-10-20W-MCTP-D-FL	SCXR-2FT-20W-MCT4-D	SCXR-2FT-20W-MCT4-D-BK
 <p><b>4Ft</b></p>	SCXT-4FT-20-40W-MCTP-D-DL	SCXT-4FT-20-40W-MCTP-D-FL	SCXR-4FT-40W-MCT4-D	SCXR-4FT-40W-MCT4-D-BK
SCO-4FT-40W-MCT-WB	SCXT-8FT-40-80W-MCTP-D-DL	SCXT-8FT-40-80W-MCTP-D-FL	SCXR-8FT-80W-MCT4-D	SCXR-8FT-80W-MCT4-D-BK
<p><b>7 DAYS LEAD TIME</b></p>  <p><b>4Ft</b></p>	 <b>UPLIGHT FOR SCXT-DL</b>	 <b>UPLIGHT FOR SCXT-FL</b>	 <b>UPLIGHT FOR SCXR</b>	 <b>UPLIGHT FOR SCXR</b>
	OPT-SCXT-ULM-2FT-MCTP	OPT-SCXT-ULM-2FT-MCTP	N/A	N/A
SCO-4FT-40W-MCT-WW	OPT-SCXT-ULM-4FT-MCTP	OPT-SCXT-ULM-4FT-MCTP	OPT-SCX-ULM-4FT-16W-MCT4	OPT-SCX-ULM-4FT-16W-MCT4
<p><b>7 DAYS LEAD TIME</b></p>  <p><b>4Ft</b></p>	OPT-SCXT-ULM-8FT-MCTP	OPT-SCXT-ULM-8FT-MCTP	OPT-SCX-ULM-8FT-32W-MCT4	OPT-SCX-ULM-8FT-32W-MCT4
	<b>SCXT-DL 2FT L FIXTURE</b>	<b>SCXT-FL 2FT L FIXTURE</b>	<b>CORNER OPTION</b>	<b>CORNER OPTION</b>
SCO-4FT-40W-MCT-BW	 <p><b>MCTP</b></p> <p><small>ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)</small></p>	 <p><b>MCTP</b></p> <p><small>ORDER ONE DRIVER PER FIXTURE (NOT INCLUDED)</small></p>		
	SCXT-L2FT-20-40W-MCTP-D-DL	SCXT-L2FT-20-40W-MCTP-D-FL	SCXR-LNL	SCXR-LNL

## SCXR ACCESSORIES

CATALOG NO.	DESCRIPTION
<b>SCXR-LK-1FT-GRILL</b>	SCXR 1Ft Section PC Louver Kit Without Lens
<b>SCXR-LK-1FT-LENSONROLL</b>	SCXR 1Ft Film On Roll Of 853Ft, Must Use With SCXR-LK



SCXT INSTALLED ON T-BAR CEILING  
DRIVER MOUNTED ON TOP




SCXT SUSPENDED



2 SCXT-L2FT INSTALLED  
ON T-BAR CEILING

With T-BAR clips, ready to install on the grid  
Can also be suspended or surface mounted  
Can be linked (with endcaps on, not seamless) coupling bracket incl.  
With remote driver box, avail. 40W & 80W (sold separately) do not exceed max wattage of driver  
Each fixture supplied with 6FT RJ11 cable, which plugs into the driver box  
Driver box has 4 RJ11 Female sockets

**EXTERNAL DRIVER (ORDER SEPARATELY)**



ORDER ONE DRIVER PER FIXTURE  
(NOT INCLUDED)

**1" WIDE LINEAR SERIES FOR DIRECT T-GRID MOUNTING OR SUSPENSION, POWER & CCT ADJ.**



CATALOG NO.	DESCRIPTION
SCXT-2FT-10-20W-MCTP-D-DL	20W 110LM/W 30K/35K/40K 2FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-4FT-20-40W-MCTP-D-DL	40W 110LM/W 30K/35K/40K 4FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-8FT-40-80W-MCTP-D-DL	80W 110LM/W 30K/35K/40K 8FT, Drop Lens, Can Adj. to 75% or 50%
SCXT-L2FT-20-40W-MCTP-D-DL	40W 110LM/W 30K/35K/40K 2FT. L-Shape, Drop Lens, Can Adj. to 75% or 50%
SCXT-2FT-10-20W-MCTP-D-FL	20W 110LM/W 30K/35K/40K 2FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-4FT-20-40W-MCTP-D-FL	40W 110LM/W 30K/35K/40K 4FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-8FT-40-80W-MCTP-D-FL	80W 110LM/W 30K/35K/40K 8FT, Flat Lens, Can Adj. to 75% or 50%
SCXT-L2FT-20-40W-MCTP-D-FL	40W 110LM/W 30K/35K/40K 2FT. L-Shape, Flat Lens, Can Adj. to 75% or 50%
OPT-SCXT-ULM-2FT-MCTP	2Ft Uplighting Factory-Installed Adder Option - Directs 30% Of Power To Up
OPT-SCXT-ULM-4FT-MCTP	4Ft Uplighting Factory-Installed Adder Option - Directs 30% Of Power To Up
OPT-SCXT-ULM-8FT-MCTP	8Ft Uplighting Factory-Installed Adder Option - Directs 30% Of Power To Up
SCXT-DRVK-RJ11-20W	SCXT Series 20W Driver Kit With Power & CCT Selection Switches
SCXT-DRVK-RJ11-40W	SCXT Series 40W Driver Kit With Power & CCT Selection Switches
SCXT-DRVK-RJ11-80W	SCXT Series 80W Driver Kit With Power & CCT Selection Switches
SCXT-TGRID-DSP1	SCXT Series T-Grid Driver Support Platform For Up To 80W Driver Kit
SCXT-CMP-RJ11-6FT	Comm. Multi-Purp. Extension Cable With RJ11 Ends - 6Ft
SCXT-CMP-RJ11-8FT	Comm. Multi-Purp. Extension Cable With RJ11 Ends - 8Ft
SCXT-CMP-RJ11-12FT	Comm. Multi-Purp. Extension Cable With RJ11 Ends - 12Ft
SCXT-CMP-RJ11-24FT	Comm. Multi-Purp. Extension Cable With RJ11 Ends - 24Ft
SCXT-RJ11-COUPL	RJ11 Coupling Female To Female

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
SCXT	OPT-EM-SCXT	EXTERNAL	N/A	N/A	OPT-CLR-SCXT-2FT(BK/GR/SR/WH) OPT-CLR-SCXT-4FT(BK/GR/SR/WH) OPT-CLR-SCXT-8FT(BK/GR/SR/WH) OPT-CLR-SCXT-L2FT(BK/GR/SR/WH)	N/A	N/A

COMMERCIAL  
LINEAR  
LIGHTS



SHOWN WITH  
RECESSED MOUNTING FLANGES  
SEE OPTION ON PAGE 95



SHOWN WITH  
SUSPENSION KIT



SCL-4CS10

ADJ. 10FT 1/16in QUAD CABLE SUSP.  
CANOPY KIT, KEYHOLE CONNECTORS  
(NO CORD INCL.)

## 2.75IN SCX 2X2 & 2X4 LINEAR LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SCX-2X2-40-80W-MCTP</b>	40W/60W/80W 110LM/W 30K/35K/40K/50K	1
<b>SCX-2X4-60-120W-MCTP</b>	60W/90W/120W 110LM/W 30K/35K/40K/50K	1



1 QUARTER CIRCLE  
SHOWN WITH SUSPENSION KITS



CREATED WITH 4 QUARTER CIRCLES



CREATED WITH 4 QUARTER CIRCLES  
SHOWN WITH SUSPENSION KIT



SCL-3CS10

ADJ. 10FT 1/16in TRIPLE-CABLE  
SUSPENSION CANOPY KIT WITH  
KEYHOLE END CONNECTORS  
(NO CORD INCL.)

## SCX QUARTER OF CIRCLE 4CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SCXC-Q24-10W-MCT4</b>	10W 1100LM 30K/35K/40K/50K 24"	1
<b>SCXC-Q36-20W-MCT4</b>	20W 2200LM 30K/35K/40K/50K 36"	1
<b>SCXC-Q48-25W-MCT4</b>	25W 2750LM 30K/35K/40K/50K 48"	1



## HIGH-OUTPUT ROUND LINEAR CHANDELIER, UP/DOWN LIGHT WITH SEPARATE CONTROLS, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>SRC-D24UD-MCTP-BK</b>	40W/80W 65LM/W 30K/35K/40K Black		1
<b>SRC-D24UD-MCTP</b>	40W/80W 65LM/W 30K/35K/40K		1
<b>SRC-D36UD-MCTP-BK</b>	80W/120W 65LM/W 30K/35K/40K Black		1
<b>SRC-D36UD-MCTP</b>	80W/120W 65LM/W 30K/35K/40K		1
<b>SRC-D48UD-MCTP-BK</b>	120W/160W 65LM/W 30K/35K/40K Black		1
<b>SRC-D48UD-MCTP</b>	120W/160W 65LM/W 30K/35K/40K		1



**SCX-2X2-20W-MCT4-D-DIP**  
White



**SCX-2X2-20W-MCT4-D-DIP-LUV**  
White



**SCX-2X4-20W-MCT4-D-DIP**  
White



**SCX-2X4-20W-MCT4-D-DIP-LUV**  
White

## ARCHITECTURAL DROP IN T-BAR LIGHTS, 120-277V



CATALOG NO.	DESCRIPTION
<b>SCX-2X2-20W-MCT4-D-DIP</b>	20W 110LM/W 30K/35K/40K/50K 2X2
<b>SCX-2X2-20W-MCT4-D-DIP-LUV</b>	20W 110LM/W 30K/35K/40K/50K 2X2 Louver version
<b>SCX-2X4-60W-MCT4-D-DIP</b>	60W 110LM/W 30K/35K/40K/50K 2X4
<b>SCX-2X4-60W-MCT4-D-DIP-LUV</b>	60W 110LM/W 30K/35K/40K/50K 2X4 Louver version

COMMERCIAL  
LINEAR  
LIGHTS



## WALL MOUNTING WITH 5 INCH ARMS (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO. DESCRIPTION

ADD THIS OPTION TO THE FIXTURE AND WALL MOUNTING ARMS WITH WALL CANOPY WILL BE INSTALLED ON BACK OF FIXTURE. THE LENGTH OF EACH ARM IS 5". CONNECTION CABLES WILL ENTER THE FIXTURE THROUGH ONE OF THE ARMS. ON YOUR PURCHASE ORDER SPECIFY THE POSITION OF YOUR WIRE ENTRY FROM THE WALL AND THE ARM WILL BE INSTALLED ON THE BACK ACCORDINGLY.

<b>OPT-SCX-WMA-1FT</b>	1FT
<b>OPT-SCX-WMA-2FT</b>	2FT
<b>OPT-SCX-WMA-3FT</b>	3FT
<b>OPT-SCX-WMA-4FT</b>	4FT
<b>OPT-SCX-WMA-6FT</b>	6FT
<b>OPT-SCX-WMA-8FT</b>	8FT




## WALL MOUNTING (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO. DESCRIPTION

ADD THIS OPTION TO THE FIXTURE AND WALL MOUNTING BRACKETS WILL BE INSTALLED ON BACK OF FIXTURE. CONNECTION CABLES WILL ENTER THE FIXTURE THROUGH ONE OF THESE WALL-MOUNTING BRACKETS. ON YOUR PURCHASE ORDER SPECIFY THE POSITION OF YOUR WIRE ENTRY FROM THE WALL AND THE BRACKETS WILL BE INSTALLED ON THE BACK ACCORDINGLY.

<b>OPT-SCX-WM-1FT</b>	1FT
<b>OPT-SCX-WM-2FT</b>	2FT
<b>OPT-SCX-WM-3FT</b>	3FT
<b>OPT-SCX-WM-4FT</b>	4FT
<b>OPT-SCX-WM-6FT</b>	6FT
<b>OPT-SCX-WM-8FT</b>	8FT
<b>OPT-SCXR-WM-4FT</b>	4FT
<b>OPT-SCXR-WM-8FT</b>	8FT



## SURFACE MOUNTING

DESCRIPTION

YOU DO NOT NEED TO ORDER ANY ACCESSORIES. SCREW AND ANCHOR KIT PROVIDED WITH EACH FIXTURE CAN BE USED TO FASTEN THE FIXTURE DIRECTLY TO THE HARD SURFACE THROUGH THE HOLES ON TOP OF THE FIXTURE.

NOT APPLICABLE TO INDIRECT SERIES



## SCX CONTINUOUS FLEXIBLE LENS 25FT OR

CATALOG NO. DESCRIPTION

<b>SCX-FLEXLENS-25FT</b>	25FT
<b>SCX-FLEXLENS-100FT</b>	100FT
<b>SCX2-FLEXLENS-25FT</b>	25FT
<b>SCX2-FLEXLENS-100FT</b>	100FT
<b>SCX4-FLEXLENS-25FT</b>	25FT
<b>SCX4-FLEXLENS-100FT</b>	100FT


## SUSPENSION ROD KITS

CATALOG NO. DESCRIPTION



<b>SCL-RS-12</b>	12 INCH	Set of 2
<b>SCL-RS-18</b>	18 INCH	Set of 2
<b>SCL-RS-24</b>	24 INCH	Set of 2
<b>SCL-RS-36</b>	36 INCH	Set of 2
<b>SCL-RS-48</b>	48 INCH	Set of 2

NOT APPLICABLE TO INDIRECT, SCXR SERIES



## SCX INSTALLED ACOUSTIC OPTIONS

CATALOG NO. DESCRIPTION

<b>OPT-SCX-AK-2FT-9MM-HY2204</b>	2FT
<b>OPT-SCX-AK-4FT-9MM-HY2204</b>	4FT
<b>OPT-SCX-AK-6FT-9MM-HY2204</b>	6FT
<b>OPT-SCX-AK-8FT-9MM-HY2204</b>	8FT
<b>OPT-SCX-AK-2FT-9MM-HY2210</b>	2FT
<b>OPT-SCX-AK-4FT-9MM-HY2210</b>	4FT
<b>OPT-SCX-AK-6FT-9MM-HY2210</b>	6FT
<b>OPT-SCX-AK-8FT-9MM-HY2210</b>	8FT
<b>OPT-SCX4-AK-2FT-9MM-HY2204</b>	2FT
<b>OPT-SCX4-AK-4FT-9MM-HY2204</b>	4FT
<b>OPT-SCX4-AK-6FT-9MM-HY2204</b>	6FT
<b>OPT-SCX4-AK-8FT-9MM-HY2204</b>	8FT
<b>OPT-SCX4-AK-2FT-9MM-HY2210</b>	2FT
<b>OPT-SCX4-AK-4FT-9MM-HY2210</b>	4FT
<b>OPT-SCX4-AK-6FT-9MM-HY2210</b>	6FT
<b>OPT-SCX4-AK-8FT-9MM-HY2210</b>	8FT





SCX-WK01



SCX2-WK02



MAPLE



WALNUT



FRENCH  
OAK




EBONY



## WOOD TRIMS

CATALOG NO.	DESCRIPTION
OPT-SCX2-WK02-2FT-MAPLE	2FT -MAPLE FINISH
OPT-SCX2-WK02-4FT-MAPLE	4FT -MAPLE FINISH
OPT-SCX2-WK02-6FT-MAPLE	6FT -MAPLE FINISH
OPT-SCX2-WK02-8FT-MAPLE	8FT -MAPLE FINISH
OPT-SCX2-WK02-2FT-WALNUT	2FT -WALNUT FINISH
OPT-SCX2-WK02-4FT-WALNUT	4FT -WALNUT FINISH
OPT-SCX2-WK02-6FT-WALNUT	6FT -WALNUT FINISH
OPT-SCX2-WK02-8FT-WALNUT	8FT -WALNUT FINISH
OPT-SCX2-WK02-2FT-FREOAK	2FT -FRENCH OAK FINISH
OPT-SCX2-WK02-4FT-FREOAK	4FT -FRENCH OAK FINISH
OPT-SCX2-WK02-6FT-FREOAK	6FT -FRENCH OAK FINISH
OPT-SCX2-WK02-8FT-FREOAK	8FT -FRENCH OAK FINISH
OPT-SCX2-WK02-2FT-EBONY	2FT -EBONY FINISH
OPT-SCX2-WK02-4FT-EBONY	4FT -EBONY FINISH
OPT-SCX2-WK02-6FT-EBONY	6FT -EBONY FINISH
OPT-SCX2-WK02-8FT-EBONY	8FT -EBONY FINISH
OPT-SCX-WK01-2FT-MAPLE	2FT -MAPLE FINISH
OPT-SCX-WK01-4FT-MAPLE	4FT -MAPLE FINISH
OPT-SCX-WK01-6FT-MAPLE	6FT -MAPLE FINISH
OPT-SCX-WK01-8FT-MAPLE	8FT -MAPLE FINISH
OPT-SCX-WK01-2FT-WALNUT	2FT -WALNUT FINISH
OPT-SCX-WK01-4FT-WALNUT	4FT -WALNUT FINISH
OPT-SCX-WK01-6FT-WALNUT	6FT -WALNUT FINISH
OPT-SCX-WK01-8FT-WALNUT	8FT -WALNUT FINISH
OPT-SCX-WK01-2FT-FREOAK	2FT -FRENCH OAK FINISH
OPT-SCX-WK01-4FT-FREOAK	4FT -FRENCH OAK FINISH
OPT-SCX-WK01-6FT-FREOAK	6FT -FRENCH OAK FINISH
OPT-SCX-WK01-8FT-FREOAK	8FT -FRENCH OAK FINISH
OPT-SCX-WK01-2FT-EBONY	2FT -EBONY FINISH
OPT-SCX-WK01-4FT-EBONY	4FT -EBONY FINISH
OPT-SCX-WK01-6FT-EBONY	6FT -EBONY FINISH
OPT-SCX-WK01-8FT-EBONY	8FT -EBONY FINISH



## COLOR OF YOUR CHOICE

### CATALOG NO.

ADD THIS OPTION TO THE FIXTURE AND SPECIFY YOUR DESIRED COLOR ON YOUR PURCHASE ORDER OR PROVIDE A SWATCH TO MATCH.FOR PAINTED FLANGED FIXTURES OR OPTIONAL ROD MOUNTING SET PLEASE ALSO ADD THE RELEVANT OPTION BELOW FOR EACH FIXTURE.

- OPT-CLR-SCX-1FT(BK/GR/SR/WH)
- OPT-CLR-SCX-2FT(BK/GR/SR/WH)
- OPT-CLR-SCX-3FT(BK/GR/SR/WH)
- OPT-CLR-SCX-4FT(BK/GR/SR/WH)
- OPT-CLR-SCX-6FT(BK/GR/SR/WH)
- OPT-CLR-SCX-8FT(BK/GR/SR/WH)
- OPT-CLR-SCX-FMR(BK/GR/SR/WH)
- OPT-CLR-SCX-RODSET(BK/GR/SR/WH)
- OPT-CLR-SCX-CORNERS(BK/GR/SR/WH)
- OPT-CLR-SCL-RS(BK/GR/SR/WH)

## REDUCED WATTAGE/LUMENS (SPECIFY)

### CATALOG NO.

- OPT-SCX-WTD-2FT SCX, SCX2, SCX4 2FT WATTAGE TUNABLE DRIVER
- OPT-SCX-WTD-3FT SCX, SCX2, SCX4 3FT WATTAGE TUNABLE DRIVER
- OPT-SCX-WTD-4FT SCX, SCX2, SCX4 4FT WATTAGE TUNABLE DRIVER
- OPT-SCX-WTD-6FT SCX, SCX2, SCX4 6FT WATTAGE TUNABLE DRIVER
- OPT-SCX-WTD-8FT SCX, SCX2, SCX4 8FT WATTAGE TUNABLE DRIVER

## SCX TRIAC DIMMING

### CATALOG NO.

- OPT-SCX-1FT-TRIAC SCX, SCX2, SCX4 1FT TRIAC DIMMING
- OPT-SCX-2FT-TRIAC SCX, SCX2, SCX4 2FT TRIAC DIMMING
- OPT-SCX-3FT-TRIAC SCX, SCX2, SCX4 3FT TRIAC DIMMING
- OPT-SCX-4FT-TRIAC SCX, SCX2, SCX4 4FT TRIAC DIMMING
- OPT-SCX-6FT-TRIAC SCX, SCX2, SCX4 6FT TRIAC DIMMING
- OPT-SCX-8FT-TRIAC SCX, SCX2, SCX4 8FT TRIAC DIMMING

## WALL MOUNTING WITH 5 INCH ARMS (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

### CATALOG NO. DESCRIPTION


ADD THIS OPTION TO THE FIXTURE AND WALL MOUNTING ARMS WITH WALL CANOPY WILL BE INSTALLED ON BACK OF FIXTURE. THE LENGTH OF EACH ARM IS 5". CONNECTION CABLES WILL ENTER THE FIXTURE THROUGH ONE OF THE ARMS. ON YOUR PURCHASE ORDER SPECIFY THE POSITION OF YOUR WIRE ENTRY FROM THE WALL AND THE ARM WILL BE INSTALLED ON THE BACK ACCORDINGLY.

- OPT-SCX-WMA-1FT 1FT
- OPT-SCX-WMA-2FT 2FT
- OPT-SCX-WMA-3FT 3FT
- OPT-SCX-WMA-4FT 4FT
- OPT-SCX-WMA-6FT 6FT
- OPT-SCX-WMA-8FT 8FT

## DEDICATED WIRING FOR UPLIGHT CONTROL

### CATALOG NO. DESCRIPTION

- OPT-SCX-ULC-2FT-MCT4 2FT
- OPT-SCX-ULC-3FT-MCT4 3FT
- OPT-SCX-ULC-4FT-MCT4 4FT
- OPT-SCX-ULC-6FT-MCT4 6FT
- OPT-SCX-ULC-8FT-MCT4 8FT




## RECESSED MOUNT WITH FLANGE (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO.	DESCRIPTION
-------------	-------------

ADD THIS OPTION TO THE FIXTURE AND THE FIXTURE WILL BE EQUIPPED WITH A 1/2" WIDE FLANGE ON FOUR SIDES. ADVANCED DESIGN TOGGLE STYLE BRACKETS WILL ALSO BE PROVIDED, TO ADJUST AND HOLD THE FIXTURE AGAINST DRYWALL OR OTHER HARD CEILING FROM THE TOP.  
WHEN LINKING TO ANOTHER FIXTURE OR CORNER MODULE, CALL US OR SEND A COPY OF YOUR PLAN ALONG WITH YOUR PO AND FLANGES WILL BE REMOVED ON THOSE ENDS THAT NEED TO MAKE A SEAMLESS CONNECTION.

OPT-SCX-FMR-1FT	1FT
OPT-SCX-FMR-2FT	2FT
OPT-SCX-FMR-3FT	3FT
OPT-SCX-FMR-4FT	4FT
OPT-SCX-FMR-6FT	6FT
OPT-SCX-FMR-8FT	8FT
OPT-SCX-FMR-L	L
OPT-SCX-FMR-T	T
OPT-SCX-FMR-X	X
OPT-SCX-FMR-Y	Y
OPT-SCX-FMR-IC	INSIDE CORNER
OPT-SCX2-FMR-1FT	1FT
OPT-SCX2-FMR-2FT	2FT
OPT-SCX2-FMR-3FT	3FT
OPT-SCX2-FMR-4FT	4FT
OPT-SCX2-FMR-6FT	6FT
OPT-SCX2-FMR-8FT	8FT
OPT-SCX2-FMR-L	L
OPT-SCX2-FMR-T	T
OPT-SCX2-FMR-X	X
OPT-SCX2-FMR-Y	Y
OPT-SCX2-FMR-IC	INSIDE CORNER
OPT-SCX4-FMR-1FT	1FT
OPT-SCX4-FMR-2FT	2FT
OPT-SCX4-FMR-3FT	3FT
OPT-SCX4-FMR-4FT	4FT
OPT-SCX4-FMR-6FT	6FT
OPT-SCX4-FMR-8FT	8FT
OPT-SCX4-FMR-L	L
OPT-SCX4-FMR-T	T
OPT-SCX4-FMR-X	X
OPT-SCX4-FMR-Y	Y
OPT-SCX4-FMR-IC	INSIDE CORNER
OPT-SCX6-FMR-1FT	1FT
OPT-SCX6-FMR-2FT	2FT
OPT-SCX6-FMR-3FT	3FT
OPT-SCX6-FMR-4FT	4FT
OPT-SCX6-FMR-6FT	6FT
OPT-SCX6-FMR-8FT	8FT
OPT-SCX6-FMR-L	L
OPT-SCX6-FMR-T	T
OPT-SCX6-FMR-X	X
OPT-SCX6-FMR-Y	Y
OPT-SCX6-FMR-IC	INSIDE CORNER
OPT-SCX-FMR-2X2	2X2
OPT-SCX-FMR-2X4	2X4

NOT APPLICABLE TO INDIRECT, SCXR SERIES



## FLANGELESS RECESS MOUNT IN DRYWALL (MUD-IN) (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO.	DESCRIPTION
-------------	-------------

ORDER THIS OPTION AND THE FIXTURE WILL BE EQUIPPED WITH MUD-IN BRACKETS ON ALL FOUR SIDES, MOUNTED AT 1/16" FROM THE LENS SURFACE (SPECIFY IF OTHER SPACING IS NEEDED).  
WHEN LINKING TO ANOTHER FIXTURE OR CORNER FIXTURE MODULE CALL US OR SEND A COPY OF YOUR PLAN ALONG WITH YOUR PO AND FLANGES WILL BE REMOVED ON THOSE ENDS THAT NEED TO MAKE A SEAMLESS CONNECTION.

OPT-SCX-MIF-1FT	1FT
OPT-SCX-MIF-2FT	2FT
OPT-SCX-MIF-3FT	3FT
OPT-SCX-MIF-4FT	4FT
OPT-SCX-MIF-6FT	6FT
OPT-SCX-MIF-8FT	8FT
OPT-SCX-MIF-2X2	2X2
OPT-SCX-MIF-2X4	2X4
OPT-SCX-MIF-L	L
OPT-SCX-MIF-T	T
OPT-SCX-MIF-X	X

NOT APPLICABLE TO INDIRECT, SCXR SERIES



## FLANGELESS RECESSED INSTALLATION IN WOOD CEILING

DESCRIPTION
-------------

**YOU DO NOT NEED TO ORDER ANY ACCESSORIES.**  
MAKE RECESSED PREPARATIONS BY INSTALLING A HORIZONTAL PLANK OF WOOD ON TOP OF THE WOOD CEILING AT RECESSED HEIGHT OF 3-3/8".  
SCREW AND ANCHOR KIT PROVIDED WITH EACH FIXTURE CAN BE USED TO FASTEN THE TOP OF THE FIXTURE TO THE WOOD PLANK THROUGH THE HOLES ON TOP OF THE FIXTURE.  
YOU CAN ALSO INSTALL VERTICAL WOOD BOARDS ON TOP OF THE CEILING AT THE EDGE OF THE OPENING AND OPEN THE FIXTURE AND PUT SCREWS THROUGH THE SIDES OF THE FIXTURE HOUSING TO FASTEN IT TO THE WOOD BOARDS.

NOT APPLICABLE TO INDIRECT, SCXR SERIES



NOT APPLICABLE TO INDIRECT, SCXR SERIES

## T-BAR INSTALLATION (ADD-ON OPTION, DOES NOT INCLUDE FIXTURE)

CATALOG NO.	DESCRIPTION
-------------	-------------

ADD THIS OPTION TO THE FIXTURE AND 1/2" WIDE FLANGES WILL BE INSTALLED ON THE TWO LONG SIDES OF THE FIXTURE.

THE TWO ENDS OF THE FIXTURE WILL FALL ONTO THE T-BAR GRIDS AND WILL BE SUPPORTED THIS WAY. THE T-BAR TILES ON THE TWO SIDES OF THE FIXTURE MUST BE CUT TO ALLOW FOR THE WIDTH OF THE FIXTURE. THE TILES WILL FALL ONTO AND BE SUPPORTED BY THE FLANGES ON BOTH SIDES OF THE FIXTURE. IF YOU PLAN TO SUPPORT THE FIXTURE BY THE GRIDS ON THREE SIDES AND TILE ON ONE SIDE, CALL US OR SPECIFY ON YOUR PO AND FLANGE WILL BE INSTALLED ONLY ON ONE SIDE OF THE FIXTURE.

TO PROVIDE SAFETY AND SUPPORT FROM THE BEAMS ABOVE THE T-BAR CEILING ORDER 10FT OR 20FT AIRCRAFT SUSPENSION KITS BELOW.

**OPT-SCX-TBAR-1FT** 1FT

**OPT-SCX-TBAR-2FT** 2FT

**OPT-SCX-TBAR-4FT** 4FT

**OPT-SCX-TBAR-6FT** 6FT

**OPT-SCX-TBAR-8FT** 8FT

**OPT-SCX-TBAR-2X2** 2X2

**OPT-SCX-TBAR-2X4** 2X4

**OPT-FWH-63** 6FT 3-WIRE FLEX WHIP

**OPT-FWH-65** 6FT 5-WIRE FLEX WHIP

**OPT-FWH-66** 6FT 6-WIRE FLEX WHIP

**SCL-GS10** ADJ. 10FT 1/16in DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP

**SCL-GS20** ADJ. 20FT 1/16in DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP

**SCL-GSY110** ADJ. 10FT 1/16IN SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP

**SCL-GSY120** ADJ. 20FT 1/16IN SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP



## EMERGENCY BATTERY BACKUP

CATALOG NO.	DESCRIPTION
-------------	-------------

ADD THIS OPTION FOR 90-MINUTE BATTERY BACKUP INSTALLATION. IF ORDERING A SERIES OF THIS FIXTURE TO LINK, CALL US OR SPECIFY ON YOUR PURCHASE ORDER, ON WHICH FIXTURES TO INSTALL THE BACKUP AND WHERE YOU WOULD LIKE THE TEST BUTTONS.

**OPT-EM-SCX** 2FT, 3FT, 4FT, 6FT

**OPT-EM-SCX-8FT** 8FT

**OPT-EM-SCX2** 2FT, 3FT, 4FT, 6FT

**OPT-EM-SCX2-8FT** 8FT


**OPT-EM-SCX4** 2FT, 3FT, 4FT, 6FT

**OPT-EM-SCX4-8FT** 8FT

**OPT-EM-SCX6** 2FT, 3FT, 4FT, 6FT

**OPT-EM-SCX6-8FT** 8FT

**OPT-EM-SCX-2X2-2X4** 2X2, 2X4



## MICROWAVE BI-LEVEL MOTION SENSORS

CATALOG NO.	DESCRIPTION
-------------	-------------

THIS OPTION INSTALLS AN ADVANCED MOTION SENSOR THAT WILL TURN THE LIGHTS ON WHEN THE AREA IS OCCUPIED. WHEN THE AREA IS CLEARED, AFTER A PRESET HOLD TIME OF 5 SECONDS OR MORE, THE LIGHTS ARE DIMMED TO A STANDBY LEVEL OF 30% OR MORE. IF STILL NO MOTION IS DETECTED, AFTER THE STANDBY PERIOD, THE LIGHTS ARE TURNED OFF. ALL SETTINGS ARE PROGRAMMABLE WITH A REMOTE CONTROL.

**OPT-SEN-SCX-3MRLV-5** PROGRAMMABLE MICROWAVE BI-LEVEL

**OPT-SEN-SCXR** PROGRAMMABLE MICROWAVE BI-LEVEL FOR SCXR

**WEC-8RC** OPTIONAL REMOTE CONTROL FOR SENSOR

**OPT-SEN-2US-DAYLIGHT INTERNAL FOR ALL MODELS** ULTRASONIC BI-LEVEL DIMMING (REMOTE NOT NEEDED) DAYLIGHT SENSOR

**OPT-SEN-SCX2** PROGRAMMABLE MICROWAVE BI-LEVEL

**OPT-SEN-SCX4** PROGRAMMABLE MICROWAVE BI-LEVEL


**OPT-SEN-SCX6** PROGRAMMABLE MICROWAVE BI-LEVEL

**SCX-UVC-12W** SCX ANTIVIRUS UVC SECTION 12W 280nm UV LIGHT WITH REVERSE-LOGIC SENSOR

**WEC-3RC** OPTIONAL REMOTE CONTROL FOR SENSOR



**Direct Light**



**Indirect Light**

**EURO-DESIGN SUSPENDED LINEAR LIGHT,  
POWER & CCT SELECTABLE DIRECT OR INDIRECT - REVERSIBLE**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SCP-4FT-20-30W-MCTP</b>	20W/25W/30W <b>80LM/W</b> 3000K/3500K/4000K	12
<b>SCP-8FT-40-60W-MCTP</b>	40W/50W/60W <b>80LM/W</b> 3000K/3500K/4000K	12
<b>SCP-4FT-20-30W-MCTP-BK</b>	20W/25W/30W <b>80LM/W</b> 3000K/3500K/4000K	12
<b>SCP-8FT-40-60W-MCTP-BK</b>	40W/50W/60W <b>80LM/W</b> 3000K/3500K/4000K	12

FOR FACTORY-INSTALLED OPTIONS SEE BELOW SCPL PAGE 98



**POWER & CCT- ADJUSTABLE LINEAR TUBE DECORATIVE SUSP. LIGHT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SDTL-4FT-20-30W-MCTP</b>	20W/25W/30W <b>105LM/W</b> 30K/35K/40K White	4
<b>SDTL-6FT-25-50W-MCTP</b>	25W/40W/50W <b>105LM/W</b> 30K/35K/40K White	4
<b>SDTL-8FT-40-60W-MCTP</b>	40W/50W/60W <b>105LM/W</b> 30K/35K/40K White	4
<b>SDTL-4FT-20-30W-MCTP-BK</b>	20W/25W/30W <b>105LM/W</b> 30K/35K/40K Black	4
<b>SDTL-6FT-25-50W-MCTP-BK</b>	25W/40W/50W <b>105LM/W</b> 30K/35K/40K Black	4
<b>SDTL-8FT-40-60W-MCTP-BK</b>	40W/50W/60W <b>105LM/W</b> 30K/35K/40K Black	4



**POWER & CCT-ADJUSTABLE LED SUSPENDED FRAME FIXTURES, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SFL-4FT-60W-MCTP</b>	40W/50W/60W <b>7000LM</b> 30K/35K/40K White	4
<b>SFL-4FT-60W-MCTP-BK</b>	40W/50W/60W <b>7000LM</b> 30K/35K/40K Black	4
<b>SFL-4FT-60W-MCTP-GD</b>	40W/50W/60W <b>7000LM</b> 30K/35K/40K Gold	4



4Ft



SCLP-CB



SCLT-4FT

**LED PARABOLIC SUSPENDED DOWN LIGHT, 120~277V**

Aluminum Finish



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCLP-4FT-40W-50K-D	40W 4600LM 5000K <b>WHILE SUPPLIES LAST</b>	2
SCLP-4FT-40W-35K-D	40W 4600LM 3500K <b>WHILE SUPPLIES LAST</b>	2
SCLP-4FT-40W-MCT-D	40W 4600LM 3500K/4000K/5000K <b>MCT</b>	2
SCLT-4FT-40W-50K-D	40W 4600LM 5000K <b>WHILE SUPPLIES LAST</b>	2
SCLT-4FT-40W-40K-D	40W 4600LM 4000K <b>WHILE SUPPLIES LAST</b>	2
SCLT-4FT-40W-35K-D	40W 4600LM 3500K <b>WHILE SUPPLIES LAST</b>	2
SCLT-4FT-40W-MCT-D	40W 4600LM 3500K/4000K/5000K <b>MCT</b>	2
SCLP-CB	COUPLING BRACKET	-



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	UP LIGHT	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-AC2EXT	EXTERNAL	OPT-SLCP-ULK	UP LIGHT 20W, MCT	N/A	OPT-SLCP-SURF	SURFACE-MOUNT



SCLP-UD-CB


**LED PARABOLIC SUSPENDED PERH. BASKET & LOUVER UP/DOWN LIGHT, 120~277V**

White



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCLP-UD-4FT-60W-50K-D	40W/20W 4400LM/2100LM 5000K <b>WHILE SUPPLIES LAST</b>	1
SCLP-UD-4FT-60W-40K-D	40W/20W 4400LM/2100LM 4000K <b>WHILE SUPPLIES LAST</b>	1
SCLP-UD-4FT-60W-35K-D	40W/20W 4400LM/2100LM 3500K <b>WHILE SUPPLIES LAST</b>	1
SCLP-UD-4FT-60W-MCT-D	40W/20W 4400LM/2100LM 3500K/4000K/5000K <b>MCT</b>	1
SCLP-UD-CB	COUPLING BRACKET	-

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 108 TO 111, FOR FACTORY-INSTALLED OPTIONS SEE BELOW



4Ft



SCLL-CB

**LED LINEAR SUSPENDED PERFORATED BASKET LIGHT (UP/DOWN)**

White



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCLL-UD-4FT-60W-50K-D	40W/20W OR 60W 4400LM/2100LM 5000K	1
SCLL-UD-4FT-60W-40K-D	40W/20W OR 60W 4400LM/2100LM 4000K	1
SCLL-UD-4FT-60W-35K-D	40W/20W OR 60W 4400LM/2100LM 3500K	1
SCLL-CB	COUPLING BRACKET	-

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 108 TO 111, FOR FACTORY-INSTALLED OPTIONS SEE BELOW

COMMERCIAL  
SUSPENDED  
LIGHTS

4Ft



SCPP-DEC

LED SUSPENDED 2/3 LOUVER & PERF. CENTER BASKET LIGHT (UP/DOWN)



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCPP-UD-4FT-60W-50K-D	40W/20W OR 60W 4400LM/2100LM 5000K	1
SCPP-UD-4FT-60W-40K-D	40W/20W OR 60W 4400LM/2100LM 4000K	1
SCPP-UD-4FT-60W-35K-D	40W/20W OR 60W 4400LM/2100LM 3500K	1
SCPP-DEC	DECORATIVE END CAP FOR SCPP	-

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 108 TO 111, FOR FACTORY-INSTALLED OPTIONS SEE SCPL-UD BELOW  
COUPLING CLIPS INCLUDED

4Ft



SCPL-UD-CB

LED SUSPENDED 2/3 PERFORATED BASKETLIGHT (UP/DOWN)

White



CATALOG NO.	DESCRIPTION	PKG. QTY.
SCPL-UD-4FT-60W-50K-D	40W/20W OR 60W 4400LM/2100LM 5000K	1
SCPL-UD-4FT-60W-40K-D	40W/20W OR 60W 4400LM/2100LM 4000K	1
SCPL-UD-4FT-60W-35K-D	40W/20W OR 60W 4400LM/2100LM 3500K	1
SCPL-UD-CB	COUPLING BRACKET	-

SUSPENSION KIT & CABLE NOT INCLUDED SEE PAGES 108 TO 111, FOR FACTORY-INSTALLED OPTIONS SEE BELOW

COMMERCIAL  
SUSPENDED  
LIGHTS



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	UP/DOWN LIGHT	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
All	OPT-EM-SLIINT	INTERNAL	OPT-SCL-LMT-35K OPT-SCL-LMT-40K OPT-SCL-LMT-50K	UP/DOWN LIGHT MODULE	OPT-CLR-100 (BK/GR/SR/WH)	OPT-SEN-2US INTERNAL FOR ALL MODELS BI-LEVEL DIMMING (REMOTE NOT NEEDED) WEC-3RC	ULTRASONIC  REMOTE CONTROL

4Ft



LED SUSPENDED UP/DOWN CLEAR PANEL LIGHT, 120-277V (SUSPENSION & CORD NOT INCL.)



CATALOG NO.	DESCRIPTION	PKG. QTY.
SPL-4FT-40W-50K-D	40W 2100LM/2100LM 5000K <b>WHILE SUPPLIES LAST</b>	2
SPL-4FT-40W-40K-D	40W 2100LM/2100LM 4000K <b>WHILE SUPPLIES LAST</b>	2
SPL-4FT-40W-35K-D	40W 2100LM/2100LM 3500K <b>WHILE SUPPLIES LAST</b>	2
SPL-4FT-40W-MCT-D	40W 2100LM/2100LM 3500K/4000K/5000K <b>MCT</b>	2

SEE PAGES 108 TO 111 FOR SUSPENSION & CORD



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-SPL	EXTERNAL	N/A	N/A	N/A	N/A	N/A



**LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT,**  
(WITH UP LIGHT OPTION, SEE FACTORY-INSTALLED OPTIONS BELOW)



COMMERCIAL  
SUSPENDED  
LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT, 24" DIA, 6FT HEIGHT</b>		
<b>SCR-24D-50K-D</b>	50W 5267LM 5000K <b>WHILE SUPPLIES LAST</b>	1
<b>SCR-24D-40K-D</b>	50W 5197LM 4000K <b>WHILE SUPPLIES LAST</b>	1
<b>MCTP SCR-24D-MCTP-D</b>	30W/40W/50W 60LM/W 3000K/3500K/4000K	1
<b>SCR-24D-MCTP-SMB</b>	Surface Mounting Bracket For SCR-24D-MCTP-D	
<b>LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT, 32" DIA,</b>		
<b>MCTP SCR-32D-MCTP-D</b>	40W/60W/80W 110LM/W 30K/35K/40K	1
<b>LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT, 48" DIA,</b>		
<b>MCTP SCR-48D-MCTP-D</b>	60W/80W/100W 110LM/W 30K/35K/40K	1



**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	UPLIGHT OPTION	DESCRIPTION	EM OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-SCR-ULK</b>	120V Installation Only	<b>N/A</b>	N/A	<b>N/A</b>	<b>OPT-SEN-2MDR-36</b> <b>WEC-3RC</b>	PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL



**LED SUSPENDED UP/DOWN CLEAR ROUND PANEL LIGHT, 22" DIA., 6FT HEIGHT**




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SRPL-40W-35K-D</b>	40W 2100LM/2100LM 3500K <b>WHILE SUPPLIES LAST</b>	1
<b>SRPL-40W-40K-D</b>	40W 2100LM/2100LM 4000K <b>WHILE SUPPLIES LAST</b>	1
<b>SRPL-40W-50K-D</b>	40W 2100LM/2100LM 5000K <b>WHILE SUPPLIES LAST</b>	1
<b>SRPL-40W-MCT-D</b>	40W 2100LM/2100LM 3500K/4000K/5000K <b>MCTP</b>	1



**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-SRPL</b>	INTERNAL	<b>N/A</b>	N/A	<b>N/A</b>	<b>OPT-SEN-2MDR-36</b> <b>WEC-3RC</b>	PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL



**POB-UD-4FT-60W-40K-D**



**POB-F-3FT-40W**



**POB-HB-3FT-50W**




**POB-VB-3FT-56W**

**PATIENT OVERBED HEALTHCARE LIGHT WITH PULL CHAIN AND INDICATOR LIGHT**

FOR FACTORY-INSTALLED EM OPTIONS SEE PAGE 98



CATALOG NO.	DESCRIPTION	<b>ARRIVES THIS SEASON CHECK &amp; PRE-ORDER</b>	PKG. QTY.
<b>POB-UD-4FT-60W-40K-D</b>	20W UP 40W DOWN <b>6900LM</b> 4000K		4
<b>POB-F-3FT-40W</b>	20W UP 20W DOWN <b>4000LM</b> 27K/30K/40K		4
<b>POB-HB-3FT-50W</b>	25W UP 25W DOWN <b>5000LM</b> 27K/30K/40K		4
<b>POB-VB-3FT-56W</b>	20W UP 36W DOWN <b>5600LM</b> 27K/30K/40K		4



**LED LOUVER WALL LIGHTS (UP/DOWN)** FOR FACTORY-INSTALLED EM OPTIONS SEE PAGE 98



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WCLP-UD-2FT-25W-MCT-D</b>	25W <b>2750LM</b> 3000K/4000K/5000K 2FT	1
<b>WCLP-UD-4FT-50W-MCT-D</b>	50W <b>5500LM</b> 3000K/4000K/5000K 4FT	1




**LED PERFORATED WALL LIGHTS (UP/DOWN)** FOR FACTORY-INSTALLED EM OPTIONS SEE PAGE 98



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WCPL-UD-2FT-25W-MCT-D</b>	25W <b>2750LM</b> 3000K/4000K/5000K 2FT	1
<b>WCPL-UD-4FT-50W-MCT-D</b>	50W <b>5500LM</b> 3000K/4000K/5000K 4FT	1





2ft



4ft



8ft




LSS-CB2  
LSS-CB2-BK




SCL-CSY1-6FT




SCL-CSY1P-6FT



SCL-CSY1P-6FT-NC



SCL-GSY10



SCL-GSY20

**SPEC SERIES HIGH-LUMEN CCT & POWER ADJUSTABLE LINEAR STRIP**



CATALOG NO.	DESCRIPTION	PKG. QTY.
LSS-2FT-25W-MCTP	15W/17W/20W/25W 130LM/W 35K/40K/50K	6
LSS-4FT-34W-MCTP	24W/27W/30W/34W 130LM/W 35K/40K/50K	6
LSS-4FT-46W-MCTP	29W/34W/39W/46W 130LM/W 35K/40K/50K	6
LSS-8FT-65W-MCT	65W 8800LM 35K/40K/50K	6
LSS-8FT-90W-MCTP	85W/75W/65W/55W 130LM/W 35K/40K/50K	6
LSS-2FT-25W-MCTP-BK	15W/17W/20W/25W 130LM/W 35K/40K/50K Black	6
LSS-4FT-46W-MCTP-BK	29W/34W/39W/46W 130LM/W 35K/40K/50K Black	6
LSS-8FT-90W-MCTP-BK	85W/75W/65W/55W 130LM/W 35K/40K/50K Black	6
LSS-CB2	Alignment Bracket	MCTP
LSS-CB2-BK	Alignment Bracket, Black Finish	MCTP
SCL-CSY1-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Non Power Side	
SCL-CSY1P-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Power Side With 5ftw18/5 White Cord	
SCL-CSY1P-6FT-NC	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connector	
SCL-GSY10	Adjustable 10 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	
SCL-GSY20	Adjustable 20 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	



**SCL-TBTC-WN** T-Bar Track Clip With Washer And Wing Nut

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2FT & 3FT	OPT-EM-LSS-23	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE	N/A	OPT-SEN-2US	ULTRASONIC
4FT	OPT-EM-LSS-4	INTERNAL	OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE		INTERNAL FOR	BI-LEVEL DIMMING
8FT	OPT-EM-LSS-8	INTERNAL	OPT-HBC-125SB-WH	10FT, 15A, 125V, 18/3STR, WHT		ALL MODELS	
	FLEX WHIP	DESCRIPTION				WEC-3RC	(REMOTE NOT NEEDED)
	OPT-FWH-63	6FT 3-Wire Whip				OPT-2P-58	OPTIONAL RC
	OPT-FWH-65	6FT 5-Wire Whip					PIR SENSOR (Not remote capable)



**BUILDER SERIES NARROW STRIP, 120-277VAC**



COMMERCIAL  
STRIP  
LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
-------------	-------------	-----------

**NARROW STRIP, 120-277VAC**

LSN-2FT-20W-MCT-D	20W 2600LM 3500K/4000K/5000K	8
LSN-4FT-32W-35K-D	32W 4160LM 3500K	8
LSN-4FT-32W-40K-D	32W 4160LM 4000K	8
LSN-4FT-32W-50K-D	32W 4160LM 5000K	8
LSN-4FT-40W-35K-D	40W 5200LM 3500K	8
LSN-4FT-40W-40K-D	40W 5200LM 4000K	8
LSN-4FT-40W-50K-D	40W 5200LM 5000K	8
LSN-4FT-40W-MCTP-D	25W/30W/40W 130LM/W 3500K/4000K/5000K	8
LSN-8FT-64W-40K-D	64W 8320LM 4000K	4
LSN-8FT-64W-50K-D	64W 8320LM 5000K	4
LSN-8FT-50W-MCTP-D	30W/40W/50W 130LM/W 3500K/4000K/5000K	4
LSN-8FT-80W-MCTP-D	50W/64W/80W 130LM/W 3500K/4000K/5000K	4

**NARROW STRIP WITH SENSOR (SENSOR CAN BE DISCONNECTED), 120-277VAC**

LSN-2FT-20W-MCT-D-SEN	20W 2600LM 3500K/4000K/5000K	8
LSN-4FT-40W-MCTP-D-SEN	25W/30W/40W 130LM/W 3500K/4000K/5000K	8
LSN-8FT-80W-MCTP-D-SEN	50W/64W/80W 130LM/W 3500K/4000K/5000K	4

**NARROW STRIP WITH SENSOR (SENSOR CAN BE DISCONNECTED) & EMERGENCY BACKUP, 120-277VAC**

LSN-2FT-20W-MCT-D-EM-SEN	20W 2600LM 3500K/4000K/5000K	8
LSN-4FT-40W-MCTP-D-EM-SEN	25W/30W/40W 130LM/W 3500K/4000K/5000K	8
LSN-8FT-80W-MCTP-D-EM-SEN	50W/64W/80W 130LM/W 3000K/4000K/5000K	4

LSN-CB

Coupling Bracket for LSN Series

LSN-2FT-WG

Wire Guard Kit For 2ft LSN Strip Light

LSN-4FT-WG

Wire Guard Kit For 4ft OR Set of 2 For 8 ft LSN Strip Light

SCL-TBTC-WN

T-Bar Track Clip With Washer And Wing Nut

WEC-3RC

Remote Control For Motion Sensors ( For Sensor Fixtures )

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2FT & 3FT	OPT-EM-LSN-23	INTERNAL	OPT-HBC-125TL-WH	8FT, 15A, 125V, WHITE	N/A	OPT-SEN-2US	ULTRASONIC
4FT	OPT-EM-LSN-4	INTERNAL	OPT-HBC-277TL-WH	8FT, 15A, 277V, WHITE		INTERNAL FOR	BI-LEVEL DIMMING
8FT	OPT-EM-LSN-8	INTERNAL	OPT-HBC-125SB-WH	10FT, 15A, 125V, 18/3STR, WHT		ALL MODELS	
	FLEX WHIP	DESCRIPTION				WEC-3RC	(REMOTE NOT NEEDED)
	OPT-FWH-63	6FT 3-Wire Whip				OPT-2P-58	OPTIONAL RC
	OPT-FWH-65	6FT 5-Wire Whip					PIR SENSOR (Not remote capable)



COMMERCIAL STRIP LIGHTS

**SPEC SERIES LED STRIP LIGHT, 120-277V, (FOR SENSOR MODELS: SENSOR CAN BE DISCONNECTED)**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>2 Ft</b> LSL-2FT-20W-35K-D	20W 2100LM 3500K 2FT	1
<b>2 Ft</b> LSL-2FT-20W-40K-D	20W 2100LM 4000K 2FT	1
<b>2 Ft</b> LSL-2FT-20W-50K-D	20W 2100LM 5000K 2FT	1
LSL-2FT-20W-MCT-D	20W 2270LM 35K/40K/50K 2FT	1
LSL-3FT-30W-MCT-D	30W 3150LM 35K/40K/50K 3FT	1
<b>4 Ft</b> LSL-4FT-40W-35K-D	40W 4200LM 3500K 4FT	1
LSL-4FT-40W-40K-D	40W 4200LM 4000K 4FT	1
LSL-4FT-40W-50K-D	40W 4200LM 5000K 4FT	1
<b>6 Ft</b> LSL-4FT-40W-MCT-D	40W 4200LM 35K/40K/50K 4FT	1
LSL-6FT-60W-MCT-D	60W 7300LM 35K/40K/50K 6FT	1
<b>8 Ft</b> LSL-8FT-80W-40K-D-A	80W 8400LM 4000K 8FT Split Version, Req. 5min Assembly	1
LSL-8FT-80W-50K-D-A	80W 8400LM 5000K 8FT Split Version, Req. 5min Assembly	1
LSL-8FT-80W-40K-D	80W 8400LM 4000K 8FT	1
LSL-8FT-80W-50K-D	80W 8400LM 5000K 8FT	1
<b>8 Ft</b> LSL-8FT-80W-MCT-D	80W 8400LM 35K/40K/50K 8FT	1
LSL-8FT-84W-40K-D-HL	84W 11000LM 4000K 8FT High-Lumen	1
LSL-8FT-84W-50K-D-HL	84W 11000LM 5000K 8FT High-Lumen	1
LSL-8FT-84W-MCT-D-HL	84W 11000LM 35K/40K/50K 8FT High-Lumen	1
<b>QUICK SHIP</b> LSL-2FT-20W-MCT-D-SEN	20W 2100LM 35K/40K/50K 2FT With Sensor	1
<b>QUICK SHIP</b> LSL-4FT-40W-MCT-D-SEN	40W 4200LM 35K/40K/50K 4FT With Sensor	1
<b>QUICK SHIP</b> LSL-8FT-80W-MCT-D-SEN	80W 8400LM 35K/40K/50K 8FT With Sensor	1
<b>QUICK SHIP</b> LSL-2FT-20W-MCT-D-EM-SEN	20W 2100LM 35K/40K/50K 2FT With Sensor & EM	1
<b>QUICK SHIP</b> LSL-4FT-40W-MCT-D-EM-SEN	40W 4200LM 35K/40K/50K 4FT With Sensor & EM	1
<b>QUICK SHIP</b> LSL-8FT-80W-MCT-D-EM-SEN	80W 8400LM 35K/40K/50K 8FT With Sensor & EM	1
LSL-2FT-WG	Wire Guard Kit For 2Ft. Strip Light	
LSL-4FT-WG	Wire Guard Kit For 4Ft. Strip Light	
LSL-4FT-WK	Shop Wings For 4Ft. Strip Light, Use 2 Kits For Lsl-8Ft	
SCL-TBTC-WN	T-Bar Track Clip With Washer And Wing Nut	
LSL-CB	Alignment Bracket	
SCL-CSY1-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Non Power Side	
SCL-CSY1P-6FT	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connectors, Power Side With SjtW18/5 White Cord	
SCL-CSY1P-6FT-NC	Adj. 6Ft 1/16In, 1.5mm Single Suspension 5In Canopy Set With Y Double Keyhole End Connector	
SCL-GSY10	Adjustable 10 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	
SCL-GSY20	Adjustable 20 Ft. 1/16", 1.5mm Suspension Kit With Y-Connector & Loop Grip & Hooks(2)	
WEC-3RC	Remote Control For Motion Sensors ( For Sensor Fixtures )	

FOR FACTORY-INSTALLED OPTIONS SEE NEXT PAGE

(SAME FOOTPRINT AS STANDARD 4' 2L FLUOR. STRIPS)



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
2FT & 3FT	<b>OPT-EM-LSL-23</b>	INTERNAL	<b>OPT-HBC-125TL-WH</b>	8FT, 15A, 125V, WHITE	N/A	<b>OPT-SEN-2US</b>	ULTRASONIC
4FT	<b>OPT-EM-LSL-4</b>	INTERNAL	<b>OPT-HBC-277TL-WH</b>	8FT, 15A, 277V, WHITE		<b>INTERNAL FOR ALL MODELS</b>	BI-LEVEL DIMMING
8FT	<b>OPT-EM-LSL-8</b>	INTERNAL	<b>OPT-HBC-125SB-WH</b>	10FT, 15A, 125V, 18/3STR, WHT		<b>WEC-3RC</b>	(REMOTE NOT NEEDED)
	<b>OPT-FWH-63</b>	6FT 3-Wire Whip				<b>OPT-2P-58</b>	OPTIONAL RC PIR SENSOR (Not remote capable)
	<b>OPT-FWH-65</b>	6FT 5-Wire Whip					

2Ft



4Ft



Add EM and/or Sensor Options to use as Stairwell Fixtures



## 2FT & 4FT ADJUSTABLE LINEAR CORNER CORRIDOR

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LCL-2FT-20W-MCTP</b>	10W/15W/20W <b>115LM/W</b> 3500K/4000K/5000K	6
<b>LCL-4FT-40W-MCTP</b>	20W/30W/40W <b>115LM/W</b> 3500K/4000K/5000K	6



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PLUG IN CORD	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LCL</b>	INTERNAL	<b>OPT-HBC-125TL-WH</b>	8FT, 15A, 125V, WHITE	N/A	<b>OPT-SEN-2US</b>	ULTRASONIC
			<b>OPT-HBC-277TL-WH</b>	8FT, 15A, 277V, WHITE		<b>INTERNAL FOR ALL MODELS</b>	BI-LEVEL DIMMING
			<b>OPT-HBC-125SB-WH</b>	10FT, 15A, 125V, 18/3STR, WHT		<b>WEC-3RC</b>	(REMOTE NOT NEEDED)
						<b>OPT-2P-58</b>	OPTIONAL RC

## LED 4FT. 2-LAMP STRIP RETROFIT KIT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SLR-4FT-40W-50K-D</b>	40W <b>4400LM</b> 5000K 4FT.	12

4Ft



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-SLR</b>	INTERNAL	N/A	N/A	N/A	<b>OPT-SEN-2MDR-36</b>	PROGRAMMABLE MICROWAVE BI-LEVEL
						<b>WEC-3RC</b>	REMOTE CONTROL

4Ft



8Ft



## 4FT. & 8FT. LED-READY STRIP LIGHTS - DIRECT AC INPUT 120-277V FOR TYPE B (AC) T8 (CAN ALSO BE USED AS 4FT 1L OR 8FT 2L) WITHOUT LAMP



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LRS-4FT-2L-6PK</b>	<b>4FT</b> 2 LAMPS (Not Included)	6
<b>LRS-8FT-4L-6PK</b>	<b>8FT</b> 4 LAMPS (Not Included)	6





**LRSL SERIES WITH CLEAR OR FROSTED LED T8 LAMPS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
LRSL-4FT-2L-6PK-40K-C	18W <b>2200LM</b> 4000K per lamp 4FT 2 LAMPS (Inc)	6
LRSL-8FT-T4L-6PK-40K-C	18W <b>2200LM</b> 4000K per lamp 8FT 4 LAMPS (Inc)	6
LRSL-4FT-2L-6PK-50K-C	18W <b>2200LM</b> 5000K per lamp 4FT 2 LAMPS (Inc)	6
LRSL-8FT-T4L-6PK-50K-C	18W <b>2200LM</b> 5000K per lamp 8FT 4 LAMPS (Inc)	6
LRSL-4FT-2L-6PK-40K-F	18W <b>2200LM</b> 4000K per lamp 4FT 2 LAMPS (Inc)	6
LRSL-8FT-T4L-6PK-40K-F	18W <b>2200LM</b> 4000K per lamp 8FT 4 LAMPS (Inc)	6
LRSL-4FT-2L-6PK-50K-F	18W <b>2200LM</b> 5000K per lamp 4FT 2 LAMPS (Inc)	6
LRSL-8FT-T4L-6PK-50K-F	18W <b>2200LM</b> 5000K per lamp 8FT 4 LAMPS (Inc)	6

**LED SHOP LIGHT, 120V WITH PLUG-IN CORD**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4Ft</b> LSP-4FT-40W-40K	40W <b>4400LM</b> 4000K WITH ADJUSTABLE SUSPENSION CABLE	4

**LED STANDARD WRAP-AROUND FIXTURE, 120-277V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4Ft</b> WAS-4FT-42W-35K-D	42W <b>4400LM</b> 3500K 4FT	1
WAS-4FT-42W-40K-D	42W <b>4400LM</b> 4000K 4FT	1
WAS-4FT-42W-50K-D	42W <b>4400LM</b> 5000K 4FT	1
WAS-4FT-MCTP	22W/30W/38W <b>130LM/W</b> 30/40/50K 4FT	1

FOR FACTORY-INSTALLED OPTIONS SEE WA BELOW

**2Ft**



**4Ft**



**SPEC SERIES LED ARCHITECTURAL WRAP-AROUND LIGHT**

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SPEC SERIES LED ARCHITECTURAL WRAP-AROUND LIGHT</b>		
WA-2FT-25W-35K-D	25W <b>WHILE SUPPLIES LAST</b> 2750LM 3500K 2FTx8.2"	5
WA-2FT-25W-50K-D	25W <b>WHILE SUPPLIES LAST</b> 2750LM 5000K 2FTx8.2"	5
WA-2FT-25W-MCT-D	25W <b>WHILE SUPPLIES LAST</b> 2800LM 35K/40K/50K <b>MCTB</b> 2FTx8.2"	
<b>SPEC SERIES CCT ADJUSTABLE LED ARCHITECTURAL WRAP-AROUND LIGHT <b>MCTB</b></b>		
WA-4FT-30W-MCT-D	30W <b>WHILE SUPPLIES LAST</b> 3200LM 3500K/4000K/5000K 4FTx8.2"	
<b>SPEC SERIES POWER &amp; CCT ADJUSTABLE LED ARCHITECTURAL WRAP-AROUND LIGHT <b>MCTP</b></b>		
WA-2FT-10-20W-MCTP	10W/15W/20W <b>110LM/W</b> 35K/40K/50K 4FTx8.2"	
WA-4FT-20-40W-MCTP	20W/30W/40W <b>110LM/W</b> 35K/40K/50K 4FTx8.2"	

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-WA	INTERNAL	N/A	N/A	N/A	OPT-2P-58 OPT-SEN-2MDR-36 WEC-3RC	PIR SENSOR (Not remote capable) PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL

COMMERCIAL  
STRIP & WRAP  
AROUND



2 Ft



4 Ft

**BUILDER SERIES LED ECONOMY WRAP-AROUND FIXTURES**

MCTP\*: MULTI COLOR TEMPERATURE & MULTI POWER



	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>LED ECONOMY WRAP-AROUND FIXTURES, 0-10V DIMMING</b>		
	WAE-4FT-30K-D	40W 3000K	6
4 Ft	WAE-4FT-40K-D	40W 4000K	6
	WAE-4FT-50K-D	40W 5000K	6
	<b>CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES, 0-10V &amp; TRIAC DIMMING</b>		
2 Ft	WAE-2FT-MCT-DD	20W 3000K/4000K/5000K 120-277V	6
4 Ft	WAE-4FT-MCT-DD	40W 3000K/4000K/5000K 120-277V	6
	<b>POWER &amp; CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURE</b>		
4 Ft	WAE-4FT-40-65W-MCTP-DD	40W/50W/65W 30K/40K/50K	
4 Ft	<b>POWER &amp; CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURE WITH REMOTE CONTROL</b>		
	WAE-4FT-MCTP	40W Max. 2700K-5000K Remote Control incl.	6
	<b>CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES WITH SENSOR (SENSOR CAN BE DISCONNECTED), 0-10V &amp; TRIAC DIMMING</b>		
	WAE-2FT-MCT-DD-SEN	20W 3000K/4000K/5000K	
	WAE-4FT-MCT-DD-SEN	40W 3000K/4000K/5000K	
	WEC-3RC	Remote Control For Motion Sensors ( For Sensor Fixtures )	
	<b>CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES WITH SENSOR (SENSOR CAN BE DISCONNECTED) &amp; EMERGENCY BACKUP, 0-10V &amp; TRIAC DIMMING</b>		
	WAE-2FT-MCT-DD-EM-SEN	20W 3000K/4000K/5000K	
	WAE-4FT-MCT-DD-EM-SEN	40W 3000K/4000K/5000K	
	WEC-3RC	Remote Control For Motion Sensors ( For Sensor Fixtures )	
2 Ft	<b>CCT ADJUSTABLE LED ECONOMY WRAP-AROUND FIXTURES, TRIAC DIMMING</b>		
	WAE-2FT-MCT-DT	20W 3000K/4000K/5000K	6

COMMERCIAL  
WRAP AROUND



**LINEAR PUFF FIXTURE, SELECTABLE POWER & CCT, DUAL DIMMING TRIAC & 0-10V**



CATALOG NO.	DESCRIPTION
LPF-2FT-MCT-DD	25W 2250LM 30K/40K/50K 2FT
LPF-4FT-MCT-DD	40W 3600LM 30K/40K/50K 4FT

# GRIP & SUSPENSION ACCESSORIES



**SCL-CSK-6FT**

ADJ. 6FT 1/16in SUSPENSION CANOPY COMPLETE KIT FOR BOTH SIDES WITH KEYHOLE END CONNECTORS



**SCL-CS1-6FT**

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



**SCL-CS1P-6FT**

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD



**SCL-CS1P-6FT-NC**

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITHOUT CORD

**COMPATIBLE SERIES**

- SCX (SINGLE KEYHOLE)  
LSL, LSS ("Y" END & HOOK OR "Y" END & TOGGLE)  
SCLP, SCPL-UD, SCLL, SCPP ("Y" END & KEYHOLE)
- 2FT, 3FT, 4FT FIXTURES NEED 2 SUSPENSION CABLES (2 ON ENDS)
  - 6FT & 8FT FIXTURES NEED 3 SUSPENSION CABLES (1 IN CENTER, 2 ON ENDS)



**SCL-CS1-6FT-BK**

BLACK ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



**SCL-CS1P-6FT-BK**

BLACK ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 BLACK CORD



**SCL-CS1P-6FT-NC-BK**

BLACK ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITHOUT CORD



**SCL-CS1-12FT**

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



**SCL-CS1P-12FT-NC**

ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITHOUT CORD




**SCL-CS1P-12FT-NC-BK**

BLACK ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR



**SCL-CS1-12FT-BK**

BLACK ADJ. 12FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



**SCL-CSQ1-6FT**

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



**SCL-CSQ1P-6FT-NC**

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD



**SCL-CSQ1-12FT**

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



**SCL-CSQ1P-12FT-NC**

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD



**SCL-CSQ1-6FT-BK**

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK



**SCL-CSQ1P-6FT-NC-BK**

ADJ. 6FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD, BLACK



**SCL-CSQ1-12FT-BK**

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK



**SCL-CSQ1P-12FT-NC-BK**

ADJ. 12FT 1/16in, 1.5mm SINGLE SQUARE SUSPENSION 5in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE, WITHOUT CORD, BLACK



**SCL-CS1M-6FT**

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE



**SCL-CS1MP-6FT**

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD



**SCL-CS1M-6FT-BK**

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in CANOPY SET WITH KEYHOLE END CONNECTOR, NON-POWER SIDE, BLACK



**SCL-CS1MP-6FT-BK**

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 2in CANOPY SET WITH KEYHOLE END CONNECTOR, POWER SIDE WITH SJTW18/5 WHITE CORD, BLACK



OPT-SCL-XLENGTH

LABOR CHARGE FOR CUSTOM CABLE LENGTH, SPECIFY DESIRED LENGTH IN PO. MUST PURCHASE SUFFICIENT ROLLS OF AIRCRAFT CABLE SEE PAGE 110

COMMERCIAL  
SUSPENSION  
ACCESSORIES

# GRIP & SUSPENSION ACCESSORIES



**SCL-CSY1-6FT**

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS, NON-POWER SIDE



**SCL-CSY1P-6FT**

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS, POWER SIDE WITH SJTW18/5 WHITE CORD




**SCL-CSY1P-6FT-NC**

ADJ. 6FT 1/16in, 1.5mm SINGLE SUSPENSION 5in CANOPY SET WITH Y DOUBLE KEYHOLE END CONNECTORS



**SCL-3CS10**

ADJ. 10FT 1/16in, 1.5mm TRIPLE-CABLE SUSPENSION 5in CANOPY KIT WITH KEYHOLE END & CONNECTORS, CABLE BUSHING, 9" DIA., NO CORD INCL.



**SCL-GTY10**

ADJUSTABLE 1/16" 10 FT., 1.5mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)



**SCL-GTY20**

ADJUSTABLE 1/16" 20 FT., 1.5mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)



**SCL-GTY210**

**HEAVY-DUTY** ADJUSTABLE 5/64" 10 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)




**SCL-GTY220**

**HEAVY-DUTY** ADJUSTABLE 5/64" 20 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & TOGGLE ENDS(2)



**SCL-GSY10**

ADJUSTABLE 10 FT. 1/16", 1.5mm SUSPENSION KIT WITH Y-CONNECTOR & LOOP GRIP & HOOKS(2)




**SCL-GSY20**

ADJUSTABLE 20 FT. 1/16", 1.5mm SUSPENSION KIT WITH Y-CONNECTOR & LOOP GRIP & HOOKS(2)



**SCL-GSY210**

ADJ. 10FT 1/16IN, 1.5mm SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP (ORDER 3 FOR 8FT.)(1)




**SCL-GSY220**

ADJ. 20FT 1/16IN, 1.5mm SINGLE SUSPENSION CABLE WITH Y HOOK ENDS, LOOP GRIPPER ON TOP (ORDER 3 FOR 8FT.)(1)



**SCL-GS10**

ADJ. 10FT 1/16IN, 1.5mm DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP(2)



**SCL-GS20**

ADJ. 20FT 1/16IN, 1.5mm DOUBLE SUSPENSION CABLE WITH SINGLE KEYHOLE CONN., LOOP GRIPPER ON TOP(2)



**SCL-GS210**

**HEAVY-DUTY** ADJUSTABLE 5/64" 10 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & HOOK(1)



**SCL-GS220**

**HEAVY-DUTY** ADJUSTABLE 5/64" 20 FT., 2mm SUSPENSION KIT WITH LOOP GRIPPER & HOOK(1)



**CMC-SRK-218-5C-WH**

Universal Swivel W/ Rod Kit, 18 Or 26 Inches, 5-Wire, White



**CMC-SRK-218-5C-BK**

Universal Swivel W/ Rod Kit, 18 Or 26 Inches, 5-Wire, Black



**CMC-SRK-224-5C-WH**

Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White



**CMC-SRK-224-5C-BK**

Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black



**SCL-CSR-12FT**

Adj. 12Ft Rectangular Canopy With Two Aircraft Cables For Linear Fixtures Up To 6Ft Long



**SCL-CSR-12FT-BK**

Adj. 12Ft Rectangular Canopy With Two Aircraft Cables For Linear Fixtures Up To 6Ft Long, Black



**SCL-WRCL-14**

1/4in GALVANIZED MALLEABLE IRON WIRE ROPE CLIP



**SCL-TBJJ-14-4**

1/4 X 4 INCH JAW TO JAW TURN-BUCKLE GALVANIZED STEEL



**SCL-WRCL-DUPLEX**

5/32in 4mm DUPLEX 2-POST WIRE ROPE CLIP CABLE CLAMP



**SCL-PEP-M8**

PAD EYE PLATE STAPLE HOOK, SIZE M8, 2in X 1.5in STAINLESS



**SCL-ASC-4MM-250FT**

5/32in 4mm DIA. EXTRA DUTY GALVANIZED AIRCRAFT CABLE / WIRE ROPE 250FT ROLL



**SCL-WRTH-14**

1/4in GALVANIZED WIRE ROPE THIMBLE



## GRIP & SUSPENSION ACCESSORIES



SCL-6FT-SJTW18/5

WHITE 6 FT. CORD, SJTW 18 AWG  
5-CONDUCT ( WH/BK/GN/PU/GY)



SCL-6FT-SJTW18/6

WHITE 6 FT. CORD, SJTW 18 AWG  
6-CONDUCT ( WH/BK/GN/PU/GY + RED  
FOR EMERGENCY)



SCL-6FT-SJTW18/5-BK

BLACK 12 FT. CORD, SJTW 18 AWG  
5-CONDUCT ( WH/BK/GN/PU/GY)



SCL-6FT-SJTW18/6-BK

BLACK 12 FT. CORD, SJTW 18 AWG  
6-CONDUCT ( WH/BK/GN/PU/GY +  
RED FOR EMERGENCY)



SCL-12FT-SJTW18/5

WHITE 12 FT. CORD, SJTW 18 AWG  
5-CONDUCT ( WH/BK/GN/PU/GY)



SCL-12FT-SJTW18/6

WHITE 12 FT. CORD, SJTW 18 AWG  
6-CONDUCT ( WH/BK/GN/PU/GY +  
RED FOR EMERGENCY)



SCL-12FT-SJTW18/5-BK

BLACK 12 FT. CORD, SJTW 18 AWG  
5-CONDUCT ( WH/BK/GN/PU/GY)



SCL-12FT-SJTW18/6-BK

BLACK 12 FT. CORD, SJTW 18 AWG  
6-CONDUCT ( WH/BK/GN/PU/GY +  
RED FOR EMERGENCY)



SCL-100FT-SJTW18/5

WHITE 100 FT. CORD, SJTW 18 AWG  
5-CONDUCT ( WH/BK/GN/PU/GY)



SCL-100FT-SJTW18/6

WHITE 100 FT. CORD, SJTW 18 AWG  
6-CONDUCT ( WH/BK/GN/PU/GY +  
RED FOR EMERGENCY)



SCL-100FT-SJTW18/5-BK

BLACK 100 FT. CORD, SJTW 18 AWG  
5-CONDUCT ( WH/BK/GN/PU/GY)



SCL-100FT-SJTW18/6-BK

BLACK 100 FT. CORD, SJTW 18 AWG  
6-CONDUCT ( WH/BK/GN/PU/GY +  
RED FOR EMERGENCY)



SCL-6FT-AWM18/5-CLR

6FT CORD, SJTW 18 AWM  
5-CONDUCTOR, CLEAR



SCL-12FT-AWM18/5-CLR

12FT CORD, SJTW 18 AWM  
5-CONDUCTOR, CLEAR



SCL-100FT-AWM18/5-CLR

100FT CORD, SJTW 18 AWM  
5-CONDUCTOR, CLEAR



SCL-ASC-50FT

1/16IN 50FT ROLL STEEL AIRCRAFT  
SUSPENSION CABLE



SCL-ASC-100FT

1/16IN 100FT ROLL STEEL AIRCRAFT  
SUSPENSION CABLE



SCL-ASC-500FT

1/16" 500 FT. STEEL AIRCRAFT SUS-  
PENSION CABLE



SCL-ASC-1000FT

1/16" 1000 FT. STEEL AIRCRAFT  
SUSPENSION CABLE



FWH-6FT-16/3

6FT 16AWG 3-WIRE FLEX FIXTURE  
WHIP, STR. & 90D 1/2" CONN.



FWH-6FT-16/5

6FT 16AWG 5-WIRE FLEX FIXTURE  
WHIP, STR. & 90D 1/2" CONN.



FWH-6FT-16/6

6FT 16AWG 6-WIRE FLEX FIXTURE  
WHIP, STR. & 90D 1/2" CONN.



SCL-LCB-BK

LOCKING 3/8": DIA. CABLE BUSHING  
FOR CANOPY SETS, BLACK



SCL-LCB

LOCKING 3/8": DIA. CABLE BUSHING  
FOR CANOPY SETS

COMMERCIAL  
SUSPENSION  
ACCESSORIES

## GRIP & SUSPENSION ACCESSORIES



**FML-SK6**

6FT ADJUSTABLE SUSPENSION KIT, 2-WIRE CLEAR CABLE INCL.



**LFCF-SK10-BR**

10FT 4-LINE CANOPY SUSPENSION KIT FOR DECORATIVE LIGHTS, 2-WIRE CLEAR CABLE INCL., BRONZE



**LFCF-SK10-BN**

10FT 4-LINE CANOPY SUSPENSION KIT FOR DECORATIVE LIGHTS, 2-WIRE CLEAR CABLE INCL., BRUSHED NICKEL



**SCL-4CS10**

ADJ. 10FT 1/16in QUAD CABLE SUSP. CANOPY KIT, KEYHOLE CONNECTORS (NO CORD INCL.)



**SCL-ABCQ2K**

2in SQUARE NON-POWERFEED SIDE CANOPY CONVERSION KIT



**SCL-ABCQ2K-BK**

2in SQUARE NON-POWERFEED SIDE CANOPY CONVERSION KIT - BLACK



**SCL-ABC2K**

2IN NON-POWERFEED SIDE CANOPY CONVERSION KIT



**SCL-ABC2K-BK**

2IN NON-POWERFEED SIDE CANOPY CONVERSION KIT - BLACK



**SCL-ABCH**

5IN AUXILIARY BLANK CANOPY WITH CORD GRIP



**SCL-ABC**

5IN AUXILIARY BLANK CANOPY FOR SUSPENSION CABLES



**SCL-ABCH-BK**

5IN AUXILIARY BLANK CANOPY WITH CORD GRIP - BLACK



**SCL-ABC-BK**

5IN AUXILIARY BLANK CANOPY FOR SUSPENSION CABLES - BLACK



**SCL-ABCQ**

AUXILIARY SQUARE BLANK CANOPY FOR SUSPENSION CABLES



**SCL-ABCQH**

AUXILIARY SQUARE BLANK CANOPY FOR SUSPENSION CABLES WITH CABLE HOLE AND CORD GRIP



**SCL-ACSE**

AIRCRAFT CABLE STOPPER END



**SCL-AH**

HEAVY-DUTY AUXILIARY HOOK FOR UP TO 1/16" AIRCRAFT CABLES



**SCL-TG1420**

AUXILIARY TOP GRIPPER SIDE EXIT WITH 1/4-20 THREAD FOR 1/16in AIRCRAFT CABLE



**SCL-AYC**

AUXILIARY Y CONNECTOR FOR AIRCRAFT SUSPENSION CABLE, 1/16"



**SCL-AKHC**

AUXILIARY KEYHOLE CONNECTOR FOR AIRCRAFT SUSPENSION CABLE, 1/16"



**SCL-CTB**

CANOPY SET TOP BRACKET FOR MOUNTING ON JUNCTION BOX OR CEILING- 1/4-20



**SCL-TBC-WN**

T-BAR CLIP WITH SUSPENSION HOLE ON TOP, WING NUT AND WASHER INCL



**SCL-TBTC-WN**

T-BAR TRACK CLIP WITH WASHER AND WING NUT



**SCL-AUC**

AUXILIARY UNIVERSAL SURFACE CONNECTOR FOR 1/6 IN AIRCRAFT SUSPENSION CABLE



**SCL-CMC**

AUXILIARY CEILING-MOUNT CONNECTOR FOR 1/16in AIRCRAFT SUSPENSION CABLES



**SCL-YCK**

ADJ. 1/16in Y CONVERSION SUSPENSION CABLE WITH TOGGLE ENDS



**SCL-TGS1420**

ADJ. SWIVEL TOP GRIP REPLACEMENT CONNECTOR TO ADAPT SCL-CS SERIES TO SLOPE CEILINGS



**SCL-ALG**

AUXILIARY LOOP GRIP FOR AIRCRAFT SUSPENSION CABLE, 1/16"



Shown with Drop Lens

**1.6" ARCHITECTURAL CEILING CYLINDERS WITH INTERNAL DRIVERS** INCL. CLEAR & FORSTED LENSES

COMMERCIAL  
CYLINDER  
LIGHTS

CATALOG NO.	DESCRIPTION
<b>CMC1L-MCT-WH</b>	10W <b>700LM</b> 30K/40K/50K 12" H
<b>CMC1L-MCT-BK</b>	10W <b>700LM</b> 30K/40K/50K 12" H
<b>CMC1XL-MCT-WH</b>	10W <b>700LM</b> 30K/40K/50K 18" H
<b>CMC1XL-MCT-BK</b>	10W <b>700LM</b> 30K/40K/50K 18" H
<b>CMCS1XL-MCT-DT-WH</b>	9W <b>630LM</b> 30K/40K/50K 18" H SQUARE
<b>CMCS1XL-MCT-DT-BK</b>	9W <b>630LM</b> 30K/40K/50K 18" H SQUARE
<b>CMC1-TRM-BN</b>	1in Cylinder Trim, Anodized Gold
<b>CMC1-TRM-AG</b>	1in Cylinder Trim, Brushed Nickel
<b>CMC1-DL15</b>	CMC1 15mm Acrylic Drop Lens
<b>SUSPENSION ACCESSORIES FOR CMC SERIES</b>	
<b>CMC-CS-8FT-WH</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
<b>CMC-CS-8FT-BK</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
<b>CMC-SRK-218-5C-WH</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White
<b>CMC-SRK-218-5C-BK</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black
<b>CMC-SRK-224-5C-WH</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White
<b>CMC-SRK-224-5C-BK</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black
<b>CMC-SRK-340-5C-WH</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White
<b>CMC-SRK-340-5C-BK</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black



Shown with Drop Lens

INCL. CLEAR & FORSTED LENSES


**3" ARCHITECTURAL CEILING CYLINDERS**

CATALOG NO.	DESCRIPTION
<b>CMC3-MCTP-DD-WH</b>	5W/7W/9W <b>75LM/W</b> 30K/40K/50K 3"D X 9.7"H 120-277V, 25°
<b>CMC3-MCTP-DD-BK</b>	5W/7W/9W <b>75LM/W</b> 30K/40K/50K 3"D X 9.7"H 120-277V, 25°
<b>CMC3-TRM-AG</b>	3in Cylinder Trim, Anodized Gold
<b>CMC3-TRM-BN</b>	3in Cylinder Trim, Brushed Nickel
<b>CMC3-HCDK-BK</b>	3in Cylinder Honeycomb Diffuser Kit, Black
<b>CMC3-HCDK-AG</b>	3in Cylinder Honeycomb Diffuser Kit, Anodized Gold
<b>CWMC3-DL32</b>	CMC3 And WMC3 32Mm Acrylic Drop Lens
<b>SUSPENSION ACCESSORIES FOR CMC SERIES</b>	
<b>CMC-CS-8FT-WH</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
<b>CMC-CS-8FT-BK</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
<b>CMC-SRK-218-5C-WH</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White
<b>CMC-SRK-218-5C-BK</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black
<b>CMC-SRK-224-5C-WH</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White
<b>CMC-SRK-224-5C-BK</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black
<b>CMC-SRK-340-5C-WH</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White
<b>CMC-SRK-340-5C-BK</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black



**2" ARCHITECTURAL CEILING CYLINDERS WITH INTERNAL DRIVERS**

INCL. CLEAR & FORSTED LENSES



CATALOG NO.	DESCRIPTION		REF.
<b>CMC2-MCT-DT-WH</b>	6W <b>450LM</b> 30K/40K/50K 9"H 120V, 40°		1
<b>CMC2-MCT-DT-BK</b>	6W <b>450LM</b> 30K/40K/50K 9"H 120V, 40°		2
<b>CMC2L-MCT-DT-WH</b>	6W <b>450LM</b> 30K/40K/50K 12"H 120V, 40°		3
<b>CMC2L-MCT-DT-BK</b>	6W <b>450LM</b> 30K/40K/50K 12"H 120V, 40°		4
<b>CMC2XL-MCT-DD-BK</b>	20W <b>1500LM</b> 30K/40K/50K 18"H 120-277V		5
<b>CMC2XL-MCT-DD-WH</b>	20W <b>1500LM</b> 30K/40K/50K 18"H 120-277V		6
<b>CMCS2L-MCT-DT-WH</b>	6W <b>450LM</b> 30K/40K/50K 12"H SQUARE		7
<b>CMCS2L-MCT-DT-BK</b>	6W <b>450LM</b> 30K/40K/50K 12"H SQUARE		8
<b>CMCS2XL-MCT-DT-WH</b>	20W <b>1500LM</b> 30K/40K/50K 18"H SQUARE		9
<b>CMCS2XL-MCT-DT-BK</b>	20W <b>1500LM</b> 30K/40K/50K 18"H SQUARE		10
<b>CMCS2XXL-MCT-DT-WH</b>	20W <b>1500LM</b> 30K/40K/50K 24"H SQUARE		11
<b>CMCS2XXL-MCT-DT-BK</b>	20W <b>1500LM</b> 30K/40K/50K 24"H SQUARE		12
<b>CMC2-TRM-AG</b>	2in Cylinder Trim, Anodized Gold		13
<b>CMC2-TRM-BN</b>	2in Cylinder Trim, Brushed Nickel		14
<b>CMC2-TRMWM-AG</b>	Decorative Wide-Mouth Replacement Lens Cap for CMC2, Anodized Gold		15
<b>CMC2-TRMWM-BN</b>	Decorative Wide-Mouth Replacement Lens Cap for CMC2, Brushed Nickel		16
<b>CMC2-HCDK-BK</b>	2in Cylinder Honeycomb Diffuser Kit, Black		17
<b>CMC2-HCDK-AG</b>	2in Cylinder Honeycomb Diffuser Kit, Anodized Gold		18
<b>CMC2-DS-BG</b>	Decorative Shield Reflector Replacement For Lens Cap Of CMC2, Black Gold		19
<b>CMC2-DS-WG</b>	Decorative Shield Reflector Replacement For Lens Cap Of CMC2, White Gold		20
<b>CMC2-DCR-BG</b>	Decorative Cone Reflector Kit for CMC2, Black Gold		21
<b>CMC2-DCR-WG</b>	Decorative Cone Reflector Kit for CMC2, White Gold		22
<b>CMC2-PS12-WG-KIT</b>	CMC2 12in Pan Shade, White/Gold		23
<b>CMC2-PS12-BG-KIT</b>	CMC2 12in Pan Shade, Black/Gold		24
<b>CMC2-PS14-WG-KIT</b>	CMC2 14in Pan Shade, White/Gold		25
<b>CMC2-PS14-BG-KIT</b>	CMC2 14in Pan Shade, Black/Gold		26
<b>CMC2-MLA-BK</b>	Decorative Middle Light Accessory Fits All CMC2, Black		27
<b>CMC2-MLA-WH</b>	Decorative Middle Light Accessory Fits All CMC2, White		28
<b>CWMC2-DL32</b>	CMC2 And WMC2 32Mm Acrylic Drop Lens		29
<b>SUSPENSION ACCESSORIES FOR CMC SERIES</b>			
<b>CMC-CS-8FT-WH</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White		30
<b>CMC-CS-8FT-BK</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black		31
<b>CMC-SRK-218-5C-WH</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White		32
<b>CMC-SRK-218-5C-BK</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black		33
<b>CMC-SRK-224-5C-WH</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White		34
<b>CMC-SRK-224-5C-BK</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black		35
<b>CMC-SRK-340-5C-WH</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White		36
<b>CMC-SRK-340-5C-BK</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black		37

COMMERCIAL  
CYLINDER  
LIGHTS





**4" ARCHITECTURAL CEILING CYLINDERS**

INCL. CLEAR & FORSTED LENSES



COMMERCIAL  
CYLINDER  
LIGHTS

CATALOG NO.	DESCRIPTION	REF.
<b>4" ROUND ARCHITECTURAL CEILING CYLINDERS</b>		
CMC4-MCTP-DD-WH	9W/12W/15W 75LM/W 30K/40K/50K 9.6"H 120-277V, 40°	1
CMC4-MCTP-DD-BK	9W/12W/15W 75LM/W 30K/40K/50K 9.6"H 120-277V, 40°	2
CMC4HL-MCTP-DD-WH	24W/32W/40W 80LM/W 30K/40K/50K 10"H HIGH-LUMEN	3
CMC4HL-MCTP-DD-BK	24W/32W/40W 80LM/W 30K/40K/50K 10"H HIGH-LUMEN	4
CMC4S-MCTP-DD-WH	9W/12W/15W 76LM/W 30K/40K/50K 5"H	5
CMC4S-MCTP-DD-BK	9W/12W/15W 76LM/W 30K/40K/50K 5"H	6
<b>4" SQUARE ARCHITECTURAL CEILING CYLINDERS</b>		
CMCS4-MCTP-DD-WH	21W/28W/35W 80LM/W 30K/40K/50K 10"H	7
CMCS4-MCTP-DD-BK	21W/28W/35W 80LM/W 30K/40K/50K 10"H	8
CMCS4S-MCTP-DD-WH	9W/12W/15W 76LM/W 30K/40K/50K 5"H	9
CMCS4S-MCTP-DD-BK	9W/12W/15W 76LM/W 30K/40K/50K 5"H	10
CMC46-ULK	5W 400LM 30K/40K/50K UP LIGHT KIT	11
CMC-JBCK-WH	Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Enteries, Wh	12
CMC-JBCK-BK	Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Enteries, Bk	13
CMC4-TRM-AG	4in Cylinder Trim, Anodized Gold	14
CMC4-TRM-BN	4in Cylinder Trim, Brushed Nickel	15
CMC4-HCDK-BK	4in Cylinder Honeycomb Diffuser Kit, Black	16
CMC4-HCDK-AG	4in Cylinder Honeycomb Diffuser Kit, Anodized Gold	17
CMC4-FS14-WG-KIT	CMC4 14in Flat Shade, White/Gold	18
CMC4-FS14-BG-KIT	CMC4 14in Flat Shade, Black/Gold	19
CMC4-FS14-WS-KIT	CMC4 14in Flat Shade, White/Silver	20
CMC4-FS14-BS-KIT	CMC4 14in Flat Shade, Black/Silver	21
CMC4-DS14-WG-KIT	CMC4 14in Dome Shade, White/Gold	22
CMC4-DS14-BG-KIT	CMC4 14in Dome Shade, Black/Gold	23
CMC4-DS14-WS-KIT	CMC4 14in Dome Shade, White/Silver	24
CMC4-DS14-BS-KIT	CMC4 14in Dome Shade, Black/Silver	25
CMC4-PCR-KIT	12in Dia. Prismatic Pc Highbay Reflector Kit For CMC4	26
CMC4-WPCK-WH	CMC4 Weatherproof Conversion Kit For Cord Or Down-Rod, White	27
CMC4-WPCK-BK	CMC4 Weatherproof Conversion Kit For Cord Or Down-Rod, Black	28
CMCS4-WPCK-WH	CMCS4 Weatherproof Conversion Kit For Cord Or Down-Rod, White	29
CMCS4-WPCK-BK	CMCS4 Weatherproof Conversion Kit For Cord Or Down-Rod, Black	30
CMC4-SNA-BK	Smooth Accessory For CMC4 Round Reduces Beam Angle To 25D, Black	31
CMC4-SNA-WH	Smooth Accessory For CMC4 Round Reduces Beam Angle To 25D, White	32
CMC4-DL32	WMC 4in 32Mm Acrylic Drop Lens	33
<b>SUSPENSION ACCESSORIES FOR CMC SERIES</b>		
CMC-CS-8FT-WH	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White	34
CMC-CS-8FT-BK	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black	35
CMC-SRK-218-5C-WH	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White	36
CMC-SRK-218-5C-BK	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black	37
CMC-SRK-224-5C-WH	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White	38
CMC-SRK-224-5C-BK	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black	39
CMC-SRK-340-5C-WH	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White	40
CMC-SRK-340-5C-BK	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black	41



CMC6S  
SHORT MODELS



CMC-JBCK-BK  
BLACK



CMC-JBCK-WH  
WHITE

Shown with  
Drop Lens



Shown with  
Up Light Kit



## 6" ARCHITECTURAL CEILING CYLINDERS

INCL. CLEAR &  
FORSTED LENSES




CATALOG NO.	DESCRIPTION
<b>6" ROUND ARCHITECTURAL CEILING CYLINDERS</b>	
<b>CMC6-MCTP-DD-WH</b>	21W/28W/35W <b>75LM/W</b> 30K/40K/50K 8.74"H 120-277V, 25°
<b>CMC6-MCTP-DD-BK</b>	21W/28W/35W <b>75LM/W</b> 30K/40K/50K 8.74"H 120-277V, 25°
<b>CMC6S-MCTP-DD-WH</b>	18W/24W/30W <b>80LM/W</b> 30K/40K/50K 6.75"H
<b>CMC6S-MCTP-DD-BK</b>	18W/24W/30W <b>80LM/W</b> 30K/40K/50K 6.75"H
<b>CMC46-ULK</b>	5W <b>400LM</b> 30K/40K/50K UP LIGHT KIT
<b>CMC-JBCK-WH</b>	Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Wh
<b>CMC-JBCK-BK</b>	Cylinder And Pendant Lighting J-Box Cover Canopy For Up To 4 Pipe Entries, Bk
<b>CMC6-TRM-AG</b>	6in Cylinder Trim, Anodized Gold
<b>CMC6-TRM-BN</b>	6in Cylinder Trim, Brushed Nickel
<b>CMC6-WPCK-WH</b>	CMC6 Weatherproof Conversion Kit For Cord Or Down-Rod, White
<b>CMC6-WPCK-BK</b>	CMC6 Weatherproof Conversion Kit For Cord Or Down-Rod, Black
<b>CMC6-HCDK-AG</b>	6in Cylinder Honeycomb Diffuser Kit, Anodized Gold
<b>CMC6-HCDK-BK</b>	6in Cylinder Honeycomb Diffuser Kit, Black
<b>CWMC6-DL32</b>	CMC6 And WMC6 32Mm Acrylic Drop Lens
<b>SUSPENSION ACCESSORIES FOR CMC SERIES</b>	
<b>CMC-CS-8FT-WH</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
<b>CMC-CS-8FT-BK</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
<b>CMC-SRK-218-5C-WH</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White
<b>CMC-SRK-218-5C-BK</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black
<b>CMC-SRK-224-5C-WH</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White
<b>CMC-SRK-224-5C-BK</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black
<b>CMC-SRK-340-5C-WH</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White
<b>CMC-SRK-340-5C-BK</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black





Shown with  
Ext. Cyl.

Shown with  
Ext. Cyl.



COMMERCIAL  
CYLINDER  
LIGHTS

## 9" ARCHITECTURAL CEILING CYLINDERS

INCL. CLEAR &  
FORSTED LENSES

CATALOG NO.	DESCRIPTION
<b>CMC9-MCTP-D-BK</b>	60W/70W/80W <b>80LM/W</b> 30K/40K/50K 10"H 120-277V, 60°
<b>CMC9-MCTP-D-WH</b>	60W/70W/80W <b>80LM/W</b> 30K/40K/50K 10"H 120-277V, 60°
<b>CMC9-EC-BK</b>	Decorative Extension Cylinder Black, Adds 5"H
<b>CMC9-EC-WH</b>	Decorative Extension Cylinder White, Adds 5"H
<b>CMC9-HCDK-BK</b>	9in Cylinder Honeycomb Diffuser Kit, Black
<b>CMC9-REFL-BK</b>	Inside-Black Reflector
<b>CMC9-REFL-WH</b>	Inside-White Reflector
<b>SUSPENSION ACCESSORIES FOR CMC SERIES</b>	
<b>CMC-CS-8FT-WH</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White
<b>CMC-CS-8FT-BK</b>	Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black
<b>CMC-SRK-218-5C-WH</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White
<b>CMC-SRK-218-5C-BK</b>	Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black
<b>CMC-SRK-224-5C-WH</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White
<b>CMC-SRK-224-5C-BK</b>	Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, Black
<b>CMC-SRK-340-5C-WH</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, White
<b>CMC-SRK-340-5C-BK</b>	Universal Swivel W/ Rod Kit, 40 Or 80 Or 120 Inches, 5-Wire, Black

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
4" & 6"	<b>OPT-EM-CMC46</b>	INTERNAL	N/A	N/A	N/A	N/A	N/A
9" white	<b>OPT-EM-CMC9-WH</b>	Extension Cylinder - White					
9" black	<b>OPT-EM-CMC9-BK</b>	Extension Cylinder - Black					

## CMC RGBW CYLINDER LIGHTS, PENDANT OR SURFACE MOUNT, APP CONTROLLED





CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>CMC2L-RGBW-BK</b>	6W <b>300LM</b> 27K-50K + RGB Black	6
<b>CMC2L-RGBW-WH</b>	6W <b>300LM</b> 27K-50K + RGB White	6
<b>CMC3-RGBW-BK</b>	9W <b>550LM</b> 27K-50K + RGB Black	6
<b>CMC3-RGBW-WH</b>	9W <b>550LM</b> 27K-50K + RGB White	6
<b>CMC4-RGBW-BK</b>	15W <b>900LM</b> 27K-50K + RGB Black	6
<b>CMC4-RGBW-WH</b>	15W <b>900LM</b> 27K-50K + RGB White	6
<b>CMC6-RGBW-BK</b>	20W <b>1200LM</b> 27K-50K + RGB Black	8
<b>CMC6-RGBW-WH</b>	20W <b>1200LM</b> 27K-50K + RGB White	8



## X-GEN LED T8 PC+ALUM. SHATTER-PROOF LAMPS, TYPE A+B FOR A/C OR BALLAST

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>2FT</b>	<b>T8-EZX-PRO-2FT-10W-40K-C</b> 10W <b>1300LM</b> 4000K Clear, G13, Type A & B	25
	<b>T8-EZX-PRO-2FT-10W-40K-F</b> 10W <b>1300LM</b> 4000K Frosted, G13, Type A & B	25
 <b>4FT</b>	<b>T8-EZX-PRO-2FT-10W-50K-C</b> 10W <b>1300LM</b> 5000K Clear, G13, Type A & B	25
	<b>T8-EZX-PRO-2FT-10W-50K-F</b> 10W <b>1300LM</b> 5000K Frosted, G13, Type A & B	25
	<b>T8-EZX-PRO-4FT-12W-40K-F</b> 12W <b>1560LM</b> 4000K Frosted, G13, Type A & B	25
	<b>T8-EZX-PRO-4FT-12W-50K-F</b> 12W <b>1560LM</b> 5000K Frosted, G13, Type A & B	25
	<b>T8-EZX-PRO-4FT-18W-40K-C</b> 18W <b>2340LM</b> 4000K Clear, G13, Type A & B	25
	<b>T8-EZX-PRO-4FT-18W-40K-F</b> 18W <b>2340LM</b> 4000K Frosted, G13, Type A & B	25
	<b>T8-EZX-PRO-4FT-18W-50K-C</b> 18W <b>2340LM</b> 5000K Clear, G13, Type A & B	25
	<b>T8-EZX-PRO-4FT-18W-50K-F</b> 18W <b>2340LM</b> 5000K Frosted, G13, Type A & B	25

## X-GEN 3CCT LED T8 GLASS LAMPS

### 3 COLOR-TEMPERATURES IN ONE LAMP TYPE A+B (A/C OR BALLAST)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>2FT</b> <b>3FT</b> <b>4FT</b>	<b>T8-EZX-MCT-GS-2FT-8W-C</b> 8W <b>1216LM</b> 35K/40K/50K Clear, G13, Type A & B	12
	<b>T8-EZX-MCT-GS-2FT-8W-F</b> 8W <b>1216LM</b> 35K/40K/50K Frosted, G13, Type A & B	12
	<b>T8-EZX-MCT-GS-3FT-12W-C</b> 12W <b>1500LM</b> 35K/40K/50K Clear, G13, Type A & B	12
	<b>T8-EZX-MCT-GS-3FT-12W-F</b> 12W <b>1500LM</b> 35K/40K/50K Frosted, G13, Type A & B	12
	<b>T8-EZX-MCT-GS-4FT-15W-C</b> 15W <b>1875LM</b> 35K/40K/50K Clear, G13, Type A & B	12
	<b>T8-EZX-MCT-GS-4FT-15W-F</b> 15W <b>1875LM</b> 35K/40K/50K Frosted, G13, Type A & B	12

## X-GEN SELECTABLE-POWER LED T8 GLASS LAMPS,

### TYPE B FOR DIRECT A/C (BALLAST OVERRIDE)

NO PARTIAL/MUST SHIP CASE QTY.




CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>4FT</b>	<b>T8-EZX-TB-4FT-12-18W-50K-F</b> 12W/15W/18W <b>120LM/W</b> 5000K Frosted, G13, Type B	12
	<b>T8-EZX-TB-4FT-12-18W-50K-C</b> 12W/15W/18W <b>120LM/W</b> 5000K Clear, G13, Type B	12
	<b>T8-EZX-TB-4FT-12-18W-40K-F</b> 12W/15W/18W <b>120LM/W</b> 4000K Frosted, G13, Type B	12
	<b>T8-EZX-TB-4FT-12-18W-40K-C</b> 12W/15W/18W <b>120LM/W</b> 4000K Clear, G13, Type B	12

## U-SHAPED T8 EZ6 LED GLASS LAMPS

NO PARTIAL/MUST SHIP CASE QTY.




CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>Lamp</b>	<b>T8-EZ6-U2F-15W-41K-C</b> 15W <b>2100LM</b> 4100K Ballast Compatible Or 100-277 Ac	10
	<b>T8-EZ6-U2F-15W-41K-F</b> 15W <b>2000LM</b> 4100K Ballast Compatible Or 100-277 Ac	10
	<b>T8-EZ6-U2F-15W-50K-C</b> 15W <b>2100LM</b> 5000K Ballast Compatible Or 100-277 Ac	10
	<b>T8-EZ6-U2F-15W-50K-F</b> 15W <b>2000LM</b> 5000K Ballast Compatible Or 100-277 Ac	10

## U-SHAPED T8 LED PLASTIC/ALUMINUM LAMPS

Works 3 ways: 1) With existing electronic ballast 2) A/C direct one end 3) A/C direct 2 ends

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>T8-U2F-EZ3-15W-41K-C</b> 15W <b>1450LM</b> 4100K BALLAST COMPATIBLE OR 100-277 AC	10
	<b>T8-U2F-EZ3-15W-50K-C</b> 15W <b>1500LM</b> 5000K BALLAST COMPATIBLE OR 100-277 AC	10





**WHILE SUPPLIES LAST**



NEW GEN. - TYPE A + B (DOUBLE UL) 2FT. 3FT. & 4FT. LED T8-EZ6 **GLASS LAMPS, 180°(CLEAR) & 240° (FROSTED) Beam Angle, ELECTRONIC BALLASTS (TYPE A), ALSO WORK WITH A/C DIRECT (120-277V) ONE END OR BOTH ENDS (TYPE B)**

NO PARTIAL/MUST SHIP CASE QTY.




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>2FT</b> 	<b>T8-EZ6-GS-2FT-10W-30K-C</b> 10W <b>1250LM</b> 3000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-2FT-10W-30K-F</b> 10W <b>1200LM</b> 3000K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-2FT-10W-35K-C</b> 10W <b>1250LM</b> 3500K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-2FT-10W-35K-F</b> 10W <b>1200LM</b> 3500K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-2FT-10W-40K-C</b> 10W <b>1250LM</b> 4000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-2FT-10W-40K-F</b> 10W <b>1200LM</b> 4000K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-2FT-10W-50K-C</b> 10W <b>1250LM</b> 5000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-2FT-10W-50K-F</b> 10W <b>1200LM</b> 5000K Frosted, G13, Type A & B	12 & 36
<b>3FT</b> 	<b>T8-EZ6-GS-3FT-12W-40K-C</b> 12W <b>1600LM</b> 4000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-3FT-12W-40K-F</b> 12W <b>1560LM</b> 4000K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-3FT-12W-50K-C</b> 12W <b>1600LM</b> 5000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-3FT-12W-50K-F</b> 12W <b>1560LM</b> 5000K Frosted, G13, Type A & B	12 & 36
<b>4FT</b> 	<b>T8-EZ6-GS-4FT-15W-30K-C</b> 15W <b>1875LM</b> 3000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-15W-30K-F</b> 15W <b>1800LM</b> 3000K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-15W-35K-C</b> 15W <b>1875LM</b> 3500K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-15W-35K-F</b> 15W <b>1800LM</b> 3500K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-15W-40K-C</b> 15W <b>1875LM</b> 4000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-15W-40K-F</b> 15W <b>1800LM</b> 4000K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-15W-50K-C</b> 15W <b>1875LM</b> 5000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-15W-50K-F</b> 15W <b>1800LM</b> 5000K Frosted, G13, Type A & B	12 & 36
<b>4FT</b> 	<b>T8-EZ6-GS-4FT-18W-30K-C</b> 18W <b>2250LM</b> 3000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-18W-30K-F</b> 18W <b>2160LM</b> 3000K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-18W-35K-C</b> 18W <b>2250LM</b> 3500K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-18W-35K-F</b> 18W <b>2160LM</b> 3500K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-18W-40K-C</b> 18W <b>2250LM</b> 4000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-18W-40K-F</b> 18W <b>2160LM</b> 4000K Frosted, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-18W-50K-C</b> 18W <b>2250LM</b> 5000K Clear, G13, Type A & B	12 & 36
	<b>T8-EZ6-GS-4FT-18W-50K-F</b> 18W <b>2160LM</b> 5000K Frosted, G13, Type A & B	12 & 36

**4FT. T8 GLASS LAMPS**

WORKS WITH A/C DIRECT (120-277V) ONE END OR BOTH ENDS (TYPE B) NO PARTIAL/MUST SHIP CASE QTY.




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4FT</b> 	<b>T8-4FT-TYPB-17W-40K-F</b> 17W <b>2200LM</b> 4000K FROSTED	12 & 36
	<b>T8-4FT-TYPB-17W-40K-C</b> 17W <b>2200LM</b> 4000K CLEAR	12 & 36
	<b>T8-4FT-TYPB-17W-50K-F</b> 17W <b>2200LM</b> 5000K FROSTED	12 & 36
	<b>T8-4FT-TYPB-17W-50K-C</b> 17W <b>2200LM</b> 5000K CLEAR	12 & 36
	<b>T8-4FT-TYPB-14W-40K-F</b> 14W <b>1800LM</b> 4000K FROSTED	13 & 36
	<b>T8-4FT-TYPB-10.5WHL-40K-F</b> 10.5W <b>1700LM</b> 4000K FROSTED	12 & 36
	<b>T8-4FT-TYPB-10.5WHL-40K-C</b> 10.5W <b>1700LM</b> 4000K CLEAR	12 & 36

**4FT. T8 LED GLASS LAMPS DIMMABLE DIRECT A/C (one end N+L)**

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4FT</b> 	<b>T8-4FT-DIM-18W-35K-C</b> 18W <b>1900LM</b> 3500K 90-140VAC, CLEAR	12 & 36
	<b>T8-4FT-DIM-18W-35K-F</b> 18W <b>1900LM</b> 3500K 90-140VAC, FROSTED	12 & 36
	<b>T8-4FT-DIM-18W-40K-C</b> 18W <b>2150LM</b> 4000K 90-140VAC, CLEAR	12 & 36
	<b>T8-4FT-DIM-18W-50K-F</b> 18W <b>2150LM</b> 5000K 90-140VAC, FROSTED	12 & 36

## NEW GEN HIGH LUMEN 4FT. LED T8 GLASS LAMPS DIMMABLE DIRECT A/C (ONE END N+L)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4FT</b> T8-HL-4FT-DIM-18W-40K-C	18W 2250LM 4000K Clear	12 & 36
T8-HL-4FT-DIM-18W-40K-F	18W 2160LM 4000K Frosted	12 & 36
T8-HL-4FT-DIM-18W-50K-C	18W 2250LM 5000K Clear	12 & 36
T8-HL-4FT-DIM-18W-50K-F	18W 2160LM 5000K Frosted	12 & 36

## 8FT. SPLIT VERSION LED T8 LAMPS, TYPE B

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>8FT</b> T8-HL-8FT-SPLIT-42W-40K-C	42W 6000LM 4000K Clear	18
T8-HL-8FT-SPLIT-42W-40K-F	42W 5500LM 4000K Frosted	18
T8-HL-8FT-SPLIT-42W-50K-C	42W 6000LM 5000K Clear	18
T8-HL-8FT-SPLIT-42W-50K-F	42W 5500LM 5000K Frosted	18
T8-R17D-CONV	R17D Conversion kit	

## 8FT. LED T8 LAMPS, TYPE B DIRECT A/C 100-277V (TWO ENDS)

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>8FT</b> T8-HL-8FT-40W-40K-C	40W 4600LM 4000K Clear	20
T8-HL-8FT-40W-40K-F	40W 4400LM 4000K Frosted	20
T8-HL-8FT-40W-50K-C	40W 4600LM 5000K Clear	20
T8-HL-8FT-40W-50K-F	40W 4400LM 5000K Frosted	20

## T12 X-GEN SELECTABLE-CCT LED LAMPS, TYPE A+B FOR A/C OR BALLAST

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>T12-EZX-MCT-GS-4FT-16W-F</b>	16W 2000LM 30K/40K/50K/65K Frosted, G13, Type B	20

## 4FT. LED T5 GLASS LAMPS, TYPE A+B, WORK WITH DIRECT A/C OR BALLAST



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4FT</b> T5-EZ6-GS-4FT-24W-40K-F	24W 3000LM 4000K Frosted	12 & 36
T5-EZ6-GS-4FT-24W-50K-F	24W 3000LM 4000K Frosted	12 & 36

## 4FT. LED T5 GLASS LAMPS

NO PARTIAL/MUST SHIP CASE QTY.

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>4FT</b> T5-TYPA-27W-40K-F	27W 3200LM 4000K FROSTED	40
T5-TYPA-27W-50K-F	27W 3200LM 5000K FROSTED	40
T5-TYPB-25W-40K-F	25W 3200LM 4000K FROSTED	40

## 5FT. & 6FT. LED REFRIGERATOR LAMPS

NO PARTIAL/MUST SHIP CASE QTY.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>5FT</b> T-RFG-5FT-22W-50K-C	22W 3100LM 5000K CLEAR	25
<b>6FT</b> T-RFG-6FT-30W-50K-C	30W 4200LM 5000K CLEAR	25

## LED EMERGENCY DRIVER FOR ALL T8 LAMPS



CATALOG NO.	DESCRIPTION
<b>ELB-18150-B</b>	Field-installed emergency ballast for all T8 Lamps; Input voltage: 100-277VAC, 50-60Hz; Output: 18W Maximum for 90 minutes

COMMERCIAL  
T8  
LAMPS

LED COMMERCIAL RECESSED LIGHT  
(CLIP-ON/SNAP-IN) WITH OR WITHOUT HOUSING











WATTS	LUMENS
15W	1200-1275LM
20W	1600-1720LM

15W ENGINE

20W ENGINE

40W MAX ENGINE

 CRLC-EGN-15W-30K-D CRLC-EGN-15W-40K-D CRLC-EGN-15W-50K-D CRLC-EGN-15W-MCT-D	 CRLC-EGN-20W-50K-D CRLC-EGN-20W-MCT-D CRLC-EGN-20W-MCTP-D	 27W/34W/40W & 30K/35K/40K CRLC-EGN-40W-MCTP-D
15W RECESSED LIGHT	20W RECESSED LIGHT	40W RECESSED LIGHT

COMMERCIAL RECESSED	4" ROUND TRIM	HAZE FINISH & WHITE RING	OPEN	 CRLC-TRM-4	→	CRLC4-15W-MCT-D	CRLC4-20W-MCT-D CRLC4-20W-MCTP-D	CRLC4-40W-MCTP-D
		HAZE FINISH & WHITE RING	WALL WASH	 CRLC-TRM-4A	→	CRLC4-15W-30K-A-D CRLC4-15W-40K-A-D CRLC4-15W-50K-A-D CRLC4-15W-MCT-A-D	CRLC4-20W-50K-A-D CRLC4-20W-MCT-A-D CRLC4-20W-MCTP-A-D	CRLC4-40W-MCTP-A-D
		WHITE FINISH & WHITE RING	OPEN	 CRLC-TRM-4-WH	→	CRLC4-15W-30K-D-WH CRLC4-15W-50K-D-WH CRLC4-15W-MCT-D-WH	CRLC4-20W-50K-D-WH CRLC4-20W-MCT-D-WH CRLC4-20W-MCTP-D-WH	CRLC4-40W-MCTP-D-WH
		WHITE FINISH & WHITE RING	WALL WASH	 CRLC-TRM-4A-WH	→	CRLC4-15W-30K-A-D-WH CRLC4-15W-40K-A-D-WH CRLC4-15W-50K-A-D-WH CRLC4-15W-MCT-A-D-WH	CRLC4-20W-50K-A-D-WH CRLC4-20W-MCT-A-D-WH CRLC4-20W-MCTP-A-D-WH	CRLC4-40W-MCTP-A-D-WH
	4" SQUARE TRIM	HAZE FINISH & WHITE RING	OPEN	 CRLC-TRM-4S	→	CRLC4-15W-30K-S-D CRLC4-15W-40K-S-D CRLC4-15W-50K-S-D CRLC4-15W-MCT-S-D	CRLC4-20W-50K-S-D CRLC4-20W-MCT-S-D CRLC4-20W-MCTP-S-D	CRLC4-40W-MCTP-S-D
		HAZE FINISH & WHITE RING	WALL WASH	 CRLC-TRM-4SA	→	CRLC4-15W-30K-SA-D CRLC4-15W-40K-SA-D CRLC4-15W-50K-SA-D CRLC4-15W-MCT-SA-D	CRLC4-20W-50K-SA-D CRLC4-20W-MCT-SA-D CRLC4-20W-MCTP-SA-D	CRLC4-40W-MCTP-SA-D
		WHITE FINISH & WHITE RING	OPEN	 CRLC-TRM-4S-WH	→	CRLC4-15W-30K-S-D-WH CRLC4-15W-40K-S-D-WH CRLC4-15W-50K-S-D-WH CRLC4-15W-MCT-S-D-WH	CRLC4-20W-50K-S-D-WH CRLC4-20W-MCT-S-D-WH CRLC4-20W-MCTP-S-D-WH	CRLC4-40W-MCTP-S-D-WH
		WHITE FINISH & WHITE RING	WALL WASH	 CRLC-TRM-4SA-WH	→	CRLC4-15W-30K-SA-D-WH CRLC4-15W-40K-SA-D-WH CRLC4-15W-50K-SA-D-WH CRLC4-15W-MCT-SA-D-WH	CRLC4-20W-50K-SA-D-WH CRLC4-20W-MCT-SA-D-WH CRLC4-20W-MCTP-SA-D-WH	CRLC4-40W-MCTP-SA-D-WH



ROUND & OPEN  
RECESSED LIGHT



SQUARE & OPEN  
RECESSED LIGHT



ROUND & WALL WASH  
RECESSED LIGHT



SQUARE & WALL WASH  
RECESSED LIGHT

**LED COMMERCIAL RECESSED LIGHT**  
(CLIP-ON/SNAP-IN) WITH OR WITHOUT HOUSING













WATTS	LUMENS
15W	1200-1275LM
20W	1600-1720LM

15W ENGINE

20W ENGINE

40W MAX ENGINE

 <b>MCT<sub>3</sub></b> CRLC-EGN-15W-30K-D CRLC-EGN-15W-40K-D CRLC-EGN-15W-50K-D CRLC-EGN-15W-MCT-D	 <b>MCT<sub>3</sub></b> <b>MCTP<sub>3</sub></b> CRLC-EGN-20W-50K-D CRLC-EGN-20W-MCT-D CRLC-EGN-20W-MCTP-D	 <b>MCTP<sub>3</sub></b> 27W/34W/40W & 30K/35K/40K CRLC-EGN-40W-MCTP-D
15W RECESSED LIGHT	20W RECESSED LIGHT	40W RECESSED LIGHT

6" ROUND TRIM	HAZE FINISH & WHITE RING	OPEN	 CRLC-TRM-6	6" ROUND RECESSED LIGHT	CRLC6-15W-MCT-D	CRLC6-20W-MCT-D CRLC6-20W-MCTP-D	CRLC6-40W-MCTP-D		
		WALL WASH	 CRLC-TRM-6A		CRLC6-15W-30K-A-D CRLC6-15W-40K-A-D CRLC6-15W-50K-A-D CRLC6-15W-MCT-A-D	CRLC6-20W-50K-A-D CRLC6-20W-MCT-A-D CRLC6-20W-MCTP-A-D	CRLC6-40W-MCTP-A-D		
	WHITE FINISH & WHITE RING	OPEN	 CRLC-TRM-6-WH		CRLC6-15W-MCT-D-WH	CRLC6-20W-MCT-D-WH CRLC6-20W-MCTP-D-WH	CRLC6-40W-MCTP-D-WH		
		WALL WASH	 CRLC-TRM-6A-WH		CRLC6-15W-30K-A-D-WH CRLC6-15W-40K-A-D-WH CRLC6-15W-50K-A-D-WH CRLC6-15W-MCT-A-D-WH	CRLC6-20W-50K-A-D-WH CRLC6-20W-MCT-A-D-WH CRLC6-20W-MCTP-A-D-WH	CRLC6-40W-MCTP-A-D-WH		
	6" SQUARE TRIM	HAZE FINISH & WHITE RING	OPEN		 CRLC-TRM-6S	6" SQUARE RECESSED LIGHT	CRLC6-15W-30K-S-D CRLC6-15W-40K-S-D CRLC6-15W-50K-S-D CRLC6-15W-MCT-S-D	CRLC6-20W-50K-S-D CRLC6-20W-MCT-S-D CRLC6-20W-MCTP-S-D	CRLC6-40W-MCTP-S-D
			WALL WASH		 CRLC-TRM-6SA		CRLC6-15W-30K-SA-D CRLC6-15W-40K-SA-D CRLC6-15W-50K-SA-D CRLC6-15W-MCT-SA-D	CRLC6-20W-50K-SA-D CRLC6-20W-MCT-SA-D CRLC6-20W-MCTP-SA-D	CRLC6-40W-MCTP-SA-D
		WHITE FINISH & WHITE RING	OPEN		 CRLC-TRM-6S-WH		CRLC6-15W-30K-S-D-WH CRLC6-15W-40K-S-D-WH CRLC6-15W-50K-S-D-WH CRLC6-15W-MCT-S-D-WH	CRLC6-20W-50K-S-D-WH CRLC6-20W-MCT-S-D-WH CRLC6-20W-MCTP-S-D-WH	CRLC6-40W-MCTP-S-D-WH
			WALL WASH		 CRLC-TRM-6SA-WH		CRLC6-15W-30K-SA-D-WH CRLC6-15W-40K-SA-D-WH CRLC6-15W-50K-SA-D-WH CRLC6-15W-MCT-SA-D-WH	CRLC6-20W-50K-SA-D-WH CRLC6-20W-MCT-SA-D-WH CRLC6-20W-MCTP-SA-D-WH	CRLC6-40W-MCTP-SA-D-WH
8" ROUND TRIM	HAZE FINISH & WHITE RING	OPEN	 CRLC-TRM-8	8" ROUND RECESSED LIGHT	CRLC8-15W-30K-D CRLC8-15W-MCT-D	CRLC8-20W-MCT-D CRLC8-20W-MCTP-D	CRLC8-40W-MCTP-D		
	WHITE FINISH & WHITE RING	OPEN	 CRLC-TRM-8-WH		CRLC8-15W-MCT-D-WH	CRLC8-20W-MCT-D-WH CRLC8-20W-MCTP-D-WH	CRLC8-40W-MCTP-D-WH		

COMMERCIAL  
COMMERCIAL  
RECESSED





FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-CRLC	EXTERNAL	N/A	N/A	N/A	N/A	N/A

## LED COMMERCIAL RECESSED LIGHT, 120-277V

HAZE



CODE	TRIM DESCRIPTION	WATTS		COLOR TEMP		WATT
		CODE	DESCRIPTION	CODE	DESCRIPTION	
<b>CRL4</b>	4" LED Commercial trim only, 4 inches	<b>27W</b>	<b>1950LM</b>	<b>30K</b>	3000K	27W:
		<b>40W</b>	<b>2387LM</b>	<b>40K</b>	4000K	
		<b>54W</b>	<b>4500LM</b>	<b>50K</b>	5000K	
<b>CRL6</b>	6" LED Commercial trim only, 6 inches	<b>18W</b>	<b>1639LM</b>	<b>30K</b>	3000K	18W: 27W: 40W: 54W:
		<b>27W</b>	<b>2387LM</b>	<b>40K</b>	4000K	
		<b>40W</b>	<b>3447LM</b>	<b>50K</b>	5000K	
<b>CRL8</b>	8" LED Commercial trim only, 8 inches	<b>18W</b>	<b>1639LM</b>	<b>30K</b>	3000K	18W: 27W: 40W: 54W:
		<b>27W</b>	<b>2387LM</b>	<b>40K</b>	4000K	
		<b>40W</b>	<b>3447LM</b>	<b>50K</b>	5000K	
<b>CRL10</b>	10" LED Commercial trim only, 10 inches	<b>18W</b>	<b>1639LM</b>	<b>30K</b>	3000K	18W: 27W: 40W: 54W:
		<b>27W</b>	<b>2387LM</b>	<b>40K</b>	4000K	
		<b>40W</b>	<b>3447LM</b>	<b>50K</b>	5000K	



Shown with Housing (Not Incl., See Below)

SEE NEXT PAGE FOR HOUSING

Sample Order:

**CRL6-27W-40K**



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-CRL	EXTERNAL	N/A	N/A	N/A	N/A	N/A

## BUILDER SERIES COMMERCIAL RECESS LIGHT, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION
<b>CRLX4-14-27W-MCTP</b>	14W/20W/27W 80LM/W 30K/35K/40K 4" <b>MCTP</b>
<b>CRLX6-18-40W-MCTP</b>	18W/27W/40W 85LM/W 30K/35K/40K 6" <b>MCTP</b>
<b>CRLX6-50-80W-MP-30K</b>	50W/65W/80W 85LM/W 3000K 6" <b>MP</b>
<b>CRLX6-50-80W-MP-40K</b>	50W/65W/80W 85LM/W 4000K 6" <b>MP</b>
<b>CRLX6-50-80W-MP-50K</b>	50W/65W/80W 85LM/W 5000K 6" <b>MP</b>
<b>CRLX8-18-40W-MCTP</b>	18W/27W/40W 85LM/W 30K/35K/40K 8" <b>MCTP</b>
<b>CRLX8-50-80W-MP-30K</b>	50W/65W/80W 85LM/W 3000K 8" <b>MP</b>
<b>CRLX8-50-80W-MP-40K</b>	50W/65W/80W 85LM/W 4000K 8" <b>MP</b>
<b>CRLX8-50-80W-MP-50K</b>	50W/65W/80W 85LM/W 5000K 8" <b>MP</b>
<b>CRLX10-18-40W-MCTP</b>	18W/27W/40W 85LM/W 30K/35K/40K 10" <b>MCTP</b>
<b>CRLX10-50-80W-MP-30K</b>	50W/65W/80W 85LM/W 3000K 10" <b>MP</b>
<b>CRLX10-50-80W-MP-40K</b>	50W/65W/80W 85LM/W 4000K 10" <b>MP</b>
<b>CRLX10-50-80W-MP-50K</b>	50W/65W/80W 85LM/W 5000K 10" <b>MP</b>

SEE NEXT PAGE FOR HOUSING












Back View ENGINE + TRIM

## LED COMMERCIAL RECESSED LIGHT HOUSINGS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>CRL-HSG-4</b>	Commercial Recessed Light Housings, 4"	2
<b>CRL-HSG-6</b>	Commercial Recessed Light Housings, 6"	2
<b>CRL-HSG-8</b>	Commercial Recessed Light Housings, 8"	2
<b>CRL-HSG-10</b>	Commercial Recessed Light Housings, 10"	2
<b>CRL-BH</b>	Bar Hanger For Commercial Recessed Housings	

## BUILDER SERIES COMMERCIAL RECESS LIGHT, POWER AND CCT ADJUSTABLE **MCTP**



CATALOG NO.	DESCRIPTION
 <b>CRLE4-5-12W-MCTP-WH</b>	5W/7W/12W 100LM/W 30K/40K/50K 4"
<b>CRLE6-7-18W-MCTP-WH</b>	7W/10W/18W 100LM/W 30K/40K/50K 6"
 <b>CRLE6-H0-25-40W-MCTP-WH</b>	25W/30W/40W 100LM/W 30K/40K/50K 6", High-Output
<b>CRLE8-10-22W-MCTP-WH</b>	10W/15W/22W 100LM/W 30K/40K/50K 8"
 <b>CRLE8-H0-34-52W-MCTP-WH</b>	34W/42W/52W 100LM/W 30K/40K/50K 8", High-Output
<b>CRLE10-20-32W-MCTP-WH</b>	20W/25W/32W 100LM/W 30K/40K/50K 10"
 <b>CRLE10-H0-26-40W-MCTP-WH</b>	26W/32W/40W 100LM/W 30K/40K/50K 10", High-Output
 <b>CRLE-RI-TBAR-UNV</b>	Snap-In Comm. Recessed Light Universal TBAR Plate
<b>CRLE-RI-UNV</b>	Snap-In Comm. Recessed Light Universal Rough-In Plate
 <b>CRLE4-TRM-BK</b>	4" Snap-In Comm. Recessed Light 4In Black Trim + Ring Set
<b>CRLE4-TRM-BN</b>	4" Snap-In Comm. Recessed Light 4In Brushed Nickel Trim + Ring Set
 <b>CRLE6-TRM-BK</b>	6" Snap-In Comm. Recessed Light 6In Black Trim + Ring Set
<b>CRLE6-TRM-BN</b>	6" Snap-In Comm. Recessed Light 6In Brushed Nickel Trim + Ring Set
 <b>CRLE8-TRM-BK</b>	8" Snap-In Comm. Recessed Light 8In Black Trim + Ring Set
<b>CRLE8-TRM-BN</b>	8" Snap-In Comm. Recessed Light 8In Brushed Nickel Trim + Ring Set
 <b>CRLE10-TRM-BK</b>	10" Snap-In Comm. Recessed Light 10In Black Trim + Ring Set
<b>CRLE10-TRM-BN</b>	10" Snap-In Comm. Recessed Light 10In Brushed Nickel Trim + Ring Set




FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	OPT-EM-CRLE	EXTERNAL	N/A	N/A	N/A	N/A	N/A

## LED COMMERCIAL SLIM RECESSED REGRESSED BAFFLE LIGHTS 120-277V, 0-10V DIMMING

 With External J-Box Included, No need for Housing



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>RSLC6-BF-30K</b>	12W 900LM 3000K 6"	12
<b>RSLC6-BF-40K</b>	12W 900LM 4000K 6"	12
<b>RSLC8-BF-30K</b>	24W 1900LM 3000K 8"	12
<b>RSLC8-BF-40K</b>	24W 1900LM 4000K 8"	12
<b>RSLC8-BF-50K</b>	24W 1900LM 5000K 8"	12
<b>RSLC6-BF-MCT5</b>	12W 900LM 27K/30K/35K/40K/50K 6"	
<b>RSLC8-BF-MCT5</b>	24W 1900LM 27K/30K/35K/40K/50K 8"	
<b>RSL-BF-EXT-6FT</b>	RSL-BF 6FT. DC extension cord	-
<b>RSL-BF-EXT-10FT</b>	RSL-BF 10FT. DC extension cord	-
<b>RSL-BF-EXT-20FT</b>	RSL-BF 20FT. DC extension cord	-

COMMERCIAL  
COMMERCIAL  
RECESSED



## HALF CIRCLE INDOOR WALL SCNCE, 5CCT



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>FDLH-12-MCT5</b>	12W <b>960LM</b> 27K/30K/35K/40K/50K		6

COMMERCIAL  
VANITY  
LIGHTS



LSC-10-MCTP-BN  
Brushed Nickel



LSC-15-MCTP-BN  
Brushed Nickel



LSC-18-MCTP-BN  
Brushed Nickel

## MODERN INDOOR WALL SCNCE, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>LSC-10-MCTP-BN</b>	9W/12W/15W <b>80LM/W</b> 30K/40K/50K Brushed Nickel		6
<b>LSC-15-MCTP-BN</b>	12W/18W/20W <b>80LM/W</b> 30K/40K/50K Brushed Nickel		6
<b>LSC-18-MCTP-BN</b>	15W/20W/25W <b>80LM/W</b> 30K/40K/50K Brushed Nickel		6



## LED VANITY LIGHT, 120-277VAC



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LVL-2FT-MCT-DD</b>	20W <b>2200LM</b> 30K/40K/50K	
<b>LVL-2FT-17W-30K</b>	17W <b>1900LM</b> 3000K <b>WHILE SUPPLIES LAST</b>	3
<b>LVL-2FT-17W-40K</b>	17W <b>1900LM</b> 4000K	3

**FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER**

WATTS	EM OPTION	DESCRIPTION	ROCKER SWITCH OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL MODELS	<b>OPT-EM-LVL</b>	INTERNAL	<b>OPT-VL-RS-BK</b>	BOX	N/A	<b>OPT-SEN-2MDR-36</b> <b>WEC-3RC</b>	PROGRAMMABLE MICROWAVE BI-LEVEL REMOTE CONTROL




LVF-WS-MCT5-BN

**BULDER SERIES VANITY LIGHTS WITH SLIDE-TO-CENTER WALL CANOPY**



CATALOG NO.	DESCRIPTION
<b>LVF-18-MCT5-BN</b>	12W <b>1020LM</b> 27K/30K/35K/40K/50K 18" Brushed Nickel
<b>LVF-24-MCT5-BN</b>	16W <b>1360LM</b> 27K/30K/35K/40K/50K 24" Brushed Nickel
<b>LVF-30-MCT5-BN</b>	20W <b>1600LM</b> 27K/30K/35K/40K/50K 30" Brushed Nickel
<b>LVF-36-MCT5-BN</b>	24W <b>2000LM</b> 27K/30K/35K/40K/50K 36" Brushed Nickel
<b>LVF-48-MCT5-BN</b>	32W <b>2700LM</b> 27K/30K/35K/40K/50K 48" Brushed Nickel
<b>LVF-WS-MCT5-BN</b>	16W <b>1360LM</b> 27K/30K/35K/40K/50K Brushed Nickel

COMMERCIAL  
VANITY  
LIGHTS



**MODEL LVB LED SEMI-FLUSH VANITY LIGHT, 3CCT, PC LENS, 120V**

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION
<b>LVB-12-MCT-BN</b>	8W <b>560LM</b> 30K/40K/50K Brushed-Nickel, 12"
<b>LVB-12-MCT-PC</b>	8W <b>560LM</b> 30K/40K/50K Polished-Chrome, 12"
<b>LVB-18-MCT-BN</b>	12W <b>840LM</b> 30K/40K/50K Brushed-Nickel, 18"
<b>LVB-18-MCT-PC</b>	12W <b>840LM</b> 30K/40K/50K Polished-Chrome, 18"
<b>LVB-24-MCT-BN</b>	16W <b>1440LM</b> 30K/40K/50K Brushed-Nickel, 24"
<b>LVB-24-MCT-PC</b>	16W <b>1440LM</b> 30K/40K/50K Polished-Chrome, 24"
<b>LVB-36-MCT-BN</b>	24W <b>1680LM</b> 30K/40K/50K Brushed-Nickel, 36"
<b>LVB-36-MCT-PC</b>	24W <b>1680LM</b> 30K/40K/50K Polished-Chrome, 36"
<b>LVB-48-MCT-BN</b>	32W <b>2240LM</b> 30K/40K/50K Brushed-Nickel, 48"
<b>LVB-48-MCT-PC</b>	32W <b>2240LM</b> 30K/40K/50K Polished-Chrome, 48"





**MODEL LVC ARCHITECTURAL LED MULTI COLOR-TEMPERATURE VANITY LIGHT WITH CUBE PC LENS, 120V**

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LVC-24-MCT5-BN</b>	16W <b>1120LM</b> 27K/30K/35K/40K/50K Brushed Nickel 24"	10
<b>LVC-36-MCT5-BN</b>	24W <b>1680LM</b> 27K/30K/35K/40K/50K Brushed Nickel 36"	10

COMMERCIAL  
VANITY LIGHTS



LVD-WS-MCT5-BN

**MODEL LVD ARCHITECTURAL LED MULTI COLOR-TEMPERATURE VANITY LIGHT WITH TUBE PC, 120V**

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LVD-24-MCT5-BN</b>	16W <b>1300LM</b> 27K/30K/35K/40K/50K Brushed Nickel 24"	10
<b>LVD-36-MCT5-BN</b>	24W <b>2000LM</b> 27K/30K/35K/40K/50K Brushed Nickel 36"	10
<b>LVD-48-MCT5-BN</b>	32W <b>2700LM</b> 27K/30K/35K/40K/50K Brushed Nickel 48"	10
<b>LVD-WS-MCT5-BN</b>	16W <b>1360LM</b> 27K/30K/35K/40K/50K Brushed Nickel	



**MODEL LVE MULTI COLOR-TEMPERATURE VANITY LIGHT (3CCT), WITH PC LENS AND METAL RINGS, 120V**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LVE-24-MCT-BN</b>	17W <b>1760LM</b> 3000K/3500K/4000K Brushed Nickel 24"	1
<b>LVE-36-MCT-BN</b>	25W <b>2560LM</b> 3000K/3500K/4000K Brushed Nickel 36"	1
<b>LVE-48-MCT-BN</b>	34W <b>3500LM</b> 3000K/3500K/4000K Brushed Nickel 48"	1



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	277V OPTION	DESCRIPTION	ROCKER SWITCH OPTION	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
ALL	<b>OPT-277V</b>	INTERNAL	<b>OPT-VL-RS-BK</b>	BOX	<b>N/A</b>	<b>N/A</b>	N/A



**MODEL LVA ARCHITECTURAL LED DUAL GLASS MULTI COLOR-TEMPERATURE VANITY LIGHT, 120V**

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LVA-24-MCT5-BN</b>	20W <b>1400LM</b> 27K/30K/35K/40K/50K Brushed Nickel 24"	1
<b>LVA-36-MCT5-BN</b>	30W <b>2100LM</b> 27K/30K/35K/40K/50K Brushed Nickel 36"	1



**MODEL LVG ARCHITECTURAL LED MULTI COLOR-TEMPERATURE VANITY LIGHT WITH SQUARE PC LENS, 120V**

FOR FACTORY OPTION BOX SEE LVE BELOW



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LVG-24-MCT5-BN</b>	18W <b>1300LM</b> 27K/30K/35K/40K/50K Brushed Nickel 24"	10
<b>LVG-36-MCT5-BN</b>	30W <b>2000LM</b> 27K/30K/35K/40K/50K Brushed Nickel 36"	10

COMMERCIAL  
VANITY LIGHTS



LVS-24  
LVS-36  
LVS-48




LVS-WS-21


**SPEC SERIES SLIM ROTATABLE VANITY LIGHTS AND SCONCES, 120V**




CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LVS-24-MCT5-BN</b>	20W <b>1400LM</b> 27K/30K/35K/40K/50K 24" Brushed Nickel	10
<b>LVS-24-MCT5-BK</b>	20W <b>1400LM</b> 27K/30K/35K/40K/50K 24" Black	10
<b>LVS-24-MCT5-BB</b>	20W <b>1400LM</b> 27K/30K/35K/40K/50K 24" Brushed Brass	10
<b>LVS-36-MCT5-BN</b>	30W <b>2100LM</b> 27K/30K/35K/40K/50K 36" Brushed Nickel	10
<b>LVS-36-MCT5-BK</b>	30W <b>2100LM</b> 27K/30K/35K/40K/50K 36" Black	10
<b>LVS-36-MCT5-BB</b>	30W <b>2100LM</b> 27K/30K/35K/40K/50K 36" Brushed Brass	10
<b>LVS-48-MCT5-BN</b>	40W <b>2800LM</b> 27K/30K/35K/40K/50K 48" Brushed Nickel	10
<b>LVS-48-MCT5-BK</b>	40W <b>2800LM</b> 27K/30K/35K/40K/50K 48" Black	10
<b>LVS-48-MCT5-BB</b>	40W <b>2800LM</b> 27K/30K/35K/40K/50K 48" Brushed Brass	10
<b>LVS-WS-21-MCT5-BN</b>	14W <b>980LM</b> 27K/30K/35K/40K/50K 21" Brushed Nickel	10
<b>LVS-WS-21-MCT5-BK</b>	14W <b>980LM</b> 27K/30K/35K/40K/50K 21" Black	10
<b>LVS-WS-21-MCT5-BB</b>	14W <b>980LM</b> 27K/30K/35K/40K/50K 21" Brushed Brass	10



CWS-48-MCTP



CWS-18-MCTP



CWS-12-MCTP



## COMMERCIAL AND WAITING-ROOM INDOOR WALL SCONCE AND SUSPENDED LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>CWS-12-MCTP</b>	10W/15W/20W 85LM/W 30K/35K/40K	1
<b>CWS-18-MCTP</b>	10W/15W/20W 85LM/W 30K/35K/40K	1
<b>CWS-48-MCTP</b>	20W/30W/40W 85LM/W 30K/35K/40K	1
<b>CWS-48-MCTP-DWA</b>	Optional Drywall Mounting Accessory For CWS-48in	



LMIR-18-2028-MCT-DF  
LMIR-18-2436-MCT-DF



LMIR-36-2028-MCT-DF  
LMIR-36-2436-MCT-DF



LMIR-54-2840-MCT-DF

LMIR-MC18-2432-MCT-DF

## SPEC SERIES LED MIRRORS AND CABINET, ADJUSTABLE COLOR TEMP., DIMMING, WITH DEFOGGER FEATURE, (CALL SPECIAL SIZES AVAIL. BY SPECIAL ORDER)

CATALOG NO.	DESCRIPTION	W X H	PKG. QTY.
<b>SQUARE LED MIRRORS AND CABINET</b>			
<b>LMIR-18-2028-MCT-DF</b>	35W 3000K/4500K/6500K	20" X 28"	1
<b>LMIR-18-2436-MCT-DF</b>	44W 3000K/4500K/6500K	24" X 36"	1
<b>LMIR-36-2028-MCT-DF</b>	31W 3000K/4500K/6500K	20" X 28"	1
<b>LMIR-36-2436-MCT-DF</b>	39W 3000K/4500K/6500K	24" X 36"	1
<b>LMIR-54-2840-MCT-DF</b>	48W 3000K/4500K/6500K	28" X 40"	1
<b>LMIR-MC18-2432-MCT-DF</b>	35W 2700K-6500K	24" X 32"	1
<b>ROUND LED MIRRORS AND CABINET</b>			
<b>LMIR-18R-24D-MCT-DF</b>	30W 30K/45K/65K	24"	1
<b>LMIR-18R-32D-MCT-DF</b>	48W 30K/45K/65K	32"	1
<b>LMIR-18R-40D-MCT-DF</b>	68W 30K/45K/65K	40"	1





**WFL-112-PC-3B-52-MCT-WH-WH**  
White and White blades



**WFL-112-PC-3B-52-MCT-BK-BK**  
Black and Black blades



**WFL-112-PC-3B-52-MCT-BN-RWS**  
Brush Nickel and Reversible  
Rosewood/Silver blades



**WFL-113-PC-5B-52-MCT-WH-WH**  
White and White blades



**WFL-113-PC-5B-52-MCT-BN-RWBK**  
Brush Nickel and Reversible  
Black/Rosewood blades



**WFL-115-PC-3B-52-MCT-WH-WH**  
White and White blades



**WFL-115-PC-3B-52-MCT-BK-BK**  
Black and Black blades



**WFL-115-PC-3B-52-MCT-BN-RWS**  
Brush Nickel and Reversible  
Rosewood/Silver blades



**WFL-116-WS-3B-52-30K-WH-WH**  
White and White blades



**WFL-116-WS-3B-52-30K-BK-BK**  
Black and Black blades



**WFL-116-WS-3B-52-30K-BN-RWS**  
Brush Nickel and Reversible  
Rosewood/Silver blades



**WFL-107-PC-5B-52-WH-WH**  
White and White blades



**WFL-107-PC-5B-52-BN-RWSO**  
Brush Nickel and Reversible  
Rosewood/Silver oak



**WFL-105-PC-5B-52-WH-WH**  
White and White blades



**WFL-105-PC-5B-52-SN-RWSO**  
Satin Nickel and Reversible  
Rosewood /Silver oak



**WFL-103-PC-5B-52-WH-WH**  
White and White blades



**WFL-103-PC-5B-52-BN-RWSO**  
Brush Nickel and Reversible  
Rosewood/Silver oak



**WFL-118-WS-4B-52-30K-WH-WH**  
White and White blades



**WFL-118-WS-4B-52-30K-BK-BK**  
Black and Black blades



**WFL-118-WS-4B-52-30K-BN-S**  
Brush Nickel/Silver Blades



**WF-318WP-RC-3B-52-BR-WA**  
Bronze And Walnut Blades



**WFL-117DL-WS-4B-52-30K-BK-BK**  
Black and Black blades

**WESTGATE CEILING FANS**


COMMERCIAL  
CEILING  
FANS

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>WFL-112-PC-3B-52-MCT-WH-WH</b>	20W 1750LM 30K/40K/50K White and White blades	1
<b>WFL-112-PC-3B-52-MCT-BK-BK</b>	20W 1750LM 30K/40K/50K Black and Black blades	1
<b>WFL-112-PC-3B-52-MCT-BN-RWS</b>	20W 1750LM 30K/40K/50K Brush Nickel and Reversible Rosewood/Silver blades	1
<b>WFL-113-PC-5B-52-MCT-WH-WH</b>	20W 1750LM 30K/40K/50K White and White blades	1
<b>WFL-113-PC-5B-52-MCT-BN-RWBK</b>	20W 1750LM 30K/40K/50K Brush Nickel and Reversible Black/Rosewood blades	1
<b>WFL-115-PC-3B-52-MCT-WH-WH</b>	20W 1750LM 30K/40K/50K White and White blades	1
<b>WFL-115-PC-3B-52-MCT-BK-BK</b>	20W 1750LM 30K/40K/50K Black and Black blades	1
<b>WFL-115-PC-3B-52-MCT-BN-RWS</b>	20W 1750LM 30K/40K/50K Brush Nickel and Reversible Rosewood/Silver blades	1
<b>WFL-116-WS-3B-52-30K-WH-WH</b>	19W 1600LM 3000K White and White blades	1
<b>WFL-116-WS-3B-52-30K-BK-BK</b>	19W 1600LM 3000K Black and Black blades	1
<b>WFL-116-WS-3B-52-30K-BN-RWS</b>	19W 1600LM 3000K Brush Nickel and Reversible Rosewood/Silver blades	1
<b>WFL-107-PC-5B-52-WH-WH</b>	9W*2 800LM*2 3000K White and White blades	1
<b>WFL-107-PC-5B-52-BN-RWSO</b>	9W*2 800LM*2 3000K Brush Nickel and Reversible Rosewood/Silver oak	1
<b>WFL-105-PC-5B-52-WH-WH</b>	7W*3 600LM*3 3000K White and White blades	1
<b>WFL-105-PC-5B-52-SN-RWSO</b>	7W*3 600LM*3 3000K Satin Nickel and Reversible Rosewood /Silver oak	1
<b>WFL-103-PC-5B-52-WH-WH</b>	7W*3 600LM*3 3000K White and White blades	1
<b>WFL-103-PC-5B-52-BN-RWSO</b>	7W*3 600LM*3 3000K Brush Nickel and Reversible Rosewood/Silver oak	1
<b>WFL-118-WS-4B-52-30K-WH-WH</b>	19W 1600LM 3000K White and White blades	1
<b>WFL-118-WS-4B-52-30K-BK-BK</b>	19W 1600LM 3000K Black and Black blades	1
<b>WFL-118-WS-4B-52-30K-BN-S</b>	19W 1600LM 3000K Brush Nickel/Silver Blades	1
<b>WF-318WP-RC-3B-52-BR-WA</b>	- - - Bronze And Walnut Blades	1
<b>WFL-117DL-WS-4B-52-30K-BK-BK</b>	19W 1600LM 3000K Black and Black blades	1



## CEILING FAN EXTENSION DOWNROD

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER
<a href="#">WF-DR-12-BN</a>	Ceiling Fan Extension Downrod 12in, Brush Nickel	
<a href="#">WF-DR-18-BN</a>	Ceiling Fan Extension Downrod 18in, Brush Nickel	
<a href="#">WF-DR-24-BN</a>	Ceiling Fan Extension Downrod 24in, Brush Nickel	
<a href="#">WF-DR-36-BN</a>	Ceiling Fan Extension Downrod 36in, Brush Nickel	
<a href="#">WF-DR-12-BK</a>	Ceiling Fan Extension Downrod 12in, Black	
<a href="#">WF-DR-18-BK</a>	Ceiling Fan Extension Downrod 18in, Black	
<a href="#">WF-DR-24-BK</a>	Ceiling Fan Extension Downrod 24in, Black	
<a href="#">WF-DR-36-BK</a>	Ceiling Fan Extension Downrod 36in, Black	
<a href="#">WF-DR-12-WH</a>	Ceiling Fan Extension Downrod 12in, White	
<a href="#">WF-DR-18-WH</a>	Ceiling Fan Extension Downrod 18in, White	
<a href="#">WF-DR-24-WH</a>	Ceiling Fan Extension Downrod 24in, White	
<a href="#">WF-DR-36-WH</a>	Ceiling Fan Extension Downrod 36in, White	



## LED TRACK LIGHTS, 120V *(Fit Halo® and compatible tracks and accessories)*



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST
<a href="#">TR1-R-10W-WH-40K</a>	10W 691LM 4000K WHITE 25° LED ADJ. CYLINDER	
<a href="#">TR1-R-10W-WH-50K</a>	10W 702LM 5000K WHITE 25° LED ADJ. CYLINDER	
<a href="#">TR1-S-10W-WH-30K</a>	10W 681LM 3000K WHITE 25° LED ADJ. SQUARE	
<a href="#">TR1-S-10W-WH-40K</a>	10W 706LM 4000K WHITE 25° LED ADJ. SQUARE	
<a href="#">TR1-S-10W-WH-50K</a>	10W 732LM 5000K WHITE 25° LED ADJ. SQUARE	
<a href="#">TR1-R-10W-BK-40K</a>	10W 691LM 4000K BLACK 25° LED ADJ. CYLINDER	
<a href="#">TR1-S-10W-BK-30K</a>	10W 681LM 3000K BLACK 25° LED ADJ. SQUARE	
<a href="#">TR1-S-10W-BK-40K</a>	10W 706LM 4000K BLACK 25° LED ADJ. SQUARE	
<a href="#">TR1-REFL-38D</a>	Optional Reflector For Tr1 Series Track Lights—38° Beam Angle	



[TRE-5-15W-MCTP-36D-BK](#)  
Black



[TRE-15-25W-MCTP-36D-BK](#)  
Black



[TRE-25-35W-MCTP-36D-BK](#)  
Black



[TRE-5-15W-MCTP-36D-WH](#)  
White



[TRE-15-25W-MCTP-36D-WH](#)  
White



[TRE-25-35W-MCTP-36D-WH](#)  
White

## BUILDER SERIES TRACK HEADS WITH EXT. DRIVERS, POWER AND CCT ADJUSTABLE



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<a href="#">TRE-5-15W-MCTP-36D-BK</a>	5W/10W/15W 84LM/W 30K/35K/40K Black		20
<a href="#">TRE-5-15W-MCTP-36D-WH</a>	5W/10W/15W 84LM/W 30K/35K/40K White		20
<a href="#">TRE-15-25W-MCTP-36D-BK</a>	15W/20W/25W 84LM/W 30K/35K/40K Black		12
<a href="#">TRE-15-25W-MCTP-36D-WH</a>	15W/20W/25W 84LM/W 30K/35K/40K White		12
<a href="#">TRE-25-35W-MCTP-36D-BK</a>	25W/30W/35W 84LM/W 30K/35K/40K Black		10
<a href="#">TRE-25-35W-MCTP-36D-WH</a>	25W/30W/35W 84LM/W 30K/35K/40K White		10





**TRD-8W-MCT5-36D-BK**  
Black

**TRD-12W-MCT5-36D-BK**  
Black

**TRD-20W-MCT5-36D-BK**  
Black


**TRD-30W-MCT5-36D-BK**  
Black

**SPEC SERIES DIE-CAST TRACK HEADS 5CCT + TRACKS AND ACCESSORIES**



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<a href="#">TRD-8W-MCT5-36D-BK</a>	8W <b>720LM</b> 27K/30K/35K/40K/50K Black		40
<a href="#">TRD-8W-MCT5-36D-WH</a>	8W <b>720LM</b> 27K/30K/35K/40K/50K White		40
<a href="#">TRD-12W-MCT5-36D-BK</a>	12W <b>1080LM</b> 27K/30K/35K/40K/50K Black		24
<a href="#">TRD-12W-MCT5-36D-WH</a>	12W <b>1080LM</b> 27K/30K/35K/40K/50K White		24
<a href="#">TRD-20W-MCT5-36D-BK</a>	20W <b>1800LM</b> 27K/30K/35K/40K/50K Black		16
<a href="#">TRD-20W-MCT5-36D-WH</a>	20W <b>1800LM</b> 27K/30K/35K/40K/50K White		16
<a href="#">TRD-30W-MCT5-36D-BK</a>	30W <b>2700LM</b> 27K/30K/35K/40K/50K Black		16
<a href="#">TRD-30W-MCT5-36D-WH</a>	30W <b>2700LM</b> 27K/30K/35K/40K/50K White		16
<a href="#">TRD-8W-LENS-15D</a>	TRD 8W Replacement Lens 15-Degree		
<a href="#">TRD-8W-LENS-25D</a>	TRD 8W Replacement Lens 25-Degree		
<a href="#">TRD-8W-LENS-55D</a>	TRD 8W Replacement Lens 55-Degree		
<a href="#">TRD-12W-LENS-15D</a>	TRD 12W Replacement Lens 15-Degree		
<a href="#">TRD-12W-LENS-25D</a>	TRD 12W Replacement Lens 25-Degree		
<a href="#">TRD-12W-LENS-55D</a>	TRD 12W Replacement Lens 55-Degree		
<a href="#">TRD-20W-LENS-15D</a>	TRD 20W Replacement Lens 15-Degree		
<a href="#">TRD-20W-LENS-25D</a>	TRD 20W Replacement Lens 25-Degree		
<a href="#">TRD-20W-LENS-60D</a>	TRD 20W Replacement Lens 60-Degree		
<a href="#">TRD-30W-LENS-12D</a>	TRD 30W Replacement Lens 12-Degree		
<a href="#">TRD-30W-LENS-24D</a>	TRD 30W Replacement Lens 24-Degree		
<a href="#">TRD-30W-LENS-60D</a>	TRD 30W Replacement Lens 60-Degree		
<a href="#">TR-2FT-BK</a>	2Ft 3-Wire Track, Black		
<a href="#">TR-2FT-WH</a>	2Ft 3-Wire Track, White		
<a href="#">TR-4FT-BK</a>	4Ft 3-Wire Track, Black		
<a href="#">TR-4FT-WH</a>	4Ft 3-Wire Track, White		
<a href="#">TR-6FT-BK</a>	6Ft 3-Wire Track, Black		
<a href="#">TR-6FT-WH</a>	6Ft 3-Wire Track, White		
<a href="#">TR-8FT-BK</a>	8Ft 3-Wire Track, Black		
<a href="#">TR-8FT-WH</a>	8Ft 3-Wire Track, White		
<a href="#">TR-LE-BK</a>	3-Wire Track Live End, Black		
<a href="#">TR-LE-WH</a>	3-Wire Track Live End, White		
<a href="#">TR-MC-BK</a>	3-Wire Track Mini Connector, Black		
<a href="#">TR-MC-WH</a>	3-Wire Track Mini Connector, White		
<a href="#">TR-SC-BK</a>	3-Wire Track Straight Connector, Black		
<a href="#">TR-SC-WH</a>	3-Wire Track Straight Connector, White		
<a href="#">TR-LC-BK</a>	3-Wire Track L Connector, Black		
<a href="#">TR-LC-WH</a>	3-Wire Track L Connector, White		
<a href="#">TR-TC-BK</a>	3-Wire Track T Connector, Black		
<a href="#">TR-TC-WH</a>	3-Wire Track T Connector, White		
<a href="#">TR-XC-BK</a>	3-Wire Track X Connector, Black		
<a href="#">TR-XC-WH</a>	3-Wire Track X Connector, White		
<a href="#">TR-FLEXC-BK</a>	3-Wire Track Flex Connector, Black		
<a href="#">TR-FLEXC-WH</a>	3-Wire Track Flex Connector, White		
<a href="#">TR-FC-BK</a>	3-Wire Track Floating Canopy, Black		
<a href="#">TR-FC-WH</a>	3-Wire Track Floating Canopy, White		
<a href="#">TR-MONC-BK</a>	3-Wire Track Mono Canopy, Black		
<a href="#">TR-MONC-WH</a>	3-Wire Track Mono Canopy, White		
<a href="#">TR-JBEF-BK</a>	3-Wire Track J-Box End Feed Kit, Black		
<a href="#">TR-JBEF-WH</a>	3-Wire Track J-Box End Feed Kit, White		
<a href="#">TR-CCON-BK</a>	3-Wire Track Conduit Connector, Black		
<a href="#">TR-CCON-WH</a>	3-Wire Track Conduit Connector, White		
<a href="#">TR-EC-BK</a>	3-Wire Track End Cap, Black		
<a href="#">TR-EC-WH</a>	3-Wire Track End Cap, White		
<a href="#">TR-EXTCON-BK</a>	3-Wire Track To Track Extension Connector, Black		
<a href="#">TR-EXTCON-WH</a>	3-Wire Track To Track Extension Connector, White		
<a href="#">TR-PENDKIT-BK</a>	3-Wire Track 3Ft Pendant Wiring Kit, Black		
<a href="#">TR-PENDKIT-WH</a>	3-Wire Track 3Ft Pendant Wiring Kit, White		

COMMERCIAL  
TRACK  
LIGHTS



## OFFICE FLOOR LINEAR HUMAN CENTRIC LIGHT

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>OFL-L-100W-UD-HCL-PST-WH</b>	100W 8700LM 27K-50K		1
<b>OFL-R-80W-UD-HCL-PST-WH</b>	80W 8000LM 27K-50K		1

# RESIDENTIAL LIGHTING

## BUILDER SERIES ECO SHALLOW PC DOB RECESS TRIM, 5CCT SELECTABLE



CATALOG NO.	DESCRIPTION	
<b>RDDF4-MCT5</b>	6.5W <b>650LM</b> 27K/30K/40K/50K/60K 4"	BAFFLE
<b>RDDF6-MCT5</b>	10W <b>1000LM</b> 27K/30K/40K/50K/60K 6"	BAFFLE
<b>RDDS4-MCT5</b>	6.5W <b>650LM</b> 27K/30K/40K/50K/60K 4"	SMOOTH
<b>RDDS6-MCT5</b>	10W <b>1000LM</b> 27K/30K/40K/50K/60K 6"	SMOOTH

## BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT SELECTABLE LED RECESSED LIGHT TRIM- COMPOSITE SERIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RDPF4-MCT5</b>	10W <b>800LM</b> 27K/30K/35K/40K/50K 4" BAFFLE	12
<b>RDPF6-MCT5</b>	13W <b>1040LM</b> 27K/30K/35K/40K/50K 6" BAFFLE	8
<b>RDPS4-MCT5</b>	10W <b>800LM</b> 27K/30K/35K/40K/50K 4" SMOOTH	12
<b>RDPS6-MCT5</b>	13W <b>1040LM</b> 27K/30K/35K/40K/50K 6" SMOOTH	8

## BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT SELECTABLE ADJUSTABLE-HEAD LED RECESSED LIGHT TRIMS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RDPF4-ADJ-MCT5</b>	10W <b>800LM</b> 27K/30K/35K/40K/50K 4"	12
<b>RDPF6-ADJ-MCT5</b>	11W <b>880LM</b> 27K/30K/35K/40K/50K 6"	8

## BUILDER PLUS ENVIRONMENTAL SERIES PC 5CCT+3 POWER-LEVEL SELECTABLE LED RECESSED LIGHT TRIM- COMPOSITE SERIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RDPF4-MCTP</b>	8W/10W/13W <b>80LM/W</b> 27K/30K/35K/40K/50K 4" BAFFLE	12
<b>RDPF6-MCTP</b>	10W/13W/17W <b>80LM/W</b> 27K/30K/35K/40K/50K 6" BAFFLE	8
<b>RDPS4-MCTP</b>	8W/10W/13W <b>80LM/W</b> 27K/30K/35K/40K/50K 4" SMOOTH	12
<b>RDPS6-MCTP</b>	10W/13W/17W <b>80LM/W</b> 27K/30K/35K/40K/50K 6" SMOOTH	8

# SPEC SERIES LED RECESSED TRIM SERIES 3", 4", 5/6" 5CCT SELECTABLE



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SPEC SERIES SMOOTH METAL LED RECESSED TRIM SERIES 4" &amp; 5/6" SELECTABLE 5CCT [JA8]</b>		
RDL4-ST-MCT5	10W 700LM 27K/30K/35K/40K/50K 4" <b>WET</b>	24
RDL4-ST-MCT5-ORB	10W 700LM 27K/30K/35K/40K/50K 4" <b>WET</b>	24
RDL4-ST-MCT5-BK	10W 700LM 27K/30K/35K/40K/50K 4" <b>WET</b>	24
RDL6-ST-MCT5	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
RDL6-ST-MCT5-ORB	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
RDL6-ST-MCT5-BK	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
<b>SPEC SERIES BAFFLE METAL LED RECESSED TRIM SERIES 4" &amp; 5/6" SELECTABLE 5CCT [JA8]</b>		
RDL4-BF-MCT5	10W 700LM 27K/30K/35K/40K/50K 4"	24
RDL4-BF-MCT5-ORB	10W 700LM 27K/30K/35K/40K/50K 4"	24
RDL4-BF-MCT5-BK	10W 700LM 27K/30K/35K/40K/50K 4"	24
RDL6-BF-MCT5	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
RDL6-BF-MCT5-ORB	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
RDL6-BF-MCT5-BK	15W 1275LM 27K/30K/35K/40K/50K 5/6"	16
<b>SPEC PLUS &amp; WESTGATE SIGNATURE LED RECESSED TRIM SERIES 3", 4", 5/6" SELECTABLE 5CCT [JA8]</b>		
RDL3-MCT5-WP	7W 560LM 27K/30K/35K/40K/50K 3"	20
RDL4-MCT5-WP	8W 650LM 27K/30K/35K/40K/50K 4"	20
RDL6-MCT5-WP	14W 1140LM 27K/30K/35K/40K/50K 5/6"	20
<b>SPEC PLUS &amp; WESTGATE SIGNATURE ADJUSTABLE BAFFLE METAL LED RECESSED TRIM SERIES 4" &amp; 5/6" SELECTABLE 5CCT [JA8]</b>		
RDL4-ADJ-MCT5	8W 650LM 27K/30K/35K/40K/50K 4"	12
RDL6-ADJ-MCT5	11W 900LM 27K/30K/35K/40K/50K 5/6"	8

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
UP TO 19W	OPT-EM-RDL	EXTERNAL	N/A	N/A	N/A	N/A	N/A



**RDMF4-MCT5**  
White



**RDMF4-MCT5-BK**  
Black



**RDMF4-MCT5-ORB**  
Oil-Rubbed Bronze



**RDMF6-MCT5**  
White



**RDMF6-MCT5-BK**  
Black



**RDMF6-MCT5-ORB**  
Oil-Rubbed Bronze



















## WESTGATE SIGNATURE DEEP BAFFLE RETROFIT METAL LED RECESSED TRIM 5CCT

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
RDMF4-MCT5	10W 750LM 27K/30K/35K/40K/50K White		10
RDMF4-MCT5-BK	10W 750LM 27K/30K/35K/40K/50K Black		10
RDMF4-MCT5-ORB	10W 750LM 27K/30K/35K/40K/50K Oil-rubbed bronze		10
RDMF6-MCT5	14W 1050LM 27K/30K/35K/40K/50K White		10
RDMF6-MCT5-BK	14W 1050LM 27K/30K/35K/40K/50K Black		10
RDMF6-MCT5-ORB	14W 1050LM 27K/30K/35K/40K/50K Oil-rubbed bronze		10

RESIDENTIAL  
RECESSED TRIMS














## LED BAFFLE AND SMOOTH RECESSED TRIMS (CLIP-ON RDL-BF & RDL-ST)

CATALOG NO.	DESCRIPTION
 <b>RDL4-BF-TRMB-BK</b>	RDL4-BF series color trim, baffle, black finish
 <b>RDL4-BF-TRMB-BN</b>	RDL4-BF series color trim, baffle, brushed nickel finish
 <b>RDL4-BF-TRMB-ORB</b>	RDL4-BF series color trim, baffle, oil-rubbed bronze finish
 <b>RDL4-BF-TRMB-GD</b>	RDL4-BF series color trim, baffle, Specular Gold
 <b>RDL6-BF-TRMB-BK</b>	RDL6-BF series color trim, baffle, black finish
 <b>RDL6-BF-TRMB-BN</b>	RDL6-BF series color trim, baffle, brushed nickel
 <b>RDL6-BF-TRMB-ORB</b>	RDL6-BF series color trim, baffle, oil-rubbed bronze finish
 <b>RDL6-BF-TRMB-GD</b>	RDL6-BF series color trim, baffle, Specular Gold
 <b>RDL4-BF-TRMS-BK</b>	RDL4-BF series color trim, smooth, black finish
 <b>RDL4-BF-TRMS-BN</b>	RDL4-BF series color trim, smooth, brushed nickel
 <b>RDL4-BF-TRMS-WH</b>	RDL4-BF series color trim, smooth, white finish
 <b>RDL4-BF-TRMS-ORB</b>	RDL4-BF series color trim, smooth, oil-rubbed bronze finish
 <b>RDL4-BF-TRMS-GD</b>	RDL4-BF series color trim, smooth, Specular Gold
 <b>RDL6-BF-TRMS-BK</b>	RDL6-BF series color trim, smooth, black finish
 <b>RDL6-BF-TRMS-BN</b>	RDL6-BF series color trim, smooth, brushed nickel
 <b>RDL6-BF-TRMS-WH</b>	RDL6-BF series color trim, smooth, white finish
 <b>RDL6-BF-TRMS-ORB</b>	RDL6-BF series color trim, smooth, oil-rubbed bronze finish
 <b>RDL6-BF-TRMS-GD</b>	RDL6-BF series color trim, smooth, Specular Gold

## LED SQUARE TRIMS 4", 5/6"



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SMOOTH LED SQUARE TRIMS 4", 5/6"</b>		
 <b>SDL4-MCT5</b>	10W <b>650LM</b> 27K/30K/35K/40K/50K 4"	24
 <b>SDL6-MCT5</b>	15W <b>1155LM</b> 27K/30K/35K/40K/50K 5/6"	16
<b>BAFFLE LED SQUARE TRIMS 4", 5/6"</b>		
 <b>SDL4-BF-27K</b>	10W <b>600LM</b> 2700K 4" <b>WHILE SUPPLIES LAST</b>	24
 <b>SDL4-BF-30K</b>	10W <b>650LM</b> 3000K 4" <b>WHILE SUPPLIES LAST</b>	24
 <b>SDL4-BF-41K</b>	10W <b>700LM</b> 4100K 4" <b>WHILE SUPPLIES LAST</b>	24
 <b>SDL4-BF-50K</b>	10W <b>700LM</b> 5000K 4" <b>WHILE SUPPLIES LAST</b>	24
 <b>SDL4-BF-MCT5</b>	10W <b>700LM</b> 27K/30K/35K/40K/50K 4" <b>MCT5</b>	24
 <b>SDL6-BF-27K</b>	16.5W <b>1073LM</b> 2700K 5/6"	16
 <b>SDL6-BF-30K</b>	16.5W <b>1100LM</b> 3000K 5/6"	16
 <b>SDL6-BF-41K</b>	16.5W <b>1150LM</b> 4100K 5/6"	16
 <b>SDL6-BF-50K</b>	16.5W <b>1200LM</b> 5000K 5/6"	16
 <b>SDL6-BF-MCT5</b>	15W <b>1155LM</b> 27K/30K/35K/40K/50K 5/6" <b>MCT5</b>	16



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
UP TO 19W	OPT-EM-SDL	EXTERNAL	N/A	N/A	N/A	N/A	N/A

## WG SMART APP COMPATIBLE RGBW SMOOTH RECESSED LIGHT TRIM - ROUND, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-RDPS4-10W-RGBW-WIFI</b>	10W <b>650LM</b> RGBW 4" E26 Base	12
<b>TC-RDPS6-13W-RGBW-WIFI</b>	13W <b>850LM</b> RGBW 6" E26 Base	8


## 12V LOW-VOLTAGE LED REPLACEMENT TRIMS FOR MR16 HOUSINGS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>RDL4-BF-MCT5-12V</b>	11W <b>77LM</b> 27K/30K/35K/40K/50K 4"	24
 <b>RDL4-ST-MCT5-12V</b>	11W <b>77LM</b> 27K/30K/35K/40K/50K 4"	24

## J-BOX DIRECT-MOUNT RECESSED LIGHT, FITS 3-0 AND 4-0 OCTAGON BOXES



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>RDJ4-MCT5</b>	10W <b>700LM</b> 27K/30K/35K/40K/50K 4"	20
<b>RDJ4-TRM-BK</b>	4 inch trim for RDJ4, Black	



# SPEC PLUS SERIES SINGLE CCT LED TRIMS

3", 4", 5/6" E26 included in the box (JA8-E-2016 COMPLIANT)



		CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	PKG. QTY.
SMOOTH	3"	RDL3-27K-WP	9W 540LM 2700K 3"		20
		RDL3-30K-WP	9W 540LM 3000K 3"		20
		RDL3-41K-WP	9W 540LM 4100K 3"		20
		RDL3-50K-WP	9W 540LM 5000K 3"		20
	4"	RDL4-27K-WP	12W 650LM 2700K 4"		12
		RDL4-30K-WP	12W 700LM 3000K 4"		12
		RDL4-35K-WP	12W 725LM 3500K 4"		12
		RDL4-41K-WP	12W 750LM 4100K 4"		12
		RDL4-50K-WP	12W 800LM 5000K 4"		12
		RDL4-65K-WP	12W 850LM 6500K 4"		12
	5 1/6"	RDL6-27K-WP	19W 1200LM 2700K 5/6"		8
		RDL6-30K-WP	19W 1250LM 3000K 5/6"		8
RDL6-35K-WP		19W 1275LM 3500K 5/6"		8	
RDL6-41K-WP		19W 1300LM 4100K 5/6"		8	
RDL6-50K-WP		19W 1350LM 5000K 5/6"		8	
RDL6-65K-WP		19W 1400LM 6500K 5/6"		8	
RESIDENTIAL RECESSED TRIMS	BAFFLE 4"	RDL4-BF-27K	10W 650LM 2700K 4"		24
		RDL4-BF-30K	10W 680LM 3000K 4"		24
		RDL4-BF-30K-ORB	10W 680LM 3000K 4" Oil-Rubbed Bronze		24
		RDL4-BF-35K	10W 720LM 3500K 4"		24
		RDL4-BF-41K	10W 746LM 4100K 4"		24
		RDL4-BF-50K	10W 761LM 5000K 4"		24
	5 1/6"	RDL6-BF-27K	18W 1102LM 2700K 5/6"		16
		RDL6-BF-30K	18W 1204LM 3000K 5/6"		16
		RDL6-BF-30K-ORB	18W 1204LM 3000K 5/6" Oil-Rubbed Bronze		16
		RDL6-BF-35K	18W 1280LM 3500K 5/6"		16
		RDL6-BF-41K	18W 1300LM 4100K 5/6"		16
		RDL6-BF-50K	18W 1350LM 5000K 5/6"		16
ADJUSTABLE EYEBALL	4"	RDL4-ADJ-27K	10W 650LM 2700K 4"		12
		RDL4-ADJ-30K	10W 650LM 3000K 4"		12
		RDL4-ADJ-41K	10W 650LM 4100K 4"		12
		RDL4-ADJ-50K	10W 650LM 5000K 4"		12
	5 1/6"	RDL6-ADJ-27K	13W 900LM 2700K 5/6"		8
		RDL6-ADJ-30K	13W 900LM 3000K 5/6"		8
		RDL6-ADJ-41K	13W 900LM 4100K 5/6"		8
		RDL6-ADJ-50K	13W 900LM 5000K 5/6"		8

## AIRTIGHT LED RECESSED LIGHT HOUSING

NO PARTIAL/MUST SHIP CASE QTY.

		CATALOG NO.	DESCRIPTION	PKG. QTY.
		<b>ICF4SJBB</b>	4" Fire-Rated Junction Box With Bar Hangers For Surface Mount Down Lights	24
		<b>ICF4SJBP</b>	4" Fire-Rated Junction Box Housing For Led Surface Mount Down Lights & J-Box Recessed Lights	6
		<b>ICFAL-4</b>	4" Fire-Rated Ic New Construction Led Recessed Housing	4
		<b>ICFAL-6</b>	6" Fire-Rated Ic New Construction Led Recessed Housing	4

FOR FACTORY-INSTALLED OPTIONS SEE SDL4 & 6 BELOW


## RSL G2 SECOND GENERATION SLIM WAFER LIGHTS, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RSL4-G2-MCT5</b>	10W <b>700LM</b> 27K/30K/35K/40K/50K 4" White	20
<b>RSL4-G2-MCT5-BK</b>	10W <b>700LM</b> 27K/30K/35K/40K/50K 4" Black	20
<b>RSL4-G2-MCT5-ORB</b>	10W <b>700LM</b> 27K/30K/35K/40K/50K 4" Oil-Rubbed Bronze	20
<b>RSL6-G2-MCT5</b>	12W <b>1000W</b> 27K/30K/35K/40K/50K 6" White	20
<b>RSL6-G2-MCT5-BK</b>	12W <b>1000W</b> 27K/30K/35K/40K/50K 6" Black	20
<b>RSL6-G2-MCT5-ORB</b>	12W <b>1000W</b> 27K/30K/35K/40K/50K 6" Oil-Rubbed Bronze	20



## LED 5CCT ULTRA SLIM RECESSED LIGHTS 3", 4", 6", 8" & 12", 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LED 5CCT ULTRA SLIM ROUND RECESSED LIGHTS</b>		
<b>RSL3-MCT5</b>	6W <b>400LM</b> 27K/30K/35K/40K/50K 3"	24
<b>RSL3-MCT5-BN</b>	6W <b>400LM</b> 27K/30K/35K/40K/50K 3"	24
<b>RSL3-MCT5-ORB</b>	6W <b>400LM</b> 27K/30K/35K/40K/50K 3"	24
<b>RSL4-MCT5</b>	9W <b>630LM</b> 27K/30K/35K/40K/50K 4"	24
<b>RSL4-MCT5-ORB</b>	9W <b>630LM</b> 27K/30K/35K/40K/50K 4"	24
<b>RSL6-MCT5</b>	15W <b>1125LM</b> 27K/30K/35K/40K/50K 6"	24
<b>RSL6-MCT5-ORB</b>	15W <b>1125LM</b> 27K/30K/35K/40K/50K 6"	24
<b>RSL8-MCT5</b>	18W <b>1350LM</b> 27K/30K/35K/40K/50K 8"	24
<b>RSL10-MCT5</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K 10"	24
<b>RSL12-MCT5</b>	24W <b>1800LM</b> 27K/30K/35K/40K/50K 12"	24
<b>LED 5CCT BAFFLE ULTRA SLIM ROUND RECESSED LIGHTS</b>		
<b>RSL4-BF-MCT5</b>	9W <b>650LM</b> 27K/30K/35K/40K/50K 4"	12
<b>RSL6-BF-MCT5</b>	12W <b>900LM</b> 27K/30K/35K/40K/50K 6"	12
<b>RSL-BF-EXT-6FT-MCT5</b>	6 FT Extension Cord for RSL-BF	-
<b>RSL-BF-EXT-10FT-MCT5</b>	10 FT Extension Cord for RSL-BF	-
<b>RSL-BF-EXT-20FT-MCT5</b>	20 FT Extension Cord for RSL-BF	-
<b>LED 5CCT ULTRA SLIM SQUARE RECESSED LIGHTS</b>		
<b>SSL4-MCT5</b>	9W <b>630LM</b> 27K/30K/35K/40K/50K 4"	24
<b>SSL6-MCT5</b>	15W <b>1125LM</b> 27K/30K/35K/40K/50K 6"	24
<b>SSL12-MCT5</b>	24W <b>1800LM</b> 27K/30K/35K/40K/50K 12"	24
<b>RSL-EXT-10FT-MCT</b>	10 Ft. Extension Cable for use with all MCT Slim Lights	



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
UP TO 19W	<b>OPT-EM-RSL</b>	EXTERNAL	N/A	N/A	N/A	N/A	N/A

## LED 5CCT ADJUSTABLE ULTRA SLIM ROUND-BACK RECESSED LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>SSLRB4-MCT5</b>	9W <b>630LM</b> 27K/30K/35K/40K/50K 4"	24
<b>SSLRB6-MCT5</b>	15W <b>1125LM</b> 27K/30K/35K/40K/50K 6"	24



With External J-Box. Included, No need for Housing

## WET LOCATION LED 5CCT SLIM RECESSED LIGHTS, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RSL3-MCT5-WP</b>	6W <b>400LM</b> 27K/30K/35K/40K/50K 3"	24
<b>RSL4-MCT5-WP</b>	9W <b>630LM</b> 27K/30K/35K/40K/50K 4"	24
<b>RSL6-MCT5-WP</b>	15W <b>1125LM</b> 27K/30K/35K/40K/50K 6"	24
<b>RSL8-MCT5-WP</b>	18W <b>1350LM</b> 27K/30K/35K/40K/50K 8"	24
<b>RSL10-MCT5-WP</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K 10"	24
<b>RSL12-MCT5-WP</b>	24W <b>1800LM</b> 27K/30K/35K/40K/50K 12"	24



## LED ULTRA SLIM RECESSED LIGHT ACCESSORIES

	CATALOG NO.	DESCRIPTION
	<b>RSL3-RI</b>	3" Round Rough-in Plate, 26" Long
	<b>RSL4-RI</b>	4" Round Rough-in Plate, 26" Long
	<b>RSL4-RI-13</b>	4" Round Rough-in Plate, 13" Long
	<b>RSL6-RI</b>	6" Round Rough-in Plate, 26" Long
	<b>RSL6-RI-13</b>	6" Round Rough-in Plate, 13" Long
	<b>RSL8-RI</b>	8" Round Rough-in Plate, 26" Long
	<b>RSL12-RI</b>	12" Round Rough-in Plate, 26" Long
	<b>SSL4-RI</b>	4" Square Rough-in Plate, 26" Long
	<b>SSL6-RI</b>	6" Square Rough-in Plate, 26" Long
	<b>SSL12-RI</b>	12" Square Rough-in Plate, 26" Long
	<b>RSL-EXT-10FT</b>	10 Ft. Extension Cable for use with all Slim Lights
	<b>RSL-346-RIBH</b>	3", 4", 6" (Adjustable) Round Galvanized plate with Bar Hangers
	<b>SSL-346-RIBH</b>	3", 4", 6" (Adjustable) Square Galvanized plate with Bar Hangers
	<b>RSL4-GR</b>	Goof ring for 4in lights with butterfly wings
	<b>RSL6-GR</b>	Goof ring for 6in lights with butterfly wings
<b>RSL8-GR</b>	Goof ring for 8in lights with butterfly wings	
<b>RSL10-GR</b>	Goof ring for 10in lights with butterfly wings	
<b>RSL12-GR</b>	Goof ring for 12in lights with butterfly wings	
<b>RSL4-VB</b>	4" Vapor Barrier For Slim Recessed Lights	
<b>RSL6-VB</b>	6" Vapor Barrier For Slim Recessed Lights	

RESIDENTIAL RECESSED TRIMS

## LED ULTRA SLIM RECESSED TRIMS (CLIP ON RSL & SSL SLIM LIGHTS)

	CATALOG NO.	DESCRIPTION
	<b>RSL4-TRM-BK</b>	4" Black Clip-on Trim
	<b>RSL4-TRM-ORB</b>	4" Oil-rubbed Bronze Clip-on Trim
	<b>RSL4-TRM-CU</b>	4" Copper Clip-on Trim
	<b>RSL4-TRM-BZ</b>	4" Bronze Clip-on Trim
	<b>RSL4-TRM-BN</b>	4" Brushed Nickel Clip-on Trim
	<b>RSL4-TRM-CH</b>	4" Chrome Clip-on Trim
	<b>SSL4-TRM-BK</b>	4" Black Clip-on Trim
	<b>SSL4-TRM-ORB</b>	4" Oil-rubbed Bronze Clip-on Trim
	<b>SSL4-TRM-CU</b>	4" Copper Clip-on Trim
	<b>SSL4-TRM-BZ</b>	4" Bronze Clip-on Trim
	<b>SSL4-TRM-BN</b>	4" Brushed Nickel Clip-on Trim
	<b>SSL4-TRM-CH</b>	4" Chrome Clip-on Trim
	<b>RSL6-TRM-BK</b>	6" Black Clip-on Trim
	<b>RSL6-TRM-ORB</b>	6" Oil-rubbed Bronze Clip-on Trim
	<b>RSL6-TRM-CU</b>	6" Copper Clip-on Trim
	<b>RSL6-TRM-BZ</b>	6" Bronze Clip-on Trim
	<b>RSL6-TRM-BN</b>	6" Brushed Nickel Clip-on Trim
	<b>RSL6-TRM-CH</b>	6" Chrome Clip-on Trim
	<b>SSL6-TRM-BK</b>	6" Black Clip-on Trim
	<b>SSL6-TRM-ORB</b>	6" Oil-rubbed Bronze Clip-on Trim
	<b>SSL6-TRM-CU</b>	6" Copper Clip-on Trim
	<b>SSL6-TRM-BZ</b>	6" Bronze Clip-on Trim
	<b>SSL6-TRM-BN</b>	6" Brushed Nickel Clip-on Trim
	<b>SSL6-TRM-CH</b>	6" Chrome Clip-on Trim

## LED ROUND BACK RECESSED TRIMS (COMPATIBLE WITH SSLRB SERIES ONLY)

	CATALOG NO.	DESCRIPTION
	<b>SSLRB4-TRM-BK</b>	4 inch square trim for SSLRB4, black
	<b>SSLRB4-TRM-BN</b>	4 inch square trim for SSLRB4, brushed nickel
	<b>SSLRB4-TRM-ORB</b>	4 inch square trim for SSLRB4, oil-rubbed bronze
	<b>SSLRB6-TRM-BK</b>	6 inch square trim for SSLRB6, black
	<b>SSLRB6-TRM-BN</b>	6 inch square trim for SSLRB6, brushed nickel
	<b>SSLRB6-TRM-ORB</b>	6 inch square trim for SSLRB6, oil-rubbed bronze

## FIRE-RATED (2 HR) SLIM WAFER RECESSED LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RSL4-MCT5-FR</b>	9W <b>630LM</b> 27K/30K/35K/40K/50K 4"	24
<b>SSL4-MCT5-FR</b>	9W <b>630LM</b> 27K/30K/35K/40K/50K 4"	24
<b>RSL6-MCT5-FR</b>	12W <b>840LM</b> 27K/30K/35K/40K/50K 6"	24
<b>SSL6-MCT5-FR</b>	12W <b>840LM</b> 27K/30K/35K/40K/50K 6"	24

## ADJUSTABLE FIRE-RATED SLIM RECESSED LIGHT, 5CCT

CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
<b>RSL4-ADJ-MCT5-FR</b>	9W <b>630LM</b> 27K/30K/35K/40K/50K		24
<b>RSL6-ADJ-MCT5-FR</b>	12W <b>840LM</b> 27K/30K/35K/40K/50K		12

## LED 5CCT ADJUSTABLE ULTRA SLIM RECESSED LIGHTS

With External J-Box Included, No need for Housing



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RSL4-ADJ-MCT5</b>	9W <b>700LM</b> 27K/30K/35K/40K/50K 4"	24
<b>RSL6-ADJ-MCT5</b>	12W <b>900LM</b> 27K/30K/35K/40K/50K 6"	24

## WET LOCATION ADJUSTABLE LED 5CCT SLIM RECESSED LIGHTS, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RSL4-ADJ-MCT5-WP</b>	9W <b>630LM</b> 27K/30K/35K/40K/50K 4"	24
<b>RSL6-ADJ-MCT5-WP</b>	15W <b>1125LM</b> 27K/30K/35K/40K/50K 6"	24

## 4" LED 5CCT ADJUSTABLE PULL-DOWN ULTRA SLIM RECESSED LIGHTS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RSL4-APD-MCT5</b>	10W <b>700LM</b> 27K/30K/35K/40K/50K 4"	12

With External J-Box Included, No need for Housing

## SLIM SNAP-IN RECESSED LIGHTS WITH J-BOX, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RSL4-JB-MCT5</b>	10W <b>650LM</b> 27K/30K/35K/40K/50K 4"	24
<b>RSL6-JB-MCT5</b>	12W <b>1000LM</b> 27K/30K/35K/40K/50K 6"	24

## 3" LED GIMBAL (EYEBALL) ROUND RECESSED SNAP-IN LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RSL4-GIM-MCT5</b>	10W <b>800LM</b> 27K/30K/35K/40K/50K 4"	24

RESIDENTIAL RECESSED TRIMS

## LED COMMERCIAL SLIM RECESSED REGRESSED BAFFLE LIGHTS 120-277V, 0-10V DIMMING

With External J-Box. Included. No need for Housing



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RSLC6-BF-30K</b>	12W <b>900LM</b> 3000K 6"	12
<b>RSLC6-BF-40K</b>	12W <b>900LM</b> 4000K 6"	12
<b>RSLC8-BF-30K</b>	24W <b>1900LM</b> 3000K 8"	12
<b>RSLC8-BF-40K</b>	24W <b>1900LM</b> 4000K 8"	12
<b>RSLC8-BF-50K</b>	24W <b>1900LM</b> 5000K 8"	12
<b>RSLC6-BF-MCT5</b>	12W <b>900LM</b> 27K/30K/35K/40K/50K 6"	
<b>RSLC8-BF-MCT5</b>	24W <b>1900LM</b> 27K/30K/35K/40K/50K 8"	
<b>RSL-BF-EXT-6FT</b>	RSL-BF 6FT. DC extension cord	-
<b>RSL-BF-EXT-10FT</b>	RSL-BF 10FT. DC extension cord	-
<b>RSL-BF-EXT-20FT</b>	RSL-BF 20FT. DC extension cord	-



## SINGLE CCT LED ULTRA SLIM RECESSED LIGHTS 3", 4", 6", 8" & 12" 120V



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	PKG. QTY.
<b>RSL3-27K</b>	6W <b>400LM</b> 2700K 3"		24
<b>RSL4-30K-BN</b>	9W <b>630LM</b> 3000K 4" Brushed Nickel		24
<b>RSL6-30K-BN</b>	15W <b>1125LM</b> 3000K 6" Brushed Nickel		24
<b>RSL6-30K-ORB</b>	15W <b>1125LM</b> 3000K 6" Oil-Rubbed Bronze		24
<b>SSL6-27K</b>	15W <b>1125LM</b> 2700K 6"		24
<b>SSL6-30K</b>	15W <b>1125LM</b> 3000K 6"		24
<b>SSL6-40K</b>	15W <b>1125LM</b> 4000K 6"		24



FOR FACTORY OPTION SEE RSL-MCT5 ABOVE

## LED ADJUSTABLE ULTRA SLIM RECESSED LIGHTS

With External J-Box. Included. No need for Housing



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	PKG. QTY.
<b>RSL4-ADJ-30K</b>	9W <b>700LM</b> 3000K 4"		24
<b>RSL4-ADJ-40K</b>	9W <b>700LM</b> 4000K 4"		24
<b>RSL4-ADJ-50K</b>	9W <b>700LM</b> 5000K 4"		24
<b>RSL6-ADJ-27K</b>	12W <b>900LM</b> 2700K 6"		24
<b>RSL6-ADJ-30K</b>	12W <b>900LM</b> 3000K 6"		24
<b>RSL6-ADJ-40K</b>	12W <b>900LM</b> 4000K 6"		24



## 4" SINGLE CCT LED ADJUSTABLE PULL-DOWN ULTRA SLIM RECESSED LIGHTS



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	PKG. QTY.
<b>RSL4-APD-27K</b>	12W <b>700LM</b> 2700K 4"		12
<b>RSL4-APD-40K</b>	12W <b>700LM</b> 4000K 4"		12
<b>RSL4-APD-50K</b>	12W <b>700LM</b> 5000K 4"		12



With External J-Box. Included. No need for Housing

RESIDENTIAL  
RECESSED  
TRIMS



## MINI LINEAR OPTIC-LIGHT FIXTURES, SNAP IN 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LDLS-6-MCT5</b>	11W <b>600LM</b> 27K/30K/35K/40K/50K	20
<b>LDLS-12-MCT5</b>	18W <b>1200LM</b> 27K/30K/35K/40K/50K	20

## 4" LED SNAP-IN RECESSED LIGHTS, SMOOTH AND BAFFLE TRIMS INCL.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RDL4S-SB-MCT5-WH</b>	15W <b>1350LM</b> 27K/30K/35K/40K/50K Round, White	20
<b>RDL4S-SB-MCT5-BK</b>	15W <b>1350LM</b> 27K/30K/35K/40K/50K Round, Black	20
<b>SDL4S-SB-MCT5-WH</b>	15W <b>1350LM</b> 27K/30K/35K/40K/50K Square, White	20
<b>SDL4S-SB-MCT5-BK</b>	15W <b>1350LM</b> 27K/30K/35K/40K/50K Square, Black	20

## 2" LED RECESSED LIGHTS (Baffle)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RDL2S-BF-40K-WH</b>	8W <b>600LM</b> 4000K Round <b>WHILE SUPPLIES LAST</b>	18
<b>RDL2S-BF-50K-WH</b>	8W <b>600LM</b> 5000K Round <b>WHILE SUPPLIES LAST</b>	18
<b>RDL2S-BF-MCT-WH</b>	8W <b>600LM</b> 3000K/4000K/5000K Round <b>MCT5</b>	18
<b>SDL2S-BF-27K-WH</b>	8W <b>600LM</b> 2700K Square <b>WHILE SUPPLIES LAST</b>	18
<b>SDL2S-BF-40K-WH</b>	8W <b>600LM</b> 4000K Square <b>WHILE SUPPLIES LAST</b>	18
<b>SDL2S-BF-50K-WH</b>	8W <b>600LM</b> 5000K Square <b>WHILE SUPPLIES LAST</b>	18
<b>SDL2S-BF-MCT-WH</b>	8W <b>600LM</b> 3000K/4000K/5000K Square <b>MCT5</b>	18
<b>RSL-346-RIBH</b>	3", 4", 6" (Adjustable) Galvanized plate with Bar Hangers	

## 3" LED ADJUSTABLE (EYEBALL) RECESSED LIGHTS (JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RDL3S-ADJ-27K-WH</b>	8W 600LM 2700K Round	18
<b>RDL3S-ADJ-40K-WH</b>	8W 600LM 4000K Round	18
<b>SDL3S-ADJ-27K-WH</b>	8W 600LM 2700K Square <b>WHILE SUPPLIES LAST</b>	18
<b>SDL3S-ADJ-30K-WH</b>	8W 600LM 3000K Square <b>WHILE SUPPLIES LAST</b>	18
<b>SDL3S-ADJ-40K-WH</b>	8W 600LM 4000K Square <b>WHILE SUPPLIES LAST</b>	18
<b>SDL3S-ADJ-50K-WH</b>	8W 600LM 5000K Square	18
<b>RSL-346-RIBH</b>	3", 4", 6" (Adjustable) Galvanized plate with Bar Hangers	

## 3" LED ADJUSTABLE (EYEBALL) ROUND RECESSED LIGHT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>RDL3S-ADJ-MCT5-WH</b>	7W <b>700LM</b> 27K/30K/35K/40K/50K Round	20

## LED EMERGENCY DRIVER FOR ALL RECESSED TRIMS



CATALOG NO.	DESCRIPTION
<b>ELB-0895</b>	Field-installed emergency ballast for all LED recessed trims; Input voltage: 100-277VAC, 50-60Hz; Output: 8W Maximum for 90 minutes

RESIDENTIAL  
RECESSED TRIMS



# LED ARCHITECTURAL TRIMLESS RECESSED LIGHTS - 4"



CATALOG NO.	WATTAGE	COLOR TEMPERATURES	SHAPE	TRIM FINISH
LRD-TL	10W 10W	MCT5 27K/30K/35K/40K/50K	4R 4S ROUND SQUARE	WH WHITE BK BLACK C CLEAR MG MATTE GOLD HZ MATTE SILVER

SAMPLE ORDERING:

**LRD-TL-10W-MCT5-4S-BK**  
FOR SEPARATE LIGHT ENGINE & TRIM PART NUMBERS, PLEASE SEE THE SPEC SHEETS

### ROUND RECESSED LIGHTS

- Complete Item Codes
- Only 10W Engines
- Housing
- All Round Trims

4"(3-1/4" Actual)  
COMPLETE ITEM CODE



WHITE

ENGINE

ONLY 10W ENGINE



HOUSING



ROUND TRIMS



### SQUARE RECESSED LIGHTS

- Complete Item Codes
- Only 10W Engines
- Housing
- All Square Trims

COMPLETE ITEM CODE



WHITE

ENGINE

ONLY 10W ENGINE



HOUSING



SQUARE TRIMS



RESIDENTIAL RECESSED TRIMS



# LED ARCHITECTURAL WINGED RECESSED LIGHTS - 3" & 4"



CATALOG NO.	WATTAGE	COLOR TEMPERATURES	TRIM (ADJUSTBLE)	TRIM FINISH
LRD	7W 7W 10W 10W	MCT5 27K/30K/35K/40K/50K	3WTR 3" OPEN TRIM 3WTRPH 3" PIN HOLE TRIM 3WTRSL 3" SLOT TRIM 4WTR 4" OPEN TRIM 4WTRPH 4" PIN HOLE TRIM 4WTRSL 4" SLOT TRIM	WH WHITE (ALL TRIMS) BK BLACK (ALL TRIMS) C CLEAR (OPEN TRIMS ONLY) MG MATTE GOLD (OPEN TRIMS ONLY) HZ MATTE SILVER (OPEN TRIMS ONLY) ABK BLACK ON BLACK (OPEN TRIMS ONLY)

SAMPLE ORDERING:

**LRD-7W-MCT5-3WTR-MG**

FOR SEPARATE LIGHT ENGINE & TRIM PART NUMBERS, PLEASE SEE THE SPEC SHEETS



4" Pin Hole

4" Slot

3"(2-1/8" Actual) Open

3"(2-1/8" Actual) Slot



White

Black

Clear

White

Black

Matte Gold

Matte Silver

Black on Black

White

Black

### SLOT RECESSED LIGHTS

- All Complete Item Codes
- All 7W & 10W Engines
- All 3" & 4" Slot Trims



# LED ARCHITECTURAL MULTIPLE-TRIM RECESSED LIGHTS



CATALOG NO.	WATTAGE	COLOR TEMPERATURES	TRIM (ADJUSTBLE)	TRIM FINISH
LRD	10W 10W	MCT5 27K/30K/35K/40K/50K	WTM1 SINGLE SLOT TRIM WTM2 DOUBLE SLOT TRIM WTM3 TRIPLE SLOT TRIM	WH WHITE

SAMPLE ORDERING:

**LRD-10W-MCT5-WTM1-WH**

FOR SEPARATE LIGHT ENGINE & TRIM PART NUMBERS, PLEASE SEE THE SPEC SHEETS

LRD-FGL

Frosted Glass Lens For LRD Series



SINGLE TRIM



DOUBLE TRIM




TRIPLE TRIM

### MULTIPLE RECESSED LIGHTS

- All Complete Item Codes
- 10W Engines
- Trims

## LED 5CCT DOUBLE RING FLUSH MOUNT, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>FDL-10-MCT5</b>	12W <b>900LM</b> 27K/30K/35K/40K/50K 10"	8
<b>FDL-12-MCT5</b>	16W <b>1200LM</b> 27K/30K/35K/40K/50K 12"	8
<b>FDL-12-MCT5-BK</b>	16W <b>1200LM</b> 27K/30K/35K/40K/50K 12"	8
<b>FDL-14-MCT5</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K 14" <b>WHILE SUPPLIES LAST</b>	8
<b>FDL-14-MCT5-BK</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K 14"	8
<b>FDL-16-MCT5</b>	24W <b>1800LM</b> 27K/30K/35K/40K/50K 16" <b>WHILE SUPPLIES LAST</b>	8
<b>FDL-18-MCT</b>	30W <b>2200LM</b> 3000K/4000K/5000K 18"	5
<b>FDL-SFK</b>	Semi-Flush Accessory Kit For Fdl Flush-Mount Series	
<b>FDL-SFK-BK</b>	Semi-Flush Accessory Kit For Fdl Flush-Mount Series, Bk	

SHOWN WITH EM



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FDL-12-MCT5	<b>OPT-EM-FDL</b>	MOUNT IN EXTENDED BASE	<b>OPT-PC-FM</b>	BUTTON WITH AUXILIARY BASE	N/A	<b>OPT-SEN-2US</b>	ULTRASONIC
	<b>277V OPTION</b>	DESCRIPTION				<b>INTERNAL FOR ALL MODELS</b>	BI-LEVEL DIMMING (REMOTE NOT NEEDED)
	<b>OPT-277V-FDL-12</b>	EXTERNAL BOX				<b>WEC-3RC</b>	REMOTE CONTROL

## LED 5CCT SINGLE RING FLUSH MOUNT



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>FSL-11-MCT5</b>	16W <b>1200LM</b> 27K/30K/35K/40K/50K 11"	8
<b>FSL-11-MCT5-GD</b>	16W <b>1200LM</b> 27K/30K/35K/40K/50K 11"	8
<b>FSL-13-MCT5</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K 13"	8
<b>FSL-13-MCT5-GD</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K 13"	8
<b>FSL-15-MCT5</b>	24W <b>1800LM</b> 27K/30K/35K/40K/50K 15"	8
<b>FSL-15-MCT5-GD</b>	24W <b>1800LM</b> 27K/30K/35K/40K/50K 15"	8

RESIDENTIAL

SURFACE MOUNT

## LED 5CCT CLOUD FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>FCR-11-MCT5</b>	16W <b>1200LM</b> 27K/30K/35K/40K/50K 11" DIA	8
<b>FCR-14-MCT5</b>	24W <b>1800LM</b> 27K/30K/35K/40K/50K 14" DIA	8

## LED 5CCT CLOUD FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>FCRB-11HL-MCT5</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K 11" DIA	8
<b>FCRB-14-MCT5</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K 14" DIA	8

## LED 5CCT CLOUD FIXTURE WITH PRE-INSTALLED SENSOR, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>FCRB-16-MCT5-SEN</b>	20W <b>1400LM</b> 27K/30K/35K/40K/50K 16" DIA	8

## LED 5CCT CLOUD FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>FCS-11HL-MCT5</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K 11" DIA	8
<b>FCS-13-MCT5</b>	20W <b>1800LM</b> 27K/30K/35K/40K/50K 13" DIA	8

## LED CLOUD FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>FCS-11-12W-40K</b>	15W <b>1100LM</b> 4000K 11" DIA	2
<b>FCS-14-18W-40K</b>	22W <b>1800LM</b> 4000K 14" DIA	2

SHOWN WITH EM

SHOWN WITH EM



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FCR-11	OPT-EM-FCR11	INTERNAL	OPT-PC-FM	BUTTON WITH AUXILIARY BASE	N/A	OPT-SEN-2US	ULTRASONIC
FCR-14	OPT-EM-FCR14	INTERNAL	277V OPTION	DESCRIPTION		INTERNAL FOR ALL MODELS	BI-LEVEL DIMMING (REMOTE NOT NEEDED)
FCS11, FCS11HL	OPT-EM-FCS11	INTERNAL	OPT-277V-FCR-11	EXTERNAL BOX		OPT-SEN-2USRC	OPTIONAL RC
FCS14	OPT-EM-FCS14	INTERNAL	OPT-277V-FCS-11	EXTERNAL BOX			
FCS13	OPT-EM-FCS13	INTERNAL	OPT-277V-FCS-11HL	EXTERNAL BOX			
			OPT-277V-FCS-13	EXTERNAL BOX			



### SLIM DOUBLE-RING FLUSH MOUNT, 5CCT

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FDLS-12-MCT5</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K	8
<b>FDLS-14-MCT5</b>	24W <b>1800LM</b> 27K/30K/35K/40K/50K	8



### CONTRACTOR-FRIENDLY SNAP-IN FLUSH MOUNT SERIES, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FMLS-R5-MCT5-DT</b>	11W <b>680LM</b> 27K/30K/35K/40K/50K	12
<b>FMLS-R7-MCT5-DT</b>	14W <b>900LM</b> 27K/30K/35K/40K/50K	12
<b>FMLS-R9-MCT5-DT</b>	20W <b>1300LM</b> 27K/30K/35K/40K/50K	8
<b>FMLS-R11-MCT5-DT</b>	25W <b>1650LM</b> 27K/30K/35K/40K/50K	8
<b>FMLS-R7-MCT5-DD</b>	14W <b>1000LM</b> 27K/30K/35K/40K/50K	12
<b>FMLS-R9-MCT5-DD</b>	20W <b>1600LM</b> 27K/30K/35K/40K/50K	8
<b>FMLS-R7-MCT5-DD-EM</b>	14W <b>1000LM</b> 27K/30K/35K/40K/50K	8
<b>FMLS-R9-MCT5-DD-EM</b>	20W <b>1600LM</b> 27K/30K/35K/40K/50K	8



### BUILDER COMPOSITE SERIES DECORATIVE FLUSH MOUNT FIXTURES

120V 5CCT E26 VER. INCL. (EXCEPT R12) RECESS ACCESSORIES



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FMLE-R5-MCT5-E26</b>	9W <b>650LM</b> 27K/30K/35K/40K/50K 5"	20
<b>FMLE-R7-MCT5-E26</b>	14W <b>1100LM</b> 27K/30K/35K/40K/50K 7"	20
<b>FMLE-R9-MCT5-E26</b>	17W <b>1300LM</b> 27K/30K/35K/40K/50K 9"	10
<b>FMLE-R12-MCT5</b>	21W <b>1500LM</b> 27K/30K/35K/40K/50K 12"	5



### ARCHITECTURAL FLUSH MOUNT SURFACE FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FML-R6-11W-30K</b>	11W <b>550LM</b> 3000K 6" DIAMETER	20
<b>FML-R6-11W-50K</b>	11W <b>550LM</b> 5000K 6" DIAMETER	20
<b>FML-R8-14W-50K</b>	14W <b>750LM</b> 5000K 8" DIAMETER	10
<b>FML-S6-11W-30K</b>	11W <b>550LM</b> 3000K 6" X 6"	20
<b>FML-S6-11W-50K</b>	11W <b>550LM</b> 5000K 6" X 6"	20
<b>FML-S8-14W-30K</b>	14W <b>750LM</b> 3000K 8" X 8"	20
<b>FML-S10-17W-30K</b>	17W <b>950LM</b> 3000K 10" X 10"	20



### WG SMART APP COMPATIBLE RGBW FLUSH MOUNT FIXTURES, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>TC-FML-8-14W-RGBW-WIFI</b>	14W <b>980LM</b> RGBW	20
<b>TC-FML-10-17W-RGBW-WIFI</b>	17W <b>1190LM</b> RGBW	20
<b>TC-FML-12-22W-RGBW-WIFI</b>	22W <b>1540LM</b> RGBW	20
<b>TC-FML-14-26W-RGBW-WIFI</b>	26W <b>1820LM</b> RGBW	20





# FLUSH MOUNT SERIES, UGR<19 LOW-GLARE



CATALOG NO.	DESCRIPTION	PKG. QTY.
FML-R6-MCT5-UGR	11W 700LM 27K/30K/35K/40K/50K 6"	20
FML-R8-MCT5-UGR	14W 980LM 27K/30K/35K/40K/50K 8"	10
FML-R10-MCT5-UGR	17W 1190LM 27K/30K/35K/40K/50K 10"	10
FML-R12-MCT5-UGR	22W 1540LM 27K/30K/35K/40K/50K 12"	10
FML-R14-MCT5-UGR	26W 1820LM 27K/30K/35K/40K/50K 14"	5
FML-R16-MCT5-UGR	30W 2100LM 27K/30K/35K/40K/50K 16"	5
FML-R18-MCT5-UGR	35W 2450LM 27K/30K/35K/40K/50K 18"	3
FML-R20-MCT5-UGR	40W 2800LM 27K/30K/35K/40K/50K 20"	3
FML-R22-MCT5-UGR	45W 3150LM 27K/30K/35K/40K/50K 22"	3

# SPEC SERIES ARCHITECTURAL DIE-CAST FLUSH MOUNT FIXTURES, 120V, 3CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
FML-R6-MCT	11W 660LM 30K/40K/50K 6"	20
FML-R8-MCT	14W 840LM 30K/40K/50K 8"	10
FML-R10-MCT	17W 1020LM 30K/40K/50K 10"	10
FML-R14-MCT	26W 1560LM 30K/40K/50K 14"	5
FML-R18-MCT	30W 2100LM 30K/40K/50K 18"	5
FML-R22-MCT	45W 2700LM 30K/40K/50K 22"	5
FML-ULK-MCT	15W 850LM 30K/40K/50K UP LIGHT KIT FOR 18" & 22" FML SERIES	
FML-RK-712	7" OR 12" ROD KIT FOR FML FOR 18" & 22" FML SERIES	
FML-SK6	6FT ADJUSTABLE SUSPENSION KIT FOR 18" & 22" FML SERIES	



SHOWN WITH EM BASE



SHOWN WITH FML-SK6



SHOWN WITH FML-RK-712



SHOWN WITH FML-ULK-MCT

RESIDENTIAL SURFACE MOUNT

# FML COLOR TRIMS (CLIP ON)

CATALOG NO.	DESCRIPTION
FML-R6-TRM-BK	6" ROUND TRIM FOR FML-R6 SERIES, BLACK FINISH
FML-R6-TRM-BN	6" ROUND TRIM FOR FML-R6 SERIES, BRUSHED NICKEL FINISH
FML-R6-TRM-BR	6" ROUND TRIM FOR FML-R6 SERIES, BRONZE FINISH
FML-R8-TRM-BK	8" ROUND TRIM FOR FML-R6 SERIES, BLACK FINISH
FML-R8-TRM-BN	8" ROUND TRIM FOR FML-R6 SERIES, BRUSHED NICKEL FINISH
FML-R8-TRM-BR	8" ROUND TRIM FOR FML-R6 SERIES, BRONZE FINISH
FML-R10-TRM-BK	10" ROUND TRIM FOR FML-R6 SERIES, BLACK FINISH
FML-R10-TRM-BN	10" ROUND TRIM FOR FML-R6 SERIES, BRUSHED NICKEL FINISH
FML-R10-TRM-BR	10" ROUND TRIM FOR FML-R6 SERIES, BRONZE FINISH



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FML-R6	OPT-EM-FML-R6	MOUNT IN EXTENDED BASE	OPT-PC-FML8	BUTTON	N/A	N/A	N/A
FML-R8	OPT-EM-FML-R8	MOUNT IN EXTENDED BASE	OPT-PC-FML10	BUTTON			
FML-R10	OPT-EM-FML-R10	MOUNT IN EXTENDED BASE	277V OPTION	DESCRIPTION			
FML-R14	OPT-EM-FML-R14	MOUNT IN EXTENDED BASE	OPT-277V-FML-R8	EXTERNAL BOX			
			OPT-277V-FML-R10	EXTERNAL BOX			





SHOWN WITH  
ROD & CANOPY



SHOWN WITH  
SUSPENSION KIT  
& CANOPY

## LED 5CCT INTEGRATED LED FABRIC DRUM



RESIDENTIAL

PENDANT  
LIGHTS

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LCFF-15-MCT5-BR</b>	25W <b>1400LM</b> 27K/30K/35K/40K/50K 15" Bronze	2
<b>LCFF-18-MCT5-BR</b>	35W <b>1800LM</b> 27K/30K/35K/40K/50K 18" Bronze	2
<b>LCFF-22-MCT5-BR</b>	45W <b>2100LM</b> 27K/30K/35K/40K/50K 22" Bronze	2
<b>LCFF-15-MCT5-BN</b>	25W <b>1400LM</b> 27K/30K/35K/40K/50K 15" Brushed Nickel	2
<b>LCFF-18-MCT5-BN</b>	35W <b>1800LM</b> 27K/30K/35K/40K/50K 18" Brushed Nickel	2
<b>LCFF-22-MCT5-BN</b>	45W <b>2100LM</b> 27K/30K/35K/40K/50K 22" Brushed Nickel	2
<b>LCF-ROD-5-BR</b>	5In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
<b>LCF-ROD-12-BR</b>	12In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
<b>LCF-ROD-24-BR</b>	24In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
<b>LCF-ROD-36-BR</b>	36In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
<b>LCF-ROD-48-BR</b>	48In Suspension Rod For Ceiling Fixture Swivel Canopy, Bronze	
<b>LCF-ROD-5-BN</b>	5In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
<b>LCF-ROD-12-BN</b>	12In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
<b>LCF-ROD-24-BN</b>	24In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
<b>LCF-ROD-36-BN</b>	36In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
<b>LCF-ROD-48-BN</b>	48In Suspension Rod For Ceiling Fixture Swivel Canopy, Brushed Nickel	
<b>LCF-CANOPY-S-BR</b>	Swivel Ceiling Canopy For Ceiling Fixtures, Bronze	
<b>LCF-CANOPY-S-BN</b>	Swivel Ceiling Canopy For Ceiling Fixtures, Brushed Nickel	
<b>LFCF-SK10-BR</b>	10Ft 4Line Canopy Suspension Kit For Decorative Lights, Bronze	
<b>LFCF-SK10-BN</b>	10Ft 4Line Canopy Suspension Kit For Decorative Lights, Brushed Nickel	
<b>FML-ULK-MCT</b>	15W, 850Lm, 30K/40K/50K Up Light Kit	



## MODERN 3CCT FLUSH MOUNT DRUM



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FCD-13-MCT-BG</b>	25W <b>2350LM</b> 3000K/4000K/5000K 13" Black/Gold	5
<b>FCD-16-MCT-BG</b>	30W <b>2800LM</b> 3000K/4000K/5000K 16" Black/Gold	5



SHOWN WITH MODIFICATION ACCESSORY

## 5CCT INTEGRATED LED MODERN CONE PENDANT LIGHTS, 12" DAI.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LCFC-MCT5-BK</b>	25W <b>1300LM</b> 27K/30K/35K/40K/50K Black	2
<b>LCFC-MCT5-WH</b>	25W <b>1300LM</b> 27K/30K/35K/40K/50K White	2
<b>LCFC-BF-ACC-GD</b>	LCFC Pendant Modification Accessory, Electroplated Gold	
<b>LCFC-BF-ACC-BN</b>	LCFC Pendant Modification Accessory, Brushed Nickel	



## NORDIC DESIGN PENDANT WITH LEATHER STRAP, INTEGRATED 5CCT LED

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LCFN-MCT5-WH</b>	25W <b>1400LM</b> 27K/30K/35K/40K/50K White	2
<b>LCFN-MCT5-BK</b>	25W <b>1400LM</b> 27K/30K/35K/40K/50K Black	2




SHOWN WITH WIRE GUARD BLACK

SHOWN WITH WIRE GUARD WHITE

## 12" INTEGRATED LED VINTAGE PENDANT LIGHTS, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LCFA-MCT5-BK</b>	25W <b>1300LM</b> 27K/30K/35K/40K/50K Black (Copper Inside)	2
<b>LCFA-MCT5-WH</b>	25W <b>1300LM</b> 27K/30K/35K/40K/50K White Gloss (Copper Inside)	2
<b>LCFA-WG-BK</b>	LCFA Wire Guard, Black	
<b>LCFA-WG-WH</b>	LCFA Wire Guard, White	



## POWER & CCT-ADJUSTABLE CONE PENDANT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>3CCT CONE PENDANT WITH 5FT ADJ. DOWNROD, 7" Dia.</b>		
LCFS-MCT-BK	6W/9W/12W 600LM Max. 30K/40K/50K Black	4
LCFS-MCT-WH	6W/9W/12W 600LM Max. 30K/40K/50K White	4
<b>3CCT CONE PENDANT WITH 6FT ADJ. CORD, 6" Dia.</b>		
LCFQ-MCT-BK	6W/9W/12W 600LM Max. 30K/40K/50K Black	12
LCFQ-MCT-WH	6W/9W/12W 600LM Max. 30K/40K/50K White	12
CMC2-TRMWM-AG	Replacement Trim Accessory, Anodized Gold	
CMC2-TRMWM-BN	Replacement Trim Accessory, Brushed Nickel	
<b>POWER &amp; CCT ADJUSTABLE TAPERED PENDANT WITH 6FT ADJ. CORD, 2" Dia.</b>		
LCFT-MCTP-BK	3W/6W/9W 720LM Max. 30K/40K/50K Black	8
LCFT-MCTP-WH	3W/6W/9W 720LM Max. 30K/40K/50K White	8
LCFT-MCTP-BN	3W/6W/9W 720LM Max. 30K/40K/50K Brushed Nickel	8
LCFT-DL25	LCFT 2in 25mm Acrylic Drop Lens	

RESIDENTIAL

PENDANT LIGHTS



## WINE BOTTLE PENDANT, COMMERCIAL/RESIDENTIAL 10FT ADJ. CORD, 9" DIA.



CATALOG NO.	DESCRIPTION	PKG. QTY.
LCFW-MCTP-BK	6W/9W/12W 960LM Max. 30K/40K/50K Black	4
LCFW-MCTP-WH	6W/9W/12W 960LM Max. 30K/40K/50K White	4



**5CCT INTEGRATED LED MODERN DOME PENDANT LIGHTS**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>12" INTEGRATED LED MODERN DOME PENDANT LIGHTS, 5CCT</b>		
<b>LCFD-MCT5-BK</b>	25W <b>1300LM</b> 27K/30K/35K/40K/50K Black 12" Black	2
<b>LCFD-MCT5-WH</b>	25W <b>1300LM</b> 27K/30K/35K/40K/50K White 12" White	2
<b>LCFD-MCT5-WS</b>	25W <b>1300LM</b> 27K/30K/35K/40K/50K White/Silver 12" White/Silver	2
<b>LCFD-MCT5-BG</b>	25W <b>1300LM</b> 27K/30K/35K/40K/50K Black/Gold 12" Black/Gold	2
<b>20" INTEGRATED LED MODERN DOME PENDANT LIGHTS</b>		
<b>LCFD-20-MCT5-WS</b>	40W <b>2250LM</b> 27K/30K/35K/40K/50K White/Silver 20" White/Silver	2
<b>LCFD-20-MCT5-BG</b>	40W <b>2250LM</b> 27K/30K/35K/40K/50K Black/Gold 20" Black/Gold	2



**24" INTEGRATED LED PAN PENDANT WITH 6FT ADJ. ROD DOWN, 5CCT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LCFP-MCT5-WG</b>	40W <b>2800LM</b> 27K/30K/35K/40K/50K White/Gold	1
<b>LCFP-MCT5-BG</b>	40W <b>2800LM</b> 27K/30K/35K/40K/50K Black/Gold	1



**12" LARGE INTEGRATED LED DOME PENDANT WITH 6FT CORD, 5CCT**



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LCFR-MCT5-WG</b>	24W <b>820LM</b> 27K/30K/35K/40K/50K White/Gold	2
<b>LCFR-MCT5-BG</b>	24W <b>820LM</b> 27K/30K/35K/40K/50K Black/Gold	2

RESIDENTIAL PENDANT LIGHTS

## MODERN 3CCT FLUSH MOUNT DRUM



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LDAP-10-MCT5</b>	12W <b>700LM</b> 27K/30K/35K/40K/50K BLACK, <b>10" Dia.</b>	4
<b>LDAP-14-MCT5</b>	18W <b>900LM</b> 27K/30K/35K/40K/50K BLACK, <b>14" Dia.</b>	4



## 5CCT INTEGRATED LED PENDANT LIGHTS

xFT Adjustable



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LCFB-1L-MCT5</b>	12W <b>810LM</b> 27K/30K/35K/40K/50K Single	4
<b>LCFB-3LR-MCT5</b>	36W <b>2430LM</b> 27K/30K/35K/40K/50K Triple w/ Square Canopy	2
<b>LCFB-3LS-MCT5</b>	36W <b>2430LM</b> 27K/30K/35K/40K/50K Triple w/ Straight Bar	1



## 5CCT INTEGRATED LED HOLOGRAM PENDANT LIGHTS

xFT Adjustable



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LCFH-1L-MCT5</b>	12W <b>810LM</b> 27K/30K/35K/40K/50K Single	4
<b>LCFH-3LR-MCT5</b>	36W <b>2430LM</b> 27K/30K/35K/40K/50K Triple w/ Square Canopy	2
<b>LCFH-3LS-MCT5</b>	36W <b>2430LM</b> 27K/30K/35K/40K/50K Triple w/ Straight Bar	1



## 4" GLASS LENS PENDANT WITH 6FT ADJ. ROD, 5CCT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LCFE-MCT5-BN</b>	12W <b>720LM</b> 27K/30K/35K/40K/50K Brushed Nickel	4
<b>LCFE-MCT5-BK</b>	12W <b>720LM</b> 27K/30K/35K/40K/50K Black	4

FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
LCFF, LCFN, LDAP, LCFD	<b>OPT-EM-LCFX-WH</b>	INTERNAL White	N/A	N/A	N/A	N/A	N/A
LCFC, LCFP, LCFR, LCFB	<b>OPT-EM-LCFX-BK</b>	INTERNAL Black					
LCFS, LCFQ, LCFA, LCFH	<b>OPT-EM-LCFX-BN</b>	INTERNAL Brushed Nickel					
LCFS, LCFQ, LCFA, LCFE							

RESIDENTIAL PENDANT LIGHTS





**BRL-RH-BK**  
Black



**BRL-RH-BN**  
Brushed Nickel



**BRL-RH-WH**  
White



**BRL-SHL-BK**  
Black



**BRL-SHL-WH**  
White



**BRL-SHR-BK**  
Black



**BRL-SHR-WH**  
White



**BRL-RV-BK**  
Black



**BRL-RV-BN**  
Brushed Nickel



**BRL-RV-WH**  
White



**BRL-SV-BK**  
Black



**BRL-SV-WH**  
White

## BEDSIDE READING LAMPS WITH BACKLIT, WIRELESS CHARGING, & USB OPTIONS



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>BRL-RH-WH</b>	3W <b>120LM</b> 3000K Horizontal Recessed, White	20
<b>BRL-RH-BK</b>	3W <b>120LM</b> 3000K Horizontal Recessed, Black	20
<b>BRL-RH-BN</b>	3W <b>120LM</b> 3000K Horizontal Recessed, Brushed Nickel	20
<b>BRL-RV-WH</b>	3W <b>120LM</b> 3000K Vertical Recessed, White	20
<b>BRL-RV-BK</b>	3W <b>120LM</b> 3000K Vertical Recessed, Black	20
<b>BRL-RV-BN</b>	3W <b>120LM</b> 3000K Vertical Recessed, Brushed Nickel	20
<b>BRL-SHR-WCH-WH</b>	10W <b>500LM</b> 3000K Horiz. Surf. Backlit + USB & W/L CHG., Right Side, White	5
<b>BRL-SHR-WCH-BK</b>	10W <b>500LM</b> 3000K Horiz. Surf. Backlit + USB & W/L CHG., Right Side, Black	5
<b>BRL-SHL-WCH-WH</b>	10W <b>500LM</b> 3000K Horiz. Surf. Backlit + USB & W/L CHG., Left Side, White	5
<b>BRL-SHL-WCH-BK</b>	10W <b>500LM</b> 3000K Horiz. Surf. Backlit + USB & W/L CHG., Left Side, Black	5
<b>BRL-SV-WH</b>	10W <b>500LM</b> 3000K Vert. Surf. Backlit + USB, White	5
<b>BRL-SV-BK</b>	10W <b>500LM</b> 3000K Vert. Surf. Backlit + USB, Black	5

## BUILDER SERIES 6" LED ECONOMY DISC LIGHT, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>DLSE6-40K</b>	15W <b>900LM</b> 4000K	20
<b>DLSE6-50K</b>	15W <b>900LM</b> 5000K	20

## BUILDER SERIES 4" & 6" LED 5CCT DISK LIGHT ECONOMY DISC LIGHT (JA8-E-2019 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>DLSE4-MCT5</b>	10W <b>630LM</b> 27K/30K/35K/40K/50K 4" White	30
<b>DLSE4-MCT5-BR</b>	10W <b>630LM</b> 27K/30K/35K/40K/50K 4" Bronze	30
<b>DLSE6-MCT5</b>	15W <b>1000LM</b> 27K/30K/35K/40K/50K 6" White	24
<b>DLSE6-MCT5-BR</b>	15W <b>1000LM</b> 27K/30K/35K/40K/50K 6" Bronze	24
<b>DLSE6-MCT5-BN</b>	15W <b>1000LM</b> 27K/30K/35K/40K/50K 6" Brushed Nickel	24

## BUILDER SERIES 4" & 6" LED MULTI-CCT ECONOMY DISC LIGHT (JA8-E-2019 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>DLSE4-MCT</b>	9W <b>540LM</b> 3000K/4000K/5000K 4" White	20
<b>DLSE6-MCT-BN</b>	15W <b>1000LM</b> 3000K/4000K/5000K 6" Brushed Nickel	20

## LED DISC LIGHT 4" & 6" 120V (J-BOX MOUNTING)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>DLSN4-50K</b>	10W <b>600LM</b> 5000K	20
<b>DLSN6-27K</b>	15W <b>1000LM</b> 2700K	20
<b>DLSN6-30K</b>	15W <b>1000LM</b> 3000K	20
<b>DLSN6-50K</b>	15W <b>1000LM</b> 5000K	20

## SPEC SERIES 3CCT HIGH-PERFORMANCE DISC LIGHTS, 120V DIE CAST ALUMINUM, ALL MOUNTING OPTIONS INCL.



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>DLS4-MCT</b>	9W <b>540LM</b> 3000K/4000K/5000K 4"	20
<b>DLS6-MCT</b>	15W <b>900LM</b> 3000K/4000K/5000K 6"	20
<b>DLS6-MCT-BN</b>	15W <b>900LM</b> 3000K/4000K/5000K 6" BRUSHED NICKEL	20
<b>DLS6-MCT-BR</b>	15W <b>900LM</b> 3000K/4000K/5000K 6" BRONZE	20
<b>DLS8-MCT</b>	20W <b>1200LM</b> 3000K/4000K/5000K 8"	10
<b>DLS10-MCT</b>	25W <b>1500LM</b> 3000K/4000K/5000K 10"	10
<b>DLS12-MCT</b>	30W <b>1800LM</b> 3000K/4000K/5000K 12"	5



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
DLS6, DLSE6, DLSN6	<b>OPT-EM-DLS6</b>	MOUNT IN EXTENDED BASE	<b>OPT-PC-DLS6</b>	Photocell	N/A	N/A	N/A
DLS8	<b>OPT-EM-DLS8</b>	MOUNT IN EXTENDED BASE					
DLS10	<b>OPT-EM-DLS10</b>	MOUNT IN EXTENDED BASE					
DLS12	<b>OPT-EM-DLS12</b>	MOUNT IN EXTENDED BASE					

## SPEC SERIES HIGH-PERFORMANCE DISC LIGHTS, 120V

DIE CAST ALUMINUM, ALL MOUNTING OPTIONS INCL.



SPEC SERIES		CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST		PKG. QTY.
		<b>DLS4-27K</b>	9W 550-600LM 2700K	4"		20
		<b>DLS4-30K</b>	9W 550-600LM 3000K	4"		20
		<b>DLS4-41K</b>	9W 550-600LM 4000K	4"		20
		<b>DLS4-50K</b>	9W 550-600LM 5000K	4"		20
		<b>DLS6-27K</b>	15W 950-1000LM 2700K	6"		20
		<b>DLS6-30K</b>	15W 950-1000LM 3000K	6"		20
		<b>DLS6-41K</b>	15W 950-1000LM 4000K	6"		20
		<b>DLS6-50K</b>	15W 950-1000LM 5000K	6"		20
		<b>DLS6-30K-BR</b>	15W 950-1000LM 3000K BRONZE	6"		20
		<b>DLS6-30K-BN</b>	15W 950-1000LM 3000K BRUSHED NICKEL	6"		20



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
DLS6, DLSE6, DLSN6 DLS8 DLS10 DLS12	<b>OPT-EM-DLS6</b> <b>OPT-EM-DLS8</b> <b>OPT-EM-DLS10</b> <b>OPT-EM-DLS12</b>	MOUNT IN EXTENDED BASE MOUNT IN EXTENDED BASE MOUNT IN EXTENDED BASE MOUNT IN EXTENDED BASE	<b>OPT-PC-DLS6</b>	Photocell	N/A	N/A	N/A

## SPECS SERIES HIGH-PERFORMANCE DIE-CAST DISK LIGHTS, 277V



SPEC SERIES		CATALOG NO.	DESCRIPTION	PKG. QTY.
		<b>DLS6-MCT-277V</b>	15W 900LM 3000K/4000K/5000K 6"	20
		<b>DLS12-MCT-277V</b>	30W 1800LM 3000K/4000K/5000K 12"	5

## SPECS SERIES HIGH-PERFORMANCE DIE-CAST DISK LIGHTS WITH PIR MOTION SENSOR



SPEC SERIES		CATALOG NO.	DESCRIPTION	PKG. QTY.
		<b>DLS4-MCT-PIR</b>	9W 540LM 3000K/4000K/5000K 4"	20
		<b>DLS6-MCT-PIR</b>	15W 900LM 3000K/4000K/5000K 6"	20
		<b>DLS8-MCT-PIR</b>	20W 1200LM 3000K/4000K/5000K 8"	10
		<b>DLS10-MCT-PIR</b>	25W 1500LM 3000K/4000K/5000K 10"	10
		<b>DLS12-MCT-PIR</b>	30W 1800LM 3000K/4000K/5000K 12"	5

## LED 5CCT DOME FLUSH MOUNT



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>FMD-11-MCT5-BN</b>	20W 1500LM 27K/30K/35K/40K/50K Brushed Nickel 11"	8
<b>FMD-11-MCT5-ORB</b>	20W 1500LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze 11"	8
<b>FMD-11-MCT5-WH</b>	20W 1500LM 27K/30K/35K/40K/50K White 11"	8
<b>FMD-13-MCT5-BN</b>	24W 1800LM 27K/30K/35K/40K/50K Brushed Nickel 13"	8
<b>FMD-13-MCT5-ORB</b>	24W 1800LM 27K/30K/35K/40K/50K Oil-Rubbed Bronze 13"	8
<b>FMD-13-MCT5-WH</b>	24W 1800LM 27K/30K/35K/40K/50K White 13"	8




FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

WATTS	EM OPTION	DESCRIPTION	PHOTOCELL	DESCRIPTION	PAINT	SENSOR	DESCRIPTION
FMD-11 FMD-13	<b>OPT-EM-FMD11</b> <b>OPT-EM-FMD13</b>	INTERNAL INTERNAL	N/A	N/A	N/A	<b>OPT-SEN-2US</b> <b>INTERNAL FOR ALL MODELS</b> <b>OPT-SEN-2USRC</b>	ULTRASONIC BI-LEVEL DIMMING (REMOTE NOT NEEDED) OPTIONAL RC

RESIDENTIAL DISC LIGHTS



## LED PL LAMPS



CATALOG NO.	DESCRIPTION	POSITION	ROTATABLE	BALLAST	WHILE SUPPLIES LAST
 <b>LPL-EB-9W-H-40K</b>	9W <b>800LM</b> 4000K	Horizontal	90°	Electronic Ballast	
<b>LPL-EB-14W-H-L-40K</b>	12W <b>1200LM</b> 4000K	Horizontal	90°	Electronic Ballast	


## LED TYPE A+B PL LAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>LPL-G24-AB-11W</b>	11W <b>1300LM</b> 4000K	1
 <b>LPL-GX23-AB-8W</b>	8W <b>800LM</b> 4000K	1

## 12 LED LAMPS /24FT. STG




CATALOG NO.	DESCRIPTION	TOTAL LED
 <b>STG-2412-27K</b>	1W per bulb <b>75LM per S14 bulb</b> 2700K 1W PER BULB	12

RESIDENTIAL

## 53FT 15-BULB ST14 RGB STRING LIGHT




CATALOG NO.	DESCRIPTION
 <b>STG-5315-RGB-BT</b>	53Ft 15-Bulb ST14 Rgb String Light 1M Appart With 11 Fairy Lights In Between Bluetooth

LAMPS


## LANTERN DESIGN STRING LIGHT RGB BLUETOOTH APP CONTROLLED



CATALOG NO.	DESCRIPTION
 <b>STG-2415-LANT-RGBIC-BT</b>	24Ft 15-Lamp Lantern Design String Light Rgb Bluetooth App Controlled
<b>STG-4830-LANT-RGBIC-BT</b>	48Ft 30-Lamp Lantern Design String Light Rgb Bluetooth App Controlled


## A19 LED LAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>A19-9W-MCT5-D</b>	9W <b>800LM</b> 27K/30K/35K/40K/50K	1


## A19 LED LAMPS (Medium Base) 240° 15K Hours



CATALOG NO.	DESCRIPTION	MASTER QTY.
 <b>A19-8PK-9W-30K-D</b>	9W <b>700LM</b> 3000K 8-PACK	64
<b>A19-8PK-9W-40K-D</b>	9W <b>810LM</b> 4000K 8-PACK	64
<b>A19-8PK-9W-50K-D</b>	9W <b>810LM</b> 5000K 8-PACK	64
<b>A19-40PK-9W-30K-D</b>	9W <b>700LM</b> 3000K 40-PACK	40
<b>A19-40PK-9W-40K-D</b>	9W <b>810LM</b> 4000K 40-PACK	40
<b>A19-40PK-9W-50K-D</b>	9W <b>810LM</b> 5000K 40-PACK	40

## WG SMART APP COMPATIBLE RGBW A19 LAMP, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-A19-9W-RGBW-WIFI</b>	9W <b>800LM</b> RGBW E26 Base	50

## MR16 LED LAMPS, 12V AC/DC GU5.3 BASE 36°

\*Dimmable with magnetic ballast only



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>MR16-400L-27K-D</b>	5W <b>380LM</b> 2700K 80CRI	200
<b>MR16-400L-30K-D</b>	5W <b>380LM</b> 3000K 80CRI	200
<b>MR16-400L-41K-D</b>	5W <b>390LM</b> 4100K 80CRI	200
<b>MR16-400L-50K-D</b>	5W <b>400LM</b> 5000K 80CRI	200
 <b>MR16-500L-C90-30K-D</b>	7W <b>500LM</b> 3000K 90CRI	100
<b>MR16-500L-C90-40K-D</b>	7W <b>560LM</b> 4000K 90CRI	100
<b>MR16-500L-C90-50K-D</b>	7W <b>560LM</b> 5000K 90CRI	100

## MR11 LED LAMPS, 12V AC/DC GU5.3 BASE 36°

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>MR11-250L-27K</b>	3W <b>250LM</b> 2700K	
<b>MR11-250L-30K</b>	3W <b>250LM</b> 3000K	

## BR30 LED LAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>BR30-9W-MCT5-D</b>	9W <b>800LM</b> 27K/30K/35K/40K/50K	1

## PAR38 LED LAMPS



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>PAR38-12W-MCT5-D-WP</b>	12W <b>1200LM</b> 27K/30K/35K/40K/50K	1



## PAR36 12V AC/DC G53 Terminal Base, IP65, WET LOCATION



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>PAR36-12W-30K</b>	12W <b>1000LM</b> 3000K	20
<b>PAR36-12W-40K</b>	12W <b>1000LM</b> 4000K	20
<b>PAR36-12W-50K</b>	12W <b>1000LM</b> 5000K	20

## WG SMART APP COMPATIBLE RGBW PAR20/PAR30/PAR38, 120V















CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-PAR20-5W-RGBW-WIFI</b>	5W <b>400LM</b> RGBW E26 Base	50
 <b>TC-PAR30-11W-RGBW-WIFI</b>	11W <b>850LM</b> RGBW E26 Base	50
 <b>TC-PAR38-13W-RGBW-WIFI</b>	13W <b>1050LM</b> RGBW E26 Base	50

RESIDENTIAL LAMPS



## 12-VOLT LED REPLACEMENT LAMPS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>GZ-JC-39L-27K</b>	3W <b>250LM</b> 2700K 12VAC/DC	1000
 <b>GZ-JC-39L-30K</b>	 3W <b>250LM</b> 3000K 12VAC/DC	1000
 <b>GZ-JC-18L-27K</b>	3W <b>250LM</b> 2700K 12VAC/DC	1000
 <b>GZ-JC-18L-32K</b>	3W <b>250LM</b> 3200K 12VAC/DC	1000
 <b>GZ-JC-WP-3W-32K</b>	 3W <b>180LM</b> 3200K 12VAC/DC	1000
 <b>GZ-S8-32K-G2</b>	2.2W <b>230LM</b> 3200K 12V	500
 <b>GZ-S8-32K</b>	1.4W <b>70LM</b> 3200K 12V	500
 <b>GZ-G4-9L-32K</b>	2W <b>120LM</b> 3200K 12V	1000
 <b>GZ-JC-60L-TFL</b>	3W <b>60LM</b> TURTLE FRIENDLY CCT	1000
 <b>GZ-JC-300L-27K</b>	 3W <b>300LM</b> 2700K 360° Beam Angle	1000
 <b>GZ-JC-300L-30K</b>	 3W <b>300LM</b> 3000K 360° Beam Angle	1000

## LED REPLACEMENT LAMPS, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>GZ-G9-3W-32K</b>	3W <b>240LM</b> 3200K G9	500
<b>GZ-G9-3W-55K</b>	3W <b>250LM</b> 5500K G9	500


## HIGH POWER GU10, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>G10-600L-30K-D</b>	7.5W <b>500LM</b> 3000K SMD CRI80 30° ANGLE	60
<b>G10-600L-50K-D</b>	7.5W <b>600LM</b> 5000K SMD CRI80 30° ANGLE	60


## LED FILAMENT CANDELABRA, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>E12-FLA-5W-27K-D</b>	4W <b>400LM</b> 2700K CLEAR TORPEDO	48
<b>E12-FLA-5W-40K-D</b>	4W <b>400LM</b> 4000K CLEAR TORPEDO	48
<b>E12-FLA-5W-27K-D-F-BT</b>	4W <b>300LM</b> 2700K FROSTED BENT TIP	48
<b>E12-FLA-5W-40K-D-F-BT</b>	4W <b>300LM</b> 4000K FROSTED BENT TIP	48

## WG SMART APP COMPATIBLE RGBW CANDELABRA, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-E12-4.5W-RGBW-WIFI</b>	4.5W <b>325LM</b> RGBW E12 Base	50

## LED FILAMENT A19 BULB, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>A19-FLA-7W-27K-D</b>	7W <b>800LM</b> 2700K CLEAR	100
<b>A19-FLA-7W-40K-D</b>	7W <b>800LM</b> 4000K CLEAR	100

## LED FILAMENT ST19 BULB, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>ST19-FLA-5W-27K-D-CL</b>	5W <b>430LM</b> 2700K	24
<b>ST19-FLA-5W-22K-D-AM</b>	5W <b>380LM</b> 2200K (LED Component 2700K)	24

## RGB BULBS

CATALOG NO.	DESCRIPTION
 <b>MR16-5W-RGB</b>	5W <b>280LM</b> RGB 12V 30° REMOTE CONTROL




# WESTGATE SMART APP COMPATIBLE RGBW SERIES



## WG SMART APP COMPATIBLE RGBW SMOOTH RECESSED LIGHT TRIM - ROUND, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-RDPS4-10W-RGBW-WIFI</b>	10W <b>650LM</b> RGBW 4" E26 Base	12
<b>TC-RDPS6-13W-RGBW-WIFI</b>	13W <b>850LM</b> RGBW 6" E26 Base	8


## WG SMART APP COMPATIBLE RGBW PAR20/PAR30/PAR38, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-PAR20-5W-RGBW-WIFI</b>	5W <b>400LM</b> RGBW E26 Base	50
<b>TC-PAR30-11W-RGBW-WIFI</b>	11W <b>850LM</b> RGBW E26 Base	50
<b>TC-PAR38-13W-RGBW-WIFI</b>	13W <b>1050LM</b> RGBW E26 Base	50


## WG SMART APP COMPATIBLE RGBW G25 LAMP, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-G25-5W-RGBW-WIFI</b>	5W <b>450LM</b> RGBW E26 Base	50


## WG SMART APP COMPATIBLE RGBW CANDELABRA, 120V




CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-E12-4.5W-RGBW-WIFI</b>	4.5W <b>325LM</b> RGBW E12 Base	50

## WG SMART APP COMPATIBLE RGBW A19 LAMP, 120V




CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-A19-9W-RGBW-WIFI</b>	9W <b>800LM</b> RGBW E26 Base	50

## WG SMART APP COMPATIBLE RGBW FLUSH MOUNT FIXTURES, 120V

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-FML-8-14W-RGBW-WIFI</b>	14W <b>980LM</b> RGBW	20
<b>TC-FML-10-17W-RGBW-WIFI</b>	17W <b>1190LM</b> RGBW	20
<b>TC-FML-12-22W-RGBW-WIFI</b>	22W <b>1540LM</b> RGBW	20
<b>TC-FML-14-26W-RGBW-WIFI</b>	26W <b>1820LM</b> RGBW	20


## BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 40D LENS, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-GL-12V-15W-RGBW-BT-BR</b>	15W <b>405LM</b> RGBW	6


## BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 12V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-FL-12V-36W-RGBW-BT-BR</b>	36W <b>824LM</b> RGBW	4

## BLUETOOTH WG APP COMPATIBLE RGBW FLOOD LIGHT, 60D LENS, 120-277V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>TC-FL-36W-RGBW-BT-BR</b>	36W <b>824LM</b> RGBW	4

RESIDENTIAL SMART SERIES



# WESTGATE SMART APP COMPATIBLE RGBW SERIES



## 53FT 15-BULB ST14 RGB STRING LIGHT



CATALOG NO.

DESCRIPTION



**STG-5315-RGB-BT**

53Ft 15-Bulb ST14 Rgb String Light 1M Appart With 11 Fairy Lights In Between Bluetooth

## LANTERN DESIGN STRING LIGHT RGB BLUETOOTH APP CONTROLLED



CATALOG NO.

DESCRIPTION



**STG-2415-LANT-RGBIC-BT**

24Ft 15-Lamp Lantern Design String Light Rgb Bluetooth App Controlled

**STG-4830-LANT-RGBIC-BT**

48Ft 30-Lamp Lantern Design String Light Rgb Bluetooth App Controlled

## SPEC SERIES X GEN. RGB STADIUM LIGHTS, DMX512 CONTROLLED - SPECIAL ORDER



CATALOG NO.

DESCRIPTION

PKG. QTY.



SHOWN WITH OPTIONAL SHROUD

**SFX-G9-500W-45D-RGB**

500W RGB

1

**SFX-G9-800W-45D-RGB**

800W RGB

1

## SPEC SERIES RGBW BLUETOOTH WESTGATE APP BULLET, 120-277V



CATALOG NO.

DESCRIPTION

**ARRIVES THIS SEASON CHECK & PRE-ORDER**

PKG. QTY.



**FLDX-MD-15W-RGBW-BT-BR**

15W 720LM RGBW Bronze

4

## SPEC SERIES RGBW BLUETOOTH WESTGATE APP BULLET, 12V



CATALOG NO.

DESCRIPTION

**ARRIVES THIS SEASON CHECK & PRE-ORDER**

PKG. QTY.



**FLVX-MD-15W-RGBW-BT-BR**

15W 720LM RGBW Bronze

4

## RGBW LED OUTDOOR CYLINDER LIGHTS, IP65



CATALOG NO.

DESCRIPTION

PKG. QTY.



**4" LED ROUND CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 12"**

**WMC-UDL-RGBW-BK**

24W 1920LM RGBW 25° Black

6

**WMC-UDL-RGBW-WH**

24W 1920LM RGBW 25° White

6

**4" LED SQUARE CYLINDER LIGHTS, 120V (UP/DOWN LIGHT) H: 10-1/4"**

**WMCS-UDL-RGBW-BK**

24W 1920LM RGBW 30° Black

6

**WMCS-UDL-RGBW-WH**

24W 1920LM RGBW 30° White

6

## CMC RGBW CYLINDER LIGHTS, PENDANT OR SURFACE MOUNT, APP CONTROLLED

CATALOG NO.

DESCRIPTION

PKG. QTY.



**CMC2L-RGBW-BK**

6W 300LM 27K-50K + RGB Black

6

**CMC2L-RGBW-WH**

6W 300LM 27K-50K + RGB White

6

**CMC3-RGBW-BK**

9W 550LM 27K-50K + RGB Black

6

**CMC3-RGBW-WH**

9W 550LM 27K-50K + RGB White

6

**CMC4-RGBW-BK**

15W 900LM 27K-50K + RGB Black

6

**CMC4-RGBW-WH**

15W 900LM 27K-50K + RGB White

6

**CMC6-RGBW-BK**

20W 1200LM 27K-50K + RGB Black

8

**CMC6-RGBW-WH**

20W 1200LM 27K-50K + RGB White

8







# RIBBON LIGHTING



## 24-VOLT INDOOR LED RIBBON LIGHTS - STANDARD OUTPUT



Standard  
OUTPUT

CATALOG NO.	DESCRIPTION	REEL LENGTH
<b>STANDARD OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 49ft)</b>		
 ULR-IN-16F-SO-27K	1.5W/FT 100LM/FT 2700K 8mm Width	16.4FT
ULR-IN-16F-SO-30K	1.5W/FT 100LM/FT 3000K 8mm Width	16.4FT
ULR-IN-16F-SO-35K	1.5W/FT 100LM/W 3500K 8mm Width	16.4FT
ULR-IN-16F-SO-40K	1.5W/FT 100LM/FT 4000K 8mm Width	16.4FT
ULR-IN-16F-SO-50K	1.5W/FT 100LM/FT 5000K 8mm Width	16.4FT
<b>STANDARD OUTPUT LED RIBBON—INDOOR (98.4FT ROLLS) (Max Run 49ft)</b>		
 ULR-IN-98F-SO-27K	1.5W/FT 100LM/FT 2700K 8mm Width	98.4FT
ULR-IN-98F-SO-30K	1.5W/FT 100LM/FT 3000K 8mm Width	98.4FT
ULR-IN-98F-SO-35K	1.5W/FT 100LM/W 3500K 8mm Width	98.4FT
ULR-IN-98F-SO-40K	1.5W/FT 100LM/FT 4000K 8mm Width	98.4FT
ULR-IN-98F-SO-50K	1.5W/FT 100LM/FT 5000K 8mm Width	98.4FT
<b>INDOOR TANDEM COUPLINGS</b>		
 ULR-IN-SO-COUP-6I-WR	Coupling to connect 2 standard output ribbons, 6"	
ULR-IN-SO-COUP-3F-WR	Coupling to connect 2 standard output ribbons, 3ft	
ULR-IN-SO-COUP-NO-WR	Coupling to connect 2 standard output ribbons, no wire	
<b>INDOOR POWER FEED CABLES</b>		
 ULR-IN-SO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"	
ULR-IN-SO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft	
ULR-IN-SO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft	
ULR-IN-SO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft	

RIBBON






## 24-VOLT INDOOR LED RIBBON LIGHTS - HIGH OUTPUT



High  
OUTPUT

High  
OUTPUT

High  
OUTPUT







CATALOG NO.	DESCRIPTION	REEL LENGTH
<b>HIGH OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 20ft)</b>		
 ULR-IN-16F-HO-27K	4.4W/FT 310LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-HO-35K	4.4W/FT 310LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	16.4FT
<b>HIGH OUTPUT LED BLACK RIBBON—INDOOR (16.4FT ROLLS) (Max Run 20ft)</b>		
 ULR-IN-16F-HO-27K-BK	4.4W/FT 310LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-HO-30K-BK	4.4W/FT 310LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-HO-35K-BK	4.4W/FT 310LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-HO-40K-BK	4.4W/FT 330LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-HO-50K-BK	4.4W/FT 350LM/FT 5000K 10mm Width	16.4FT
<b>HIGH OUTPUT LED RIBBON—INDOOR (98.4FT ROLLS) (Max Run 20ft)</b>		
 ULR-IN-98F-HO-27K	4.4W/FT 310LM/FT 2700K 10mm Width	98.4FT
ULR-IN-98F-HO-30K	4.4W/FT 310LM/FT 3000K 10mm Width	98.4FT
ULR-IN-98F-HO-35K	4.4W/FT 310LM/FT 3500K 10mm Width	98.4FT
ULR-IN-98F-HO-40K	4.4W/FT 330LM/FT 4000K 10mm Width	98.4FT
ULR-IN-98F-HO-50K	4.4W/FT 350LM/FT 5000K 10mm Width	98.4FT
<b>INDOOR TANDEM COUPLINGS</b>		
 ULR-IN-HO-COUP-6I-WR	Coupling to connect 2 high & Extra output ribbons, 6"	
ULR-IN-HO-COUP-3F-WR	Coupling to connect 2 high & Extra output ribbons, 3ft	
ULR-IN-HO-COUP-NO-WR	Coupling to connect 2 high & Extra output ribbons, no wire	
<b>INDOOR POWER FEED CABLES</b>		
 ULR-IN-HO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"	
ULR-IN-HO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft	
ULR-IN-HO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft	
ULR-IN-HO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft	



Extra High  
OUTPUT






Ultra High  
OUTPUT

RIBBON

CATALOG NO.	DESCRIPTION	REEL LENGTH
<b>EXTRA HIGH OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 11ft)</b>		
 ULR-IN-16F-XHO-27K	8.8W/FT 620LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-XHO-30K	8.8W/FT 620LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-XHO-35K	8.8W/FT 620LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-XHO-40K	8.8W/FT 680LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-XHO-50K	8.8W/FT 700LM/FT 5000K 10mm Width	16.4FT
<b>EXTRA HIGH OUTPUT LED RIBBON—INDOOR (98.4FT ROLLS) (Max Run 11ft)</b>		
 ULR-IN-98F-XHO-27K	8.8W/FT 620LM/FT 2700K 10mm Width	98.4FT
ULR-IN-98F-XHO-30K	8.8W/FT 620LM/FT 3000K 10mm Width	98.4FT
ULR-IN-98F-XHO-35K	8.8W/FT 620LM/FT 3500K 10mm Width	98.4FT
ULR-IN-98F-XHO-40K	8.8W/FT 680LM/FT 4000K 10mm Width	98.4FT
ULR-IN-98F-XHO-50K	8.8W/FT 700LM/FT 5000K 10mm Width	98.4FT
<b>ULTRA HIGH OUTPUT LED RIBBON—INDOOR (16.4FT ROLLS) (Max Run 14ft)</b>		
 ULR-IN-16F-YHO-27K	6.7W/FT 820LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-YHO-30K	6.7W/FT 820LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-YHO-35K	6.7W/FT 820LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-YHO-40K	6.7W/FT 880LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-YHO-50K	6.7W/FT 900LM/FT 5000K 10mm Width	16.4FT
<b>INDOOR TANDEM COUPLINGS</b>		
 ULR-IN-HO-COUP-6I-WR	Coupling to connect 2 high & Extra output ribbons, 6"	
ULR-IN-HO-COUP-3F-WR	Coupling to connect 2 high & Extra output ribbons, 3ft	
ULR-IN-HO-COUP-NO-WR	Coupling to connect 2 high & Extra output ribbons, no wire	
<b>INDOOR POWER FEED CABLES</b>		
 ULR-IN-HO-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"	
ULR-IN-HO-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft	
 ULR-IN-HO-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft	
ULR-IN-HO-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft	

# 24-VOLT INDOOR COB RIBBON LIGHTS - HIGH OUTPUT



CATALOG NO.	DESCRIPTION	REEL LENGTH
<b>HIGH OUTPUT COB RIBBON—INDOOR (16.4FT ROLLS) (Max Run 20ft)</b>		
 ULR-IN-16F-HO-COB-27K	3W/FT 290LM/FT 2700K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-30K	3W/FT 304LM/FT 3000K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-35K	3W/FT 304LM/FT 3500K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-40K	3W/FT 337LM/FT 4000K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-50K	3W/FT 340LM/FT 5000K 10mm Width	16.4FT
ULR-IN-16F-HO-COB-65K	3W/FT 340LM/FT 6500K 10mm Width	16.4FT
<b>HIGH OUTPUT COB RIBBON—INDOOR (98.4FT ROLLS) (Max Run 20ft)</b>		
 ULR-IN-98F-HO-COB-27K	3W/FT 290LM/FT 2700K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-30K	3W/FT 304LM/FT 3000K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-35K	3W/FT 304LM/FT 3500K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-40K	3W/FT 337LM/FT 4000K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-50K	3W/FT 340LM/FT 5000K 10mm Width	98.4FT
ULR-IN-98F-HO-COB-65K	3W/FT 340LM/FT 6500K 10mm Width	98.4FT
<b>INDOOR TANDEM COUPLINGS</b>		
 ULR-IN-HO-COB-COUP-6I-WR	Coupling to connect 2 COB ribbons, 6"	
ULR-IN-HO-COB-COUP-3F-WR	Coupling to connect 2 COB ribbons, 3ft	
ULR-IN-HO-COB-COUP-NO-WR	Coupling to connect 2 COB ribbons, no wire	
<b>INDOOR POWER FEED CABLES</b>		
 ULR-IN-HO-COB-CONN-6I-WR	1 side ribbon connector, 1 side female socket to driver, 6"	
ULR-IN-HO-COB-CONN-3F-WR	1 side ribbon connector, 1 side female socket to driver, 3ft	
 ULR-IN-HO-COB-CONN-3F-PT	1 side ribbon connector, 1 side open end, 3ft	
ULR-IN-HO-COB-CONN-10F-PT	1 side ribbon connector, 1 side open end, 10ft	






## 24-VOLT INDOOR WHITE-TUNING COB RIBBON LIGHTS, WHITE-TUNING WITH CONTROLLER -HIGH OUTPUT

INSTALL WITH ELECTRONIC DRIVERS ONLY



CATALOG NO.	DESCRIPTION	REEL LENGTH
 <b>ULR-IN-16F-HO-COB-WT</b>	3W/FT <b>340LM/FT</b> White Tuning 10mm Width	16.4FT
<b>ULR-M2-M3-3A</b>	White-Tuning Ribbon Light Controller With Remote	
<b>ULR-LTECH-E2</b>	White-Tuning Ribbon Light Wall-Mount Controller	
<b>ULR-T86-JB</b>	86X86mm PVC Junction Box For Wall-Mount Controllers	



ULR-M2-M3-3A




ULR-LTECH-E2



ULR-T86-JB

## 24-VOLT IP54 DAMP LOCATION LED RIBBON LIGHTS - HIGH OUTPUT



CATALOG NO.	DESCRIPTION	REEL LENGTH
 <b>HIGH OUTPUT LED RIBBON— DAMP LOCATION (16.4FT ROLLS) (Max Run 20ft)</b>		
<b>ULR-IP54-16F-HO-27K</b>	4.4W/FT <b>310LM/FT</b> 2700K 10mm Width	16.4FT
<b>ULR-IP54-16F-HO-30K</b>	4.4W/FT <b>310LM/FT</b> 3000K 10mm Width	16.4FT
<b>ULR-IP54-16F-HO-35K</b>	4.4W/FT <b>310LM/FT</b> 3500K 10mm Width	16.4FT
<b>ULR-IP54-16F-HO-40K</b>	4.4W/FT <b>330LM/FT</b> 4000K 10mm Width	16.4FT
<b>ULR-IP54-16F-HO-50K</b>	4.4W/FT <b>350LM/FT</b> 5000K 10mm Width	16.4FT

### INDOOR TANDEM COUPLINGS



- ULR-IP54-HO-COUP-6I-WR** Coupling to connect 2 high & Extra output ribbons, 6"
- ULR-IP54-HO-COUP-3F-WR** Coupling to connect 2 high & Extra output ribbons, 3ft
- ULR-IP54-HO-COUP-NO-WR** Coupling to connect 2 high & Extra output ribbons, no wire





### INDOOR POWER FEED CABLES



- ULR-IP54-HO-CONN-6I-WR** 1 side ribbon connector, 1 side female socket to driver, 6"
- ULR-IP54-HO-CONN-3F-WR** 1 side ribbon connector, 1 side female socket to driver, 3ft
- ULR-IP54-HO-CONN-3F-PT** 1 side ribbon connector, 1 side open end, 3ft
- ULR-IP54-HO-CONN-10F-PT** 1 side ribbon connector, 1 side open end, 10ft

## 24-VOLT LED RGBW RIBBON LIGHTS, Max Run 16.4ft INDOOR & OUTDOOR VERSIONS INSTALL WITH ELECTRONIC DRIVERS ONLY



CATALOG NO.	DESCRIPTION	REEL LENGTH
 <b>ULR-IN-16F-HO-RGBW</b> <b>INDOOR</b>	5.8W/FT <b>225LM/FT</b> RGB 20FT. Max Run 10mm Width	16.4FT IP20
<b>ULR-OT-16F-HO-RGBW</b> <b>OUTDOOR</b>	5.8W/FT <b>225LM/FT</b> RGB 20FT. Max Run 10mm Width	16.4FT IP67
<b>RGBW-CONTROLLER</b>	RGBW Controller (Remote incl.), 192W Max, 12-24 VDC	
<b>RGBW-WIFI-CONTROLLER</b>	RGBW lighting controller with integrated WI-FI and app, RC incl.	
 <b>ULR-IN-HO-RGBW-COUP-6I-WR</b>	Coupling to connect 2 RGBW ribbons, 6"	
<b>ULR-IN-HO-RGBW-COUP-3F-WR</b>	Coupling to connect 2 RGBW ribbons, 3ft.	
<b>ULR-IN-HO-RGBW-COUP-NO-WR</b>	Coupling to connect 2 RGBW ribbons, no wire	
 <b>ULR-IN-HO-RGBW-CONN-6I-WR</b>	1 side ribbon connector, 1 side open end, 6"	
<b>ULR-IN-HO-RGBW-CONN-3F-WR</b>	1 side ribbon connector, 1 side open end, 3ft	
 <b>ULR-OT-HO-RGBW-CONN-3F-WR</b>	3ft RGBW 5C wire both side's open with 1 rubber jacket (use silicone, page 165)	

## RGBW CONTROLLERS REQUIRES 24V ELECTRONIC DRIVER

CATALOG NO.	DESCRIPTION
<b>RGBW-CONTROLLER</b>	RGBW Controller (Remote incl.), 192W Max, 12-24 VDC
<b>RGBW-WIFI-CONTROLLER</b>	RGBW lighting controller with integrated WI-FI and app, RC incl.
<b>ULR-LTECH-E5S</b>	RGBW-Tuning Ribbon Light Wall-Mount Controller
<b>ULR-M4-M4-3A</b>	RGBW-Tuning Ribbon Light Controller With Remote
<b>ULR-T86-JB</b>	86X86mm PVC Junction Box For Wall-Mount Controllers



RGBW-CONTROLLER



RGBW-WIFI-CONTROLLER



ULR-LTECH-E5S



ULR-M4-M4-3A



ULR-T86-JB

## 24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - HIGH OUTPUT



High  
OUTPUT

High  
OUTPUT

RIBBON

CATALOG NO. DESCRIPTION REEL LENGTH

**HIGH OUTPUT LED RIBBON—OUTDOOR (16.4FT ROLLS) (Max Run 20ft)**



<b>ULR-OT-16F-HO-27K</b>	4.4W/FT 310LM/FT 2700K 10mm Width	16.4FT
<b>ULR-OT-16F-HO-30K</b>	4.4W/FT 310LM/FT 3000K 10mm Width	16.4FT
<b>ULR-OT-16F-HO-35K</b>	4.4W/FT 310LM/FT 3500K 10mm Width	16.4FT
<b>ULR-OT-16F-HO-40K</b>	4.4W/FT 330LM/FT 4000K 10mm Width	16.4FT
<b>ULR-OT-16F-HO-50K</b>	4.4W/FT 350LM/FT 5000K 10mm Width	16.4FT

**HIGH OUTPUT LED RIBBON—OUTDOOR (49FT ROLLS) (Max Run 20ft)**



<b>ULR-OT-49F-HO-27K</b>	4.4W/FT 350LM/FT 2700K 10mm Width	49FT
<b>ULR-OT-49F-HO-30K</b>	4.4W/FT 310LM/FT 3000K 10mm Width	49FT
<b>ULR-OT-49F-HO-35K</b>	4.4W/FT 310LM/FT 3500K 10mm Width	49FT
<b>ULR-OT-49F-HO-40K</b>	4.4W/FT 330LM/FT 4000K 10mm Width	49FT
<b>ULR-OT-49F-HO-50K</b>	4.4W/FT 350LM/FT 5000K 10mm Width	49FT

**OUTDOOR TANDEM COUPLINGS**



<b>ULR-OT-HO-COUP-6I-WR</b>	Coupling to connect 2 high & Extra output ribbons, 6"
<b>ULR-OT-HO-COUP-3F-WR</b>	Coupling to connect 2 high & Extra output ribbons, 3ft
<b>ULR-OT-HO-COUP-NO-WR</b>	Coupling to connect 2 high & Extra output ribbons, no wire

**OUTDOOR POWER FEED CABLES**



<b>ULR-OT-HO-CONN-6I-WR</b>	1 side ribbon connector, 1 side female socket to driver, 6"
<b>ULR-OT-HO-CONN-3F-WR</b>	1 side ribbon connector, 1 side female socket to driver, 3ft
<b>ULR-OT-HO-CONN-3F-PT</b>	1 side ribbon connector, 1 side open end, 3ft
<b>ULR-OT-HO-CONN-10F-PT</b>	1 side ribbon connector, 1 side open end, 10ft

## 24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - EXTRA HIGH OUTPUT



Extra High  
OUTPUT

CATALOG NO. DESCRIPTION REEL LENGTH

**EXTRA HIGH OUTPUT LED RIBBON—OUTDOOR (16.4FT ROLLS) (Max Run 16.4ft)**



<b>ULR-OT-16F-XHO-27K</b>	5.8W/FT 440LM/FT 2700K 10mm Width	16.4FT
<b>ULR-OT-16F-XHO-30K</b>	5.8W/FT 440LM/FT 3000K 10mm Width	16.4FT
<b>ULR-OT-16F-XHO-35K</b>	5.8W/FT 440LM/FT 3500K 10mm Width	16.4FT
<b>ULR-OT-16F-XHO-40K</b>	5.8W/FT 450LM/FT 4000K 10mm Width	16.4FT
<b>ULR-OT-16F-XHO-50K</b>	5.8W/FT 450LM/FT 5000K 10mm Width	16.4FT

**EXTRA HIGH OUTPUT LED RIBBON—OUTDOOR (49FT ROLLS) (Max Run 16.4ft)**



<b>ULR-OT-49F-XHO-27K</b>	5.8W/FT 450LM/FT 2700K 10mm Width	49FT
<b>ULR-OT-49F-XHO-30K</b>	5.8W/FT 440LM/FT 3000K 10mm Width	49FT
<b>ULR-OT-49F-XHO-35K</b>	5.8W/FT 440LM/FT 3500K 10mm Width	49FT
<b>ULR-OT-49F-XHO-40K</b>	5.8W/FT 450LM/FT 4000K 10mm Width	49FT
<b>ULR-OT-49F-XHO-50K</b>	5.8W/FT 450LM/FT 5000K 10mm Width	49FT

**OUTDOOR TANDEM COUPLINGS**





<b>ULR-OT-HO-COUP-6I-WR</b>	Coupling to connect 2 high & Extra output ribbons, 6"
<b>ULR-OT-HO-COUP-3F-WR</b>	Coupling to connect 2 high & Extra output ribbons, 3ft
<b>ULR-OT-HO-COUP-NO-WR</b>	Coupling to connect 2 high & Extra output ribbons, no wire

**OUTDOOR POWER FEED CABLES**




<b>ULR-OT-HO-CONN-6I-WR</b>	1 side ribbon connector, 1 side female socket to driver, 6"
<b>ULR-OT-HO-CONN-3F-WR</b>	1 side ribbon connector, 1 side female socket to driver, 3ft
<b>ULR-OT-HO-CONN-3F-PT</b>	1 side ribbon connector, 1 side open end, 3ft
<b>ULR-OT-HO-CONN-10F-PT</b>	1 side ribbon connector, 1 side open end, 10ft

CATALOG NO.	DESCRIPTION	REEL LENGTH
<b>HIGH OUTPUT COB RIBBON—OUTDOOR (16.4FT ROLLS) (Max Run 20ft)</b>		
 ULR-0T-16F-HO-COB-27K	3W/FT 290LM/FT 2700K 10mm Width	16.4FT
ULR-0T-16F-HO-COB-30K	3W/FT 304LM/FT 3000K 10mm Width	16.4FT
ULR-0T-16F-HO-COB-35K	3W/FT 304LM/FT 3500K 10mm Width	16.4FT
ULR-0T-16F-HO-COB-40K	3W/FT 337LM/FT 4000K 10mm Width	16.4FT
ULR-0T-16F-HO-COB-50K	3W/FT 340LM/FT 5000K 10mm Width	16.4FT
ULR-0T-16F-HO-COB-65K	3W/FT 340LM/FT 6500K 10mm Width	16.4FT
<b>HIGH OUTPUT COB RIBBON—OUTDOOR (98.4FT ROLLS) (Max Run 20ft)</b>		
 ULR-0T-98F-HO-COB-27K	3W/FT 290LM/FT 2700K 10mm Width	98.4FT
ULR-0T-98F-HO-COB-30K	3W/FT 304LM/FT 3000K 10mm Width	98.4FT
ULR-0T-98F-HO-COB-35K	3W/FT 304LM/FT 3500K 10mm Width	98.4FT
ULR-0T-98F-HO-COB-40K	3W/FT 337LM/FT 4000K 10mm Width	98.4FT
ULR-0T-98F-HO-COB-50K	3W/FT 340LM/FT 5000K 10mm Width	98.4FT
ULR-0T-98F-HO-COB-65K	3W/FT 340LM/FT 6500K 10mm Width	98.4FT
<b>INDOOR TANDEM COUPLINGS</b>		
 ULR-0T-HO-COB-COUP-6I-WR	6In Ribbon-To-Ribbon Coupling For COB IP65 Creates IP20 Ends	
ULR-0T-HO-COB-COUP-3F-WR	3Ft Ribbon-To-Ribbon Coupling For COB IP65 Creates IP20 Ends	
<b>INDOOR POWER FEED CABLES</b>		
 ULR-0T-HO-COB-CONN-3F-PT	3Ft Ribbon Pigtail Snap Connector To Female End For COB IP65 Creates IP20 End	
 ULR-0T-HO-COB-CONN-10F-PT	10Ft Ribbon Pigtail Snap Connector To Female End For COB IP65 Creates IP20 End	
ULR-0T-HO-COB-CONN-6I-WR	6In Ribbon Pigtail Snap Connector To Stripped End For COB IP65 Creates IP20 End	
ULR-0T-HO-COB-CONN-3F-WR	3Ft Ribbon Pigtail Snap Connector To Stripped End For COB IP65 Creates IP20 End	
ULR-0T-HO-COB-CONN-6I-WR-IP65	COB Ribbon Wet Loc IP65 Cap With Pigtail For Solder And Silicone Bag Of 5, Creates IP65 End	
ULR-0T-HO-COB-UCLIP-5PC	COB Ribbon Wet Loc IP65 Mounting Clips And Screws Bag Of 5	
ULR-0T-HO-COB-ENDC-5PC	COB Ribbon Wet Loc IP65 Closed End Cap Bag Of 5, Use With Silicone For IP65 Results	


RIBBON

## LED INDOOR ELECTRONIC RIBBON LIGHT PLUG-IN DRIVERS (FOR DIMMABLE DRIVERS SEE PAGE 183)

CATALOG NO.	DESCRIPTION
 ULR-IN-PIDR-48W	48W MAX, 2A, 100-240V INPUT, 15A Plug & Male 24V Connector
ULR-IN-PIDR-72W	72W MAX, 3A, 100-240V INPUT Plug & Male 24V Connector

## LED INDOOR ELECTRONIC RIBBON LIGHT HARDWIRE DRIVERS, NON-DIMMABLE



CATALOG NO.	DESCRIPTION
 ULR-IN-HWDR-75W	75W MAX, 3.2A, 85-264V INPUT, 15A, 24V
ULR-IN-HWDR-100W	100W MAX, 4.5A, 85-264V INPUT, 15A, 24V
ULR-IN-HWDR-150W	150W MAX, 6.5A, 85-132V INPUT, 15A, 24V
ULR-IN-HWDR-200W	200W MAX, 8.8A, 90-132V INPUT, 15A, 24V
ULR-IN-HWDR-350W	350W MAX, 14.6A, 90-132V INPUT, 15A, 24V
ULR-IN-HWDR-450W	450W MAX, 18.8A, 90-132V INPUT, 15A, 24V
ULR-IN-HWDR-600W	600W MAX, 25A, 90-132V INPUT, 15A, 24V

## 5-IN-1 DIMMABLE ELECTRONIC LED DRIVER WITH JUNCTION BOX, 120-277V



CATALOG NO.	DESCRIPTION
<b>LEDDR-24V-60W-UNIV</b>	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 60W
<b>LEDDR-24V-96W-UNIV</b>	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 96W
<b>LEDDR-24V-120W-UNIV</b>	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 120W
<b>LEDDR-24V-150W-UNIV</b>	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 150W
<b>LEDDR-24V-192W-UNIV</b>	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 192W
<b>LEDDR-24V-288W-UNIV</b>	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 288W
<b>LEDDR-24V-384W-UNIV</b>	5-In-1 Dimmable Electronic Led Driver With Junction Box, 120-277V To 24V 384W



## 24-VOLT LED OUTDOOR ELECTRONIC **NON-DIMMABLE** DRIVERS 120V INPUT

(FOR MAG. DIMMABLE DRIVERS SEE PAGE 183)





CATALOG NO.	DESCRIPTION
<b>LEDDR-24V-WP-200W</b>	200W 120V INPUT



RIBBON



## SURFACE MOUNT CHANNELS & LENSES

CATALOG NO.	DESCRIPTION
<b>ULR-CH-SURF-SHALLOW</b>	<b>12X6 mm</b> Surface mount channel, 4ft.
<b>ULR-CH-SURF-DEEP</b>	<b>12X12 mm</b> Surface mount channel, 4ft.
<b>ULR-LENS-SURF-F</b>	Frosted Lens for 12X6 mm & 12X12 mm Channels
<b>ULR-LENS-SURF-C</b>	Clear Lens for 12X6 mm & 12X12 mm Channels
<b>ULR-CH-SURF-SHALLOW-CAP</b>	End Cap for 12X6 mm Channels
<b>ULR-CH-SURF-DEEP-CAP</b>	End Cap for 12X12 mm Channels
<b>ULR-CH-SURF-16X14</b>	<b>16X14 mm</b> Surface mount channel, 4ft.
<b>ULR-LENS-SURF-16X14-F</b>	Frosted Lens for 16X14 mm Channels
<b>ULR-LENS-SURF-16X14-C</b>	Clear Lens for 16X14 mm Channels
<b>ULR-LENS-SURF-16X14-CAP</b>	End Cap for 16X14 mm Channels



## MUD-IN RECESSED MOUNT CHANNELS & LENSES

CATALOG NO.	DESCRIPTION
<b>ULR-CH-MUD-13X15</b>	<b>13X15 mm</b> Mud-In Recessed mount channel, 4ft.
<b>ULR-LENS-MUD-13X15-F</b>	Frosted Lens for 13X15 mm Channels
<b>ULR-LENS-MUD-13X15-C</b>	Clear Lens for 13X15 mm Channels
<b>ULR-CH-MUD-13X15-CAP</b>	End Cap for 13X15 mm Channels
<b>ULR-CH-MUD-37X15</b>	<b>37X15 mm</b> Mud-In Recessed mount channel ( Can fit 2 Ribbons), 4ft.
<b>ULR-LENS-MUD-37X15-F</b>	Frosted Lens for 37X15 mm Channels
<b>ULR-LENS-MUD-37X15-C</b>	Clear Lens for 37X15 mm Channels
<b>ULR-LENS-MUD-37X15-CAP</b>	End Cap for 37X15 mm Channels



## 45 DEGREE CHANNEL & LENSES

CATALOG NO.	DESCRIPTION
<b>ULR-CH-45D</b>	<b>12X18 mm</b> 45° Channel, 4ft.
<b>ULR-LENS-45D-F</b>	Frosted Lens for 45° Channels
<b>ULR-CH-45D-CAP</b>	End Cap for 45° Channels





## RECESSED MOUNT CHANNELS & LENSES

	CATALOG NO.	DESCRIPTION
	<b>ULR-CH-REC-SHALLOW</b>	<b>20X10 mm</b> Recessed mount channel, 4ft.
	<b>ULR-CH-REC-DEEP</b>	<b>20X20 mm</b> Recessed mount channel ( Can fit 2 Ribbons), 4ft.
	<b>ULR-LENS-REC-F</b>	Frosted Lens for 20X10 mm & 20X20 mm Channels
	<b>ULR-LENS-REC-C</b>	Clear Lens for 20X10 mm & 20X20 mm Channels
	<b>ULR-CH-REC-SHALLOW-CAP</b>	End Cap for 20X10 mm Channels
	<b>ULR-CH-REC-DEEP-CAP</b>	End Cap for 20X20 mm Channels
	<b>ULR-CH-REC-12X7</b>	<b>12X7 mm</b> Recessed mount channel, 4ft.
	<b>ULR-LENS-REC-12X7-F</b>	Frosted Lens for 12X7 mm Channels
	<b>ULR-LENS-REC-12X7-C</b>	Clear Lens for 12X7 mm Channels
	<b>ULR-CH-REC-12X7-CAP</b>	End Cap for 12X7 mm Channels
	<b>ULR-CH-REC-12X12</b>	<b>12X12 mm</b> Recessed mount channel, 4ft.
	<b>ULR-LENS-REC-12X12-F</b>	Frosted Lens for 12X12 mm Channels
	<b>ULR-LENS-REC-12X12-C</b>	Clear Lens for 12X12 mm Channels
	<b>ULR-CH-REC-12X12-CAP</b>	End Cap for 12X12 mm Channels

## ACCESSORIES

	CATALOG NO.	DESCRIPTION
	<b>ULR-OUT-ENDC-5PC</b>	End cap for IP67 ribbons, Pack of 5
	<b>ULR-OUT-UCLIP-10PC</b>	Mounting Clip, Pack of 10
	<b>ULR-OUT-SGLUE</b>	Silicone glue for sealing compound
	<b>ULR-2HSTRP</b>	2-hole rubber strap, Pack of 10

## EXTENSION CORDS FOR SECONDARY-SIDE OF DRIVERS

	CATALOG NO.	DESCRIPTION
	<b>ULR-DCJ-2ML-1FT</b>	DC Jumper cable, Both sides male, 1ft.
	<b>ULR-DCJ-2ML-3FT</b>	DC Jumper cable, Both sides male, 3ft.
	<b>ULR-DCJ-2ML-10FT</b>	DC Jumper cable, Both sides male, 10ft.
	<b>ULR-DCJ-1MIF-1FT</b>	DC Jumper cable, one side male one side female, 1ft.
	<b>ULR-DCJ-1MIF-3FT</b>	DC Jumper cable, one side male one side female, 3ft.
	<b>ULR-DCJ-1MIF-10FT</b>	DC Jumper cable, one side male one side female, 10ft.
	<b>ULR-DCJ-2FM-1FT</b>	DC Jumper cable, Both sides female, 1ft.
	<b>ULR-DCJ-2FM-3FT</b>	DC Jumper cable, Both sides female, 3ft.
	<b>ULR-DCJ-2FM-10FT</b>	DC Jumper cable, Both sides female, 10ft.
	<b>ULR-DCJ-1S1F-3FT</b>	DC Jumper cable, one side female one side striped, 3ft
	<b>ULR-DCJ-1S1F-10FT</b>	DC Jumper cable, one side female one side striped, 10ft
	<b>ULR-DCJ-1S1M-3FT</b>	DC Jumper cable, one side male one side striped, 3ft
	<b>ULR-DCJ-1S1M-10FT</b>	DC Jumper cable, one side male one side striped, 10ft

## WIRES

	CATALOG NO.	DESCRIPTION
	<b>ULR-2WRE-50FT-18</b>	50' Roll of 18/2 AWG wire
	<b>ULR-2WRE-100FT-18</b>	100' Roll of 18/2 AWG wire
	<b>ULR-2WRE-50FT-22</b>	50' Roll of 22/2 AWG wire
	<b>ULR-2WRE-100FT-22</b>	100' Roll of 22/2 AWG wire
	<b>ULR-5WRE-50FT-22</b>	50' Roll of 22/5 AWG wire
	<b>ULR-5WRE-100FT-22</b>	100' Roll of 22/5 AWG wire

RIBBON





# CUSTOM LENGTHS/ORDER BY FOOT

We Cut & Solder Each Section With Your Desired Sizes

## 24-VOLT INDOOR LED RIBBON LIGHTS - STANDARD OUTPUT IP20

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
<b>STANDARD OUTPUT LED RIBBON—INDOOR</b>		
<b>STANDARD OUTPUT</b>	ULR-IN-1FT-S0-27K	1.5W/FT 100LM/FT 2700K 8mm Width 49FT
	ULR-IN-1FT-S0-30K	1.5W/FT 100LM/FT 3000K 8mm Width 49FT
	ULR-IN-1FT-S0-40K	1.5W/FT 100LM/FT 4000K 8mm Width 49FT
	ULR-IN-1FT-S0-50K	1.5W/FT 100LM/FT 5000K 8mm Width 49FT

## 24-VOLT INDOOR LED RIBBON LIGHTS - HIGH OUTPUT IP20

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
<b>HIGH OUTPUT LED RIBBON—INDOOR</b>		
<b>HIGH OUTPUT</b>	ULR-IN-1FT-H0-27K	4.4W/FT 310LM/FT 2700K 10mm Width 20FT
	ULR-IN-1FT-H0-30K	4.4W/FT 310LM/FT 3000K 10mm Width 20FT
	ULR-IN-1FT-H0-40K	4.4W/FT 330LM/FT 4000K 10mm Width 20FT
	ULR-IN-1FT-H0-50K	4.4W/FT 350LM/FT 5000K 10mm Width 20FT
<b>HIGH OUTPUT LED BLACK RIBBON—INDOOR</b>		
<b>HIGH OUTPUT</b>	ULR-IN-1FT-H0-27K-BK	4.4W/FT 310LM/FT 2700K 10mm Width 20FT
	ULR-IN-1FT-H0-30K-BK	4.4W/FT 310LM/FT 3000K 10mm Width 20FT
	ULR-IN-1FT-H0-40K-BK	4.4W/FT 330LM/FT 4000K 10mm Width 20FT
	ULR-IN-1FT-H0-50K-BK	4.4W/FT 350LM/FT 5000K 10mm Width 20FT

## 24-VOLT INDOOR LED RIBBON LIGHTS - EXTRA HIGH OUTPUT IP20

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
<b>EXTRA HIGH OUTPUT LED RIBBON—INDOOR</b>		
<b>EXTRA HIGH OUTPUT</b>	ULR-IN-1FT-XH0-27K	8.8W/FT 620LM/FT 2700K 10mm Width 11FT
	ULR-IN-1FT-XH0-30K	8.8W/FT 620LM/FT 3000K 10mm Width 11FT
	ULR-IN-1FT-XH0-40K	8.8W/FT 680LM/FT 4000K 10mm Width 11FT
	ULR-IN-1FT-XH0-50K	8.8W/FT 700LM/FT 5000K 10mm Width 11FT
<b>ULTRA HIGH OUTPUT LED RIBBON—INDOOR</b>		
<b>ULTRA HIGH OUTPUT</b>	ULR-IN-1FT-YH0-27K	6.7W/FT 820LM/FT 2700K 10mm Width 14FT
	ULR-IN-1FT-YH0-30K	6.7W/FT 820LM/FT 3000K 10mm Width 14FT
	ULR-IN-1FT-YH0-40K	6.7W/FT 880LM/FT 4000K 10mm Width 14FT
	ULR-IN-1FT-YH0-50K	6.7W/FT 900LM/FT 5000K 10mm Width 14FT

## 24-VOLT INDOOR COB RIBBON LIGHTS - HIGH OUTPUT IP20

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
<b>EXTRA HIGH OUTPUT COB RIBBON—INDOOR</b>		
<b>HIGH OUTPUT</b>	ULR-IN-1FT-H0-COB-27K	3W/FT 290LM/FT 2700K 10mm Width 20FT
	ULR-IN-1FT-H0-COB-30K	3W/FT 304LM/FT 3000K 10mm Width 20FT
	ULR-IN-1FT-H0-COB-40K	3W/FT 337LM/FT 4000K 10mm Width 20FT
	ULR-IN-1FT-H0-COB-50K	3W/FT 340LM/FT 5000K 10mm Width 20FT
	ULR-IN-1FT-H0-COB-65K	3W/FT 340LM/FT 6500K 10mm Width 20FT

## 24-VOLT INDOOR WHITE-TUNING COB RIBBON LIGHTS, WHITE-TUNING WITH CONTROLLER -HIGH OUTPUT INSTALL WITH ELECTRONIC DRIVERS ONLY

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
<b>HIGH OUTPUT</b>	ULR-IN-1FT-H0-COB-WT	3W/FT 340LM/FT White Tuning 10mm Width 20FT
	OPT-CONNECT-WTUNE-CTRL	Connect Ribbon With White Tuning Controller and Driver



## 24-VOLT IP54 DAMP LOCATION LED RIBBON LIGHTS - HIGH OUTPUT IP54

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
<b>HIGH OUTPUT LED RIBBON— DAMP LOCATION</b>		
<b>HIGH OUTPUT</b>	ULR-IP54-1FT-H0-27K	4.4W/FT 310LM/FT 2700K 10mm Width 20FT
	ULR-IP54-1FT-H0-30K	4.4W/FT 310LM/FT 3000K 10mm Width 20FT
	ULR-IP54-1FT-H0-40K	4.4W/FT 330LM/FT 4000K 10mm Width 20FT
	ULR-IP54-1FT-H0-50K	4.4W/FT 350LM/FT 5000K 10mm Width 20FT

## 24-VOLT LED RGBW RIBBON LIGHTS

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
<b>HIGH OUTPUT</b>	ULR-IN-1FT-H0-RGBW	5.8W/FT 225LM/FT RGB 10mm Width IP20 20FT
	ULR-OT-1FT-H0-RGBW	5.8W/FT 225LM/FT RGB 10mm Width IP67 20FT
	OPT-CONNECT-RGBW-CTRL	Connect RGBW With Controller and Driver

## 24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - HIGH OUTPUT IP67

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
<b>HIGH OUTPUT LED RIBBON—OUTDOOR</b>		
<b>HIGH OUTPUT</b>	ULR-OT-1FT-H0-27K	4.4W/FT 310LM/FT 2700K 10mm Width 20FT
	ULR-OT-1FT-H0-30K	4.4W/FT 310LM/FT 3000K 10mm Width 20FT
	ULR-OT-1FT-H0-40K	4.4W/FT 330LM/FT 4000K 10mm Width 20FT
	ULR-OT-1FT-H0-50K	4.4W/FT 350LM/FT 5000K 10mm Width 20FT

## 24-VOLT IP67 OUTDOOR LED RIBBON LIGHTS - EXTRA HIGH OUTPUT IP67

CATALOG NO.	DESCRIPTION	MAX ORDER LENGTH PER CONNECTION
<b>EXTRA HIGH OUTPUT LED RIBBON—OUTDOOR</b>		
<b>EXTRA HIGH OUTPUT</b>	ULR-OT-1FT-XH0-27K	5.8W/FT 440LM/FT 2700K 10mm Width 16.4FT
	ULR-OT-1FT-XH0-30K	5.8W/FT 440LM/FT 3000K 10mm Width 16.4FT
	ULR-OT-1FT-XH0-40K	5.8W/FT 450LM/FT 4000K 10mm Width 16.4FT
	ULR-OT-1FT-XH0-50K	5.8W/FT 450LM/FT 5000K 10mm Width 16.4FT

## FACTORY-INSTALLED OPTIONS FOR ULR 1FT

CATALOG NO.	DESCRIPTION
OPT-PT-2HW-6I	Solder 6" 2 Wire Pigtail To Ribbon
OPT-PT-2HW-36I	Solder 36" 2 Wire Pigtail To Ribbon
OPT-PT-2HW-120I	Solder 120" 2 Wire Pigtail To Ribbon
OPT-PT-2HW-240I	Solder 240" 2 Wire Pigtail To Ribbon
OPTF-PTF-2W-6I	Solder 6" 2 Wire Pigtail To Ribbon With Female DC
OPTF-PTF-2W-36I	Solder 36" 2 Wire Pigtail To Ribbon With Female DC
OPTF-PTF-2W-120I	Solder 120" 2 Wire Pigtail To Ribbon With Female DC
OPTF-PTF-2W-240I	Solder 240" 2 Wire Pigtail To Ribbon With Female DC
OPT-PT-5HW-6I	Solder 6" 5 Wire Pigtail To Ribbon
OPT-PT-5HW-36I	Solder 36" 5 Wire RGBW Pigtail To Ribbon
OPT-PT-5HW-120I	Solder 120" 5 Wire RGBW Pigtail To Ribbon
OPT-PT-5HW-240I	Solder 240" 5 Wire RGBW Pigtail To Ribbon
OPT-COUP-2HW	Couple Two Ribbons No Wire
OPT-COUP-2HW-XXI	Couple Two Ribbons W. Specified Length 2 Wire
OPT-COUP-2HW-6I	Couple Two Ribbons W. 6" 2 Wire
OPT-COUP-2HW-36I	Couple Two Ribbons W. 36" 2 Wire
OPT-COUP-2HW-120I	Couple Two Ribbons W. 120" 2 Wire
OPT-COUP-2HW-240I	Couple Two Ribbons W. 240" 2 Wire
OPT-COUP-5HW-XXI	Couple Two Ribbons W. Specified Length 5 Wire
OPT-COUP-5HW-6I	Couple Two RGBW Ribbons W. 6" 5 Wire
OPT-COUP-5HW-36I	Couple Two RGBW Ribbons W. 36" 5 Wire
OPT-COUP-5HW-120I	Couple Two RGBW Ribbons W. 120" 5 Wire
OPT-COUP-5HW-240I	Couple Two RGBW Ribbons W. 240" 5 Wire

RIBBON

ALL LED  
DIRECTIONAL LIGHTS  
ARCHITECTURAL



Black Brass Simulation Oil-Rubbed Bronze



12V



RGBW MCT

12V 7W LED NEW GENERATION ALUMINUM SPOT LIGHT  
Aluminum, Black & Metallic Oil-Rubbed Bronze & Brass Simulation Finishes

CATALOG NO.	DESCRIPTION
AD-018-MCT-BK	7W 600LM 30K/40K/50K
AD-018-MCT-ORB	7W 600LM 30K/40K/50K
AD-018-MCT-AZ	7W 600LM 30K/40K/50K
AD-018-RGBW-PB-ORB	7W 600LM RGBW PUSH BUTTON
AD-018-RGBW-W-BT-ORB	7W 600LM RGBW APP CONTROL



AD120-017



AD120-018

120V GARDEN BULLET WITHOUT OR WITH SHROUD, INTE-

CATALOG NO.	DESCRIPTION
AD120-017-MCT-ORB	8W 700LM 30K/40K/50K 17"
AD120-017-MCT-BK	8W 700LM 30K/40K/50K 17"
AD120-017-MCT-WH	8W 700LM 30K/40K/50K 17"
AD120-018-MCT-ORB	8W 700LM 30K/40K/50K 18"
AD120-018-MCT-BK	8W 700LM 30K/40K/50K 18"



12-VOLT AC/DC LED GARDEN FLOOD LIGHTS

CATALOG NO.	DESCRIPTION
GL-12V-12W-30K-BR	12W 960LM 3000K
GL-12V-12W-40K-BR	12W 960LM 4000K
GL-12V-12W-50K-BR	12W 960LM 5000K
GL-12V-24W-30K-BR	24W 1920LM 3000K
GL-12V-24W-40K-BR	24W 1920LM 4000K
GL-12V-24W-50K-BR	24W 1920LM 5000K




LFLD-5W-30K-BZ BRONZE

LFLD-5W-30K-BZB BRONZED BRASS

LD-180-BZ BRONZE

12V LED DIRECTIONAL LIGHT - SOLID BRASS

CATALOG NO.	DESCRIPTION
LFLD-5W-30K-BZB	5W 400LM 3000K Bronzed Brass
LFLD-5W-30K-BZ	5W 400LM 3000K Bronze
LD-180-BZ	6W 300LM 3000K Bronze



LFLD2-6W-30K-BZ

LFLD3-8W-30K-BZ

12V LED DIRECTIONAL LIGHT - SOLID BRASS

CATALOG NO.	DESCRIPTION
LFLD2-6W-30K-BZ	6W 280LM 3000K
LFLD3-8W-30K-BZ	8W 430LM 3000K



12V LED 35° LIGHTS



FLV12-6W



FLV12-12W  
FLV12-24W

Shrouds on Page 62



FLV12-32W

12V INTEGRATED LED LANDSCAPE FLOOD LIGHTS

CATALOG NO.	DESCRIPTION
FLV12-6W-30K	6W 500LM 3000K
FLV12-6W-50K	6W 550LM 5000K
FLV12-12W-30K	12W 1200LM 3000K
FLV12-12W-50K	12W 1300LM 5000K
FLV12-24W-30K	24W 2200LM 3000K
FLV12-24W-50K	24W 2500LM 5000K
FLV12-32W-30K	32W 3200LM 3000K
FLV12-32W-50K	32W 3500LM 5000K

12V (COB) INTEGRATED LED



12-VOLT AC/DC LED GARDEN LIGHT

CATALOG NO.	DESCRIPTION
LF12-6W-27K-KN	6W 400LM 2700K
LF12-6W-30K-KN	6W 400LM 3000K
LF12-6W-40K-KN	6W 450LM 4000K
LF12-6W-50K-KN	6W 450LM 5000K
LF12-6W-RGBW-KN	6W 450LM RGB + 3000K NEEDS RGBW CONTROLLER SEE PAGE 174.



12V Wall Wash (INTEGRATED) LED FLOODLIGHTS



LF4-12V-6W  
LF4-12V-12W



LF4-12V-24W  
LF4-12V-30W

Shrouds on Page 62



LF4-12V-50W

12V INTEGRATED LED WALL WASH LIGHTS

CATALOG NO.	DESCRIPTION
LF4-12V-6W-30K	6W 440LM 3000K
LF4-12V-6W-50K	6W 500LM 5000K
LF4-12V-12W-30K	12W 1080LM 3000K
LF4-12V-12W-50K	12W 1260LM 5000K
LF4-12V-24W-30K	24W 2155LM 3000K
LF4-12V-24W-50K	24W 2500LM 5000K
LF4-12V-30W-30K	30W 2700LM 3000K
LF4-12V-30W-50K	30W 3150LM 5000K
LF4-12V-50W-30K	50W 4500LM 3000K
LF4-12V-50W-50K	50W 5250LM 5000K



LD-098-CR LD-176-CR LD-009-BZ LD-009-BZB LD-176-BZ LD-176-BZB  
**12V LED DIRECTIONAL LIGHTS - SOLID COPPER & SOLID BRASS**

CATALOG NO.	DESCRIPTION
LD-098-CR	5W 400LM 3000K Cast Copper
LD-176-CR	5W 400LM 3000K Cast Copper
LD-009-BZ	5W 400LM 3000K Bronze
LD-009-BZB	5W 400LM 3000K Bronzed Brass
LD-176-BZ	5W 400LM 3000K Bronze
LD-176-BZB	5W 400LM 3000K Bronzed Brass



LD-006-BZB LD-103-BZB LD-103-AN



LD-099-BZ LD-099-BZB LD-174-BZ LD-110-BZ

**12V LED DIRECTIONAL LIGHTS**

CATALOG NO.	DESCRIPTION
LD-006-BZ	5W 400LM 3000K Bronzed Brass
LD-006-BZB	5W 400LM 3000K Bronzed Brass
LD-103-BZ	5W 400LM 3000K Bronzed Brass
LD-103-BZB	5W 400LM 3000K Bronzed Brass
LD-103-AN	5W 400LM 3000K Aged Nickel
LD-099-BZ	5W 400LM 3000K Bronze
LD-099-BZB	5W 400LM 3000K Bronzed Brass
LD-174-BZ	5W 400LM 3000K Bronze
LD-110-BZ	5W 400LM 3000K Bronze



AD-102-BK AD-003-BK AD-003-SIL AD-131-BR  
 AD-102-BR AD-003-BR

**12V LED DIRECTIONAL LIGHTS - ALUMINUM**

CATALOG NO.	DESCRIPTION
AD-102-BK	5W 400LM 3000K Black
AD-102-BR	5W 400LM 3000K Bronze
AD-003-BK	5W 400LM 3000K Black
AD-003-BR	5W 400LM 3000K Bronze
AD-003-SIL	5W 400LM 3000K Silver
AD-131-BR	5W 400LM 3000K Bronze



LD-192-BZ LD-192-BZB AD-192-BK AD-192-BR LD-192-FBK  
 BRASS BRASS ALUMINUM FIBER GLASS

**12V LED DIRECTIONAL LIGHTS - SOLID BRASS, CAST**

CATALOG NO.	DESCRIPTION
LD-192-BZ	5W 400LM 3000K Bronze
LD-192-BZB	5W 400LM 3000K Bronzed Brass
AD-192-BR	5W 400LM 3000K Bronze



LVW-100-MCT-ORB  
5.25"(D) x 2.66"(H)



LVW-110-MCT-ORB  
3.12"(W) x 3.40"(H) x 3.71"(D)



LVW-110-UD-MCT-ORB  
3.71"(W) x 4.12"(H) x 5.20"(D)



LVW-115-MCT-ORB  
5.25"(D) x 3.75"(H)




LVW-200-MCT-ORB  
5.20"(SQ) x 2.66"(H)



LVW-210-MCT-ORB  
3.75"(W) x 4.12"(H) x 3.4"(D)



LVW-210-UD-MCT-ORB  
3.75"(W) x 4.12"(H) x 5.20"(D)



LVW-215-MCT-ORB  
5.25"(SQ) x 4.33"(H)



LVW-250-MCT-ORB  
5.75"(W) x 5.75"(H) x 2.25"(D)



LVW-300-MCT-ORB  
LVW-300-MCT-WH  
7"(W) x 5"(H) x 2.25"(D)



LVW-310-MCT-ORB  
LVW-310-MCT-WH  
7.50"(W) x 4.20"(H) x 2"(D)

**12V SELECTABLE CCT LED MINI WALL SCONCES**

CATALOG NO.	DESCRIPTION
LVW-100-MCT-ORB	3W 200LM 30K/40K/50K
LVW-110-MCT-ORB	3W 200LM 30K/40K/50K
LVW-110-UD-MCT-ORB	6W 400LM 30K/40K/50K
LVW-115-MCT-ORB	3W 200LM 30K/40K/50K
LVW-200-MCT-ORB	3W 200LM 30K/40K/50K
LVW-210-MCT-ORB	3W 200LM 30K/40K/50K
LVW-210-UD-MCT-ORB	6W 400LM 30K/40K/50K
LVW-215-MCT-ORB	3W 200LM 30K/40K/50K
LVW-250-MCT-ORB	6W 400LM 30K/40K/50K
LVW-300-MCT-ORB	6W 400LM 30K/40K/50K
LVW-300-MCT-WH	6W 400LM 30K/40K/50K
LVW-310-MCT-ORB	6W 400LM 30K/40K/50K
LVW-310-MCT-WH	6W 400LM 30K/40K/50K

**12V OIL-RUBBED BRONZE & BRUSHED NICKEL FINISH**



**12V LED WALL CYLINDERS**



CATALOG NO.	DESCRIPTION
<b>12V 1IN LED WALL CYLINDERS, 25°</b>	
WMC1-12V-DL-MCT-ORB	3W 300LM 30K/40K/50K
WMC1-12V-DL-MCT-BN	3W 300LM 30K/40K/50K
WMC1-12V-UDL-MCT-ORB	2X3W 600LM 30K/40K/50K
WMC1-12V-UDL-MCT-BN	2X3W 600LM 30K/40K/50K
<b>12V 2IN LED WALL CYLINDERS, 25°</b>	
WMC2-12V-DL-MCT-ORB	5W 500LM 30K/40K/50K
WMC2-12V-DL-MCT-BN	5W 500LM 30K/40K/50K
WMC2-12V-UDL-MCT-ORB	10W 1000LM 30K/40K/50K
WMC2-12V-UDL-MCT-BN	10W 1000LM 30K/40K/50K



# AA SERIES NEW GENERATION OF PATH LIGHTS

LANDSCAPE



AA-18L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-15-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-18L-BK

- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-15-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-18L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-15-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ



AA-19L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-15-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-19L-BK

- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-15-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-19L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-15-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ



AA-20L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-15-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-20L-BK

- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-15-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-20L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-15-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ



AA-21L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-15-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-21L-BK

- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-15-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-21L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-15-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ



AA-22L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-15-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-22L-BK

- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-15-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-22L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-15-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ



AA-23L-ORB

- + AA-STEM-22-MCT-ORB
- + AA-STEM-15-MCT-ORB
- + AA-STEM-22-RGBW-PB-ORB
- + AA-STEM-15-RGBW-PB-ORB
- + AA-STEM-22-RGBWW-BT-ORB
- + AA-STEM-15-RGBWW-BT-ORB



AA-23L-BK

- + AA-STEM-22-MCT-BK
- + AA-STEM-15-MCT-BK
- + AA-STEM-22-RGBW-PB-BK
- + AA-STEM-15-RGBW-PB-BK
- + AA-STEM-22-RGBWW-BT-BK
- + AA-STEM-15-RGBWW-BT-BK



AA-23L-AZ

- + AA-STEM-22-MCT-AZ
- + AA-STEM-15-MCT-AZ
- + AA-STEM-22-RGBW-PB-AZ
- + AA-STEM-15-RGBW-PB-AZ
- + AA-STEM-22-RGBWW-BT-AZ
- + AA-STEM-15-RGBWW-BT-AZ



LED PATH LIGHTS

CATALOG NO.	DESCRIPTION
<b>3CCT LED PATH LIGHTS</b>	
AA-STEM-22-MCT-ORB	5W 200LM 30K/40K/50K 22" Oil-Rubbed Bronze
AA-STEM-22-MCT-BK	5W 200LM 30K/40K/50K 22" Black
AA-STEM-22-MCT-AZ	5W 200LM 30K/40K/50K 22" Antique Brass
AA-STEM-15-MCT-ORB	5W 200LM 30K/40K/50K 15" Oil-Rubbed Bronze
AA-STEM-15-MCT-BK	5W 200LM 30K/40K/50K 15" Black
AA-STEM-15-MCT-AZ	5W 200LM 30K/40K/50K 15" Antique Brass
<b>PUSH BUTTON RGBW LED PATH LIGHTS</b>	
AA-STEM-22-RGBW-PB-ORB	5W 200LM RGBW 22" Oil-Rubbed Bronze
AA-STEM-22-RGBW-PB-BK	5W 200LM RGBW 22" Black
AA-STEM-22-RGBW-PB-AZ	5W 200LM RGBW 22" Antique Brass
AA-STEM-15-RGBW-PB-ORB	5W 200LM RGBW 15" Oil-Rubbed Bronze
AA-STEM-15-RGBW-PB-BK	5W 200LM RGBW 15" Black
AA-STEM-15-RGBW-PB-AZ	5W 200LM RGBW 15" Antique Brass
<b>RGBW/W BLUETOOTH WG APP LED PATH LIGHTS</b>	
AA-STEM-22-RGBW-W-BT-ORB	5W 200LM RGBW 22" Oil-Rubbed Bronze
AA-STEM-22-RGBW-W-BT-BK	5W 200LM RGBW 22" Black
AA-STEM-22-RGBW-W-BT-AZ	5W 200LM RGBW 22" Antique Brass
AA-STEM-15-RGBW-W-BT-ORB	5W 200LM RGBW 15" Oil-Rubbed Bronze
AA-STEM-15-RGBW-W-BT-BK	5W 200LM RGBW 15" Black
AA-STEM-15-RGBW-W-BT-AZ	5W 200LM RGBW 15" Antique Brass

ALUMINUM PATH LIGHT CAP

CATALOG NO.	DESCRIPTION
AA-18L-ORB	Model 18 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-18L-BK	Model 18 Aluminum Path Light Cap, Black
AA-18L-AZ	Model 18 Aluminum Path Light Cap, Antique Bras
AA-19L-ORB	Model 19 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-19L-BK	Model 19 Aluminum Path Light Cap, Black
AA-19L-AZ	Model 19 Aluminum Path Light Cap, Antique Bras
AA-20L-ORB	Model 20 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-20L-BK	Model 20 Aluminum Path Light Cap, Black
AA-20L-AZ	Model 20 Aluminum Path Light Cap, Antique Bras
AA-21L-ORB	Model 21 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-21L-BK	Model 21 Aluminum Path Light Cap, Black
AA-21L-AZ	Model 21 Aluminum Path Light Cap, Antique Bras
AA-22L-ORB	Model 22 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-22L-BK	Model 22 Aluminum Path Light Cap, Black
AA-22L-AZ	Model 22 Aluminum Path Light Cap, Antique Bras
AA-23L-ORB	Model 23 Aluminum Path Light Cap, Oil-Rubbed Bronze
AA-23L-BK	Model 23 Aluminum Path Light Cap, Black
AA-23L-AZ	Model 23 Aluminum Path Light Cap, Antique Bras

**NEW GENERATION OF INTEGRATED LED PATH LIGHTS, ALUM. ALLOY  
 SELECTABLE COLOR TEMPERATURE OR PUSH-BUTTON RGBW WITH SCENES, APP-CONTROLLED RGBW  
 IN 3 FINISHES, SIMULATED DARK BRASS, BLACK, METALLIC OIL-RUBBED BRONZE  
 2 DIFFERENT HEIGHTS: 15" OR 22"  
 STEMS AND CAPS SOLD SEPARATELY**

LANDSCAPE

**23"**  
12V AREA LIGHTS  
SOLID BRASS  
TOTAL LENGTH: 23"  
**BUILT-IN INTEGRATED LED**



12V LED AREA LIGHTS – SOLID BRASS

CATALOG NO.	DESCRIPTION
LA-112-BZ	3W 200LM 3000K
LA-115-BZ	3W 200LM 3000K
LA-117-BZ	3W 200LM 3000K
LA-116-BZ	3W 200LM 3000K
LA-120-BZ	3W 200LM 3000K

12V AREA LIGHTS  
SOLID BRASS

**BUILT-IN INTEGRATED LED**



12V LED AREA LIGHTS – SOLID BRASS

CATALOG NO.	DESCRIPTION
LA-118-BZ	3W 200LM 3000K
LA-111-BZ	3W 200LM 3000K
LA-008-BZ	3W 200LM 3000K
LA-010-BZ	3W 200LM 3000K
LA-002-BZ	3W 200LM 3000K

**12"**  
12V AREA LIGHTS  
SOLID BRASS  
TOTAL LENGTH: 12"  
**BUILT-IN INTEGRATED LED**



12V LED AREA LIGHTS

CATALOG NO.	DESCRIPTION
LA-112-BZ-12IN	3W 200LM 3000K
LA-115-BZ-12IN	3W 200LM 3000K
LA-117-BZ-12IN	3W 200LM 3000K
LA-116-BZ-12IN	3W 200LM 3000K
LA-118-BZ-12IN	3W 200LM 3000K
LA-111-BZ-12IN	3W 200LM 3000K
LA-111-CR-12IN	3W 200LM 3000K
LA-116-CR-12IN	3W 200LM 3000K
LA-117-CR-12IN	3W 200LM 3000K


**12V AGED NICKEL**  
COLLECTION  
Cast Brass, Aged Nickel Finish  
TOTAL LENGTH: 23"  
**BUILT-IN INTEGRATED LED**



AGED NICKEL COLLECTION

CATALOG NO.	DESCRIPTION
LA-112-AN	3W 200LM 3000K
LA-117-AN	3W 200LM 3000K
LA-116-AN	3W 200LM 3000K
LA-111-AN	3W 200LM 3000K

12V AREA LIGHTS  
SOLID COPPER  
TOTAL LENGTH: 23"  
**BUILT-IN INTEGRATED LED**



12V LED AREA LIGHTS – SOLID COPPER

CATALOG NO.	DESCRIPTION
LA-111-CR	3W 200LM 3000K
LA-116-CR	3W 200LM 3000K
LA-117-CR	3W 200LM 3000K

12V AREA LIGHTS  
SOLID COPPER



12V LED AREA LIGHTS – SOLID COPPER

CATALOG NO.	DESCRIPTION
LA-010-CR	3W 200LM 3000K
LA-112-CR	3W 200LM 3000K
LA-118-CR	3W 200LM 3000K

12V PAGODA LIGHTS  
BLACK OR BRONZE



12V LED PAGODA LIGHTS

CATALOG NO.	DESCRIPTION
AA-146-BK	3W 200LM 3000K
AA-146-BR	3W 200LM 3000K

**12V AREA LIGHTS** For 120V installations, add a mini transformer inside the LAL fixtures. see page 176  
POWDER-COATED  
BRONZE OR BLACK



**12V PATH LIGHTS**  
POWDER-COATED  
BRONZE OR BLACK OR SILVER  
TOTAL LENGTH: 23"  
**BUILT-IN INTEGRATED LED**



**12V LED PATH LIGHTS**

CATALOG NO.	DESCRIPTION
<b>LAL-136-MCT-ORB</b>	5W <b>300LM</b> 30K/40K/50K
<b>LAL-136-MCT-BK</b>	5W <b>300LM</b> 30K/40K/50K
<b>LAL-136-RGBWW-BT-ORB</b>	5W <b>200LM</b> RGBW
<b>LAL-136-RGBWW-BT-BK</b>	5W <b>200LM</b> RGBW
<b>LAL-136-RGBWW-PB-ORB</b>	5W <b>200LM</b> RGBWW
<b>LAL-131-30K-ORB</b>	5W <b>200LM</b> 3000K
<b>LAL-131-30K-BK</b>	5W <b>200LM</b> 3000K
<b>LAL-126-BR</b>	3W <b>200LM</b> 3000K
<b>LAL-126-SIL</b>	3W <b>200LM</b> 3000K

**12V LED AREA LIGHTS-GROUND OR SURFACE MOUNT** Custom Design Aluminum Spike & Surface Mounting Base Inc.



CATALOG NO.	DESCRIPTION
<b>LAL-12V-117-31-30K-BR</b>	10W <b>720LM</b> 3000K 31"
<b>LAL-12V-117-31-30K-BK</b>	10W <b>720LM</b> 3000K 31"
<b>LAL-12V-118-31-30K-BR</b>	10W <b>720LM</b> 3000K 31"
<b>LAL-12V-118-31-30K-BK</b>	10W <b>720LM</b> 3000K 31"
<b>LAL-12V-120-23-30K-BR</b>	10W <b>720LM</b> 3000K 23"
<b>LAL-12V-120-23-30K-BK</b>	10W <b>720LM</b> 3000K 23"
<b>LAL-12V-122-31-30K-BR</b>	10W <b>720LM</b> 3000K 31"
<b>LAL-12V-122-31-30K-BK</b>	10W <b>720LM</b> 3000K 31"
<b>LAL-12V-124-15-30K-BR</b>	10W <b>720LM</b> 3000K 15"
<b>LAL-12V-124-15-30K-BK</b>	10W <b>720LM</b> 3000K 15"
<b>LAL-12V-124-31-30K-BR</b>	10W <b>720LM</b> 3000K 31"
<b>LAL-12V-124-31-30K-BK</b>	10W <b>720LM</b> 3000K 31"
<b>LAL-12V-127-23-30K-BR</b>	10W <b>720LM</b> 3000K 23"
<b>LAL-12V-127-23-30K-BK</b>	10W <b>720LM</b> 3000K 23"
<b>LAL-12V-128-31-30K-BR</b>	10W <b>720LM</b> 3000K 31"
<b>LAL-12V-128-31-30K-BK</b>	10W <b>720LM</b> 3000K 31"
<b>LAL-12V-130-31-30K-BR</b>	10W <b>720LM</b> 3000K 31"
<b>LAL-12V-130-31-30K-BK</b>	10W <b>720LM</b> 3000K 31"



**12V INTEGRATED LED LANDSCAPE UPLIGHTS**

CATALOG NO.	DESCRIPTION
<b>LFLV-7W-27K</b>	7W <b>500LM</b> 2700K
<b>LFLV-7W-30K</b>	7W <b>500LM</b> 3000K
<b>LFLV-7W-40K</b>	7W <b>550LM</b> 4000K
<b>LFLV-7W-50K</b>	7W <b>550LM</b> 5000K
<b>LFLV-12W-27K</b>	12W <b>800LM</b> 2700K
<b>LFLV-12W-30K</b>	12W <b>800LM</b> 3000K
<b>LFLV-12W-40K</b>	12W <b>900LM</b> 4000K
<b>LFLV-12W-50K</b>	12W <b>900LM</b> 5000K

LANDSCAPE

12V  
ALUMINUM



AS-158-BK  
AS-158-BR  
AS-158-30K-ORB

STEP LIGHTS WITH LED LAMPS- ALUMINUM

CATALOG NO.	DESCRIPTION
AS-158-BR	3W 200LM 3000K
AS-158-BK	3W 200LM 3000K
AS-158-30K-ORB	2.5W 80LM 3000K

LED 3W, 30K JC  
ARCHITECTURAL  
SOLID BRASS



LS-185-BZ      LS-158-BZ      LS-159-BZ

STEP LIGHTS WITH LED LAMPS

CATALOG NO.	DESCRIPTION
LS-185-BZ	3W 200LM 3000K
LS-158-BZ	3W 200LM 3000K
LS-158-SS	3W 200LM 3000K
LS-159-BZ	3W 200LM 3000K

12V STEP LIGHTS WITH INTEGRATED SMD LED MODULE



LS-124-AN      LS-155-BZ      LS-160-BZ  
LS-160-AN      LS-172-BZ  
(NO HOUSING)

LED STEP LIGHTS

CATALOG NO.	DESCRIPTION
LS-124-AN	3W 200LM 3000K
LS-160-BZ	3W 200LM 3000K
LS-160-AN	3W 200LM 3000K
LS-155-BZ	3W 200LM 3000K



12V INTEGRATED COB (IN GROUND) LIGHTS IP67

12V INTEGRATED LED (IN GROUND) LIGHTS

DESCRIPTION	DESCRIPTION
IGL-1W-30K	1W 100LM 3000K
IGL-1W-40K	1W 100LM 4000K
IGL-1W-TWLN	1W in ground light lock nut for thin wall
IGL-3W-30K	3W 290LM 3000K
IGL-3W-40K	3W 290LM 4000K
IGL-3W-RGBW <small>NEEDS CONTROLLER</small>	3W 290LM RGB+3000K
IGL-7W-30K	7W 620LM 3000K
IGL-7W-40K	7W 620LM 4000K
IGL-10W-RGBW <small>NEEDS CONTROLLER</small>	10W 620LM RGB+3000K
RGBW-CONTROLLER	RGBW Controller (Remote incl.), 192W Max, 12-24 VDC
RGBW-WIFI-CONTROLLER	RGBW lighting controller with integrated WI-FI and app, RC incl.



OPTIONAL TRIMS FOR 1W IN-GROUND FIXTURES

CATALOG NO.	DESCRIPTION
IGL-1W-TRM-AL-RBK	1.8" DIAMETER
IGL-1W-TRM-AL-RWH	1.8" DIAMETER
IGL-1W-TRM-AL-RBN	1.8" DIAMETER
IGL-1W-TRM-AL-RLBN	2.75" DIAMETER
IGL-1W-TRM-AL-SCP	1.8" DIAMETER
IGL-1W-TRM-SS-1WY	1.8" DIAMETER
IGL-1W-TRM-SS-2WY	1.8" DIAMETER
IGL-1W-TRM-SS-SQR	1.8" DIAMETER
IGL-1W-TRM-SS-SQSQ	1.8" DIAMETER
IGL-1W-TRM-AL-RAZ	1.8" DIAMETER
IGL-1W-TRM-AL-SCP-AZ	1.8" DIAMETER



OPTIONAL TRIMS FOR 3W IN-GROUND FIXTURES

CATALOG NO.	DESCRIPTION
IGL-3W-TRM-SS-1WY	2.3" DIAMETER
IGL-3W-TRM-SS-2WY	2.3" DIAMETER
IGL-3W-TRM-SS-SQR	2.3" DIAMETER
IGL-3W-TRM-SS-SQSQ	2.3" DIAMETER
IGL-3W-TRM-SS-R	2.3" DIAMETER
IGL-3W-TRM-AL-RBN	2.75" DIAMETER
IGL-3W-TRM-SS-SCP	2.3" DIAMETER
IGL-3W-TRM-SS-SCP-AZ	2.3" DIAMETER, BRONZE
IGL-3W-TRM-AL-AZ	2.3" DIAMETER

LANDSCAPE



PVC SLEEVES  
BRUSHED NICKEL FINISH



IGLA-3W-30K-BN



IGLA-7W-30K-BN

12V ALUM. INTEGRATED LED INGROUND LIGHTS

CATALOG NO.	DESCRIPTION
IGLA-3W-30K-BN	3W 320LM 3000K
IGLA-7W-30K-BN	7W 720LM 3000K

12V HARDSCAPE AREA LIGHTS 8 FT Cable  
BRONZE



HSL-3-30K



HSL-7-30K  
HSL-7-MCT  
HSL-7-RGBCW



HSL-13-30K  
HSL-12MCT  
HSL-12-RGBCW

LED HARDSCAPE LIGHTS WITH FRONT TRIM

CATALOG NO.	DESCRIPTION
HSL-3-30K	1W 30LM 3000K
HSL-7-30K	2W 100LM 3000K
HSL-13-30K	3W 160LM 3000K
HSL-7-MCT	5W 200LM 30K/40K/50K
HSL-12-MCT	7W 280LM 30K/40K/50K
HSL-7-RGBCW	5W 200LM RGBCW
HSL-12-RGBCW	7W 280LM RGBCW



WL-140-FBK  
FIBER GLASS  
FOR PAR36  
No Lamp



LD-001-BZ  
CAST BRASS  
FOR PAR36  
No Lamp

CATALOG NO.	DESCRIPTION
WL-140-FBK	Fiber Glass, Black
LD-001-BZ	Die-cast Brass, Antique Bronze Finish

UNDERWATER LIGHTS

INCL. 5W 30K MR16 LED



UW-125-SS



UW-125-BS



UW-126-BZ

LED UNDERWATER LIGHTS 30FT CABLE

CATALOG NO.	DESCRIPTION
UW-125-SS	5W 400LM 3000K
UW-125-BS	5W 400LM 3000K
UW-126-BZ	5W 400LM 3000K

4" DIA. & PVC SLEEVES



WLL-105-30K-BK  
WLL-105-RGBWW-BT-ORB



WLL-106-30K-BK



WLL-152-30K-BK  
WLL-152-30K-ORB



WLL-157-30K-BK  
WLL-157-RGBWW-BT-ORB




WLL-159-30K-BK



WLL-181-30K-BK  
WLL-181-RGBWW-BT-ORB

INTEGRATED ALUMINUM LED WELL/PATH LIGHTS

CATALOG NO.	DESCRIPTION
WLL-105-30K-BK	6W 580LM 3000K
WLL-105-RGBWW-BT-ORB	6W 580LM RGBW
WLL-106-30K-BK	6W 500LM 3000K
WLL-152-30K-BK	6W 200LM 3000K
WLL-152-30K-ORB	6W 200LM 3000K
WLL-157-30K-BK	6W 500LM 3000K
WLL-157-RGBWW-BT-ORB	6W 180LM RGBW
WLL-159-30K-BK	6W 400LM 3000K
WLL-181-30K-BK	6W 580LM 3000K
WLL-181-RGBWW-BT-ORB	6W 420LM RGBW



SOLR-SL1-60K-SEN  
14/5"(H) X 4 2/5"(W)



SOLRW-30K  
4 1/7"(H) X 3 5/6"(W)



SOLR-WL2-MCT-SEN  
4 1/2"(H) X 12"(W) X 2 1/2"(D)



SOLR-WL1-30K-SEN-BK  
5"(H) X 6 1/3"(W) X 2 3/7"(D)



SOLR-PL1-30K  
20 8/9"(H) X 4 2/7"(W) X 4 1/2"(D)

SPEC SERIES SOLAR LIGHT COLLECTION



CATALOG NO.	DESCRIPTION
SOLRW-30K	0.2W 50LM 3000K
SOLR-SL1-60K-SEN	0.5W+0.2W 100LM 6000K/3000K
SOLR-WL1-30K-SEN-BK	5W 500LM 3000K
SOLR-WL2-MCT-SEN	8W 1000LM 3000K/6000K
SOLR-PL1-30K	3W 300LM 3000K



**12V WELL LIGHTS** MR16 LED INCL. 5W 30K



WL-105-1-BK WL-105-BK WL-181-BK WL-181-BZ WL-157-FGBZ

**WELL LIGHTS WITH SLEEVE & LED LAMPS**

CATALOG NO.	DESCRIPTION
WL-105-1-BK	5W 400LM 3000K
WL-105-BK	5W 400LM 3000K
WL-181-BK	5W 400LM 3000K
WL-181-BZ	5W 400LM 3000K
WL-181-BR	5W 400LM 3000K
WL-157-FGBZ	5W 400LM 3000K

**12V WELL LIGHTS** MR16 LED INCL. 5W 30K



WL-137-BK WL-137-BZ Solid Brass WL-138-BK WL-138-BZ Solid Brass WL-138-SS

**WELL LIGHTS WITH SLEEVE & LED LAMPS**

CATALOG NO.	DESCRIPTION
WL-137-BK	5W 400LM 3000K
WL-137-BZ	5W 400LM 3000K
WL-138-BK	5W 400LM 3000K
WL-138-BZ	5W 400LM 3000K
WL-138-SS	5W 400LM 3000K

**12V WELL LIGHTS** MR16 LED WITH DIRECTIONAL LAMP BRACKET INCL. 5W 30K, 400LM



WL-701-FGBZ WL-705-FGBZ WL-707-FGBZ WL-708-FGBZ

**SOLID BRASS WELL LIGHTS WITH DIRECTIONAL LAMP BRACKET**

CATALOG NO.	DESCRIPTION
WL-701-FGBZ	5W 400LM 3000K
WL-705-FGBZ	5W 400LM 3000K
WL-707-FGBZ	5W 400LM 3000K
WL-708-FGBZ	5W 400LM 3000K

**DUAL-TAP** WITH TIMER & PHOTOCELL SLIDE DOOR **WET** STAINLESS STEEL



TR-40W-DT-TPC-SS TR-75W-DT-TPC-SS TR-100W-DT-TPC-SS TR-200W-DT-TPC-SS

**DUAL-TAP (12V/15V AC) LANDSCAPE TRANSFORMERS WITH TIMER & PHOTOCELL SLIDE**

CATALOG NO.	DESCRIPTION
TR-40W-DT-TPC-SS	40W
TR-75W-DT-TPC-SS	75W
TR-100W-DT-TPC-SS	100W
TR-200W-DT-TPC-SS	200W

**PROFESSIONAL SERIES TRANSFORMERS** WITH MULTI-TAP TIMER & PHOTOCELL READY **WET** STAINLESS STEEL



TR-150W-MT-SS TR-300W-MT-SS TR-600W-MT-SS TR-900W-MT-SS

**MULTI-TAP (12V/13V/14V/15V AC) LANDSCAPE TRANSFORMERS TIMER & PHOTOCELL READY (NOT INCLUDED) HINGE DOOR**

CATALOG NO.	DESCRIPTION
TR-150W-MT-SS	150W
TR-300W-MT-SS	300W
TR-600W-MT-SS	600W
TR-900W-MT-SS	900W



TR-MTMR TR-DTMR TR-PC

**MULTI-TAP LANDSCAPE TRANSFORMERS PLUG-IN OPTIONS**

CATALOG NO.	DESCRIPTION
TR-MTMR	MECHANICAL TIMER
TR-DTMR	DIGITAL TIMER
TR-PC	PHOTOCELL



LVT-60 LVT-100

**DRY LOCATION AC TRANSFORMERS, 12V**

CATALOG NO.	DESCRIPTION
LVT-60	60W
LVT-100	100W



MR16

CATALOG NO.	DESCRIPTION
MR16-400L-27K-D	5W 380LM 2700K
MR16-400L-30K-D	5W 380LM 3000K
MR16-400L-41K-D	5W 390LM 4100K
MR16-400L-50K-D	5W 400LM 5000K
MR16-500L-C90-30K-D	7W 500LM 3000K
MR16-500L-C90-40K-D	7W 560LM 4000K
MR16-500L-C90-50K-D	7W 560LM 5000K



PVC POST

CATALOG NO.	DESCRIPTION
WE167	Extra-long 18-1/2" PVC mounting post for ground mounted landscape fixtures
WE167-25	Extra-long 25" PVC mounting post for ground mounted landscape fixtures
WE167-CAP	Cap only for WE167
WE167-CAP-BZ	Brass with bronze finish Cap only for WE167



TREE BASE

CATALOG NO.	DESCRIPTION
A-41-S	Tree mounting base
LG-SMB-BZ	12V brass landscape tree or surface bracket, antique bronze finish




BUNGEE CORDS

CATALOG NO.	DESCRIPTION
BC-10	10" Bungee cords with hooks
BC-15	15" Bungee cords with hooks
BC-18	18" Bungee cords with hooks
BC-21	21" Bungee cords with hooks
BC-32	32" Bungee cords with hooks



PATH LIGHTING ACCESSORIES

CATALOG NO.	DESCRIPTION
LA-T-BZ	Fixture mounting "T" Attachment
LA-90-BZ	Fixture mounting 90° elbow Attachment
LA-FMS21-BZ	21" Solid brass fixture mounting stem Antique bronze finish



PAR36-IP65

CATALOG NO.	DESCRIPTION
PAR36-12W-30K	12W 1000LM 3000K
PAR36-12W-40K	12W 1000LM 4000K
PAR36-12W-50K	12W 1000LM 5000K



12V AC/DC REPLACEMENT LAMPS

CATALOG NO.	DESCRIPTION
GZ-JC-39L-27K	3W 250LM 2700K
GZ-JC-39L-30K	3W 250LM 3000K
GZ-JC-18L-27K	3W 250LM 2700K
GZ-JC-18L-32K	3W 250LM 3200K
GZ-JC-WP-3W-32K	3W 180LM 3200K
GZ-S8-32K-G2	2.2W 230LM 3200K
GZ-S8-32K	1.4W 70LM 3200K
GZ-G4-9L-32K	2W 120LM 3200K
GZ-JC-60L-TFL	3W 60LM TURTLE FRIENDLY CCT
GZ-JC-300L-27K	3W 300LM 2700K
GZ-JC-300L-30K	3W 300LM 3000K




BRASS BASE

CATALOG NO.	DESCRIPTION
B-41	1/2" NPT hub, Solid Brass, Antique Bronze finish
B-41-AN	1/2" NPT hub, Solid Brass, Aged Nickel finish



ALUMINUM BASE

CATALOG NO.	DESCRIPTION
A-41-BR	1/2" NPT hub, Cast aluminum, Bronze Powder coat finish
A-41-BK	1/2" NPT hub, Cast aluminum, Black Powder coat finish



SILICON-FILLED WIRE NUTS

CATALOG NO.	DESCRIPTION
LSWN1	Bag of 24, Waterproof wire connectors, for up to two 14-2 + one 16-2 cables
LSWN2	Box of 24, Waterproof wire connectors, for up to three 12-2 cables
LSWN2-100	Jar of 100, Waterproof wire connectors, for up to three 12-2 cables

LANDSCAPE



**SPIKES**

WL-SLEEVE

SPIKE-BG

SPIKE-10

CATALOG NO.	DESCRIPTION
<b>WL-SLEEVE</b>	PVC sleeve Kit for 4" well lights
<b>SPIKE-BG</b>	8.5" PVC spike
<b>SPIKE-10</b>	10" PVC spike



LA-STEM-REPL-LED LA-STEM-RL LA-STEM-KNOB

**AREA LIGHTING REPLACEMENT PARTS**

CATALOG NO.	DESCRIPTION
<b>LA-STEM-RL</b>	Replacement Glass Lens for Path Light stem
<b>LA-STEM-KNOB</b>	Replacement Knob
<b>LA-STEM-REPL-LED</b>	3000K Replacement LED Tower for path lights Also fits Pagoda Lights
<b>LA-STEM-REPL-LED-27K</b>	2700K Replacement LED Tower for path lights Also fits Pagoda Lights
<b>LA-STEM-REPL-LED-40K</b>	4000K Replacement LED Tower for path lights Also fits Pagoda Lights
<b>LA-STEM-REPL-LED-50K</b>	5000K Replacement LED Tower for path lights Also fits Pagoda Lights



**PAGODA LIGHTS REPLACEMENT GLASS**

CATALOG NO.	DESCRIPTION
<b>AA-145-RG</b>	Replacement Glass for 2-Tier pagodas
<b>AA-146-RG</b>	Replacement Glass for 3-Tier pagodas
<b>AA-147-RG</b>	Replacement Glass for 4-Tier pagodas



WE-CONN

**12V SNAP CONNECTOR**



LSFLC-20

CATALOG NO.	DESCRIPTION
<b>WE-CONN</b>	black color
<b>LSFLC-20</b>	20 Fast-Lock In-Line Landscape Connectors



**LOW-VOLTAGE CABLE MUST ORDER IN MULTIPLES OF 500FT**

CATALOG NO.	DESCRIPTION
<b>LOV-14</b>	#14 AWG (41 Strands)
<b>LOV-12</b>	#12 AWG (65 Strands)
<b>LOV-10</b>	#10 AWG (104 Strands)
<b>LOV-8</b>	#8 AWG (168 Strands)



**LOW-VOLTAGE CABLE MUST ORDER IN MULTIPLES OF 500FT**

CATALOG NO.	DESCRIPTION
<b>LOV-14-100FT</b>	#14 AWG (41 Strands)
<b>LOV-12-100FT</b>	#12 AWG (65 Strands)
<b>LOV-10-100FT</b>	#10 AWG (104 Strands)
<b>LOV-8-100FT</b>	#8 AWG (168 Strands)



**STEP LIGHTING REPLACEMENT LED MODULE**

CATALOG NO.	DESCRIPTION
<b>LS-REPL-LED</b>	3000K Replacement LED Module
<b>LS-REPL-LED-27K</b>	2700K Replacement LED Module



LANDSCAPE-DISPLAY



LANDSCAPE-DISPLAY2-UBR



LANDSCAPE-DISPLAY2-UBK

**LANDSCAPE DISPLAY**

CATALOG NO.	DESCRIPTION
<b>LANDSCAPE-DISPLAY</b>	Display for Landscape
<b>LANDSCAPE-DISPLAY2-UBK</b>	Display for Landscape
<b>LANDSCAPE-DISPLAY2-UBR</b>	Display for Landscape

**BOLLARD CUSTOMIZATION**

CATALOG NO.	POST SIZE		FIXTURES PER POLE		COLOR TEMPERATURE		FINISH DESCRIPTION	
	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
<b>WMS-S</b>	18	18 Inch	1	1 Sided	30K	3000K	BR	Bronze
<b>WMS-R</b>	36	36 Inch	2	2 Sided	40K	4000K	WH	White
<b>LMW</b>					50K	5000K		

For more information on each fixture model, refer to: LWA-12 page 4, LMW page 11, WMS page 11.



Mounting Options Shown with LMW series



Mounting Options Shown with LWA-12W



Mounting Options Shown with WMS series



SLE-A-120V-MCT-WH  
SLE-A-12V-MCT-WH  
White



SLE-A-120V-MCT-ORB  
SLE-A-12V-MCT-ORB  
Oil-Rubbed Bronze



SLE-A-120V-MCT-BN  
SLE-A-12V-MCT-BN  
Brushed Nickel



SLE-A-120V-MCT-PIR-WH  
SLE-A-12V-MCT-PIR-WH  
White



SLE-A-120V-MCT-PIR-ORB  
SLE-A-12V-MCT-PIR-ORB  
SLE-A-120V-RGBWW-PB-ORB  
SLE-A-12V-RGBWW-PB-ORB  
Oil-Rubbed Bronze




SLE-F-120V-MCT-WH  
SLE-F-12V-MCT-WH  
White



SLE-F-120V-MCT-ORB  
SLE-F-12V-MCT-ORB  
Oil-Rubbed Bronze



SLE-F-120V-MCT-BN  
SLE-F-12V-MCT-BN  
Brushed Nickel



SLE-LH-120V-MCT-WH  
SLE-LH-12V-MCT-WH  
White



SLE-LH-120V-MCT-ORB  
SLE-LH-12V-MCT-ORB  
Oil-Rubbed Bronze



SLE-LH-120V-MCT-BN  
SLE-LH-12V-MCT-BN  
Brushed Nickel

## SELECTABLE CCT LED INTEGRATED STEP LIGHTS



CATALOG NO.

DESCRIPTION

### MODEL A - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-A-120V-MCT-WH	3.5W	100LM	30K/40K/50K	White
SLE-A-120V-MCT-ORB	3.5W	50LM	30K/40K/50K	Oil-Rubbed Bronze
SLE-A-120V-RGBWW-PB-ORB	3.5W	50LM	RGBWW	Oil-Rubbed Bronze
SLE-A-120V-MCT-BN	3.5W	50LM	30K/40K/50K	Brushed Nickel

### MODEL A - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS WITH PIR MOTION SENSOR & PHOTOCCELL

SLE-A-120V-MCT-PIR-WH	3W	150LM	30K/40K/50K	White
SLE-A-120V-MCT-PIR-ORB	3W	75LM	30K/40K/50K	Oil-Rubbed Bronze

### MODEL LH - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-LH-120V-MCT-WH	5W	150LM	30K/40K/50K	White
SLE-LH-120V-MCT-ORB	5W	75LM	30K/40K/50K	Oil-Rubbed Bronze
SLE-LH-120V-MCT-BN	5W	75LM	30K/40K/50K	Brushed Nickel

### MODEL F - 120V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-F-120V-MCT-WH	3.5W	200LM	30K/40K/50K	White
SLE-F-120V-MCT-ORB	3.5W	100LM	30K/40K/50K	Oil-Rubbed Bronze
SLE-F-120V-MCT-BN	3.5W	75LM	30K/40K/50K	Brushed Nickel

### MODEL A - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-A-12V-MCT-WH	3.5W	100LM	30K/40K/50K	White
SLE-A-12V-MCT-ORB	3.5W	50LM	30K/40K/50K	Oil-Rubbed Bronze
SLE-A-12V-RGBWW-PB-ORB	3.5W	50LM	RGBWW	Oil-Rubbed Bronze
SLE-A-12V-MCT-BN	3.5W	50LM	30K/40K/50K	Brushed Nickel

### MODEL A - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS WITH PIR MOTION SENSOR & PHOTOCCELL

SLE-A-12V-MCT-PIR-WH	3W	150LM	30K/40K/50K	White
SLE-A-12V-MCT-PIR-ORB	3W	75LM	30K/40K/50K	Oil-Rubbed Bronze

### MODEL LH - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-LH-12V-MCT-WH	5W	150LM	30K/40K/50K	White
SLE-LH-12V-MCT-ORB	5W	75LM	30K/40K/50K	Oil-Rubbed Bronze
SLE-LH-12V-MCT-BN	5W	75LM	30K/40K/50K	Brushed Nickel

### MODEL F - 12V SELECTABLE CCT LED INTEGRATED STEP LIGHTS

SLE-F-12V-MCT-WH	3.5W	200LM	30K/40K/50K	White
SLE-F-12V-MCT-ORB	3.5W	100LM	30K/40K/50K	Oil-Rubbed Bronze
SLE-F-12V-MCT-BN	3.5W	75LM	30K/40K/50K	Brushed Nickel

## MODERN LED TREE LIGHTS

CATALOG NO.

DESCRIPTION



TL-118-MCT-ORB	4.5W	300LM	30K/40K/50K
TL-118-MCT-AZ	4.5W	300LM	30K/40K/50K





STEP LIGHT ENGINES Polycarbonate

SPEC SERIES		DESCRIPTION
120V 12V	SLEA-12V-27K	2W 86LM 2700K
	SLEA-12V-30K	2W 86LM 3000K
	SLEA-12V-40K	2W 86LM 4000K
	SLEA-12V-50K	2W 86LM 5000K
	SLEA-120V-27K	2W 86LM 2700K
	SLEA-120V-30K	2W 86LM 3000K
	SLEA-120V-40K	2W 86LM 4000K
	SLEA-120V-50K	2W 86LM 5000K

FACE For SLEA PLATES (Order Separately)

PRECISION-CAST ALUMINUM



SLT-A-WH (WHITE FINISH)



SLT-A-BN (BRUSHED NICKEL FINISH)



SLT-A-AZ (ANTIQUE BRONZE FINISH)



SLT-A-ORB (OIL-RUBBED BRONZE FINISH)



STEP LIGHT ENGINES Polycarbonate

SPEC SERIES		DESCRIPTION
120V 12V	SLEB-12V-27K	2W 86LM 2700K
	SLEB-12V-30K	2W 86LM 3000K
	SLEB-12V-40K	2W 86LM 4000K
	SLEB-12V-50K	2W 86LM 5000K
	SLEB-120V-27K	2W 86LM 2700K
	SLEB-120V-30K	2W 86LM 3000K
	SLEB-120V-40K	2W 86LM 4000K
	SLEB-120V-50K	2W 86LM 5000K

FACE For SLEB PLATES (Order Separately)

PRECISION-CAST ALUMINUM



SLT-B-WH (WHITE FINISH)



SLT-B-BN (BRUSHED NICKEL FINISH)



SLT-B-AZ (ANTIQUE BRONZE FINISH)



SLT-B-ORB (OIL-RUBBED BRONZE FINISH)



STEP LIGHT ENGINES Polycarbonate

SPEC SERIES		CATALOG NO.	DESCRIPTION
120V 12V	SLE-12V-27K	2W 100LM 2700K	
	SLE-12V-30K	2W 100LM 3000K	
	SLE-12V-40K	2W 100LM 4000K	
	SLE-12V-50K	2W 118LM 5000K	
	SLE-120V-27K	2W 90LM 2700K	
	SLE-120V-30K	2W 90LM 3000K	
	SLE-120V-40K	2W 90LM 4000K	
	SLE-120V-50K	2W 104LM 5000K	

FACE For SLE PLATES (Order Separately)

PRECISION-CAST ALUMINUM



SLT-LH-ORB (OIL-RUBBED BRONZE FINISH)



SLT-LH-BN (BRUSHED NICKEL FINISH)



SLT-LH-WH (WHITE FINISH)



SLT-LH-AZ (ANTIQUE BRONZE FINISH)



SLT-F-ORB (OIL-RUBBED BRONZE FINISH)



SLT-F-BN (BRUSHED NICKEL FINISH)




SLT-F-WH (WHITE FINISH)



SLT-F-AZ (ANTIQUE BRONZE FINISH)



SLT-S-ORB (OIL-RUBBED BRONZE FINISH)



SLT-S-BN (BRUSHED NICKEL FINISH)



SLT-S-WH (WHITE FINISH)



SLT-S-AZ (ANTIQUE BRONZE FINISH)



SLT-LV-ORB (OIL-RUBBED BRONZE FINISH)



SLT-LV-BN (BRUSHED NICKEL FINISH)



SLT-LV-WH (WHITE FINISH)



SLT-LV-AZ (ANTIQUE BRONZE FINISH)



Clear PVC Gasket Set Included with Light Engine for J-box or weatherproof box mounting

LANDSCAPE



# UNDERCABINET LIGHTING



## BUILDER SERIES 5CCT HARD-WIRE UNDER CABINET LIGHT, OPTIONAL CORD



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>UCE-9-WHT</b>	3W 180LM 27K/30K/35K/40K/50K White	10
<b>UCE-12-WHT</b>	5W 300LM 27K/30K/35K/40K/50K White	10
<b>UCE-18-WHT</b>	8W 480LM 27K/30K/35K/40K/50K White	10
<b>UCE-21-WHT</b>	10W 600LM 27K/30K/35K/40K/50K White	10
<b>UCE-24-WHT</b>	12W 720LM 27K/30K/35K/40K/50K White	10
<b>UCE-32-WHT</b>	16W 960LM 27K/30K/35K/40K/50K White	10
<b>UCE-40-WHT</b>	20W 1200LM 27K/30K/35K/40K/50K White	10
<b>UCA-LC8-WHT</b>	8in Linking Cord For UCA And UCE Series, White	
<b>UCA-PC-6FT-WHT</b>	6Ft Power Cord Cord For UCA And UCE Series, White	

## ADJUSTABLE ANGLE MULTI COLOR-TEMPERATURE UNDERCABINET LIGHTS



120V 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>UCA-8-WHT</b>	3W 150LM 2700K/3000K/4000K 8"L WHITE	10
<b>UCA-12-WHT</b>	5W 275LM 2700K/3000K/4000K 12"L WHITE	10
<b>UCA-16-WHT</b>	6.5W 390LM 2700K/3000K/4000K 16" WHITE	10
<b>UCA-21-WHT</b>	8W 450LM 2700K/3000K/4000K 21" WHITE	10
<b>UCA-24-WHT</b>	12W 650LM 2700K/3000K/4000K 24" WHITE	10
<b>UCA-33-WHT</b>	16W 900LM 2700K/3000K/4000K 33" WHITE	10
<b>UCA-42-WHT</b>	20W 1100LM 2700K/3000K/4000K 42" WHITE	10
<b>UCA-LC12-WHT</b>	12" Linking Cable for White UCA Series - White color	
<b>UCA-LC8-WHT</b>	8in Linking Cord For Uce And UCE Series, White	
<b>UCA-PC-6FT-WHT</b>	6Ft Power Cord Cord For Uce And UCE Series, White	
<b>UCA-8-BRZ</b>	3W 150LM 2700K/3000K/4000K 8"L BRONZE	10
<b>UCA-12-BRZ</b>	5W 275LM 2700K/3000K/4000K 12"L BRONZE	10
<b>UCA-16-BRZ</b>	6.5W 390LM 2700K/3000K/4000K 16" BRONZE	10
<b>UCA-21-BRZ</b>	8W 450LM 2700K/3000K/4000K 21" BRONZE	10
<b>UCA-24-BRZ</b>	12W 650LM 2700K/3000K/4000K 24" BRONZE	10
<b>UCA-33-BRZ</b>	16W 900LM 2700K/3000K/4000K 33" BRONZE	10
<b>UCA-42-BRZ</b>	20W 1100LM 2700K/3000K/4000K 42" BRONZE	10
<b>UCA-LC12-BLK</b>	12" Linking Cable for Bronze UCA Series - Black color (Matches the color of included cables)	
<b>UCA-LC8-BLK</b>	8in Linking Cord For UCA And UCE Series, Black	
<b>UCA-PC-6FT-BLK</b>	6Ft Power Cord Cord For UCA And UCE Series, Black	
<b>UCA-DISPLAY</b>	Display Board for UCA Series	

### MULTI COLOR-TEMPERATURE LIGHTS Accessories Included



- 6' Power Cord
- 8" Interconnect Cable
- End-to-End Coupling
- Mounting Screws



On/Off Switch with 100% /50% Dimming. Color Temp. selection Switch: 2700K/ 3000K/ 4000k



3/8" K0s Cable Connector included

UNDERCABINET



UCR-12-WHT  
White



UCR-18-WHT  
White



UCR-24-WHT  
White



UCR-32-WHT  
White



UCR-40-WHT  
White

## UNDERCABINET SERIES WITH RECEPTACLES AND USB PORTS



CATALOG NO.	DESCRIPTION	ARRIVES THIS SEASON CHECK & PRE-ORDER	PKG. QTY.
UCR-12-WHT	5W 300LM 27K/30K/35K/40K/50K White		10
UCR-18-WHT	8W 480LM 27K/30K/35K/40K/50K White		10
UCR-24-WHT	12W 720LM 27K/30K/35K/40K/50K White		10
UCR-32-WHT	16W 960LM 27K/30K/35K/40K/50K White		10
UCR-40-WHT	20W 1200LM 27K/30K/35K/40K/50K White		10

## RGBW (9 MODES) & 3CCT UNDER CABINET LIGHT, PUSH-BUTTON COLOR CONTROL



CATALOG NO.	DESCRIPTION	PKG. QTY.
UCA-RGBW-PB-12-BR	5W 275LM 30K/40K/50K + RGB Bronze	10
UCA-RGBW-PB-12-WH	5W 275LM 30K/40K/50K + RGB White	10
UCA-RGBW-PB-18-BR	8W 440LM 30K/40K/50K + RGB Bronze	10
UCA-RGBW-PB-18-WH	8W 440LM 30K/40K/50K + RGB White	10
UCA-RGBW-PB-24-BR	12W 660LM 30K/40K/50K + RGB Bronze	10
UCA-RGBW-PB-24-WH	12W 660LM 30K/40K/50K + RGB White	10
UCA-RGBW-PB-32-BR	16W 880LM 30K/40K/50K + RGB Bronze	10
UCA-RGBW-PB-32-WH	16W 880LM 30K/40K/50K + RGB White	10
UCA-RGBW-PB-40-BR	20W 1100LM 30K/40K/50K + RGB Bronze	10
UCA-RGBW-PB-40-WH	20W 1100LM 30K/40K/50K + RGB White	10

## LED LINEAR UNDERCABINET LIGHTS (Use External Drivers)



CATALOG NO.	DESCRIPTION	PKG. QTY.
UCW6W/W	2W 140LM 3000K 6"	30
UCW6W	2W 168LM 6000K 6"	30
UCW12W/W	3W 250LM 3000K 12"	30
UCW12W	3W 280LM 6000K 12"	30
UCW20W/W	5W 420LM 3000K 20"	30
UCW20W	5W 462LM 6000K 20"	30
UCW32W/W	8W 590LM 3000K 32"	30
UCW32W	8W 640LM 6000K 32"	30
UCW40W/W	11W 820LM 3000K 40"	30
UCW40W	11W 880LM 6000K 40"	30
UC6W/W	2W 140LM 3000K 6"	30
UC6W	2W 168LM 6000K 6"	30
UC12W/W	3W 250LM 3000K 12"	30
UC12W	3W 280LM 6000K 12"	30
UC20W/W	5W 420LM 3000K 20"	30
UC20W	5W 462LM 6000K 20"	30
UC32W/W	8W 590LM 3000K 32"	30
UC32W	8W 640LM 6000K 32"	30
UC40W/W	11W 820LM 3000K 40"	30
UC40W	11W 880LM 6000K 40"	30
UC-DISPLAY	Display Board for UC Series	-

UNDERCABINET

12V

24V



## PLUG-IN DRIVERS (Non-Dimming)

CATALOG NO.	DESCRIPTION
<b>UC12PS6W</b>	6W, 12V, POWER SUPPLY WITH CABLE
<b>UC12PS12W</b>	12W, 12V, POWER SUPPLY W/ SWITCH & 1.5 POWER CABLE
<b>UCPS6W</b>	6W, 24V, POWER SUPPLY W/ CABLE
<b>UCPS12W</b>	12W, 24V, POWER SUPPLY W/ 1.5 POWER CABLE
<b>UCPS24W</b>	24W, 24V, 1A, POWER SUPPLY W/ 1.5 POWER CABLE
<b>UCPS48W</b>	48W, 24V, 1A, POWER SUPPLY W/ 1.5 POWER CABLE

## MAGNETIC DIMMABLE DRIVERS\* (Use Magnetic Low-Voltage Dimmers)



CATALOG NO.	DESCRIPTION
<b>UCM-20L-12DC</b>	DIMMABLE, 20W, 12V, 5" X 2-1/8" X 2"
<b>UCM-40L-12DC</b>	DIMMABLE, 40W, 12V, 5" X 2-1/8" X 2"
<b>UCM-50L-12DC</b>	DIMMABLE, 50W, 12V, 5" X 2-1/8" X 2"
<b>UCM-100L-12DC</b>	DIMMABLE, 100W, 12V, 5" X 4-1/8" X 2"
<b>UCM-150L-12DC</b>	DIMMABLE, 150W, 12V, 5" X 4-1/8" X 4"
<b>UCM-300L-12DC</b>	DIMMABLE, 300W, 12V, 5" X 4-1/8" X 4"
<b>UCM-20L-24DC</b>	DIMMABLE, 20W, 24V, 5" X 2-1/8" X 2"
<b>UCM-40L-24DC</b>	DIMMABLE, 40W, 24V, 5" X 2-1/8" X 2"
<b>UCM-50L-24DC</b>	DIMMABLE, 50W, 24V, 5" X 2-1/8" X 2"
<b>UCM-60L-24DC</b>	DIMMABLE, 60W, 24V, 5" X 2-1/8" X 2"
<b>UCM-96L-24DC</b>	DIMMABLE, 96W, 24V, 5" X 4-1/8" X 2"
<b>UCM-150L-24DC</b>	DIMMABLE, 150W, 24V, 5" X 4-1/8" X 4"
<b>UCM-300L-24DC</b>	DIMMABLE, 300W, 24V, 5" X 4-1/8" X 4"

\*Not dimmable with RGB products (use the dimming feature of your RGB controller)

## UNDER CABINET LIGHTING PARTS & ACCESSORIES

CATALOG NO.	DESCRIPTION
<b>UCDIMMER</b>	LED UNDER CABINET LIGHTS DIMMER
<b>UCDIMMER-TOUCH</b>	LINEAR UNDER CABINET TOUCH DIMMER TO CONNECT TO FIXTURES END, <b>BLACK</b>
<b>UCDIMMER-TOUCH-WH</b>	LINEAR UNDER CABINET TOUCH DIMMER TO CONNECT TO FIXTURES END, <b>WHITE</b>
<b>UCJUNCTION-B</b>	HARD WIRE POWER FEED IN / OUT, <b>BLACK</b>
<b>UCJUNCTION-W</b>	HARD WIRE POWER FEED IN / OUT, <b>WHITE</b>
<b>UCSENS-PIR-1</b>	PIR SENSOR, AUTO ON/OFF WHEN MOVEMENT, MAX 72W, 4" (10CM) RANGE, 120D, -20°C TO 40°C
<b>UCSENS-PIR</b>	PIR SENSOR, AUTO ON/OFF WHEN MOVEMENT, MAX 72W, 4" (10CM) RANGE, 120D, -20°C TO 40°C
<b>UCCONCABLE</b>	3.25 FT. CONNECTOR CABLE, <b>BLACK</b>
<b>UCCONCABLE-WH</b>	3.25 FT. CONNECTOR CABLE, <b>WHITE</b>
<b>UCCONCABLE-10</b>	10 FT. UNDER CABINET LIGHT CONNECTOR CABLE, BOTH SIDE MALE, <b>BLACK</b>
<b>UCCONCABLE-10-WH</b>	10 FT. UNDER CABINET LIGHT CONNECTOR CABLE, BOTH SIDE MALE, <b>WHITE</b>
<b>UCCOP-3F</b>	3 FT. UNDER CABINET LIGHT COUPLING, BOTH SIDE FEMALE, <b>BLACK</b>
<b>UCCOP-3F-WH</b>	3 FT. UNDER CABINET LIGHT COUPLING, BOTH SIDE FEMALE, <b>WHITE</b>
<b>UCPOWERC-10F</b>	10 FT. UNDER CABINET LIGHT POWER CONNECTOR, 1 SIDE MALE, 1 SIDE FEMALE, <b>BLACK</b>
<b>UCPOWERC-10F-WH</b>	10 FT. UNDER CABINET LIGHT POWER CONNECTOR, 1 SIDE MALE, 1 SIDE FEMALE, <b>WHITE</b>
<b>UCRE04</b>	4 OUTPUT EASY RECEPTACLE
<b>UCRE08</b>	8 OUTPUT EASY RECEPTACLE
<b>UCAC01</b>	CORNER CONNECTOR, <b>BLACK</b>
<b>UCAC01-WH</b>	CORNER CONNECTOR, <b>WHITE</b>
<b>UCPLASCONN</b>	PLASTIC CONNECTOR, <b>BLACK</b>
<b>UCPLASCONN-WH</b>	PLASTIC CONNECTOR, <b>WHITE</b>
<b>UCMAGNET+3M</b>	2 PCS OF MAGNET AND 2 PCS OF 3M TAPE FOR LED UNDER CABINET LIGHTS

## LED ADJUSTABLE UNDERCABINET, 24V

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>UC-ADJ-12WW</b>	5W <b>380LM</b> 3000K 11.81"	30
<b>UC-ADJ-12W</b>	5W <b>400LM</b> 6000K 11.81"	30
<b>UC-ADJ-20WW</b>	8W <b>600LM</b> 3000K 19.68"	30
<b>UC-ADJ-20W</b>	8W <b>640LM</b> 6000K 19.68"	30
<b>UC-ADJ-40WW</b>	16W <b>1200LM</b> 3000K 39.37"	30
<b>UC-ADJ-40W</b>	16W <b>1280LM</b> 6000K 39.37"	30
<b>UC-ADJ-PIR</b>	PIR SENSOR FOR U/C ADJUSTABLE SERIES	-
<b>UC-ADJ-DMR</b>	TOUCH DIMMER WITH MEMORY FOR U/C ADJUSTABLE SERIES	-
<b>UC-ADJ-JUNCTION</b>	JUNCTION CONNECTOR FOR U/C ADJUSTABLE SERIES	-

## LED T5 RETROFIT BAR WITH INTERNAL DRIVER (SURFACE MOUNTING BRACKETS & SCREWS INCLUDED)



CATALOG NO.	DESCRIPTION	WHILE SUPPLIES LAST	MAX RUN	PKG. QTY.
T5-12IN-5W-30K-D	5W 575LM	3000K 1FT.	15'	24
T5-12IN-5W-40K-D	5W 575LM	4000K 1FT.	15'	24
T5-12IN-5W-50K-D	5W 625LM	5000K 1FT.	15'	24
T5-22IN-9W-30K-D	9W 1035LM	3000K 2FT.	24'	24
T5-22IN-9W-40K-D	9W 1035LM	4000K 2FT.	24'	24
T5-22IN-9W-50K-D	9W 1125LM	5000K 2FT.	24'	24
T5-47IN-16W-30K-D	16W 1840LM	3000K 4FT.	31'	24
T5-47IN-16W-50K-D	16W 2000LM	5000K 4FT.	31'	24
T5-6FT-PC	6 FT. Plug-in Power Cord			-
T5-6FT-PCS	6 FT. Plug-in Power Cord with Switch			-
T5-8IN-JUMP	8" Linking Cable			-
T5-6FT-PT	6' AC Input Wire (PIGTAIL)			-
T5-COUPLER	Coupler			-
T5-MAGSET	Clip-on Secure Magnet Set			-



## LED ADJUSTABLE PUCK LIGHTS, 120V

6Ft. Power Cord with In-Line switch



CATALOG NO.	DESCRIPTION
<b>3" ROUND ADJUSTABLE PUCK LIGHT</b>	
PL120ADJ-30K-WH	4.5W 250LM 3000K White
PL120ADJ-40K-WH	4.5W 250LM 4000K White
PL120ADJ-50K-WH	4.5W 250LM 5000K White
PL120ADJ-30K-BK	4.5W 250LM 3000K Black
PL120ADJ-40K-BK	4.5W 250LM 4000K Black
PL120ADJ-50K-BK	4.5W 250LM 5000K Black
PL120ADJ-30K-BN	4.5W 250LM 3000K Brushed-Nickel
PL120ADJ-40K-BN	4.5W 250LM 4000K Brushed-Nickel
PL120ADJ-50K-BN	4.5W 250LM 5000K Brushed-Nickel
<b>3-PACK 3" ROUND ADJUSTABLE PUCK LIGHT</b>	
PL120ADJ-3KIT-30K-WH	4.5W 250LM 3000K White
PL120ADJ-3KIT-40K-WH	4.5W 250LM 4000K White
PL120ADJ-3KIT-50K-WH	4.5W 250LM 5000K White
PL120ADJ-3KIT-30K-BK	4.5W 250LM 3000K Black
PL120ADJ-3KIT-40K-BK	4.5W 250LM 4000K Black
PL120ADJ-3KIT-50K-BK	4.5W 250LM 5000K Black
PL120ADJ-3KIT-30K-BN	4.5W 250LM 3000K Brushed-Nickel
PL120ADJ-3KIT-40K-BN	4.5W 250LM 4000K Brushed-Nickel
PL120ADJ-3KIT-50K-BN	4.5W 250LM 5000K Brushed-Nickel



NO21

UNDERCABINET

## LED PUCK LIGHTS (3.3 FT. CORD WITH MALE SOCKET, MOUNTING HARDWARE, SCREWLESS TRIM)



CATALOG NO.	DESCRIPTION
<b>4" ROUND &amp; SQUARE SLIM PUCK LIGHT</b>	
PL12R-30K-WH	3.5W 230LM 3000K White
PL12R-40K-WH	3.5W 230LM 4000K White
PL12R-50K-WH	3.5W 230LM 5000K White
PL12S-30K-WH	3.5W 230LM 3000K White
PL12S-40K-WH	3.5W 230LM 4000K White
PL12S-50K-WH	3.5W 230LM 5000K White
<b>PL12R &amp; PL12S SERIES COLOR TRIMS</b>	
PL12R-TRM-BK	PL12R series replacement color trim-Black
PL12R-TRM-BN	PL12R series replacement color trim-Brushed-Nickel
PL12R-TRM-BR	PL12R series replacement color trim-Bronze
PL12S-TRM-BK	PL12S series replacement color trim-Black
PL12S-TRM-BN	PL12S series replacement color trim-Brushed-Nickel
PL12S-TRM-BR	PL12S series replacement color trim-Bronze



NO21



## LED PUCK LIGHTS (3.3 FT. CORD WITH MALE SOCKET, MOUNTING HARDWARE, SCREWLESS TRIM)



12V



### 3" ROUND SLIM PUCK LIGHT - 1/8" H (1/16" WHEN RECESSED)

CATALOG NO.	DESCRIPTION
PL12-30K-WH	2W 120LM 3000K White
PL12-40K-WH	2W 120LM 4000K White
PL12-50K-WH	2W 120LM 5000K White
PL12-30K-BK	2W 120LM 3000K Black
PL12-40K-BK	2W 120LM 4000K Black
PL12-50K-BK	2W 120LM 5000K Black
PL12-30K-BN	2W 120LM 3000K Brushed-Nickel
PL12-40K-BN	2W 120LM 4000K Brushed-Nickel
PL12-50K-BN	2W 120LM 5000K Brushed-Nickel

12V



### 3-PACK 3" ROUND SLIM PUCK LIGHT - 1/8" H (1/16" WHEN RECESSED)

PL12-3KIT-30K-WH	2W 120LM 3000K White
PL12-3KIT-40K-WH	2W 120LM 4000K White
PL12-3KIT-50K-WH	2W 120LM 5000K White
PL12-3KIT-30K-BK	2W 120LM 3000K Black
PL12-3KIT-40K-BK	2W 120LM 4000K Black
PL12-3KIT-50K-BK	2W 120LM 5000K Black
PL12-3KIT-30K-BN	2W 120LM 3000K Brushed-Nickel
PL12-3KIT-40K-BN	2W 120LM 4000K Brushed-Nickel
PL12-3KIT-50K-BN	2W 120LM 5000K Brushed-Nickel



### PL12 SERIES COLOR TRIMS

PL12-TRM-BK	PL12 series replacement color trim-Black
PL12-TRM-BN	PL12 series replacement color trim-Brushed-Nickel
PL12-TRM-BR	PL12 series replacement color trim-Bronze

12V



### 3" ROUND ADJUSTABLE PUCK LIGHT - DRIVER NOT INCL.

PL12ADJ-30K-WH	4.5W 250LM 3000K White
PL12ADJ-40K-WH	4.5W 250LM 4000K White
PL12ADJ-50K-WH	4.5W 250LM 5000K White
PL12ADJ-30K-BK	4.5W 250LM 3000K Black
PL12ADJ-40K-BK	4.5W 250LM 4000K Black
PL12ADJ-50K-BK	4.5W 250LM 5000K Black
PL12ADJ-30K-BN	4.5W 250LM 3000K Brushed-Nickel
PL12ADJ-40K-BN	4.5W 250LM 4000K Brushed-Nickel
PL12ADJ-50K-BN	4.5W 250LM 5000K Brushed-Nickel

### LED PUCK LIGHT ACCESSORIES



PL12-SPLIT3-WH	3-Hole mini splitter with female socket & 40" cord, white
PL12-SPLIT3-BK	3-Hole mini splitter with female socket & 40" cord, Black
PL12-SPLIT6-WH	6-Hole mini splitter with female socket & 40" cord, white
PL12-SPLIT6-BK	6-Hole mini splitter with female socket & 40" cord, Black
PL12-SPLIT10-WH	10-Hole mini splitter with female socket & 40" cord, white
PL12-SPLIT10-BK	10-Hole mini splitter with female socket & 40" cord, Black
PL12-PF-WH	6" Power feed cord, White
PL12-PF-BK	6" Power feed cord, Black
PL12-PIDR-12W-WH	12W Plug-in driver with switch, white
PL12-PIDR-12W-BK	12W Plug-in driver with switch, Black
PL12-PIDR-24W-WH	24W Plug-in driver with switch, white
PL12-PIDR-24W-BK	24W Plug-in driver with switch, Black
PL12-ILDMR-WH	In-Line dimming control, White
PL12-ILDMR-BK	In-Line dimming control, Black
PL12-HWDR-25W-D	25W Plug-in Dimmable driver with switch, 120V

## LED PUCK LIGHTS DISPLAY BOARD

CATALOG NO.

DESCRIPTION





PL12-DISPLAY

Display board with Brochures for PL12 Series





# EXIT & EMERGENCY LIGHTING


## BUILDER SERIES SUPER SLIM LED EXIT SIGN, 120-277V, 12"(W) x 7 1/2"(H) x 1"(D)

CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
 <b>XTSL-RW</b>	Universal Single/Double	RED	White	1.2V Ni-MH
 <b>XTSL-GW</b>	Universal Single/Double	GREEN	White	1.2V Ni-MH

## LED EXIT SIGN EXIT SIGN, 120-277V, 12"(W) x 7 1/2"(H) x 1 1/2"(D)



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
 <b>XT-RW-EM</b>	Universal Single/Double	RED	White	NiCd
<b>XT-GW-EM</b>	Universal Single/Double	GREEN	White	NiCd
 <b>XT-RB-EM</b>	Universal Single/Double	RED	Black	NiCd
<b>XT-GB-EM</b>	Universal Single/Double	GREEN	Black	NiCd

## TWO-CIRCUITS EXIT SIGN, 12"(W) x 7 1/2"(H) x 1 1/2"(D)


CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	NUMBER OF CIRCUITS
 <b>XT-RW-2C-120V</b>	Universal Single/Double	RED	White	Two Circuits
<b>XT-RW-2C-277V</b>	Universal Single/Double	RED	White	Two Circuits
<b>XT-GW-2C-120V</b>	Universal Single/Double	GREEN	White	Two Circuits
<b>XT-GW-2C-277V</b>	Universal Single/Double	GREEN	White	Two Circuits

## 2-IN-1 COLOR-SELEC UNIVERSAL EXIT SIGN, 120-277V, 15 1/2"(W) x 12 1/2"(H) x 9"(D)



DEFAULT IS RED, FLIP SWITCH INSIDE AND CHANGE PROVIDED GREEN FILM[S] FOR GREEN

CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
 <b>XTU-RG-EM-BK</b>	Universal Single/Double	RED/GREEN	Black	1.2V Ni-MH
 <b>XTU-RG-EM</b>	Universal Single/Double	RED/GREEN	White	1.2V Ni-MH

## SPEC SERIES THIN DIECAST LED EXIT SIGN, 120-277V, 11-13/16"(W) x 7 3/4"(H) x 7/8"(D)

CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 <b>XD-TH-1GAAEM</b>	Single Face	Green	Aluminum	NiCd
<b>XD-TH-1GBBEM</b>	Single Face	Green	Black	NiCd
<b>XD-TH-1GWWEM</b>	Single Face	Green	White	NiCd
<b>XD-TH-1RAAEM</b>	Single Face	Red	Aluminum	NiCd
<b>XD-TH-1RBBEM</b>	Single Face	Red	Black	NiCd
<b>XD-TH-1RWWEM</b>	Single Face	Red	White	NiCd
<b>XD-TH-2GAAEM</b>	Double Face	Green	Aluminum	NiCd
<b>XD-TH-2GBBEM</b>	Double Face	Green	Black	NiCd
<b>XD-TH-2GWWEM</b>	Double Face	Green	White	NiCd
<b>XD-TH-2RAAEM</b>	Double Face	Red	Aluminum	NiCd
<b>XD-TH-2RBBEM</b>	Double Face	Red	Black	NiCd
<b>XD-TH-2RWWEM</b>	Double Face	Red	White	NiCd

## BUILDER SERIES EDGELIT LED EXIT SIGN WITH ALUMINUM HOUSING, SINGLE FACE WITH OPTIONAL DOUBLE FACE, OPT. RECESS-MT. ACCESSORY

CATALOG NO.	NUMBER OF FACES	LETTER COLOR	FACE COLOR	BATTERY	HOUSING
 <b>XT-EL1RCA-EM</b>	Single Face	Red	Clear	NiCd	White
<b>XT-EL1GCA-EM</b>	Single Face	Green	Clear	NiCd	White
<b>XT-EL1RCA-EM-WH</b>	Single Face	Red	White	NiCd	White
<b>XT-EL1GCA-EM-WH</b>	Single Face	Green	White	NiCd	White
<b>XT-EL2RM-CP</b>	Field-Installed Double-Face Mirror Panel only to Convert Single Face to Double Face- Red				
<b>XT-EL2GM-CP</b>	Field-Installed Double-Face Mirror Panel only to Convert Single Face to Double Face- Green				
 <b>XT-ELRMA</b>	Field-Installed Recessed Mounting Conversion Kit, Order together with Exit Sign above				
<b>XT-ELRMA-WH</b>	Field-Installed Recessed Mounting Conversion Kit, Order together with Exit Sign above, White				

XT-ELRMA RECESSED CONVERSION KIT (FIXTURE NOT INCL.)

## SPEC SERIES EDGELIT LED EXIT SIGN, 120-277V, 13"(W) x 11-1/8"(H) x 1-3/4"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	FACE COLOR	CANOPY	BATTERY
<b>XE-1RCA-EM</b>	Single Face	Red	Clear	Aluminum	NiCd
<b>XE-1RCW-EM</b>	Single Face	Red	Clear	White	NiCd
<b>XE-2RMW-EM</b>	Double Face	Red	Mirror	White	NiCd
<b>XE-2RMA-EM</b>	Double Face	Red	Mirror	Aluminum	NiCd
<b>XE-2C-120V</b>	Optional Dual circuits, 120V				
<b>XE-2C-277V</b>	Optional Dual circuits, 277V				
<b>XE-SDT</b>	Optional Self Diagnostics Test				



## WET LOCATION LED EXIT SIGN, UNIVERSAL



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
<b>XT-WP-RG-EM</b>	Universal Single/Double	Red	Gray	NiCd
<b>XT-WP-GG-EM</b>	Universal Single/Double	Green	Gray	NiCd



## SPEC SERIES WET LOCATION LED EXIT SIGN

(TWO-CIRCUITS OPTION AVAILABLE), 120-277V, 12-1/2"(W) x 9-1/4"(H) x 4-3/8"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
<b>XT-WP-1RB-EM</b>	Single Face	Red	Black	NiCd
<b>XT-WP-1GB-EM</b>	Single Face	Green	Black	NiCd
<b>XT-WP-2RB-EM</b>	Double Face	Red	Black	NiCd
<b>XT-WP-2GG-EM</b>	Double Face	Green	Gray	NiCd
<b>XT-WP-2GB-EM</b>	Double Face	Green	Black	NiCd
<b>XT-WP-SDT</b>	Optional Self Diagnostics Test			
<b>XT-WP-2C-120V</b>	Optional Dual circuits, 120V			
<b>XT-WP-2C-277V</b>	Optional Dual circuits, 277V			



## SPEC SERIES NEMA 4X LED EXIT SIGN, 120-277V 14-3/4"(W) X 10"(H) X 6"(D)



CATALOG NO.	WATTS	NUMBER OF FACES	HOUSING COLOR	BATTERY
<b>XTN4X-1GB</b>	3.8W	Single Face	Green	-
<b>XTN4X-1GW</b>	3.8W	Single Face	Green	-
<b>XTN4X-1RB</b>	3.2W	Single Face	Red	-
<b>XTN4X-1RW</b>	3.2W	Single Face	Red	-
<b>XTN4X-2GB</b>	3.8W	Double Face	Green	-
<b>XTN4X-2GW</b>	3.8W	Double Face	Green	-
<b>XTN4X-2RB</b>	3.2W	Double Face	Red	-
<b>XTN4X-2RW</b>	3.2W	Double Face	Red	-
<b>XTN4X-1GBEM</b>	3.8W	Single Face	Green	NiCd
<b>XTN4X-1GWEM</b>	3.8W	Single Face	Green	NiCd
<b>XTN4X-1RBEM</b>	3.2W	Single Face	Red	NiCd
<b>XTN4X-1RWEM</b>	3.2W	Single Face	Red	NiCd
<b>XTN4X-2GBEM</b>	3.8W	Double Face	Green	NiCd
<b>XTN4X-2GWEM</b>	3.8W	Double Face	Green	NiCd
<b>XTN4X-2RBEM</b>	3.2W	Double Face	Red	NiCd
<b>XTN4X-2RWEM</b>	3.2W	Double Face	Red	NiCd

NEMA 4X RATED




EXIT & EMERGENCY

## BUILDER SERIES SUPER SLIM LED EXIT SIGN


WITH ADJUSTABLE LED HEADS, 120-277V, 12"(W) x 7 3/5"(H) x 1"(D)



CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY
 XTSL-CL-RW	Universal Single/Double	RED	White	3.6 Ni-MH
XTSL-CL-GW	Universal Single/Double	GREEN	White	3.6 Ni-MH

## COMBINATION LED EXIT SIGN & LED EMERGENCY, 120-277V, 21"(W) x 9"(H) x 4-7/16"(D)





CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 XT-CL-RW-EM	Universal Single/Double	Red	White	NiCd
XT-CL-GW-EM	Universal Single/Double	Green	White	NiCd

## 2-IN-1 COLOR-SELEC UNIVERSAL COMBO UNIT, 120-277V, 15-1/2"(W) x 12-1/2"(H) x 9"(D)

DEFAULT IS RED, FLIP SWITCH INSIDE AND CHANGE PROVIDED GREEN FILM[S] FOR GREEN




CATALOG NO.	NUMBER OF FACES	LETTERS COLOR	HOUSING	BATTERY	
 XTU-CL-RG-EM-BK	Universal Single/Double	RED/GREEN	Black	1.2V Ni-MH	
XTU-CL-RG-EM	Universal Single/Double	RED/GREEN	White	1.2V Ni-MH	
 XTU-CL-RG-EM-RC	Universal Single/Double	RED/GREEN	White	1.2V Ni-MH	Remote Capable
XTU-CL-RG-EM-RC-BK	Universal Single/Double	RED/GREEN	Black	1.2V Ni-MH	Remote Capable

## SPEC SERIES COMBO DIE-CAST ALUMINUM LED EXIT SIGN

ADJUSTABLE HEADS, 120-277V, 12-1/2"(W) x 11-3/4"(H) x 2-3/8"(D)




CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 XT-C-ADJ-3RBBEM	Universal Single/Double	Red	Black	NiCd
XT-C-ADJ-3RAAEM	Universal Single/Double	Red	Aluminum	NiCd
XT-C-ADJ-3RWWEM	Universal Single/Double	Red	White	NiCd
XT-C-ADJ-3GBBEM	Universal Single/Double	Green	Black	NiCd
XT-C-ADJ-3GAAEM	Universal Single/Double	Green	Aluminum	NiCd
XT-C-ADJ-3GWWEM	Universal Single/Double	Green	White	NiCd
XT-C-ADJ-RC	Optional Remote Capability			

## SPEC SERIES WET LOCATION COMBINATION LED EXIT SIGN &

LED EMERGENCY, 120-277V 3.6W, 13-11/16"(W) x 12-3/8"(H) x 4-1/16"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING
 CWLEZXT1G	Single Face	Green	White
CWLEZXT1GG	Single Face	Green	Gray
CWLEZXT1RW	Single Face	Red	White
CWLEZXT1RG	Single Face	Red	Gray
CWLEZXT1GB	Single Face	Green	Black
CWLEZXT1RB	Single Face	Red	Black
CWLEZXT2GB	Double Face	Green	Black
CWLEZXT2RB	Double Face	Red	Black
CWLEZXT2GW	Double Face	Green	White
CWLEZXT2GG	Double Face	Green	Gray
CWLEZXT2RW	Double Face	Red	White
CWLEZXT2RG	Double Face	Red	Gray
CWLEZ-SDT	Optional Self Diagnostics Test		
CWLEZ-RC	Optional Remote Capability		
CWLEZ-CW	Optional Cold Weather		



## SPEC SERIES NEMA 4X COMBINATION LED EXIT SIGN & LED EMERGENCY, 120-277V



CATALOG NO.	NO. OF FACES/LETTER COLOR	VOLTAGE	WATTAGE	HOUSING COLOR	ITEMS DESCRIPTION
 XTCLN4X	1G 1R 2G 2R	6 6V 12 12V	12W 12W 15W 15W 28W 28W	W WHITE B BLACK G GRAY	6V, 15W, SINGLE FACE 6V, 28W, SINGLE FACE 12V, 15W, SINGLE FACE 12V, 28W, SINGLE FACE 6V, 12W, DOUBLE FACE 12V, 12W, DOUBLE FACE
<b>SAMPLE ORDERING:</b> XTCLN4X-1G-12-15W-W					


## WET LOCATION COMBO LED EXIT & EMERGENCY SIGN, UNIVERSAL



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	FACE COLOR	BATTERY
 <b>XT-CLWP-RG-EM</b>	Universal Single/Double	Red	White	NiCd
 <b>XT-CLWP-GG-EM</b>	Universal Single/Double	Green	White	NiCd


## WET LOCATION COMBINATION LED EXIT SIGN & INCANDESCENT EMERGENCY, 120-277V, 11-3/4"(W) x 18-1/4"(H) x 3-3/4"(D)



CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 <b>XT-CWP-GG-EM</b>	Single Face	Green	Gray	NiCd
<b>XT-CWP-HTR</b>	Optional Internal Heater			


## LED 2-HEAD MINI EMERGENCY LIGHT, 120-277V, 4"(H) x 8 1/2"(W) x 1 3/4"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
 <b>EL-M2</b>	1W(2)	White	Wall	3.6V NiCd
<b>EL-M2-BK</b>	1W(2)	Black	Wall	3.6V NiCd


## LED 2-HEAD MINI EMERGENCY LIGHT, 120-277V, 4-1/4"(H) x 9-1/4"(W) x 1-3/5"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY	LUMEN
 <b>EL-M1</b>	1.1W(2)	White	Wall	3.6V Ni-MH	200LM
<b>EL-M1-BK</b>	1.1W(2)	Black	Wall	3.6V Ni-MH	200LM


## BUILDER SERIES LED EMERGENCY LIGHTS, 120-277V, 13.7" W X 4.3" H X 3.5" D



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
 <b>EL-1</b>	1W per Head	White	Wall & Ceiling	NiCd

## SPEC SERIES LARGE LED EMERGENCY LIGHTS WITH HIGHER OUTPUT, 120-277V, 15.5" W X 5" H X 4.75" D



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY	
 <b>EL-1L</b>	1.2W per Head	White	Wall & Ceiling	NiCd	
<b>EL-1L-BK</b>	1.2W per Head	Black	Wall & Ceiling	NiCd	
<b>EL-1L-RC</b>	1.2W per Head	White	Wall & Ceiling	NiCd	Remote Capable


## LED 2-HEAD DESIGNER EMERGENCY LIGHT, 120-277V, 4- 1/3"(H) x 13- 1/2"(W) x 3- 1/2"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
 <b>EL-1D</b>	2.4W(2)	White	Wall	3.6V NiCd


## BUILDER SERIES LED EMERGENCY LIGHTS, 120-277V, 4 5/8"(H) x 9 1/2"(W) x 2 1/4"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
 <b>EL-2A</b>	1.2W per head	White	Wall & Ceiling	3.6V 1Ah NI-CAD

## SPEC SERIES LED 2-HEAD HIGH-OUTPUT EMERGENCY LIGHT, 120-277V, 5"(H) x 12-1/2"(W) x 2-4/5"(D)



CATALOG NO.	WATTS	HOUSING COLOR	BATTERY	LUMEN
 <b>EL-HO</b>	3W(2)	White	Lead Acid	650LM

## LED 2-HEAD EXTRA HIGH-OUTPUT EMERGENCY LIGHT, 120-277V, 5"(H) x 12-1/2"(W) x 2-4/5"(D)



CATALOG NO.	WATTS	HOUSING COLOR	BATTERY	LUMENS
-------------	-------	---------------	---------	--------

**EL-EHO** 10W per Head **White** Lead Acid 1250LM



## LED MR16 EMERGENCY LIGHTS, 120-277V, 3"(H) x 13-3/4"(W) x 5-1/8"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
-------------	-------	---------------	----------	---------

**EW-16-LED** 3.3W per Head **White** Wall Lead Acid



## HALOGEN MR16 EMERGENCY LIGHTS, 120-277V, 3"(H) x 13-3/4"(W) x 5-1/8"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
-------------	-------	---------------	----------	---------

**EW-16** 7W per Head **White** Wall Lead Acid



## WET LOCATION LED 2-HEAD EMERGENCY LIGHT, 120-277V 4-1/5"(H) x 12-1/4"(W) x 5-1/4"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY	LUMEN
-------------	-------	---------------	----------	---------	-------

**EL-WP** 6W(2) **White** Wall & Ceiling 6V Ni-MH 400LM



## INDOOR SQUARE LED REMOTE HEADS, 120-277V



CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	HEADS PER FIXTURE	
-------------	-------	---------	---------------	-------------------	--

**EL-RH1** 1W per Head 3.6V/6V/9.9V/12 DC White Single 6-3/8"(H) x 4-1/4"(W) x 4-1/4"(D)  
**EL-RH2** 1W per Head 3.6V/6V/9.9V/12 DC White Double 6-3/4"(H) x 4-1/4"(W) x 10-3/8"(D)



## WET LOCATION OUTDOOR SQUARE LED REMOTE HEADS, 120-277V



CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	HEADS PER FIXTURE	
-------------	-------	---------	---------------	-------------------	--

**EL-RH1-WP** 1W per Head 3.6V/6V/9.9V/12 DC White Single 6-3/8"(H) x 4-1/4"(W) x 4-1/4"(D)  
**EL-RH2-WP** 1W per Head 3.6V/6V/9.9V/12 DC White Double 6-3/4"(H) x 4-1/4"(W) x 10-3/8"(D)



## WET LOCATION LED EMERGENCY LIGHTS WITH REMOTE CAPABILITY, 120-277V, 6"(H) x 12-1/2"(W) x 8-1/2"(D)



CATALOG NO.	WATTS	HOUSING COLOR	MOUNTING	BATTERY
-------------	-------	---------------	----------	---------

**LEDTFX-2** 1.875W per Head **Gray** Wall NiCd  
**LEDTFX-2-B** 1.875W per Head **Black** Wall NiCd



## BUILDER SERIES ECONOMY OUTDOOR EMERGENCY WALL PACK WITH PHOTOCELL, SELECTABLE 15-30W, 30/40K/50K, 120-277V 7 DAYS LEAD TIME



CATALOG NO.	DESCRIPTION
-------------	-------------

**LESW-15-30W-MCTP-P-EM** 15W/20W/30W 135LM/W 3000K/4000K/5000K Bronze  
**LESW-15-30W-MCTP-P-WH-EM** 15W/20W/30W 135LM/W 3000K/4000K/5000K White





## BUILDER SERIES DECORATIVE OUTDOOR

LED AC/EMERGENCY UNIT, 120-277V, 3-5/8"(H) x 10-1/2"(W) x 6-3/5"(D)



CATALOG NO.	WATTS	HOUSING COLOR	BATTERY	DESCRIPTION
<b>DELW-15W-MCT-BK</b>	15W	Black	NiCd	With Photocell
<b>DELW-15W-MCT-BR</b>	15W	Dark Bronze	NiCd	With Photocell
<b>DELW-15W-MCT-WH</b>	15W	White	NiCd	With Photocell

## SPEC SERIES DECORATIVE OUTDOOR

LED AC/EMERGENCY UNIT, 120-277V, 3-5/8"(H) x 10-1/2"(W) x 6-3/5"(D)



CATALOG NO.	WATTS	HOUSING COLOR	BATTERY	DESCRIPTION
<b>DBEL-ACEM-WH-SDT</b>	12W	White	NiCd	With Photocell
<b>DBEL-ACEM-BK-SDT</b>	12W	Black	NiCd	With Photocell
<b>DBEL-ACEM-BR-SDT</b>	12W	Dark Bronze	NiCd	With Photocell
<b>DBEL-ACEM-N-SDT</b>	12W	Nickel	NiCd	With Photocell
<b>DBEL-ACEM-WH-SDT-CW</b>	12W	White	NiCd	With Cold Weather & Photocell
<b>DBEL-ACEM-BK-SDT-CW</b>	12W	Black	NiCd	With Cold Weather & Photocell
<b>DBEL-ACEM-BR-SDT-CW</b>	12W	Dark Bronze	NiCd	With Cold Weather & Photocell
<b>DBEL-ACEM-N-SDT-CW</b>	12W	Nickel	NiCd	With Cold Weather & Photocell

## SPEC SERIES NEMA 4X OUTDOOR LED REMOTE HEADS, 120-277V, 4-7/8"(H) x 9-5/8"(W) x 5-1/2"(D)



CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	HEADS	PER FIXTURE
<b>RHN4X-1W</b>	3.3W per Head	6V/12VDC	White	Single Square Head	
<b>RHN4X-1B</b>	3.3W per Head	6V/12VDC	Black	Double Square Head	
<b>RHN4X-2W</b>	3.3W per Head	6V/12VDC	White	Single Square Head	
<b>RHN4X-2B</b>	3.3W per Head	6V/12VDC	Black	Double Square Head	

## SPEC SERIES NEMA 4X LED EMERGENCY LIGHTS, 120-277V



CATALOG NO.	WATTS	VOLTAGE	HOUSING COLOR	BATTERY
<b>ELN4X-12-15W-B</b>	15W	12V	Black	NiCd
<b>ELN4X-12-15W-W</b>	15W	12V	White	NiCd
<b>ELN4X-12-36W-B</b>	36W	12V	Black	NiCd
<b>ELN4X-12-36W-W</b>	36W	12V	White	NiCd
<b>ELN4X-12-54W-B</b>	54W	12V	Black	NiCd
<b>ELN4X-12-54W-W</b>	54W	12V	White	NiCd
<b>ELN4X-6-15W-B</b>	15W	6V	Black	NiCd
<b>ELN4X-6-15W-W</b>	15W	6V	White	NiCd
<b>ELN4X-6-36W-B</b>	36W	6V	Black	NiCd
<b>ELN4X-6-36W-W</b>	36W	6V	White	NiCd
<b>ELN4X-6-54W-B</b>	54W	6V	Black	NiCd
<b>ELN4X-6-54W-W</b>	54W	6V	White	NiCd

## POLYCARBONATE VANDAL/ENVIRONMENTAL SHIELD GUARDS



CATALOG NO.	DESCRIPTION
<b>PCS-1</b>	For use with most standard Exit signs
<b>BG-1</b>	For use with most standard Exit signs
<b>BGR-1</b>	For use with most standard Emergency lights
<b>WG-1</b>	Wire Guard, 13-3/4 X 15-1/4 X 6"
<b>WG-3</b>	Wire Guard, 13-3/4 X 30-1/4 X 6"





ELB-0848



ELB-1048-HH



ELB-1248



ELB-1548-HH



ELB-18150-B



ELB-2048  
ELB-20150



ELB-0460-FM



ELB-2048-EXTR



ELB-09120-AC  
ELB-12120-AC  
ELB-15120-AC



ELB-3048-FLEX  
ELB-30150-FLEX  
ELB-30250-FLEX



ELB-30175-AC-HB



ELB-2048-IP65  
ELB-20150-IP65



ELB-0895



ELB-08120-AC



ELB-20175-AC-FLEX



ELB-CW-18W-MW  
ELB-CW-27W-MW



ELB-CW-27W-MV-IP66



## EMERGENCY BATTERY BACKUPS

CATALOG NO.	OUTPUT VOLTAGE	OUTPUT POWER	BATTERY	NOTES
<b>ELB-0848</b>	25-48V DC	8W MAX	Li-ion 2500mAh	8W SPLIT
<b>ELB-1048-HH</b>	25-48V DC	10W MAX	LifePO4 3000mAh	10W SPLIT HEAT TOLERANT
<b>ELB-1248</b>	25-48V DC	12W MAX	Li-ion 2500mAh	12W SPLIT
<b>ELB-1548-HH</b>	25-48V DC	15W MAX	LifePO4 3000mAh	15W SPLIT HEAT TOLERANT
<b>ELB-2048</b>	25-48V DC	20W MAX	Li-ion 4000mAh	20W SPLIT
<b>ELB-0460-FM</b>	10-60V DC	4W MAX	Li-ion 2500mAh	4W INTEGRATED
<b>ELB-2048-EXTR</b>	25-48V DC	20W MAX	Ni-MH 4000mAh	20W INTEGRATED
<b>ELB-3048-FLEX</b>	25-48V DC	30W MAX	Li-ion 4000mAh	30W INTEGRATED
<b>ELB-0895</b>	95V DC MAX	8W MAX	Ni-MH 2600mAh	8W INTEGRATED HIGH DC VOLTAGE
<b>ELB-30150-FLEX</b>	50-150V DC	30W MAX	Li-ion 4000mAh	30W INTEGRATED HIGH DC VOLTAGE
<b>ELB-2048-IP65</b>	25-48V DC	20W MAX	Li-ion 4000mAh	20W INTEGRATED IP65
<b>ELB-20150-IP65</b>	50-150V DC	20W MAX	Li-ion 4000mAh	20W INTEGRATED HIGH DC VOLTAGE IP65
<b>ELB-20150</b>	50-150V DC	20W MAX	Li-ion 4000mAh	20W INTEGRATED HIGH DC VOLTAGE
<b>ELB-30250-FLEX</b>	250V DC MAX	30W MAX	Li-ion 4000mAh	30W INTEGRATED HIGH DC VOLTAGE
<b>ELB-08120-AC</b>	120V AC	8W MAX	Li-ion	8W & AC VOLTAGE
<b>ELB-08170-EXTR</b>	170VDC	8W MAX	Li-ion	WITH FLEX
<b>ELB-09120-AC</b>	120V AC	9W MAX	Li-ion	9W & AC VOLTAGE
<b>ELB-12120-AC</b>	120V AC	12W MAX	Li-ion	12W & AC VOLTAGE
<b>ELB-15120-AC</b>	120V AC	15W MAX	Li-ion	15W & AC VOLTAGE
<b>ELB-20175-AC-FLEX</b>	175VDC	20W MAX	Li-ion 4000mAh	20W INTEGRATED
<b>ELB-30175-AC-HB</b>	50-150VDC	30W MAX	Li-ion	30W INTEGRATED
<b>ELB-18150-B</b>	50-150VDC	18W MAX	Li-ion	18W SPLIT
<b>ELB-CW-18W-MW</b>	COLD-WEATHER LED EMERGENCY BACKUP 18W MULTI-VOLTAGE INTERNAL			
<b>ELB-CW-27W-MW</b>	COLD-WEATHER LED EMERGENCY BACKUP 27W MULTI-VOLTAGE INTERNAL			
<b>ELB-CW-27W-MW-IP66</b>	COLD-WEATHER LED EMERGENCY BACKUP 27W MULTI-VOLTAGE INTERNAL, IP66			



FACTORY-INSTALLED OPTIONS, ENTER DESIRED OPTION CODE(S) AS LINE ITEMS ON YOUR PURCHASE ORDER UNDER THE PRODUCT CATALOG NUMBER

CATALOG NO.	DESCRIPTION
<b>OPT-EM-CW2EXT</b>	COLD-WEATHER EXTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION
<b>OPT-EM-CW2INT</b>	COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 27W FACTORY OPTION
<b>OPT-EM-CW1INT</b>	COLD-WEATHER INTERNAL EMERGENCY POWER SUPPLY 18W FACTORY OPTION



# ELECTRICAL PRODUCTS

## ONE-GANG BOXES, 2" DEEP



	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>W1B50-3</b>	1/2" trade size, 3 outlet holes, 18.3 cu. in.	20
	<b>W1B50-3-WH</b>	1/2" trade size, 3 outlet holes, 18.3 cu. in., white	20
	<b>W1B50-3-BRZ</b>	1/2" trade size, 3 outlet holes, 18.3 cu. in., bronze	20
	<b>W1B75-3</b>	3/4" trade size, 3 outlet holes, 18.3 cu. in.	20
	<b>W1B75-3-WH</b>	3/4" trade size, 3 outlet holes, 18.3 cu. in., white	20
	<b>W1B75-3-BRZ</b>	3/4" trade size, 3 outlet holes, 18.3 cu. in., bronze	20
	<b>W1B100-3</b>	1" trade size, 3 outlet holes, 18.3 cu. in.	20
	<b>W1B50-4</b>	1/2" trade size, 4 outlet holes, 18.3 cu. in.	20
	<b>W1B50-4-WH</b>	1/2" trade size, 4 outlet holes, 18.3 cu. in., white	20
	<b>W1B50-4-BRZ</b>	1/2" trade size, 4 outlet holes, 18.3 cu. in., bronze	20
	<b>W1B75-4</b>	3/4" trade size, 4 outlet holes, 18.3 cu. in.	20
	<b>W1B75-4-WH</b>	3/4" trade size, 4 outlet holes, 18.3 cu. in., white	20
	<b>W1B75-4-BRZ</b>	3/4" trade size, 4 outlet holes, 18.3 cu. in., bronze	20
	<b>W1B50-5</b>	1/2" trade size, 5 outlet holes, 18.3 cu. in.	20
	<b>W1B50-5-WH</b>	1/2" trade size, 5 outlet holes, 18.3 cu. in., white	20
	<b>W1B50-5-BRZ</b>	1/2" trade size, 5 outlet holes, 18.3 cu. in., bronze	20
	<b>W1B75-5</b>	3/4" trade size, 5 outlet holes, 18.3 cu. in.	20
	<b>W1B75-5-WH</b>	3/4" trade size, 5 outlet holes, 18.3 cu. in., white	20
	<b>W1B75-5-BRZ</b>	3/4" trade size, 5 outlet holes, 18.3 cu. in., bronze	20
	<b>W1B50-5X</b>	1/2" trade size, 5 outlet holes, 18.3 cu. in.	20
<b>W1B75-5X</b>	3/4" trade size, 5 outlet holes, 18.3 cu. in.	20	

## ONE-GANG DEVICE COVERS DEEP









	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>W1BC</b>	BLANK COVER	50
	<b>W1BC-WH</b>	BLANK COVER, white	50
	<b>W1BC-BRZ</b>	BLANK COVER, bronze	50
	<b>W1BC-G</b>	HEAVY DUTY GALVANIZED BLANK COVER - gray	50
	<b>W1C-DV</b>	DUPLEX, VERTICAL	25
	<b>W1C-DV-WH</b>	DUPLEX, VERTICAL, white	25
	<b>W1C-DV-BRZ</b>	DUPLEX, VERTICAL, bronze	25
	<b>W1C-GV</b>	GFCI, VERTICAL	25
	<b>W1C-GV-WH</b>	GFCI, VERTICAL - white	25
	<b>W1C-GV-BRZ</b>	GFCI, VERTICAL - Bronze	25
	<b>W1C-P020</b>	20A RECEPTACLE, 1.60" DIAMETER	25
	<b>W1C-P030</b>	30A RECEPTACLE, 1.75" DIAMETER	25
	<b>W1C-P040</b>	40-50A RECEPTACLE, 2.30" DIAMETER	25
	<b>W1C-SV</b>	SINGLE RECEPTACLE, VERTICAL	25
	<b>W1C-SV-WH</b>	SINGLE RECEPTACLE, VERTICAL, white	25
	<b>W1C-SV-BRZ</b>	SINGLE RECEPTACLE, VERTICAL, bronze	25
	<b>W1C-SW</b>	1 LEVER, VERTICAL, SWITCH NOT INCLUDED	25
	<b>W1C-SW-WH</b>	1 LEVER, VERTICAL, SWITCH NOT INCLUDED	25
<b>W1C-SW-BRZ</b>	1 LEVER, VERTICAL, SWITCH NOT INCLUDED	25	

ELECTRICAL













## ONE-GANG DEVICE COVERS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>W1C-TS</b>	TOGGLE SWITCH, VERTICAL	25
 <b>W1C-TS-WH</b>	TOGGLE SWITCH, VERTICAL, white	25
 <b>W1C-TS-BRZ</b>	TOGGLE SWITCH, VERTICAL, bronze	25
 <b>W1C-DH</b>	DUPLEX, HORIZONTAL	25
 <b>W1C-GH</b>	GFCI, HORIZONTAL	25
 <b>W1C-GH-WH</b>	GFCI, HORIZONTAL - white	25
 <b>W1C-GH-BRZ</b>	GFCI, HORIZONTAL - bronze	25
 <b>W1CL-DV</b>	LOCKABLE 1 GANG W/P COVER 1 SI	25
<b>W1CL-GV</b>	LOCKABLE 1 GANG W/P DEVICE COV	25
<b>W1CL-SV</b>	LOCKABLE 1 GANG W/P COVER 1 SI	25
<b>W1C-SH</b>	SINGLE RECEPTACLE HORIZONTAL	25

## ONE-GANG BOXES | 2-5/8" DEEP


CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>W1DB50-3</b>	1/2" trade size, 3 outlet holes, 23.8 cu. in.	12
 <b>W1DB75-3</b>	3/4" trade size, 3 outlet holes, 23.8 cu. in.	12
 <b>W1DB100-3</b>	1" trade size, 3 outlet holes, 23.8 cu. in.	12
 <b>W1DB50-4</b>	1/2" trade size, 4 outlet holes, 23.8 cu. in.	12
 <b>W1DB75-4</b>	3/4" trade size, 4 outlet holes, 23.8 cu. in.	12
 <b>W1DB50-5X</b>	1/2" trade size, 5 outlet holes, 23.8 cu. in.	12
 <b>W1DB75-5X</b>	3/4" trade size, 5 outlet holes, 23.8 cu. in.	12
 <b>W1DB100-5X</b>	1" trade size, 5 outlet holes, 23.8 cu. in.	12

## TWO-GANG STANDARD BOXES | 2" DEEP


CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>W2B50-3</b>	1/2" trade size, 3 outlet holes, 30.5 cu. in.	12
 <b>W2B75-3</b>	3/4" trade size, 3 outlet holes, 30.5 cu. in.	12
 <b>W2B100-3</b>	1" trade size, 3 outlet holes, 30.5 cu. in.	12
 <b>W2B50-4</b>	1/2" trade size, 4 outlet holes, 30.5 cu. in.	12
 <b>W2B75-4</b>	3/4" trade size, 4 outlet holes, 30.5 cu. in.	12
 <b>W2B100-4</b>	1" trade size, 4 outlet holes, 30.5 cu. in.	12
 <b>W2B50-5</b>	1/2" trade size, 5 outlet holes, 30.5 cu. in.	12
 <b>W2B75-5</b>	3/4" trade size, 5 outlet holes, 30.5 cu. in.	12
 <b>W2B50-5X</b>	1/2" trade size, 5 outlet holes, 30.5 cu. in.	12
 <b>W2B75-5X</b>	3/4" trade size, 5 outlet holes, 30.5 cu. in.	12
 <b>W2B100-5X</b>	1" trade size, 4 outlet holes, 30.5 cu. in.	12
 <b>W2B50-6X</b>	1/2" trade size, 6 outlet holes, 30.5 cu. in.	12
<b>W2B75-6X</b>	3/4" trade size, 6 outlet holes, 30.5 cu. in.	12
<b>W2B50-7</b>	1/2" trade size, 7 outlet holes, 30.5 cu. in.	12
<b>W2B75-7</b>	3/4" trade size, 7 outlet holes, 30.5 cu. in.	12
<b>W2B50-7X</b>	1/2" trade size, 7 outlet holes, 30.5 cu. in.	12
<b>W2B75-7X</b>	3/4" trade size, 7 outlet holes, 30.5 cu. in.	12
<b>W2B50-9</b>	1/2" trade size, 9 outlet holes, 30.5 cu. in.	12
<b>W2B75-9</b>	3/4" trade size, 9 outlet holes, 30.5 cu. in.	12




## TWO-GANG DEVICE COVERS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>W2BC</b>	2 GANG WEATHERPROOF BLANK COVE	25
<b>W2BC-WH</b>	2 GANG WEATHERPROOF BLANK COVE, white	25
<b>W2BC-BRZ</b>	2 GANG WEATHERPROOF BLANK COVE, bronze	25
<b>W2C-2D</b>	2 DUPLEX RECEPTACLES	12
<b>W2BC-G</b>	HEAVY DUTY GALVANIZED BLANK COVER	25
<b>W2C-2G</b>	2 GFCI RECEPTACLES	12
<b>W2C-2S</b>	2 SINGLE RECEPTACLES 1.406" DIAMETER	12
<b>W2C-GD</b>	1 GFCI & 1 DUPLEX RECEPTACLE	12
<b>W2C-GS</b>	1 GFCI & 1 SINGLE RECEPTACLE	12
<b>W2C-SD</b>	1 DUPLEX & 1 SINGLE RECEPTACLE 1.41" DIAMETER	12
<b>W2C-SW</b>	2 LEVERS + 2-15A SINGLE POLE SWITCHES -NOT INCLUDED	12
<b>W2CL-P050</b>	40-50A RECEPTACLE, 2.125" DIAMETER, LOCKABLE	12
<b>W2CL-P060</b>	60A RECEPTACLE, 2.468" DIAMETER, LOCKABLE	12
<b>W2C-DH</b>	OVER-SIZED DUPLEX, HORIZONTAL	12

## SERVICE ENTRANCE CAPS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>WC2-50</b>	SERVICE ENTRANCE CAPS, DIE-CAS	15
<b>WC2-75</b>	SERVICE ENTRANCE CAPS, DIE-CAS	10
<b>WC2-100</b>	SERVICE ENTRANCE CAPS, DIE-CAS	7
<b>WC2-125</b>	SERVICE ENTRANCE CAPS, DIE-CAS	5
<b>WC2-150</b>	SERVICE ENTRANCE CAPS, DIE-CAS	4
<b>WC2-200</b>	SERVICE ENTRANCE CAPS, DIE-CAS	4
<b>WC2-250</b>	SERVICE ENTRANCE CAPS, DIE-CAS	1
<b>WC2-300</b>	SERVICE ENTRANCE CAPS, DIE-CAS	1
<b>WC2-350</b>	SERVICE ENTRANCE CAPS, DIE-CAS	1
<b>WC2-400</b>	SERVICE ENTRANCE CAPS, DIE-CAS	1


## TWO-GANG DEEP BOXES | 2-5/8" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>W2DB50-5</b>	1/2" trade size, 5 outlet holes, 40.3 cu. in.	9
<b>W2DB75-5</b>	3/4" trade size, 5 outlet holes, 40.3 cu. in.	9
<b>W2DB100-5</b>	1" trade size, 5 outlet holes, 40.3 cu. in.	9
<b>W2DB50-7X</b>	1/2" trade size, 7 outlet holes, 40.3 cu. in.	9
<b>W2DB75-7X</b>	3/4" trade size, 7 outlet holes, 40.3 cu. in.	9
<b>W2DB100-7X</b>	1" trade size, 7 outlet holes, 40.3 cu. in.	9


## TWO-GANG EXTENSION BOXES | 1-9/16" DEEP

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>W2XB50-6</b>	1/2" trade size, 6 outlet holes, 15.0 cu. in.	9
<b>W2XB75-6</b>	3/4" trade size, 6 outlet holes, 15.0 cu. in.	9
<b>W2XB50-8</b>	1/2" trade size, 8 outlet holes, 15.0 cu. in.	9
<b>W2XB75-8</b>	3/4" trade size, 8 outlet holes, 15.0 cu. in.	9

## THREE-GANG DEVICE COVER


CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>W3BC</b>	BLANK COVER	7
<b>W3C-3D</b>	3 DUPLEX RECEPTACLES	7
<b>W3C-3G</b>	3 GFCI RECEPTACLES	7
<b>W3C-3S</b>	3 SINGLE 1.41" DIAMETER RECEPTACLES	7

## THREE-GANG DEEP BOXES | 2-5/8" DEEP


CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>W3DB50-7</b>	1/2" trade size, 7 outlet holes, 54.0 cu. in.	10
<b>W3DB75-7</b>	3/4" trade size, 7 outlet holes, 54.0 cu. in.	10
<b>W3DB100-7</b>	1" trade size, 7 outlet holes, 54.0 cu. in.	10




## ROUND EXTENSION BOXES | 4" DEEP

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>WRB50-5</b>	1/2" trade size, 5 outlet holes, 15.8 cu. in.	16
	<b>WRB50-5-WH</b>	1/2" trade size, 5 outlet holes, 15.8 cu. in., white	16
	<b>WRB50-5-BRZ</b>	1/2" trade size, 5 outlet holes, 15.8 cu. in., bronze	16
	<b>WRB75-5</b>	3/4" trade size, 5 outlet holes, 54.0 cu. in	16


## ROUND COVERS | 4" DEEP

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>WRC-1</b>	1/2" trade size, 1 outlet holes	25
	<b>WRC-1-WH</b>	1/2" trade size, 1 outlet holes, white	25
	<b>WRC-1-BRZ</b>	1/2" trade size, 1 outlet holes, bronze	25
	<b>WRC-2</b>	1/2" trade size, 2 outlet holes	25
	<b>WRC-2-WH</b>	1/2" trade size, 2 outlet holes, white	25
	<b>WRC-2-BRZ</b>	1/2" trade size, 2 outlet holes, bronze	25
	<b>WRC-3</b>	1/2" trade size, 3 outlet holes	25
	<b>WRC-3-WH</b>	1/2" trade size, 3 outlet holes, white	25
	<b>WRC-3-BRZ</b>	1/2" trade size, 3 outlet holes, bronze	25
		<b>W4RBC</b>	4" round blank cover with gasket


## ONE-GANG RECTANGULAR COVERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>WRE-1</b>	1/2" trade size, 1 outlet holes	25
	<b>WRE-1-WH</b>	1/2" trade size, 1 outlet holes, white	25
	<b>WRE-1-BRZ</b>	1/2" trade size, 1 outlet holes, bronze	25
	<b>WRE-2</b>	1/2" trade size, 2 outlet holes	25
	<b>WRE-2-WH</b>	1/2" trade size, 2 outlet holes, white	25
	<b>WRE-2-BRZ</b>	1/2" trade size, 2 outlet holes, bronze	25
	<b>WRE-3</b>	1/2" trade size, 3 outlet holes	25
	<b>WRE-3-WH</b>	1/2" trade size, 3 outlet holes, white	25
	<b>WRE-3-BRZ</b>	1/2" trade size, 3 outlet holes, bronze	25


## ONE-GANG EXTENSION BOXES | 1-3/8" DEEP

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>WXB50-4</b>	1/2" trade size, 4 outlet holes, 9.5 cu. in.	12
	<b>WXB75-4</b>	3/4" trade size, 4 outlet holes, 9.5 cu. in.	12
	<b>WXB50-6</b>	1/2" trade size, 6 outlet holes, 9.5 cu. in	12
	<b>WXB75-6</b>	3/4" trade size, 6 outlet holes, 9.5 cu. in.	12

## ONE-GANG FLANGED EXTENSION BOXES | 1-9/16" DEEP

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>WXF50-2</b>	1/2" trade size, 2 outlet holes, 13.5 cu. in.	10
	<b>WXF75-2</b>	3/4" trade size, 2 outlet holes, 13.5 cu. in.	10
	<b>WXF50-4</b>	1/2" trade size, 4 outlet holes, 13.5 cu. in.	10
	<b>WXF75-4</b>	3/4" trade size, 4 outlet holes, 13.5 cu. in.	10
	<b>WXF50-6</b>	1/2" trade size, 6 outlet holes, 13.5 cu. in.	10
	<b>WXF75-6</b>	3/4" trade size, 6 outlet holes, 13.5 cu. in	10


## ONE-GANG FLANGED EXTENSION RING | 1" DEEP

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>WXR-1</b>	1 GANG W/P EXTENSION RING	24
	<b>WXR-2</b>	2 GANG W/P EXTENSION RING	12
	<b>WXR50-4</b>	4" ROUND W/P EXT. BOX 4 1/2" H	16
	<b>WXR75-4</b>	4" ROUND W/P EXT. BOX 4 3/4" H	16
	<b>WRC-GASKET</b>	Universal 1-gang foam gasket	25


## THREADED CONDUIT BODIES | LB SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	<b>LB-50CG</b>	1/2"	4-5/16"	1-5/16"	2-11/32"	10
	<b>LB-75CG</b>	3/4"	5-3/32"	1-9/16"	2-5/8"	10
	<b>LB-100CG</b>	1"	5-29/32"	1-13/16"	3"	5
	<b>LB-125CG</b>	1-1/4"	7-13/16"	2-1/2"	3-3/4"	2
	<b>LB-150CG</b>	1-1/2"	7-13/16"	2-1/2"	3-3/4"	2
	<b>LB-200CG</b>	2"	10-1/16"	3-3/16"	4-3/4"	1
	<b>LB-250CG</b>	2-1/2"	12-13/16" 12-	4-1/2"	5-9/16"	1
	<b>LB-300CG</b>	3"	13/16"	4-1/2"	6-5/32"	1
	<b>LB-400CG</b>	4"	15-5/8"	5-9/16"	7-9/16"	1


## THREADED CONDUIT BODIES | LL SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	<b>LL-50CG</b>	1/2"	4-5/16"	2-1/32"	1-5/8"	10
	<b>LL-75CG</b>	3/4"	5-3/32"	2-5/16"	1-7/8"	10
	<b>LL-100CG</b>	1"	5-29/32"	2-11/16"	2-1/8"	5
	<b>LL-125CG</b>	1-1/4"	7-13/16"	3-1/2"	2-3/4"	2
	<b>LL-150CG</b>	1-1/2"	7-13/16"	3-1/2"	2-3/4"	2
	<b>LL-200CG</b>	2"	10-1/16"	4-9/32"	3-5/8"	1
	<b>LL-250CG</b>	2-1/2"	12-13/16" 12-	5-7/8"	4-1/4"	1
	<b>LL-300CG</b>	3"	13/16"	5-7/8"	4-3/4"	1
	<b>LL-400CG</b>	4"	15-5/8"	7-21/32"	5-7/8"	1


## THREADED CONDUIT BODIES | LR SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	<b>LR-50CG</b>	1/2"	4-5/16"	2-1/32"	1-5/8"	10
	<b>LR-75CG</b>	3/4"	5-3/32"	2-5/16"	1-7/8"	10
	<b>LR-100CG</b>	1"	5-29/32"	2-11/16"	2-1/8"	5
	<b>LR-125CG</b>	1-1/4"	7-13/16"	3-1/2"	2-3/4"	2
	<b>LR-150CG</b>	1-1/2"	7-13/16"	3-1/2"	2-3/4"	2
	<b>LR-200CG</b>	2"	10-1/16"	4-9/32"	3-5/8"	1
	<b>LR-250CG</b>	2-1/2"	12-13/16" 12-	5-7/8"	4-1/4"	1
	<b>LR-300CG</b>	3"	13/16"	5-7/8"	4-3/4"	1
	<b>LR-400CG</b>	4"	15-5/8"	7-21/32"	5-7/8"	1


## THREADED CONDUIT BODIES | C SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	<b>C-50CG</b>	1/2"	4-11/16"	1-5/16"	1-5/8"	10
	<b>C-75CG</b>	3/4"	5-1/2"	1-9/16"	1-7/8"	10
	<b>C-100CG</b>	1"	6-7/16"	1-13/16"	2-1/8"	5
	<b>C-125CG</b>	1-1/4"	8-3/8"	2-1/2"	2-3/4"	2
	<b>C-150CG</b>	1-1/2"	8-3/8"	2-1/2"	2-3/4"	2
	<b>C-200CG</b>	2"	10-9/16"	3-3/16"	3-5/8"	1
	<b>C-250CG</b>	2-1/2"	13-1/2"	4-1/2"	4-1/4"	1
	<b>C-300CG</b>	3"	13-1/2"	4-1/2"	4-3/4"	1
	<b>C-400CG</b>	4"	16-5/16"	5-9/16"	5-7/8"	1


## THREADED CONDUIT BODIES | T SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	<b>T-50CG</b>	1/2"	4-11/16"	2-1/32"	1-5/8"	10
	<b>T-75CG</b>	3/4"	5-1/2"	2-5/16"	1-7/8"	10
	<b>T-100CG</b>	1"	6-7/16"	2-11/16"	2-1/8"	5
	<b>T-125CG</b>	1-1/4"	8-3/8"	3-1/2"	2-3/4"	2
	<b>T-150CG</b>	1-1/2"	8-3/8"	3-1/2"	2-3/4"	2
	<b>T-200CG</b>	2"	10-9/16"	4-9/32"	3-5/8"	1
	<b>T-250CG</b>	2-1/2"	13-1/2"	5-7/8"	4-1/4"	1
	<b>T-300CG</b>	3"	13-1/2"	5-7/8"	4-3/4"	1
	<b>T-350CG</b>	3-1/2"	16-5/16"	7-21/32"	5-7/8"	1
	<b>T-400CG</b>	4"	16-5/16"	7-21/32"	5-7/8"	1

## THREADED CONDUIT BODIES | SLB SERIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	<b>SLB-50</b>	1/2"	3-9/32"	1-3/8"	1-5/8"	20
	<b>SLB-75</b>	3/4"	3-19/32"	1-9/16"	1-27/32"	20
	<b>SLB-100</b>	1"	4-5/16"	1-31/32"	2-1/8"	10


## COVERS & GASKETS FOR THREADED CONDUIT BODIES

	CATALOG NO.	TRADE SIZE	LENGTH	WIDTH	HEIGHT	PKG. QTY.
	<b>CG-50</b>	1/2"	3-7/8"	1-5/16"	-	100
	<b>CG-75</b>	3/4"	4-11/16"	1-9/16"	-	50
	<b>CG-100</b>	1	5-3/8"	1-3/4"	-	50
	<b>CG-125/150</b>	1-1/4" &	7-5/16"	2-1/2"	-	25
	<b>CG-200</b>	1-1/2"	9-1/2"	3-1/8"	-	10
	<b>CG-250/300</b>	2"	12-1/16"	4-7/16"	-	10
	<b>CG-350/400</b>	2-1/2"	15-1/16"	5/9/2016"	-	5


## LAMP HOLDERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>LH150-1</b>	STANDARD WEATHERPROOF LAMP HOLDER	20
	<b>LH150-1-BRZ</b>	STANDARD WEATHERPROOF LAMP HOLDER, white	12
	<b>LH150-1-WH</b>	STANDARD WEATHERPROOF LAMP HOLDER, bronze	12
	<b>LH150-GASKET</b>	Silicon Gasket For LH150	20


## LAMP HOLDERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>PL-50</b>	CLOSE-UP PLUG 1/2" - 50 PER BA	500 per bag
	<b>PL-50-BRZ</b>	CLOSE-UP PLUG 1/2" - 50 PER BA, BRONZE	500 per bag
	<b>PL-50-WH</b>	CLOSE-UP PLUG 1/2" - 50 PER BA, WHITE	500 per bag
	<b>PL-75</b>	CLOSE-UP PLUG 3/4" - 50 PER BA	500 per bag
	<b>PL-100</b>	CLOSE-UP PLUG 1" - 50 PER BAG	200 per bag

## PORCELAIN LAMP HOLDERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>M507CW-UL</b>	E26, PORCELAIN LAMPHOLDER WITH PULL CHAIN, 4 TERMINAL SCREWS, 660W/250V RATING, WHITE	48

## PLASTIC LAMP HOLDERS

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>M507C-UL</b>	E26, BAKELITE KEYLESS LAMPHOLDER WITH 2 TERMINAL SCREWS, 660W/250V RATING, WHITE	108
	<b>M507CW-UL</b>	E26, BAKELITE LAMPHOLDER WITH PULL CHAIN, 2 TERMINAL SCREWS, 660W/250V RATING, WHITE	108

## ANGLE PLUG, GENERAL PURPOSE CORDS | 125V-13A, GRAY

	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>GPA3-2</b>	SPT-2 16AWG/ 3 CONDUCTOR, ANGLE PLUG, NEMA 5-15P, 125V, GRAY, 3FT	100
	<b>GPA6-2</b>	SPT-2 16AWG/ 3 CONDUCTOR, ANGLE PLUG, NEMA 5-15P, 125V, GRAY, 6FT	100
	<b>GPA8-2</b>	SPT-2 16AWG/ 3 CONDUCTOR, ANGLE PLUG, NEMA 5-15P, 125V, GRAY, 8FT	100

## STRAIGHT PLUG, GENERAL PURPOSE CORDS | 125V-13A, GRAY

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>GPS3-2</b>	SPT-2 16AWG/ 3 CONDUCTOR, STRAIGHT PLUG, NEMA 5-15P, 125V, GRAY, 3FT	100
<b>GPS6-2</b>	SPT-2 16AWG/ 3 CONDUCTOR, STRAIGHT PLUG, NEMA 5-15P, 125V, GRAY, 6FT	100
<b>GPS8-2</b>	SPT-2 16AWG/ 3 CONDUCTOR, STRAIGHT PLUG, NEMA 5-15P, 125V, GRAY, 8FT	100

## STRAIGHT PLUG WITH VINYL INSULATION

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>EX123-100</b>	Replacement Cords For Range Or Dryer	
<b>EX143-50</b>	Replacement Cords For Range Or Dryer	

## DIRECTIONAL ARMORED GROUND CLAMP WITH STEEL SCREWS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>MVP98</b>	TRADE SIZE 1/2" - 1" WIRE SIZE 4-6-8	100

## FEED-THROUGH ARMORED GROUND CLAMP WITH STEEL SCREWS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>MVP99</b>	TRADE SIZE 1/2" - 1" WIRE SIZE 4-6-8,	100


## FEED-THROUGH ARMORED GROUND CLAMP WITH STEEL SCREWS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>MVP94-50</b>	1/2" FEED-THROUGH ARMORED GROUND CLAMP	100
<b>MVP94-75</b>	3/4" FEED-THROUGH ARMORED GROUND CLAMP	100

## FEED-THROUGH ARMORED GROUND CLAMP WITH CABLE ADAPTOR

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>MVP99-360-1C</b>	TRADE SIZE 1/2" - 1" WIRE SIZE 4-6-8, MASTER 80 WITH 1 ARMORED CABLE ADAPTOR	80
<b>MVP99-360-2C</b>	TRADE SIZE 1/2" - 1" WIRE SIZE 4-6-8, MASTER 80 WITH 2 ARMORED CABLE ADAPTOR	80


## STEEL JACK CHAIN & FIXTURE HANGER

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>CH-1212</b>	Steel jack chain, 100ft., 12GA, (Meets weight requirements for Linear High Bays)	
<b>CH-1010</b>	Steel jack chain, 100ft., 10GA	
<b>FH-S</b>	Side mount Steel fixture hangers, 10GA	
<b>FH-E</b>	End mount Steel fixture hangers, 10GA	
<b>LH-SCREW</b>	Steel flat hanger screw with single hole, 1/4" x 3"	

## OCCUPANCY/VACANCY SENSORS

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>YM183-W</b>	Occupancy PIR Sensor, 180°, 30FT (720FT), 120V 800/1200W max, Single Pole, Neutral Req.	
<b>YM2108-W</b>	Vacancy & Occupancy PIR Sensor, 180°, 30FT (720FT), 120V 800/1200W max, Single Pole, Neutral Req.	
<b>YM2108-T-W</b>	Vacancy & Occupancy PIR Sensor, 180°, 25FT (600FT), 120V 600/1000W max, 3-Way, Neutral Req.	

## 2 VERTICAL USB PORT 5V DC

CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>USB2-15TR-WH</b>	15A Receptacle W/2 USB Ports	
<b>USB2-20TR-WH</b>	20A Receptacle W/2 USB Ports	

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED ADJUSTABLE CUTOFF WALL PACK, 120-277V

TYPE 2 LENS

Dark Bronze & White



CATALOG NO.	DESCRIPTION
<b>LWA-20NW</b>	20W <b>2200LM</b> 4000K
<b>LWA-30CW</b>	30W <b>3200LM</b> 5000K
<b>LWA-30WW</b>	30W <b>3000LM</b> 3000K
<b>LWA-50CW</b>	50W <b>5200LM</b> 5000K
<b>LWA-50CW-WH</b>	50W <b>5200LM</b> 5000K
<b>LWA-50WW-WH</b>	50W <b>4900LM</b> 3000K
<b>LWA-80NW</b>	80W <b>9000LM</b> 4000K
<b>LWA-120NW</b>	120W <b>13700LM</b> 4000K
<b>LWA-120WW</b>	120W <b>13700LM</b> 5000K

## LED CUTOFF WALL PACK, 120-277V




CATALOG NO.	DESCRIPTION
<b>LWP2-50NW</b>	50W <b>5500LM</b> 4000K
<b>LWP2-80CW</b>	80W <b>9000LM</b> 5000K

## LED CUTOFF WALL PACK, 120-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE
<b>LWP-22CW</b>	22W <b>2000LM</b> 5000K	50-100 MH
<b>LWP-30CW</b>	30W <b>2800LM</b> 5000K	100-125 MH
<b>LWP-80CW</b>	80W <b>7900LM</b> 5000K	320-400 MH

## LED ROTATABLE WALL PACKS, 120-277V



CATALOG NO.	DESCRIPTION
<b>LW360-25W-50K-WH</b>	25W <b>3375LM</b> 5000K
<b>LW360-40W-30K</b>	40W <b>5400LM</b> 3000K
<b>LW360-40W-50K</b>	40W <b>5400LM</b> 5000K
<b>LW360-60W-30K</b>	60W <b>8100LM</b> 3000K

## LED NON-CUTOFF WALL PACK WITH GLASS LENS, 120-277V

Dark Bronze



CATALOG NO.	DESCRIPTION
<b>WML-30CW-SM</b>	30W <b>3200LM</b> 5000K
<b>WML-60CW</b>	60W <b>6600LM</b> 5000K
<b>WML-60NW</b>	60W <b>6400LM</b> 4000K
<b>WML-120WW-LG</b>	120W <b>12000LM</b> 3000K

## LED NON-CUTOFF WALL PACKS, 120-277V



CATALOG NO.	DESCRIPTION
<b>WML-HL-100W-30K</b>	100W <b>14800LM</b> 3000K
<b>WML-HL-120W-30K</b>	120W <b>17100LM</b> 3000K
<b>WML-HL-30W-30K</b>	30W <b>4200LM</b> 3000K
<b>WML-HL-30W-40K</b>	30W <b>4200LM</b> 4000K
<b>WML-HL-60W-30K</b>	60W <b>8700LM</b> 3000K
<b>WML-HL-80W-30K</b>	80W <b>11600LM</b> 3000K
<b>WML-HL-80W-50K</b>	80W <b>11600LM</b> 5000K

Items displayed in this sheet will no longer be reproduced.




# FINAL PRODUCTION DEALS


"WHILE SUPPLIES LAST"

## LED NON-CUTOFF WALL PACKS WITH DIRECTIONAL OPTIC LENS



CATALOG NO.	DESCRIPTION
 <b>WML2-28W-40K-HL-SM</b>	28W <b>3640LM</b> 4000K
<b>WML2-28W-50K-HL-SM</b>	28W <b>3780LM</b> 5000K
<b>WML2-50W-30K-HL</b>	48W <b>6000LM</b> 3000K
<b>WML2-50W-30K-SM</b>	50W <b>5500LM</b> 3000K

## LED SEMI-CUTOFF VANDAL-PROOF WALL PACK, 120-277V


CATALOG NO.	DESCRIPTION
 <b>LTW-50WW</b>	50W <b>4400LM</b> 3000K

## LED SMALL NON-CUTOFF WALL PACK WITH PHOTOCELL, 120V

CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
 <b>LESW-12W-30K-P</b>	12W <b>1225LM</b> 3000K	50-70MH	6

## LED FLOOD LIGHTS, 120-277V



CATALOG NO.	DESCRIPTION	EQUIVALENCY	PKG. QTY.
 <b>LF-WH20-CW</b>	20W <b>1800LM</b> 5000K	70 MH	8

## LF2 ARCHITECTURAL FLOOD LIGHTS, 120-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE
 <b>LF2-10CW-TR</b>	10W <b>942LM</b> 5000K TRUNNION	90-100 MH
<b>LF2-10WW-TR</b>	10W <b>900LM</b> 3000K TRUNNION	90-100 MH


## 12V LED GARDEN LIGHT

CATALOG NO.	DESCRIPTION
 <b>LF12-6CW</b>	6W <b>450LM</b> 5000K
<b>LF12-6NW</b>	6W <b>450LM</b> 4000K


## LED FLOOD LIGHTS LF3 SERIES w/ SLIP FITTER, 120-277V

Dark Bronze



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE
 <b>LF3-80WW-SF</b>	80W <b>9600LM</b> 3000K	150-250 MH
<b>LF3-220WW-SF</b>	220W <b>22000LM</b> 3000K	350-400 MH
<b>LF3-300WW-SF</b>	300W <b>30800LM</b> 3000K	1000 MH

## LED FLOOD LIGHTS SERIES LF3 WITH BOTTOM YOKE (Incl.) & other MOUNTING OPTIONS (SEE BELOW)



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE
 <b>LF3-80WW-YK</b>	80W <b>9600LM</b> 3000K	150-250 MH
<b>LF3-150WW-YK</b>	150W <b>15500LM</b> 3000K	320-400 MH
 <b>LF3-220WW-YK</b>	220W <b>22000LM</b> 3000K	350-400 MH
<b>LF3-300WW-YK</b>	300W <b>30800LM</b> 3000K	1000 MH

Items displayed in this sheet will no longer be reproduced.

FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## MOUNTING ACCESSORIES FOR LF3 SERIES

CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>LF3-EXTARM</b>	Straight Extension Arm For Shoe Box Application, W/ K/O To Install PC Or Sensor (LF3-80-300)	6
<b>LF3-STR</b>	Street Light Arm 6" Long With 20" Wire And Strain Relief Connector (LF3-80-300)	6
<b>LF3-SF</b>	Adjustable Slip Fitter For Pole Mount 2"-2-1/2", W/ K/O To Install PC Or Sensor (LF3-80-300)	6
<b>LF3-PK</b>	Photocell Kit For LF3-80W, 100W, 150W Field Installed	
<b>LF3-WG3</b>	WIRE GUARD FOR LF3-HL-80W/100W/150W	
<b>LF3-WG4</b>	WIRE GUARD FOR LF3-HL-230W	
<b>LF3-WMA</b>	WALL MOUNTING PLATE FOR LF3 AND LF3-HL SERIES	



## ACCESSORIES FOR LF3 HL CSERIES

CATALOG NO.	DESCRIPTION
<b>LF3-EXTARM</b>	STRAIGHT EXTENSION ARM FOR SHOE BOX APPLICATION, WITH K/O TO INSTALL PC OR
<b>LF3-HL-ASA</b>	ADJUSTABLE STRAIGHT ARM FOR LF3-HL SERIES
<b>LF3-HL-EXT</b>	STRAIGHT EXTENSION ARM FOR SHOE BOX APPLICATION
<b>LF3-HL-PMR1</b>	ROUND POLE MOUNT FOR LF3-HL-80W/100W/150W
<b>LF3-HL-PMR2</b>	ROUND POLE MOUNT FOR LF3-HL-300W
<b>LF3-HL-PMS1</b>	SQUARE POLE MOUNT FOR LF3-HL-80W/100W/150W
<b>LF3-HL-RSF</b>	ROUND SLIP FITTER FOR LF3-HL SERIES
<b>LF3-HL-SF</b>	ADJUSTABLE SLIP FITTER FOR POLE MOUNT
<b>LF3-HL-TR-230/300W</b>	U BRACKET FOR LF3-HL-230W&300W
<b>LF3-HL-TR-80/100/150W</b>	U BRACKET FOR LF3-HL-80W,100W, AND 150W.
<b>LF3-HL-TYPEIV-100W</b>	TYPE 4 LENS FOR LF3-HL SERIES 100W (ORDER 2)
<b>LF3-HL-YK-100W/150W/230W</b>	ADJUSTABLE U SHAPE YOKE MOUNT FOR LF3-HL-100W/150W/230W
<b>LF3-HL-YK-300W</b>	ADJUSTABLE U SHAPE YOKE MOUNT FOR LF3-HL-300W

## ECONOMY FLOOD/AREA LIGHT SERIES TYPE 3 LENSES



CATALOG NO.	DESCRIPTION
<b>LFCO-80W-40K</b>	80W 10800LM 4000K
<b>LFCO-80W-50K</b>	80W 10800LM 5000K
<b>LFCO-100W-50K</b>	100W 14000LM 5000K
<b>LFCO-150W-40K</b>	150W 19900LM 4000K
<b>LFCO-150W-50K</b>	150W 19900LM 5000K
<b>LFCO-230W-50K</b>	230W 30100LM 5000K
<b>LFCO-300W-40K</b>	300W 41000LM 4000K
<b>LFCO-300W-50K</b>	300W 41000LM 5000K
<b>LFCO-TR1</b>	"U" Bracket For 80W 100W 150W
<b>LFCO-TR2</b>	"U" Bracket For 300W
<b>LFCO-YK</b>	Yoke for LFCO



## LED ARCHITECTURAL FLOOD LIGHTS LF4 SERIES, 120V-277V



CATALOG NO.	DESCRIPTION
<b>LF4-50CW-KN</b>	50W 5600LM 5000K
<b>LF4-50WW-KN</b>	50W 5400LM 3000K
<b>LF4-30WW-TR</b>	30W 3100LM 3000K
<b>LF4-50WW-TR</b>	50W 5400LM 3000K
<b>LF4-80CW-TR</b>	80W 9500LM 5000K
<b>LF4-80CW-SF</b>	80W 9500LM 5000K
<b>LF4-80WW-SF</b>	80W 9500LM 3000K



# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED FLOOD LIGHT LF5 380W



CATALOG NO.	DESCRIPTION
 <b>LF5-380CW-480V</b>	380W <b>4600LM</b> 5000K


## LED BULLET FLOOD LIGHTS w/ 1/2" KNUCKLE (1st Gen.)



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
 <b>FLD-12WW-WH</b>	12W <b>800LM</b> 3000K WHITE	100 PAR	6
<b>FLD-30CW-WH</b>	30W <b>2500LM</b> 5000K WHITE	70-100 MH	6
<b>FLD-30WW-WH</b>	30W <b>2450LM</b> 3000K WHITE	70-100 MH	6
<b>FLD-30CW-GRN</b>	30W <b>2500LM</b> 5000K GREEN	70-100 MH	6

## HIGH-OUTPUT SECURITY LIGHTS with 240° PIR SENSOR, 120V, IP65, 120° BEAM ANGLE



CATALOG NO.	DESCRIPTION	EQUIVALENCY	PKG. QTY.
 <b>SLB-312-30K-P</b>	3 X 12W <b>3 x 1050LM</b> 3000K BRONZE	100 MH	8

## DIMMABLE SECURITY LIGHTS



CATALOG NO.	DESCRIPTION
 <b>SL-28W-30K-BZ-D</b>	28W <b>3400LM</b> 3000K
<b>SL-28W-30K-WH-D</b>	28W <b>3400LM</b> 3000K
<b>SL-28W-50K-WH-D</b>	28W <b>3400LM</b> 5000K
<b>SL-30W-30K-BZ-D</b>	30W <b>2800LM</b> 3000K
<b>SL-30W-30K-WH-D</b>	30W <b>2800LM</b> 3000K
<b>SL-30W-50K-BZ-D</b>	30W <b>2800LM</b> 5000K
<b>SL-30W-50K-WH-D</b>	30W <b>2800LM</b> 5000K
<b>SL-40W-30K-BZ-D</b>	40W <b>4800LM</b> 3000K
<b>SL-40W-50K-BZ-D</b>	40W <b>4800LM</b> 5000K

## PHOTOCELL SECURITY LIGHTS



CATALOG NO.	DESCRIPTION
 <b>SL-28W-30K-BZ-P</b>	28W <b>3400LM</b> 3000K
<b>SL-28W-30K-WH-P</b>	28W <b>3400LM</b> 3000K
<b>SL-28W-50K-BZ-P</b>	28W <b>3400LM</b> 5000K
<b>SL-28W-50K-WH-P</b>	28W <b>3400LM</b> 5000K
<b>SL-30W-30K-BZ-P</b>	30W <b>2800LM</b> 3000K
<b>SL-30W-30K-WH-P</b>	30W <b>2800LM</b> 3000K
<b>SL-30W-50K-BZ-P</b>	30W <b>2800LM</b> 5000K
<b>SL-30W-50K-WH-P</b>	30W <b>2800LM</b> 5000K

## LED RESIDENTIAL LANTERNS



CATALOG NO.	DESCRIPTION
 <b>LRS-B-40K-PC</b>	6W <b>550LM</b> 4000K
<b>LRS-C-30K-D</b>	12W <b>1100LM</b> 3000K
<b>LRS-C-40K-D</b>	12W <b>1100LM</b> 4000K
<b>LRS-D-30K-D</b>	12W <b>1100LM</b> 3000K
<b>LRS-D-40K-D</b>	12W <b>1100LM</b> 4000K

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## CREST ENGINES



CATALOG NO.	DESCRIPTION
<b>CRE-EGN-40K-BR</b>	10W(2.5WX4) <b>900LM</b> 4000K
<b>CRE-EGN-50K-BR</b>	10W(2.5WX4) <b>900LM</b> 5000K
<b>CRE-EGN-HL20-30K-BR</b>	20W(5WX4) <b>1800LM</b> 3000K
<b>CRE-EGN-HL20-30K-SIL</b>	20W(5WX4) <b>1800LM</b> 3000K

## 4" CYLINDER LIGHTS, 120V, IP65



CATALOG NO.	DESCRIPTION
<b>WMC-DL-15W-50K-BN</b>	15W <b>1144LM</b> 5000K
<b>WMC-DL-15W-50K-BR</b>	15W <b>1144LM</b> 5000K
<b>WMC-UDL-20W-30K-BN</b>	20W <b>1667LM</b> 3000K
<b>WMC-UDL-20W-30K-BR</b>	20W <b>1667LM</b> 3000K
<b>WMC-UDL-20W-50K-BN</b>	20W <b>1667LM</b> 5000K
<b>WMC-UDL-20W-50K-BR</b>	20W <b>1667LM</b> 5000K



## LED DECORATIVE WALL SCNCE, 120V



CATALOG NO.	DESCRIPTION
<b>LDS-12W-30K-D</b>	12W <b>1200LM</b> 3000K



## DUSK-TO-DAWN AREA LIGHT WITH NEMA TWIST-LOCK PHOTOCELL



CATALOG NO.	DESCRIPTION
<b>LR2-50CW-P</b>	50W <b>5050LM</b> 5000K
<b>LR2-50NW-P</b>	50W <b>5050LM</b> 4000K



## LR ECO ARM

CATALOG NO.	DESCRIPTION
<b>LR-ECO-ARM</b>	90° Arm for LR-ECO Series.(Mounting Strap Incl.)



## LED STREET/ROADWAY LIGHTS<sub>w</sub>/NEMA TWIST-LOCK PHOTOCELL SOCKET, (SHORTING CAP INCL.)


CATALOG NO.	DESCRIPTION
<b>STL2-30W-30K</b>	30W <b>3900LM</b> 3000K
<b>STL2-30W-50K</b>	30W <b>3900LM</b> 5000K
<b>STL2-80W-30K</b>	80W <b>10800LM</b> 3000K
<b>STL2-80W-50K</b>	80W <b>10800LM</b> 5000K
<b>STL2-150W-30K</b>	150W <b>21000LM</b> 3000K
<b>STL2-150W-50K</b>	150W <b>21000LM</b> 5000K
<b>STL2-200W-30K</b>	200W <b>27000LM</b> 3000K
<b>STL2-200W-50K</b>	200W <b>27000LM</b> 5000K
<b>STL3-50W-30K-L</b>	50W <b>6750LM</b> 3000K



## STADIUM LIGHTS, 120-277V



CATALOG NO.	DESCRIPTION
<b>SFX-G5-600W-30D-50K</b>	600W <b>90000LM</b> 5000K
<b>SFX-G5-RB</b>	ROTATABLE BASE FOR SFX SERIES
<b>SFX-G5-SF</b>	SLIP FITTER FOR SFX SERIES
<b>SFX-G5-SH1</b>	SHROUD FOR 600W - FOR SFX SERIES
<b>SFX-G5-SH2</b>	SHROUD FOR 1000W - FOR SFX SERIES



FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED GAS STATION/CANOPY LIGHT, 120-277V



CATALOG NO.	DESCRIPTION	REPLACEMENT RANGE	PKG. QTY.
<b>GS-CANOPY-150W-50K</b>	150W <b>20558LM</b> 5000K	250-400 MH	1
<b>GS-CANOPY-SMB</b>	GS Surface Mounting Shoe Box		-



## BOLLARD ROUND FROSTED LENS ACCESSORY

CATALOG NO.	DESCRIPTION
<b>BOL-R-ACC-FL</b>	

## MOTION SENSORS FOR OUTDOOR


CATALOG NO.	DESCRIPTION
<b>WEC-2P-44</b>	0-10V PIR 6-24VDC TROFFER SENSOR DIP
<b>WEC-3MDR-42</b>	0-10V MW 120-277V SENSOR DIP & RC
<b>WEC-3MR-4-BR</b>	90-DEGREE IP67 MICROWAVE SENSOR, REMOTE CAPABLE, BRONZE
<b>WEC-3MR-4-WH</b>	90-DEGREE IP67 MICROWAVE SENSOR, REMOTE CAPABLE, WHITE
<b>WEC-3MRLV-5-GY</b>	0-10V MW LOW-VOLTAGE DIMMER WITH REMOTE DRIVER 120-277V REMOTE CAPABLE - GRAY
<b>WEC-3MRLV-5-WH</b>	0-10V MW LOW-VOLTAGE DIMMER WITH REMOTE DRIVER 120-277V REMOTE CAPABLE - WHITE
<b>WEC-3PDR-52</b>	0-10V PIR 120-277V SENSOR DIP & RC
<b>WEC-3PDR-52CAP-BR</b>	REPLACEMENT CAP WITH LENS FOR BRI823 BRONZE TO MATCH COLOR OF LIGHTS
<b>WEC-ON50-WH</b>	SENSOR MOUNTING OFFSET NIPPLE, 1/2 INCH SIZE, WHITE



## LED HIGH-LUMEN UFO HIGH BAY, 110° BEAM ANGLE- HOOK WITH 3/4" THREAD



CATALOG NO.	DESCRIPTION
<b>ULHB-100W-40K</b>	100W <b>13000LM</b> 4000K
<b>ULHB-100W-50K-480V</b>	100W <b>13000LM</b> 5000K
<b>ULHB-150W-40K</b>	150W <b>19500LM</b> 4000K
<b>ULHB-240W-40K</b>	240W <b>31200LM</b> 4000K
<b>ULHB-240W-50K</b>	240W <b>31200LM</b> 5000K
<b>ULHB-240W-50K-480V</b>	240W <b>31200LM</b> 5000K
<b>ULHB-90KIT-200/240</b>	90 Degree Reflector and Glass Kit for 200W & 240W (Conversion from default 110° beam angle)
<b>ULHB-ALR-100/150</b>	Aluminum Reflector for 100W & 150W
<b>ULHB-ALR-200/240</b>	Aluminum Reflector for 200W & 240W
<b>ULHB-EMK</b>	Emergency Battery Backup Kit for 120-277V UFO High Bays (All wattages)
<b>ULHB-FL-200/240</b>	FROSTED LENS FOR ULHB 200-240W
<b>ULHB-FL-50/100/150</b>	FROSTED LENS FOR ULHB 50-150W
<b>ULHB-PCC-100/150</b>	Polycarbonate Cover for 100W & 150W (for ULHB-PCR-100/150 only) - Increases heat captured
<b>ULHB-PCC-200/240</b>	Polycarbonate Cover for 200W & 240W (for ULHB-PCR-200/240 only) - Increases heat cap-
<b>ULHB-PCR-100/150</b>	Polycarbonate Reflector for 100W & 150W
<b>ULHB-SC-100/150</b>	Safety Cable for 100W & 150W
<b>ULHB-SC-200/240</b>	Safety Cable for 200W & 240W
<b>ULHB-SK</b>	Ultrasonic Bi-Level (Dimming) Motion Sensor Kit for 120-277V UFO High Bays
<b>ULHB-SK-480V</b>	Ultrasonic Bi-Level (Dimming) Motion Sensor Kit for 480V UFO High Bays
<b>ULHB-SMB-100/150</b>	Surface Mount Bracket for 100W & 150W
<b>ULHB-SMB-200/240</b>	Surface Mount Bracket for 200W & 240W
<b>ULHB-WG-100/150</b>	Wire Guard for 100W & 150W
<b>ULHB-WG-200/240</b>	Wire Guard for 200W & 240W



FINAL DEALS



# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED SATURN ARCHITECTURAL HIGH BAY



CATALOG NO.	DESCRIPTION
<b>USHB-150W-40K</b>	150W <b>19500LM</b> 4000K
<b>USHB-200W-40K</b>	200W <b>26000LM</b> 4000K
<b>USHB-200W-50K</b>	200W <b>26000LM</b> 5000K

## LED FOOD SERVICE & LABORATORY HIGH BAY



CATALOG NO.	DESCRIPTION
<b>UFHB-150W-50K</b>	150W <b>20250LM</b> 5000K

## LED LINEAR VAPOR LIGHT



CATALOG NO.	DESCRIPTION
<b>LLVT-4FT-40W-40K-D</b>	40W <b>5000LM</b> 4000K
<b>LLVT-4FT-40W-50K-D</b>	40W <b>5000LM</b> 5000K
<b>LLVT-8FT-65W-40K-D</b>	65W <b>8450LM</b> 4000K
<b>LLVT-8FT-68W-40K-D</b>	68W <b>8840LM</b> 4000K
<b>LLVT-8FT-68W-50K-D</b>	68W <b>8840LM</b> 5000K
<b>LLVT-4FT-75W-50K-D</b>	75W <b>9375LM</b> 5000K
<b>LLVT-4FT-150W-40K-D</b>	150W <b>20250LM</b> 4000K
<b>LLVT-4FT-150W-50K-D</b>	150W <b>20250LM</b> 5000K
<b>LLVT-4FT-150W-MCT-D</b>	150W <b>20250LM</b> 35K/40K/50K

## SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS

CATALOG NO.	DESCRIPTION
<b>LLHB-CL-120/180</b>	CLEAR LENS FOR LLHB 120W & 180W
<b>LLHB-OC-REMOTE</b>	INDOOR HIGHBAY OCCUPANCY SENSOR WITH BI-LEVEL DIMMING - NEEDS LLHB-OC-REMOTE TO CHANGE SETTINGS

## SPEC SERIES 4TH GENERATION OF LINEAR HIGH BAYS, 480V



CATALOG NO.	DESCRIPTION
<b>LLHB4-100W-50K-D</b>	100W <b>15500LM</b> 5000K
<b>LLHB4-200W-50K-D</b>	200W <b>31000LM</b> 5000K

## HIGH-LUMEN LED CORN LAMP WITH UP LIGHT, 100-277V AC



CATALOG NO.	DESCRIPTION
<b>CL-HL-18W-50K-E26</b>	18W <b>2340LM</b> 5000K E26
<b>CL-HL-27W-30K-E26</b>	27W <b>3510LM</b> 3000K E26
<b>CL-HL-36W-50K-E39</b>	36W <b>4680LM</b> 5000K E39
<b>CL-HL-45W-30K-E39</b>	45W <b>5850LM</b> 3000K E39
<b>CL-HL-45W-50K-E39</b>	45W <b>5850LM</b> 5000K E39
<b>CL-HL-54W-30K-E39</b>	54W <b>7020LM</b> 3000K E39
<b>CL-HL-54W-50K-E39</b>	54W <b>7020LM</b> 5000K E39
<b>CL-HL-75W-30K-E39</b>	75W <b>9750LM</b> 3000K E39
<b>CL-HL-75W-50K-E39</b>	75W <b>9750LM</b> 5000K E39
<b>CL-HL-125W-50K-E39-NRW</b>	125W <b>16250LM</b> 5000K E39




FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED HIGH POWER LAMPS, 120-277V



	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>HPL-16W-30K-E26</b>	16W <b>2000LM</b> 3000K E26 Medium Base	20
	<b>HPL-16W-50K-E26</b>	16W <b>2000LM</b> 5000K E26 Medium Base	20
	<b>HPL-24W-30K-E26</b>	24W <b>3000LM</b> 3000K E26 Medium Base	20
	<b>HPL-HB-60W-50K-E39</b>	60W <b>6480LM</b> 5000K E39 Mogul Base	4
	<b>HPL-HB-75W-50K-E39</b>	75W <b>8100LM</b> 5000K E39 Mogul Base	4
	<b>HPL-HB-100W-50K-E39</b>	100W <b>12500LM</b> 5000K E39 Mogul Base	4
	<b>HPL-HB-140W-50K-E39</b>	140W <b>15120LM</b> 5000K E39 Mogul Base	4
	<b>HPL-HB-R1</b>	Optional PC Reflector for HPL-HB-60W	12
	<b>HPL-HB-R3</b>	Optional PC Reflector for HPL-HB-120W & HPL-HB-140W	8

## LED BACKLIT PANEL LIGHT, 100-277VAC



	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>LPNG-2X2-4KLM-27K-D</b>	40W <b>3800LM</b> 2700K	4
	<b>LPNG-2X2-MCTP</b>	20/30/40W 3500K/4000K/5000K	4
	<b>LPNG-2X4-4KLM-50K-D</b>	40W <b>4200LM</b> 5000K	4
	<b>LPNG-2X4-5KLM-50K-D</b>	50W <b>5250LM</b> 5000K	4
	<b>LPNG-2X4-5KLM-35K-D</b>	50W <b>5140LM</b> 3500K	4
	<b>LPNG-1X4-4KLM-27K-D</b>	40W <b>3800LM</b> 2700K	4


## LED PANEL LIGHTS




	CATALOG NO.	DESCRIPTION
	<b>LP-1X4-45W-40K-D</b>	45W <b>5175LM</b> 4000K
	<b>LP-1X4-45W-50K-D</b>	45W <b>5175LM</b> 5000K
	<b>LP-2X2-45W-35K-D</b>	45W <b>5175LM</b> 3500K
	<b>LP-2X2-45W-40K-D</b>	45W <b>5175LM</b> 4000K
	<b>LP-2X2-45W-50K-D</b>	45W <b>5175LM</b> 5000K
	<b>LP-2X4-60W-35K-D</b>	60W <b>6900LM</b> 3500K
	<b>LP-2X4-60W-40K-D</b>	60W <b>6900LM</b> 4000K
	<b>LP-2X4-60W-50K-D</b>	60W <b>6900LM</b> 5000K

## PREMIUM HIGH-OUTPUT LED PANELS, 125LM/W



	CATALOG NO.	DESCRIPTION
	<b>LP-2X4-50W-40K-D-HL</b>	50W <b>6260LM</b> 4000K
	<b>LP-2X4-50W-50K-D-HL</b>	50W <b>6260LM</b> 5000K

## LED PANEL LIGHTS (2X2 & 2X4)- MULTI WATTAGE, 110LM/W

	CATALOG NO.	DESCRIPTION
	<b>LP-2X2-MW-40K-DS</b>	30W,35W,40W,50W <b>N/A</b> 4000K
	<b>LP-2X4-MW-35K-DS</b>	30W,35W,40W,50W <b>N/A</b> 3500K
	<b>LP-2X4-MW-40K-DS</b>	30W,35W,40W,50W <b>N/A</b> 4000K

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED PANEL LIGHTS WITH EMERGENCY BATTERY BACKUP



CATALOG NO.	DESCRIPTION
 LP-1X4-40W-40K-DS-EM	40W 4400LM 4000K
 LP-1X4-40W-50K-DS-EM	40W 4400LM 5000K
 LP-2X2-40W-40K-DS-EM	40W 4400LM 4000K
 LP-2X2-40W-50K-DS-EM	40W 4400LM 5000K
 LP-2X4-60W-40K-DS-EM	60W 6600LM 4000K

## LED PANEL LIGHTS



CATALOG NO.	DESCRIPTION
 LP-1X4-40W-27K-DS	40W 3600LM 2700K
 LP-2X2-40W-35K-DS	40W 4200LM 3500K
 LP-2X2-40W-40K-DS	40W 4400LM 4000K
 LP-2X2-40W-50K-DS	40W 4400LM 5000K
 LP-2X4-60W-27K-DS	60W 5400LM 2700K
 LP-2X4-60W-35K-DS	60W 6300LM 3500K
 LP-2X4-60W-40K-DS	60W 6600LM 4000K
 LP-2X4-60W-50K-DS	60W 6600LM 5000K
 LP-2X4-72W-27K-DS	72W 6480LM 2700K
 LP-2X4-72W-35K-DS	72W 7560LM 3500K
 LP-2X4-72W-40K-DS	72W 7920LM 4000K

## SINGLE CCT T-BAR GRID LIGHTS




CATALOG NO.	DESCRIPTION
 TGL-2X4-30K	60W 6000LM 3000K

## INTERNAL-DRIVER LED SURFACE MOUNT PANELS, (1X4 & LARGER CAN BE RECESS MOUNTED)




CATALOG NO.	DESCRIPTION	PKG. QTY.
 LPS-1X4-50K-D	40W 4000LM 5000K 1' X 4'	120-277VAC 1
 LPS-1X4-40K-D	40W 4000LM 4000K 1' X 4'	120-277VAC 1
 LPS-2X2-50K-D	40W 4400LM 5000K 2' X 2'	120-277VAC 1
 LPS-2X4-50K-D	50W 5500LM 5000K 2' X 4'	120-277VAC 1
 LPS-2X4-40K-D	50W 5500LM 4000K 2' X 4'	120-277VAC 1

## DURABLE (PC BODY) TROFFER LIGHTS, 140LM/W



CATALOG NO.	DESCRIPTION
 LTRP-2X2-35W-40K-D	35W 4900LM 4000K
 LTRP-2X2-35W-50K-D	35W 4900LM 5000K
 LTRP-2X4-50W-50K-D	50W 6850LM 5000K

## LED DIRECT-INDIRECT (METAL HOUSING+PC LENS) TROFFERS



CATALOG NO.	DESCRIPTION
 LTR-2X4-50W-40K-D	50W 5590LM 4000K
LTR-SRFC-2X4	SURFACE MOUNTING KIT FOR 2X4 TROFFER

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## HIGH LUMEN LED RETROFIT BASKET TROFFER



CATALOG NO.	DESCRIPTION
LRT-HL-2X2-40W-40K-D	40W 5200LM 4000K
LRT-HL-2X4-50W-40K-D	50W 6500LM 4000K



## SCX LINEAR SERIES



CATALOG NO.	DESCRIPTION
SCX-2FT-20W-30K-D	20W 2240LM 3000K
SCX-2FT-20W-35K-D	20W 2300LM 3500K
SCX-2FT-20W-40K-D	20W 2360LM 4000K
SCX-2FT-20W-50K-D	20W 2420LM 5000K
SCX-3FT-30W-30K-D	30W 3360LM 3000K
SCX-6FT-60W-35K-D	60W 6900LM 3500K
SCX-6FT-60W-50K-D	60W 7260LM 5000K
SCX-8FT-80W-30K-D	80W 8960LM 3000K
SCX-8FT-80W-35K-D	80W 9200LM 3500K
SCX-ULM-8FT-32W-50K	UPLIGHT FOR SCX
SCX-T-40K	SCX SERIES T SECTION 40K



## LED PARABOLIC SUSPENDED LIGHT



CATALOG NO.	DESCRIPTION
SCLP-4FT-40W-35K-D	40W 4600LM 3500K
SCLP-4FT-40W-40K-D	40W 4600LM 4000K
SCLP-4FT-40W-50K-D	40W 4600LM 5000K
SCLP-UD-4FT-60W-35K-D	40W/20W 4400LM/2100LM 3500K
SCLP-UD-4FT-60W-40K-D	40W/20W 4400LM/2100LM 4000K
SCLP-UD-4FT-60W-50K-D	40W/20W 4400LM/2100LM 5000K



## LED PARABOLIC SUSPENDED LIGHT



CATALOG NO.	DESCRIPTION
SCLT-4FT-40W-35K-D	40W 4600LM 3500K
SCLT-4FT-40W-40K-D	40W 4600LM 4000K
SCLT-4FT-40W-50K-D	40W 4600LM 5000K



## LED SUSPENDED UP/DOWN CLEAR PANEL LIGHT, 120-277V (SUSPENSION & CORD NOT INCL.)



CATALOG NO.	DESCRIPTION
SPL-4FT-40W-35K-D	40W 2100LM/2100LM 3500K
SPL-4FT-40W-40K-D	40W 2100LM/2100LM 4000K
SPL-4FT-40W-50K-D	40W 2100LM/2100LM 5000K



## LED SUSPENDED UP/DOWN CLEAR ROUND PANEL LIGHT, 22" DIA., 6FT HEIGHT



CATALOG NO.	DESCRIPTION
SRPL-40W-35K-D	40W 2100LM/2100LM 3500K
SRPL-40W-40K-D	40W 2100LM/2100LM 4000K
SRPL-40W-50K-D	40W 2100LM/2100LM 5000K



FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED ARCHITECTURAL ROUND SUSPENDED DOWN LIGHT, 24" DIA, 6FT HEIGHT



CATALOG NO.	DESCRIPTION
<b>SCR-24D-40K-D</b>	50W 5197LM 4000K
<b>SCR-24D-50K-D</b>	50W 5267LM 5000K



## ADJ. 6FT 1/16in DOUBLE SUSPENSION KIT

CATALOG NO.	DESCRIPTION
<b>SCL-CSY</b>	ADJ. 6FT 1/16in DOUBLE SUSPENSION KIT WITH Y DOUBLE KEY HOLE CONNECTORS, CANOPIES, T-BAR CLIPS, ACCESSORIES



## SPEC SERIES LED ARCHITECTURAL WRAP-AROUND LIGHT



CATALOG NO.	DESCRIPTION
<b>WA-2FT-25W-35K-D</b>	25W 2750LM 3500K
<b>WA-2FT-25W-40K-D</b>	25W 2750LM 4000K
<b>WA-2FT-25W-50K-D</b>	25W 2750LM 5000K
<b>WA-4FT-30W-MCT-D</b>	30W 3200LM 3500K/4000K/5000K



## BUILDER SERIES LED ECONOMY WRAP-AROUND FIXTURES




CATALOG NO.	DESCRIPTION
<b>WAE-2FT-MCT-DT</b>	20W 1600LM 3000K/4000K/5000K



## 4FT. LED T8-EZ5 GLASS LAMPS



CATALOG NO.	DESCRIPTION
<b>T8-EZ5-GS-4FT-18W-40K-F</b>	18W 2100LM 4000K
<b>T8-EZ5-GS-4FT-18W-50K-C</b>	18W 2100LM 5000K
<b>T8-EZ5-GS-4FT-18W-50K-F</b>	18W 2100LM 5000K



## LED T8 2FT, PLASTIC ALUMINUM TUBE



CATALOG NO.	DESCRIPTION
<b>T8-EZ6-AHL-2FT-15W-40K-F</b>	15W 1650LM 4000K



## 8FT. LED T8 LAMPS



CATALOG NO.	DESCRIPTION
<b>T8-8FT-40W-40K-F</b>	40W 4800LM 4000K
<b>T8-8FT-40W-50K-C</b>	40W 4800LM 5000K
<b>T8-8FT-40W-50K-F</b>	40W 4800LM 5000K



## 4FT. LED T8-EZ4 LAMPS



CATALOG NO.	DESCRIPTION
<b>T8-EZ4-HL-15W-40K-C</b>	15W 2100LM 4000K





# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## 4FT. LED T8 LAMPS



CATALOG NO.	DESCRIPTION
<b>T8-4FT-18W-35K-D-F</b>	18W <b>1900LM</b> 3500K



## LED 4FT T8 TYPE B, SINGLE/DOUBLE ENDED



CATALOG NO.	DESCRIPTION
<b>T8-4FT-TYPB-2E-18W-40K-C</b>	18W <b>2200LM</b> 4000K



## 4FT. T8 LED GLASS LAMPS DIMMABLE DIRECT A/C (one end N+L)




CATALOG NO.	DESCRIPTION
<b>T8-4FT-DIM-18W-35K-C</b>	18W <b>1900LM</b> 3500K
<b>T8-4FT-DIM-18W-35K-F</b>	18W <b>1900LM</b> 3500K
<b>T8-4FT-DIM-18W-40K-C</b>	18W <b>2150LM</b> 4000K
<b>T8-4FT-DIM-18W-50K-C</b>	18W <b>2150LM</b> 5000K
<b>T8-4FT-DIM-18W-50K-F</b>	18W <b>2150LM</b> 5000K



## 4FT. LED T5 GLASS LAMPS



CATALOG NO.	DESCRIPTION
<b>T5-TYPA-27W-40K-F</b>	27W <b>3200LM</b> 4000K



## CRL ENGINES AND TRIMS

CATALOG NO.	DESCRIPTION
<b>CRL-EGN-18W-30K</b>	18W <b>1639LM</b> 3000K
<b>CRL-EGN-18W-50K</b>	18W <b>1639LM</b> 5000K
<b>CRL-EGN-27W-30K</b>	27W <b>2387LM</b> 3000K
<b>CRL-EGN-27W-40K</b>	27W <b>2387LM</b> 4000K
<b>CRL-EGN-40W-30K</b>	40W <b>3447LM</b> 3000K
<b>CRL-EGN-40W-40K</b>	40W <b>3447LM</b> 4000K
<b>CRL-EGN-40W-50K</b>	40W <b>3447LM</b> 5000K
<b>CRL-EGN-54W-40K</b>	54W <b>4500LM</b> 4000K
<b>CRL-EGN-54W-50K</b>	54W <b>4500LM</b> 5000K
<b>CRL-TRM-8</b>	8" Trim for CRL



## CRLC ENGINES

CATALOG NO.	DESCRIPTION
<b>CRLC-EGN-15W-30K-D</b>	15W <b>1200LM</b> 3000K
<b>CRLC-EGN-15W-40K-D</b>	15W <b>1245LM</b> 4000K
<b>CRLC-EGN-15W-50K-D</b>	15W <b>1275LM</b> 5000K
<b>CRLC-EGN-20W-50K-D</b>	20W <b>1720LM</b> 5000K



## LED VANITY LIGHT, 120-277VAC



CATALOG NO.	DESCRIPTION
<b>LVL-2FT-17W-30K</b>	17W <b>1900LM</b> 3000K



FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED TRACK LIGHTS, 120V



CATALOG NO.	DESCRIPTION
<a href="#">TRI-R-10W-WH-40K</a>	10W <b>691LM</b> 4000K
<a href="#">TRI-S-10W-BK-30K</a>	10W <b>681LM</b> 3000K
<a href="#">TRI-S-10W-BK-40K</a>	10W <b>706LM</b> 4000K
<a href="#">TRI-S-10W-WH-30K</a>	10W <b>681LM</b> 3000K
<a href="#">TRI-S-10W-WH-40K</a>	10W <b>706LM</b> 4000K
<a href="#">TRI-S-10W-WH-50K</a>	10W <b>732LM</b> 5000K

SINGLE CCT LED TRIMS 3", 4", 5/6" E26 included in the box  
(JA8-E-2016 COMPLIANT)



	CATALOG NO.	DESCRIPTION	PKG. QTY.
<p><b>SMOOTH</b> 3"</p>	<a href="#">RDL3-27K-WP</a>	9W <b>540LM</b> 2700K 3"	20
	<a href="#">RDL3-30K-WP</a>	9W <b>540LM</b> 3000K 3"	20
	<a href="#">RDL3-41K-WP</a>	9W <b>540LM</b> 4100K 3"	20
	<a href="#">RDL3-50K-WP</a>	9W <b>540LM</b> 5000K 3"	20
<p><b>SMOOTH</b> 4"</p>	<a href="#">RDL4-27K-WP</a>	12W <b>650LM</b> 2700K 4"	12
	<a href="#">RDL4-30K-WP</a>	12W <b>700LM</b> 3000K 4"	12
	<a href="#">RDL4-35K-WP</a>	12W <b>725LM</b> 3500K 4"	12
	<a href="#">RDL4-41K-WP</a>	12W <b>750LM</b> 4100K 4"	12
	<a href="#">RDL4-50K-WP</a>	12W <b>800LM</b> 5000K 4"	12
	<a href="#">RDL4-65K-WP</a>	12W <b>850LM</b> 6500K 4"	12
<p><b>SMOOTH</b> 5 1/2"</p>	<a href="#">RDL6-27K-WP</a>	19W <b>1200LM</b> 2700K 5/6"	8
	<a href="#">RDL6-30K-WP</a>	19W <b>1250LM</b> 3000K 5/6"	8
	<a href="#">RDL6-35K-WP</a>	19W <b>1275LM</b> 3500K 5/6"	8
	<a href="#">RDL6-41K-WP</a>	19W <b>1300LM</b> 4100K 5/6"	8
	<a href="#">RDL6-50K-WP</a>	19W <b>1350LM</b> 5000K 5/6"	8
	<a href="#">RDL6-65K-WP</a>	19W <b>1400LM</b> 6500K 5/6"	8
<p><b>BAFFLE</b> 4"</p>	<a href="#">RDL4-BF-27K</a>	10W <b>650LM</b> 2700K 4"	24
	<a href="#">RDL4-BF-30K</a>	10W <b>680LM</b> 3000K 4"	24
	<a href="#">RDL4-BF-35K</a>	10W <b>720LM</b> 3500K 4"	24
	<a href="#">RDL4-BF-41K</a>	10W <b>746LM</b> 4100K 4"	24
	<a href="#">RDL4-BF-50K</a>	10W <b>761LM</b> 5000K 4"	24
<p><b>BAFFLE</b> 5 1/2"</p>	<a href="#">RDL6-BF-27K</a>	18W <b>1102LM</b> 2700K 5/6"	16
	<a href="#">RDL6-BF-30K</a>	18W <b>1204LM</b> 3000K 5/6"	16
	<a href="#">RDL6-BF-30K-ORB</a>	18W <b>1204LM</b> 3000K 5/6" Oil-Rubbed Bronze	16
	<a href="#">RDL6-BF-35K</a>	18W <b>1280LM</b> 3500K 5/6"	16
	<a href="#">RDL6-BF-41K</a>	18W <b>1300LM</b> 4100K 5/6"	16
	<a href="#">RDL6-BF-50K</a>	18W <b>1350LM</b> 5000K 5/6"	16
<p><b>ADJUSTABLE EYEBALL</b> 4"</p>	<a href="#">RDL4-ADJ-41K</a>	10W <b>650LM</b> 4100K 4"	12
	<a href="#">RDL4-ADJ-50K</a>	10W <b>650LM</b> 5000K 4"	12
	<a href="#">RDL6-ADJ-50K</a>	13W <b>900LM</b> 5000K 5/6"	8

## 4" LED SQUARE TRIMS



CATALOG NO.	DESCRIPTION
<a href="#">SDL4-BF-27K</a>	10W <b>600LM</b> 2700K
<a href="#">SDL4-BF-30K</a>	10W <b>650LM</b> 3000K
<a href="#">SDL4-BF-50K</a>	10W <b>700LM</b> 5000K

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"



## SINGLE CCT LED ULTRA SLIM RECESSED LIGHTS, 120V



CATALOG NO.	DESCRIPTION
 RSL3-27K	6W 400LM 2700K
RSL3-50K	6W 420LM 5000K
RSL4-27K	9W 630LM 2700K
RSL4-30K	9W 630LM 3000K
RSL4-30K-BN	9W 630LM 3000K
RSL4-40K	9W 650LM 4000K
RSL4-50K	9W 650LM 5000K
 RSL6-40K	15W 1125LM 4000K
RSL6-50K	15W 1125LM 5000K
 RSL8-40K	18W 1300LM 4000K
RSL8-50K	18W 1300LM 5000K
RSL12-30K	24W 1800LM 3000K
RSL12-40K	24W 1800LM 4000K
RSL12-50K	24W 1800LM 5000K

## SINGLE CCT LED ULTRA SLIM RECESSED LIGHTS, 120V



CATALOG NO.	DESCRIPTION
 SSL4-50K	9W 650LM 5000K
 SSL6-27K	15W 1125LM 2700K
SSL6-30K	15W 1125LM 3000K
SSL6-40K	15W 1125LM 4000K
SSL6-MCT	15W 1125-1200LM MULTI-CCT:3000K/4000K/5000K


## 4" SINGLE CCT LED ADJUSTABLE PULL-DOWN ULTRA SLIM RECESSED LIGHTS



CATALOG NO.	DESCRIPTION
 RSL4-APD-27K	12W 700LM 2700K
RSL4-APD-50K	12W 700LM 5000K

## LED ADJUSTABLE ULTRA SLIM RECESSED LIGHTS



CATALOG NO.	DESCRIPTION
 RSL4-ADJ-27K	9W 700LM 2700K
RSL4-ADJ-30K	9W 700LM 3000K
RSL4-ADJ-40K	9W 700LM 4000K
RSL6-ADJ-30K	12W 900LM 3000K

## 2" LED RECESSED LIGHTS (Baffle)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION
 RDL2S-BF-40K-WH	8W 600LM 4000K
RDL2S-BF-50K-WH	8W 600LM 5000K

## 2" LED RECESSED LIGHTS (Baffle)(JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION
 SDL2S-BF-27K-WH	8W 600LM 2700K
SDL2S-BF-40K-WH	8W 600LM 4000K
SDL2S-BF-50K-WH	8W 600LM 5000K

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## 3" LED ADJUSTABLE (EYEBALL) RECESSED LIGHTS (JA8-E-2016 COMPLIANT)



CATALOG NO.	DESCRIPTION
 <b>SDL3S-ADJ-27K-WH</b>	8W <b>600LM</b> 2700K
<b>SDL3S-ADJ-30K-WH</b>	8W <b>600LM</b> 3000K
<b>SDL3S-ADJ-40K-WH</b>	8W <b>600LM</b> 4000K

## DUSK-TO-DAWN AREA LIGHT, 120-277V

CATALOG NO.	DESCRIPTION
 <b>LRD-EGN-10W-27K-D</b>	10W <b>700LM</b> 2700K
<b>LRD-EGN-10W-30K-D</b>	10W <b>700LM</b> 3000K
<b>LRD-EGN-10W-35K-D</b>	10W <b>700LM</b> 3500K
<b>LRD-EGN-10W-40K-D</b>	10W <b>700LM</b> 4000K
<b>LRD-EGN-10W-50K-D</b>	10W <b>700LM</b> 5000K

Junction box included with fixtures

## LED 5CCT CLOUD FIXTURE WITH PRE-INSTALLED SENSOR, 120V



CATALOG NO.	DESCRIPTION	PKG. QTY.
 <b>FCRB-16-MCT5-SEN</b>	20W <b>1400LM</b> 27K/30K/35K/40K/50K 16" DIA	8

## 12V LED DIRECTIONAL LIGHTS – ALUMINUM



CATALOG NO.	DESCRIPTION
 <b>FCS-11-12W-40K</b>	15W <b>1100LM</b> 4000K

## 12V LED DIRECTIONAL LIGHTS – ALUMINUM



CATALOG NO.	DESCRIPTION
 <b>FCR-14-18W-40K</b>	22W <b>1800LM</b> 4000K

## LED DRUM FIXTURES, 120V



CATALOG NO.	DESCRIPTION
 <b>FDL-14-20W-30K</b>	20W <b>1500LM</b> 3000K 14"
<b>FDL-14-20W-40K</b>	20W <b>1500LM</b> 4000K 14"
<b>FDL-14-MCT5</b>	20W <b>1500LM</b> 27K/30K/35K/40K/50K 14"
<b>FDL-16-25W-30K</b>	25W <b>1800LM</b> 3000K 16"
<b>FDL-16-25W-40K</b>	25W <b>1800LM</b> 4000K 16"
<b>FDL-16-MCT5</b>	24W <b>1800LM</b> 27K/30K/35K/40K/50K 16"
<b>FDL-18-30W-30K</b>	30W <b>2250LM</b> 3000K 18"
<b>FDL-18-30W-40K</b>	30W <b>2250LM</b> 4000K 18"

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## BUILDER SERIES 6" LED ECONOMY DISC LIGHT, 120V



	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>DLSE4-MCT</b>	9W <b>540LM</b> 3000K/4000K/5000K	20
	<b>DLSE6-40K</b>	15W <b>900LM</b> 4000K	20
	<b>DLSE6-50K</b>	15W <b>900LM</b> 5000K	20
	<b>DLSE6-MCT-BN</b>	15W <b>1000LM</b> 3000K/4000K/5000K	20

## LED DISC LIGHT 4" & 6" 120V (J-BOX MOUNTING)(JA8-E-2016 COMPLIANT)



	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>DLSN4-27K</b>	10W <b>600LM</b> 2700K	20
	<b>DLSN4-30K</b>	10W <b>600LM</b> 3000K	20
	<b>DLSN4-41K</b>	10W <b>600LM</b> 4000K	20
	<b>DLSN4-50K</b>	10W <b>600LM</b> 5000K	20
	<b>DLSN6-27K</b>	15W <b>1000LM</b> 2700K	20
	<b>DLSN6-30K</b>	15W <b>1000LM</b> 3000K	20
	<b>DLSN6-41K</b>	15W <b>1000LM</b> 4000K	20
	<b>DLSN6-50K</b>	15W <b>1000LM</b> 5000K	20
	<b>DLSN6-30K-BN</b>	15W <b>1000LM</b> 3000K BRUSHED NICKEL	20

## SPEC SERIES HIGH-PERFORMANCE DISC LIGHTS, 120V

DIE CAST ALUMINUM, ALL MOUNTING OPTIONS INCL.



	CATALOG NO.	DESCRIPTION	PKG. QTY.
	<b>DLS4-30K</b>	9W <b>550-600LM</b> 3000K 4"	20
	<b>DLS4-41K</b>	9W <b>550-600LM</b> 4000K 4"	20
	<b>DLS4-50K</b>	9W <b>550-600LM</b> 5000K 4"	20
	<b>DLS6-27K</b>	15W <b>950-1000LM</b> 2700K 6"	20
	<b>DLS6-30K</b>	15W <b>950-1000LM</b> 3000K 6"	20
	<b>DLS6-41K</b>	15W <b>950-1000LM</b> 4000K 6"	20
	<b>DLS6-50K</b>	15W <b>950-1000LM</b> 5000K 6"	20
	<b>DLS6-30K-BN</b>	15W <b>950-1000LM</b> 3000K BRUSHED NICKEL 6"	20

## LED PL LAMPS

	CATALOG NO.	DESCRIPTION
	<b>LPL-EB-14W-H-L-40K</b>	12W <b>1200LM</b> 4000K
	<b>LPL-MB-9W-H-40K</b>	9W <b>800LM</b> 4000K

FINAL DEALS



# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## LED T5 RETROFIT BAR WITH INTERNAL DRIVER



CATALOG NO.	DESCRIPTION	MAX RUN	PKG. QTY.
<b>T5-12IN-5W-30K-D</b>	5W <b>575LM</b> 3000K 1FT.	15'	24
<b>T5-12IN-5W-40K-D</b>	5W <b>575LM</b> 4000K 1FT.	15'	24
<b>T5-12IN-5W-50K-D</b>	5W <b>625LM</b> 5000K 1FT.	15'	24
<b>T5-22IN-9W-30K-D</b>	9W <b>1035LM</b> 3000K 2FT.	24'	24
<b>T5-22IN-9W-40K-D</b>	9W <b>1035LM</b> 4000K 2FT.	24'	24
<b>T5-22IN-9W-50K-D</b>	9W <b>1125LM</b> 5000K 2FT.	24'	24
<b>T5-47IN-16W-30K-D</b>	16W <b>1840LM</b> 3000K 4FT.	31'	24
<b>T5-47IN-16W-50K-D</b>	16W <b>2000LM</b> 5000K 4FT.	31'	24
<b>T5-6FT-PC</b>	6 FT. Plug-in Power Cord		-
<b>T5-6FT-PCS</b>	6 FT. Plug-in Power Cord with Switch		-
<b>T5-8IN-JUMP</b>	8" Linking Cable		-
<b>T5-6FT-PT</b>	6' AC Input Wire (PIGTAIL)		-
<b>T5-COUPLER</b>	Coupler		-
<b>T5-MAGSET</b>	Clip-on Secure Magnet Set		-



## LED T5 RETROFIT LAMPS WITH INTERNAL DRIVER



CATALOG NO.	DESCRIPTION	MAX RUN	PKG. QTY.
<b>T5-22IN-9W-40K</b>	9W <b>1035LM</b> 4000K 2FT	24'	24
<b>T5-22IN-9W-50K</b>	9W <b>1125LM</b> 5000K 2FT	24'	24
<b>T5-47IN-16W-40K</b>	16W <b>1840LM</b> 4000K 4FT	31'	24
<b>T5-47IN-16W-50K</b>	16W <b>2000LM</b> 5000K 4FT	31'	24
<b>T5-6FT-PC</b>	6 FT. Plug-in Power Cord		-
<b>T5-6FT-PCS</b>	7 FT. Plug-in Power Cord		-
<b>T5-8IN-JUMP</b>	8" Linking Cable		-
<b>T5-6FT-PT</b>	6' AC Input Wire (PIGTAIL)		-
<b>T5-COUPLER</b>	Coupler		-
<b>T5-MAGSET</b>	Clip-on Secure Magnet Set		-



## LED PUCK LIGHTS, 120V INTERNAL DRIVERS Surface/Recess

6Ft. Power Cord with In-Line switch



CATALOG NO.	DESCRIPTION	PKG. QTY.
<b>PL12ADJ-30K-BK</b>	4.5W <b>250LM</b> 3000K PLASTIC WHITE 1LIGHT	50
<b>PL12ADJ-40K-BK</b>	4.5W <b>250LM</b> 4000K PLASTIC BRUSHED NICKEL 1LIGHT	50
<b>PL12ADJ-50K-BK</b>	4.5W <b>250LM</b> 5000K PLASTIC BLACK 1LIGHT	50



## 12V LED DIRECTIONAL LIGHTS - ALUMINUM

CATALOG NO.	DESCRIPTION
<b>AD-130-BR</b>	5W <b>400LM</b> 3000K Bronze



FINAL DEALS

# FINAL PRODUCTION DEALS

"WHILE SUPPLIES LAST"

## WELL LIGHTS WITH SLEEVE & LED LAMPS


CATALOG NO.	DESCRIPTION
 <b>WL-105-1-BK</b>	5W 400LM 3000K
<b>WL-157-BK</b>	5W 400LM 3000K
<b>WL-157-FGBZ</b>	5W 400LM 3000K
<b>WL-181-BR</b>	5W 400LM 3000K
<b>WL-181-BZ</b>	5W 400LM 3000K

## 12V LED PATH LIGHTS


CATALOG NO.	DESCRIPTION
 <b>LAL-126-BR</b>	3W 200LM 3000K
<b>LAL-126-SIL</b>	3W 200LM 3000K

## WET LOCATION COMBINATION LED EXIT SIGN &


INCANDESCENT EMERGENCY, 120-277V, 11-3/4"(W) x 18-1/4"(H) x 3-3/4"(D)

CATALOG NO.	NUMBER OF FACES	LETTER COLOR	HOUSING	BATTERY
 <b>XT-CWP-GG-EM</b>	Single Face	Green	Gray	NiCd


## LED EMERGENCY DRIVER

CATALOG NO.	DESCRIPTION
 <b>ELB-2548-EXTR</b>	LED EMERGENCY DRIVER FOR LED PRODUCTS WITH EXTERNAL DRIVER, UL RECOGNIZED 120-277 INPUT 25W 90 ...

## SENSOR, IP66

CATALOG NO.	DESCRIPTION
 <b>MSK-IP66-KN</b>	Ultrasonic Bi-Level Outdoor Lighting Sensor Kit with DIP Switch Settings
<b>MS0-IP66-KN</b>	OUTDOOR BI-LEVEL PROGRAMMABLE MOTIONS SENSOR WITH 1/2" KNUCKLE

## EXTENSION CORD

CATALOG NO.	DESCRIPTION
 <b>EX143-25</b>	SJTW 14Awg/3C, 25 Ft, 13A, 125V, Outside Extension Cord, 10 Pcs/Ctn
<b>EX163-50</b>	SJTW 14Awg/3C, 50 Ft, 13A, 125V, Outside Extension Cord, 8 Pcs/Ctn
<b>EXL143-50</b>	SJTW 14Awg/3C, 50 Ft, 15A, 125V, Blue Outdoor Extension Cord, Lighted Plug, 6 Pcs/Ctn
<b>EXL123-50</b>	SJTW 3C/12Awg, 50 Ft, 15A, 125V, Blue Outdoor Extension Cord, Lighted Plug, 4 Pcs/Ctn

## STRAIGHT ANGLE PLUG WITH THICK VINYL INSULATION

CATALOG NO.	DESCRIPTION
 <b>DRY4</b>	Heavy-Duty Strain Relief Protects Cord Resulting In Longer Cord Life
<b>DRY5</b>	Heavy-Duty Strain Relief Protects Cord Resulting In Longer Cord Life

FINAL DEALS

# Westgate Series INDEX

WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.	WG Series	Page No.
A19	154	EL-RH	190	LCL	105	LRS-H	21	RDDF	133	SRC	92	ULR-OT-HO-COB	163
A19-FLA	156	EL-RH-WP	190	LD	169	LRS-J	21	RDDS	133	SRLE	78	ULR-OT-XHO	162
A-41	177	EL-WP	190	LDAP	150	LRS-K	24	RDJ	135	SRPL	100	ULR-OT-YHO	162
A-41-S	177	EL-ZA	189	LDL	75	LRS-L	106	RDL	136	SSL	137	ULR-RGBW	161
AA	171	EVC	65	LDSL	141	LRS-L	23	RDL-12V	135	SSLRB	137	USB2	199
AA-146	172	EW-16	190	LDS	19	LRS-M	24	RDL2S	141	SSLRB-TRM	138	UW	175
AA-RG	178	EX	199	LDSX	19	LRS-MC	25	RDL3S	141	ST19	156	VTA	44
AD	169	EXPF	48	LDSL	19	LRS-N	24	RDL3S-ADJ	141	STG	154	VTU	44
AD-018	168	EXPL	48	LDS-PIR	19	LRS-O	24	RDL4S	141	STG-RGB	158	W1B	193
AD120	39	EXPR	48	LDSW	20	LRS-P	25	RDL-ADJ	134	STG-RGBIC	158	W1C	193
AD120-017	168	FCD	146	LDSXL	19	LRS-PV	23	RDL-BF	134	STL2	52	W1D	194
AD120-018	168	FCR	143	LDSX-L	21	LRS-Q	25	RDL-ST	134	STL3	52	W2B	194
AS	174	FCRB	143	LDSX-S	20	LRS-R	23	RDL-TRMB	135	STL4	52	W2C	195
B-41	177	FCS	143	LEDDR	164	LRS-S	23	RDL-WP	134	STP	12	W2D	195
BC	177	FDL	143	LEDTFX	190	LRS-S	23	RD MF	134	T	197	W2X	195
BKH	9	FDLH	124	LESW	12	LRS-SWG	23	RDPF	133	T12-EZX-GS	119	W3B	195
BOL-42	61	FDSL	144	LESW-EM	190	LRS-T	23	RDP5	133	T5	69	W3C	195
BOL-44	61	FDLX-RGBW	158	LF12	168	LRS-TU	22	REMOOTES	64	T5-D	184	W3D	195
BOL-602	60	FEL	80	LF12V-KN	42	LRS-V	24	RHN4X	191	T5-EZ6-GS	119	WA	106
BOL-608	60	FLD2	39	LF3 SHROUD	34	LRS-WS	24	RMS	69	T5-TYPA	119	WAE	107
BOL-G2	59	FLD3	39	LF3-HL-KN	33	LRT	82	RSL	137	T8-DIM	118	WAS	160
BOL-G4	58	FLDX-RGBW	38	LF3-KN	33	LRX	44	RSL	140	T8-EZ6-GS	118	WAX	6
BOL-G4-SOLAR	57	FLH	43	LF3-TR	34	LS	174	RSL-ADJ	139	T8-EZ6-U2F	117	WCPL	101
BOL-G5	58	FLS	43	LF4 SHROUD	42	LSC	124	RSL-ADJ	140	T8-EZX-GS	117	WCPL	101
BPS	57	FLV12	41	LF4-12V	34	LSL	104	RSL-ADJ-FR	139	T8-EZX-PRO	117	WE167	177
BR30	155	FLV12	168	LF4-12V	168	LSN	103	RSL-ADJ-WP	139	T8-EZX-TB	117	WEC-MOD	64
BRL	151	FLVX	40	LF4-KN	33	LS-REPL	178	RSL-APD	139	TR-HL	119	WEC-SW	64
C	197	FLVXPRO	40	LF4PRO	29	LSS	102	RSL-APD	140	T8-HL-DIM	119	WFL	129
CAX	54	FLVX-RGBW	41	LF4PRO	35	LSW	12	RSLC	140	T8-HL-SPLIT	119	WHCX	7
CDLX	53	FLVX-RGBW	158	LFCO	35	LSWN	177	RSL-FR	139	T8-TYPB	118	WL	176
CDX	53	FMD	153	LFDX	37	LSWX	12	RSL-G2	137	T8-U2F	117	WL-3IN1	43
CG	198	FML	144	LFDXPRO	37	LTPV	73	RSL-GIM	139	TC-A19	157	WL-EZCG	43
CGL	54	FMLE	144	LFE	35	LTRB	81	RSL-JB	139	TC-E12	157	WLL	175
CL-CONST	77	FML-MCT	145	LFE-KN	32	LTRC	82	RSL-TRM	138	TC-FL	26	WMC	17
CL-EHL	76	FMLS	144	LFE-TR	33	LTRD	82	RSL-WP	137	TC-FL	157	WMC-12V	169
CL-FLT	75	FML-TRM	145	LFLD	168	LTR E	81	SCE	84	TC-FL-12V	41	WMC-RGBW	18
CL-FLTW	77	FML-UGR	145	LFLV	42	LTRP	83	SCLL	98	TC-FL-12V	157	WMC-RGBW	158
CL-HL	76	FSL	143	LFLV	173	LTRS	81	SCLP	98	TC-FL-RGBW	38	WMC5	18
CMC1	112	G10	156	LFX	30	LTV	8	SCO	90	TC-FML	157	WML2	10
CMC2	113	GL	38	LFX MOUNTING	31	LVA	127	SCP	97	TC-G25	157	WML-HL	9
CMC3	112	GL-12V	39	LFX SHROUD	31	LVB	125	SCPL	99	TC-GL-12V	41	WMQ5	18
CMC4	114	GL-12V	168	LFXE	28	LVC	126	SCPP	99	TC-GL-12V	157	WMS	11
CMC6	115	GNB	16	LFX-KN	32	LVD	126	SCR	100	TC-PAR	157	WMS-POST	61
CMC9	116	GPA	198	LFXMAX	29	LVE	126	SCX	85	TC-RDPS	157	WMV	7
CMC-RGBW	116	GPC	46	LFXPRO	28	LVF	125	SCX	86	TGL	79	WMV	8
CMC-RGBW	158	GPE	45	LFX-TR	34	LVG	127	SCX2	89	TL	179	WMXE	9
CRE	15	GPH	47	LH150	198	LVL	124	SCX-2X2	92	TR1	130	WMXE	10
CREA	15	GPL	46	LHB2	69	LVS	127	SCX4	88	TRD	131	WMXE	16
CRL	122	GPS	199	LHCX	70	LVT	176	SCX4-IP66	84	TRE	130	WPAX	6
CRLC4	120	GPX	45	LL	197	LVTE	73	SCX6	89	T-RFG	119	WPXC	7
CRLC6	121	GSX	56	LLHB	71	LVW	22	SCXA2	83	TR-MT	176	WPFX	6
CRLC8	121	GZ	156	LLHB4	72	LVW	169	SCX-BK	87	TR-TPC	176	WPMX	7
CRLE	123	GZ	177	LLHC	70	LW360	5	SCXC	92	UC	182	WPV	8
CR LX	122	HBL	77	LLVT	74	LWAX	4	SCX-DIP	92	UCA	181	WPX	7
CWLEZXT E	188	HML	49	LLVT-480V	75	LWPX	8	SCXR	90	UC-ADJ	183	WRRB	196
CWS	128	HPL	77	LLVT-8FT	73	M507C	198	SCXT	91	UCA-RGB	182	WRC	196
CXER	55	HSL	175	LMIR	128	MOTION SENSORS	63	SDL	135	UCE	181	WRE	196
CXES	55	ICF	136	LMW	11	MR11	155	SDTL	97	UCM	183	WXB	196
CXU	55	IGL	174	LOHB	43	MR16	155	SFL	97	UCR	182	WXF	196
DAB	46	IGLA	175	LOV	178	MR16	156	SFX-G7	48	UCW	182	WXR	196
DBEL	191	LA	172	LPCR	82	MR16	177	SFX-G9	49	UHL	69	XD	186
DELW	191	LA-90	177	LPF	107	MVP94	199	SFX-G9-RGB	158	UHX	66	XE	187
DISPLAY	178	LA-FMS21	177	LP-HL	79	MVP98	199	SLB	198	UHX-480V	67	XT	186
DISPLAY	185	LAL	173	LPL	154	MVP99	199	SL-D	14	UHXE	68	XT-C-ADJ	188
DLS	153	LA-STEM	178	LPNG	78	MVP99-1C	199	SLE	179	UHX-SR	67	XT-CL	188
DLS-277V	153	LA-T	177	LPNP	78	MVP99-2C	199	SLE	180	ULR-1FT	166	XTCLN4X	188
DLSE	152	LB	197	LPS	80	OFL	132	SLEA	180	ULR-1FT	167	XT-CLWP	189
DLS-MCT	152	LCFA	147	LPS	106	OUTDOOR ACCESSORIES	36	SLEB	180	ULR-2WRE	165	XT-CWP	189
DLSN	152	LCFB	150	LR	197	PAR36	155	SL-P	13	ULR-CH	164	XT-EL	187
DLS-PIR	153	LCFC	147	LR2	44	PAR36	177	SLR	105	ULR-DCJ	165	XTN4X	187
DLX	27	LCFD	149	LRD	142	PAR38	155	SLRP	69	ULR-IN-HO	159	XTSL	186
E12	156	LCFE	150	LR-ECO	44	PHOTOCONTROLS	62	SLX	13	ULR-IN-HO-COB	160	XTSL-CL	188
EL-HO	189	LCFF	146	LRP	82	PL	198	SOLA	50	ULR-IN-HO-COM-WT	161	XTU	186
EL-1	189	LCFH	150	LRS-A	23	PL12	185	SOLA-WA	50	ULR-IN-HWDR	163	XT-WP	187
EL-1D	189	LCFN	147	LRS-B	23	PL120ADJ	184	SOLF	50	ULR-IN-PIDR	163	YM	199
EL-1L	189	LCFP	149	LRS-C	23	PL12-3KIT	185	SOLN	51	ULR-IN-SO	159		
ELB	192	LCFQ	148	LRS-CR	24	PL12ADJ	185	SOLR	175	ULR-IN-XHO	160		
EL-EHO	190	LCFR	149	LRS-D	23	PL12R	184	SOLS	43	ULR-IN-YHO	160		
EL-M1	189	LCFS	148	LRS-E	21	PL12S	184	SP10KV	64	ULR-IP54-HO	161		
EL-M2	189	LCFT	148	LRS-F	21	PML	47	SPIKE	178	ULR-LENS	164		
ELN4X	191	LCFW	148	LRS-G	21	POB	101	SPL	99	ULR-OT-HO	162		

# NEED ADDITIONAL SERVICES?

## REVIEW THE BELOW LIST OF FLAT RATE SERVICES OFFERED BY WESTGATE

### Optional Add-Ons:

PART#	SERVICE DESCRIPTION	2024 Terms
<a href="#">/SR-EXTW-3YR</a>	3 years Additional Warranty	Request A Quote
<a href="#">/SR-STRG-14D</a>	Additional 14days Storage*	Request A Quote
<a href="#">/SR-STRG-30D</a>	Additional 30days Storage*	Request A Quote
<a href="#">/SR-EXPED-LTL</a>	Expedited Pallet Delivery**	Request A Quote
<a href="#">/SR-SIGN-PKG</a>	Signature Required For FedEx/UPS Delivery	Request A Quote

\* Westgate offers up to 14 days of free storage hold for your orders.

\*\*Free freight is the standard speed is at Westgate's discretion.

### Manadatory Charges:

PART#	SERVICE DESCRIPTION	2024Terms
<a href="#">/SR-RESI-D</a>	Residential Pallet Delivery fee*	Request A Quote
<a href="#">/SR-LIFT-G</a>	Lift Gate fee	Request A Quote
<a href="#">/SR-REDELIVERY</a>	Truck Re-delivery Fee	Request A Quote
<a href="#">/SR-WAIT-T</a>	Wait Fee At The Delivery Location	Request A Quote


\* The additional fee applies even if when the standard shipping is Prepaid by Westgate.

\*\*All Rates Subject to Change in 2025.

Westgate will send a new invoice referencing the original purchase order number when the additional freight charges occur after the initial invoice.

### Extend Invoice Pay Terms:

PART#	SERVICE DESCRIPTION	Cost/Invoice
<a href="#">/EXT1</a>	1-month extension	Request A Quote
<a href="#">/EXT2</a>	1-month extension	Request A Quote
<a href="#">/EXT3</a>	1-month extension	Request A Quote
<a href="#">/EXT4</a>	1-month extension	Request A Quote
<a href="#">/EXT5</a>	1-month extension	Request A Quote
<a href="#">/EXT6</a>	1-month extension	Request A Quote



## FREE LIGHTING LAYOUT DESIGN



## Online Warranty Processing



## WE CUSTOMIZE

EM, Sensor, PC, Powdercoat,  
Cold-Weather EM, Whips

Energy-efficient lighting easier and more profitable!

NO MINIMUMS

QUICK FREE SHIPPING

FRIENDLY POLICIES

\$1

[WESTGATEMFG.COM](http://WESTGATEMFG.COM)



Follow us @westgatemfg

Loving Lighting?

CALL/TEXT  
877-805-2252