

**Amarr** Rolling Sheet Commercial Doors

www.amarr.com



Perfect for most storage facilities, Amarr self-storage doors offer excellent performance and reliability at an economical price.

These easy-to-install doors are a popular choice among DIY installers of storage sheds and building projects requiring a secure opening.

All models are available in sizes starting as small as 3' wide.

# Amarr 5101, 5151, 5161

## SELF-STORAGE DOORS

## **Technical Features**

- 1. 26-gauge galvanized steel curtain (Amarr 5161 is 24 ga)
- 2. Super Durable Polyester paint provides years of fade resistance and film integrity
- 3. Clear acrylic coated galvanized steel bottom bar with full width steel angle
- **4.** Exterior dual lock assembly provides for two padlocks
- **5.** Heavy-duty galvanized steel guides hot dipped for maximum strength and rust resistance
- **6.** 9-1/2" drums are totally enclosed by the galvanized steel barrel assembly
- 7. Steel bearing shaft support
- 8. Adjustable tensioning device















The Amarr light-duty commercial sheet door is an excellent choice for projects requiring value. The enclosed barrel assembly allows this door to fit into spaces with low headroom requirements. The Amarr light-duty commercial sheet door is designed to be economical without sacrificing performance, craftsmanship, or aesthetics.

# **Amarr 5501**

## LIGHT-DUTY SHEET DOORS

## **Technical Features**

- 1. 26-gauge galvanized steel curtain
- 2. Super Durable Polyester paint provides years of fade resistance and film integrity
- Clear acrylic coated galvanized steel bottom bar with full width steel angle
- **4.** Dual galvanized steel slide bolt locks attached to the bottom bar
- 5. Heavy-duty galvanized steel guides hot dipped for maximum strength and rust resistance
- **6.** Heavy-duty nylon strapping reduces friction and ensures smooth and quiet operation
- 7. 9-1/2" drums are totally enclosed by the galvanized steel barrel assembly
- 8. Steel bearing shaft support
- 9. 16-guage wall mounting brackets
- **10.** Reduced drive chain hoist standard for doors over 10' wide or 10' high











|                         | Amarr 5101<br>formerly 5502 | Amarr 5151<br>formerly 5502-30 | Amarr 5161<br>formerly 5566 |
|-------------------------|-----------------------------|--------------------------------|-----------------------------|
| CURTAIN STEEL THICKNESS | 26 ga                       | 26 ga                          | 24 ga                       |
| DRUM/BARREL SIZE        | 9.5"                        | 9.5"                           | 9.5"                        |
| MAXIMUM WIDTH           | 10'                         | 10°                            | 8'8"                        |
| MAXIMUM HEIGHT          | 10'                         | 12'                            | 12'                         |
| GUIDE DEPTH             | 1.6"                        | 1.6" or 2.3"                   | 3"                          |
| GUIDE GAUGE             | 18 ga                       | 18 ga                          | 12 ga                       |
| WIND LOAD RATED         | No                          | Yes                            | Yes                         |
| WINDLOCK TYPE           | n/a                         | Steel                          | Steel                       |
| MIAMI-DADE WL APPROVAL  | No                          | No                             | Yes                         |

|                         | Amarr 5501<br>formerly 5536 |
|-------------------------|-----------------------------|
| CURTAIN STEEL THICKNESS | 26 ga                       |
| DRUM/BARREL SIZE        | 9.5"                        |
| MAXIMUM WIDTH           | 12'                         |
| MAXIMUM HEIGHT          | 14'                         |
| GUIDE DEPTH             | 2.3"                        |
| GUIDE GAUGE             | 16 ga                       |
| WIND LOAD RATED         | No                          |
| WINDLOCK TYPE           | n/a                         |
| MIAMI-DADE WL APPROVAL  | No                          |



The heavy-duty line of Amarr commercial sheet doors are engineered for door openings with more demanding applications. These doors are typically found on warehouse docks with up to 18' wide openings. The combination of heavy-duty sheet door features and the reduced labor requirement due to ease of install, make these doors an affordable choice for most projects.

## **Amarr 5601**

## **HEAVY-DUTY SHEET DOORS**

## **Technical Features**

- 1. 26-gauge galvanized steel curtain
- 2. Super Durable Polyester paint provides years of fade resistance and film integrity
- 3. Clear acrylic coated galvanized steel bottom bar with full width steel angle
- 4. Dual galvanized steel slide bolt locks attached to the bottom bar
- 5. Heavy-duty galvanized steel guides hot dipped for maximum strength and rust resistance
- **6.** Heavy-duty nylon strapping reduces friction and ensures smooth and quiet operation
- 7. 12" enclosed spiral barrel
- 8. Steel bearing shaft support
- 9. 12-gauge wall mounting brackets
- Reduced drive chain hoist standard for doors over 10' wide or 10' high














# HEAVY-DUTY WIND LOAD SHEET DOORS



Manufactured to protect property and products in storm prone areas, the line of Amarr heavy-duty wind load certified sheet doors has a variety of models to fit your wind load certification needs, including Miami-Dade. The smooth operation of the nylon windlocks also makes the 5652 an ideal option for most oversized commercial applications.

# Amarr 5652, 5651, 5661

## HEAVY-DUTY WIND LOAD SHEET DOORS

## **Technical Features**

- 1. 26-gauge galvanized steel curtain
- 2. Super Durable Polyester paint provides years of fade resistance and film integrity
- 3. Clear acrylic coated galvanized steel bottom bar with full width steel angle
- Dual galvanized steel slide bolt locks provide for two padlocks and added security
- 5. Heavy-duty galvanized steel guides hot dipped for maximum strength and rust resistance
- **6.** Nylon windlocks on the Amarr 5652 provide wind load protection without sacrificing ease of operation
- Steel windlocks on the Amarr 5651 and Amarr 5661 provide maximum wind load protection in extreme weather locations
- 8. Steel bearing shaft support
- 9. 12-gauge wall mounting brackets
- **10.** Reduced drive chain hoist standard for doors over 10' wide or 10' high











|                         | Amarr 5652 | Amarr 5651 | Amarr 5661<br>formerly 5651-DCC |
|-------------------------|------------|------------|---------------------------------|
| CURTAIN STEEL THICKNESS | 26 ga      | 26 ga      | 24 ga                           |
| DRUM/BARREL SIZE        | 12"        | 12"        | 12"                             |
| MAXIMUM WIDTH           | 18'        | 20'        | 12'                             |
| MAXIMUM HEIGHT          | 14'        | 14'        | 20'                             |
| GUIDE DEPTH             | 2"         | 4"         | 4"                              |
| GUIDE GAUGE             | 14 ga      | 12 ga      | 12 ga                           |
| WIND LOAD RATED         | Yes        | Yes        | Yes                             |
| WINDLOCK TYPE           | Nylon      | Steel      | Steel                           |
| MIAMI-DADE WL APPROVAL  | No         | No         | Yes                             |

## COLORS Actual paint colors may vary from samples shown. **Standard Colors** HIGH GLOSS WHITE (Formerly Glossy White) SATIN WHITE SILHOUETTE GRAY LIGHT STONE (Formerly Buckskin) SANDSTONE DESERT SAND CONTINENTAL BROWN DESERT TAN BRONZE CEDAR RED FOREST GREEN Specialty Colors\* SUNSET ORANGE SIERRA SUNSET GALVALUME SAFETY YELLOW **UB YELLOW** TANGERINE VALENTINE RED PATRIOT RED APPLE LIME COCKTAIL MAROON GS GREEN EXR WASABI **GS BLUE** SMART BLUE POLAR BLUE COLONY GREEN FERN GREEN EVERGREEN

## WARRANTY

TEAL (Formerly Light Teal) MARINE GREEN

Products guaranteed to be free from defects in workmanship and materials for a period of 1 year from date of factory shipment. There is a limited 25-year warranty on the paint and finish.


ROYAL BLUE

DARK TEAL

### OTHER COMMERCIAL DOORS AVAILABLE



Rolling Slat



Steel & Aluminum Sectional



Knock0ut

**Our Philosophy.** Since 1951, we have successfully raised the standards of quality, value, and dependability in the garage door industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering Amarr products and services that raise those standards even higher.

ULTRA MARINE BLUE FRENCH OAK

\*Price upcharge applies

Your Local Amarr Dealer:

## Entrematic

165 Carriage Court Winston-Salem, NC 27105 800.503.D00R www.amarr.com





Entrematic and Amarr as words and logos are trademarks owned by Entrematic Group AB or companies within the Entrematic Group.

Door specifications and technical data subject to change without notice.

Entrematic products may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

©Entrematic Group AB 2017. All rights reserved Printed in USA Form #6121217/10M/GVS



