

#### RITZ® 685° Silicone Heat Protection

- Flame and heat resistant up to 685°F
- Unique tread design for better grip
- Oven mitts feature 100% cotton interior
- Dishwasher safe and bleach resistant

RZS685BK10 Oven Mitt, 10" RZS685BK13 Oven Mitt, 13" RZS685BK15 Oven Mitt, 15" RZS685BK17 Oven Mitt, 17"

RZS685PMBK17 Puppet-Style Oven Mitt, 17" RZS685PHBK8 Pot Holder/Trivet, 8" x 9"

RZS685HHBK6 Handle Holder, 61/4"







Pot Holder/Trivet





Elastic headband

Black

White

Short Sleeve Chef Coats

· Features breast and thermometer pockets,

reversible closures and fold-back cuffs

10 matching pearl buttons65% polyester, 35% cotton twill

Black

**RZCBBK** 

**RZCBWH** 



**KITCHEN** 



**RZSSBKSM** 

**RZSSBKM** 

**RZSSBKLG** 

RZSSBK1X

RZSSBK2X

Small

Large

Medium

X-Large

XX-Large

RZSHIRT2X



XX-Large





#### UltiGrips® Oven Mitts & Hot Pads

- Non-slip, textured Neoprene material repels stains
- Cleans easily in sink and is machine washable
- Oven mitts feature WebGuard<sup>™</sup> for extra protection & comfort between thumb and forefinger
- Up to 500°F heat protection for 15 seconds



UPM-15BK UPM-17BK UHP77BK

UCMX-15BK Conventional Oven Mitt, 15" long UCMX-17BK Conventional Oven Mitt, 17" long Puppet Style Oven Mitt, 15" long Puppet Style Oven Mitt. 17" long Hot Pad. 7" x 7" UHP1010BK Hot Pad. 10" x 10"

## Pan Grabber Baker's Pad with Wrist Strap

- Features an extra-thick layer of terry cloth outside and a "Bestex" interior Contains an inner barrier for extra protection against steam and hot liquids
- Machine washable
- Protects up to 400°F for 15 seconds





#### **Cut-Resistant Butcher Glove**

- Stainless steel blend w/nylon cord
- ANSI Level 4 cut protection
- With Double Guard™ anti-microbial agent
- Glove fits either hand
- Available in sizes XS, S, M, L or XL

**PBS301** 

 $\epsilon$ 









#### Nitrile Dishwashing Gloves

- USDA accepted
- Made with super tough, flexible nitrile rubber
- Protects to 185°F
- Green
- · Available in sizes S, M, L or XL

**19NU** 19" long, Elbow Length



#### Rapi-Kool® Plus Rapid Cooling Utensil

- Fill-Rite™ ensures Rapi-Kool® Plus is never overfilled
- Simply fill with water and freeze
- Wide mouth gives you the option to fill with ice and water for immediate use
- Integrated cooling fins provide 50% more surface area for faster chilling
- · Constructed of tough, durable polycarbonate
- Dishwasher safe

**RCU64V2** 64 oz **RCU128V2** 128 oz





#### For Bar/Beverage Stations

**SI5000** 6-10 oz System

SI5500 Saf-T-Scoop®, 6-10 oz Scoop Only

**SI7000** 12-16 oz System

SI7500 Saf-T-Scoop®,12-16 oz Scoop Only

For Ice Machines

**SI9000** 64-86 oz System

SI9500 Saf-T-Scoop® 64-86 oz Scoop Only

Saf-T-Ice® Scoop Caddy

**SI2000** Scoop Holder, 113/10" x 91/8" x 8"





#### Saf-T-Ice® Totes & Lid

- Tri-Grip™ design makes stocking ice bins safe and easy at 3 levels: above head, at waist or below waist
   Snap-Tight™ Lid protects ice during
- Snap-Tight<sup>™</sup> Lid protects ice during remote transport, off-site catering or with portable bars (sold separately)
- with portable bars (sold separately)

  New HACCP hanger makes filling tote faster, safer and easier


\$16100 5 Gallon Shorty™ Tote

SI6000 6 Gallon Tote

(NSF.)

Handi-Hook<sup>™</sup> hangs tote upside-down on wire shelving or hanging bracket (included).







K-Type Thermocouple Kit • Range: -40° to 1000°F

Accuracy: ±2°F

Includes KM28B, PK19M penetration probe and CRS/5 protective boot







**COMARK** 

#### Waterproof Thermocouple Kit

- Range: -328° to 1112°F
- Accuracy ±1°F
- Unique BioCote® protection

C28KIT Collects, records and stores up to 65,000

temperatures · Paperless and tamper-proof data

**HACCP Touch** • Range: -99° to 999°F

Accuracy ±1°F

· Water resistant with ABS plastic rubber boot

Accepts all K-type thermocouple probes (sold separately)

HT100

## Kit includes PK19M fast penetration probe

#### Refrigerator/Freezer Thermometers

· Accuracy: ±1 division, 2°F div.

• 2.5:1 distance to spot ratio

FoodPro Plus Infrared

Thermometer & Probe

Infrared thermometer with built-in probe

· Flip-down RTD probe and integral timer

• LED target illumination for greater precision


Hangs or stands

RFT2AK Easy Reading,

Range: -20° to 80°F

FG80AK

Range: -40° to 80°F

















#### Splash-Proof Infrared Thermocouple Thermometer

- IR Range: -67° to 572°F and Thermocouple Range: -67° to 626°F
- Accuracy ±2°F
- · HACCP pass/fail light system



(NSF.)









#### Digital Thermocouple Thermometer with Folding Probe

- Range: -40° to 572°F
- Accuracy: ±2°F from 0° to 230°F
- 1.5 mm diameter stepdown probe
- · Field recalibrateable · Splash resistant

9867FDA

## TAYLOR.

#### Compact Thermocouple with Probe

- Range: -58° to 662°F
- Accuracy: ±1.8°F
- · Response time: 1 second
- Hold function
- · Field recalibrateable
- · Includes K-Type probe

9821-PB



#### Allergen Digital Pocket Thermometers



- Range: -40° to 302°F
- 5" S/S step down probe

#### 9840PRN



- Range: -40° to 500°F
- 41/2" S/S step down probe
- · Waterproof and dishwasher safe
- · Field recalibratable

#### 9878EPR

#### **Color Coded Thermometers**

- Range: 0° to 220°F
- 1" dial with 5" S/S stem
- · Pocket sleeve with built-in calibration wrench
- · Color sleeves and dial face icons

6092NPR Purple, ALLERGY 6092NBL Blue, SEAFOOD 6092NYL Yellow, POULTRY Brown, COOKED MEAT 6092NBR 6092NRD Red, RAW MEAT

6092N-FSA Set of 5 Color Coded Thermometers



Reduce risk of cross-contamination with color coded thermometers.



#### **KITCHEN**

#### Floating Thermometer

- Range: 120° to 220°F
- Sealed housing made of food
- safe stainless steel construction

   Zones for poach, simmer, scald

5933

For use in any soups, sauces and stews.

#### Non-Contact Infrared Thermometer with Laser Sight

- Range: -49° to 750°F
- Scan, Hold and Max features with blue backlight display
- Nylon case and 2 AAA batteries included
- Emissivity: Fixed 0.95
- D:S 6:1



#### Infrared Thermometer

- Range: -67° to 428°F
- Accuracy: ±1°F
- Response time: 1 second
- Distance spot 1:1
- Emissivity range -Adjustable with 0.95 default
- Mid/max/hold features
- · Protective rubber casing

9527



#### 60 Minute Mechanical Timer

- Stainless steel housing

5830



#### Digital Timer

- 99 minute/second timingCounts up or downClip/magnet/stand

5806

# TAYLOR.



#### Four Event Digital Timer

- Times 4 events simultaneously 11/4" LCD display
- · Stand or wall mountable 5839



#### Splash 'N Drop Digital Timer

- Waterproof & impact resistant
   4 volume settings
   Memory recall

#### Mechanical Portion Control Scales

- · Stainless steel construction
- Spacious removable platform

**TS32** Rotating Dial, 32 oz x 1/4 oz/

900 g x 5 g

TS32D Rotating Dial, 32 oz x 1/4 oz/

900 g x 5 g with Dashpot

TS32F Fixed Dial, 32 oz x 1/4 oz TS<sub>5</sub>

Rotating Dial, 5 lb x 1/2 oz/

2.2 kg x 20 g

TS25KL Dual Read, 25 lb x 2 oz/

10 kg x 50 g

**TS50** Rotating Dial, 50 lb x 4 oz



#### Heavy Duty Mechanical Scales

• 9" x 9" stainless steel platform

· Dual measurement oz and grams

THD32 32 oz x 1/8 oz

THD32D 32 oz x 1/8 oz with Dashpot

**THD50** 50 lb x 2 oz







#### **HD** Mechanical Receiving Scale

- 250 lb x 1 lb capacity
- 13" x 11" ribbed platform
- Press down "Lock and hold" feature

**TR250** 





#### Digital Refrigerator/Freezer Thermometer

- Range: -4° to 140°F
- · Compact size hangs, stands or attaches with magnet

1443



- Range: -20° to 60°F
- · Propylene glycol simulates food product for a more accurate reading
- · Not affected by ambient air changes
- Hangs/Stands/Sits

5927



5994



NSE

#### Classic Instant Read Thermometer

- Range of 0° to 220°F
- Durable stainless steel stem with 1" dial
- Exclusive Safe-T-Set<sup>™</sup> recalibration feature



#### **Digital Precision** Measurement Scale

- 5½" x 5.8" S/S platform
  Includes count feature
  Tare and counting features
  Field recalibratable
- Auto-off and disable auto-off features
   A/C adaptor (included) or
   4 AA batteries (not included)



**TE21P** 21 oz x 0.005 oz / 1.6 lb x 0.0002 lb/ 600 g x 0.1 g

# TAYLOR.

#### Aquatronic Digital Scale

- Black with 6" dia removable S/S platform
   Tare function
   2 AAA batteries (included)



Dry Capacity: 11 lb x 0.1 oz / 5 kg x 1 g Liquid Capacity: 175 fl oz x 0.1 fl oz / 5000 ml x 1 ml 1020NFS

## Digital Portion Control Scale

- · Wireless display head with touch-less tare
- Capacity: 30lb/15kg14" x 14" S/S platform
- Uses AC adapters (included) or AA batteries (not included)





#### Digital Portion Control Scale w/Tower Readout

- 6.7" x 6.7" S/S platform
- · Tare, hold and counting features
- · Field recalibratable

TE<sub>10</sub>T

· AC adapter (included) or 4 AA batteries (not included)



Dry Measure: 10 lb x 0.05 oz; 160 oz x 0.05 oz; 5000 g x 1 g; Liquid Measure: 169 fl oz x 0.05 oz; 5000 ml x 1 ml

#### Stainless Steel Waterproof Digital Portion Control Scale

- 6.7" x 7" S/S platform and cover with waterproof plastic sub-housing
- Tare and overload protection features
- · Hold and high/low limit features
- · Rechargeable battery and AC adaptor included

TE10SSW 10 lb x 0.005 oz/5 kg x 0.002 g

160 oz x 0.1 oz

#### Compact Waterproof Digital Portion Control Scale

- 5" x 5" S/S platform and cover with waterproof plastic sub-housing
- Tare function
- Auto-off and disable auto-off features
- Operates on AC adaptor (included) or one 9-volt battery (not included)

TE10CSW 10 lb x 0.05 oz/10 lb x 0.002 lb 160 oz x 0.05 oz/5000 g x 1 g



#### **Digital Portion Control Scales**

- Removable S/S platform with marine edge
  - · Tare and hold functions
- · Field recalibratable
- · Auto-off and disable auto-off feature when powered by batteries
- Operates on AC adaptor (included) or 2 AAA batteries (not included)

7.2" x 7.2" Platform

**TE11FT** 11 lb x 0.1 oz / 5 kg x 1 g

TE22F 22 lb x 0.1 oz or 0.2 oz / 10 kg x 2 g or 5 g

5.4" x 5.4" Platform

(NSE)

TE10FT 10 lb x 0.1 g / 5 kg x 5 g TE32FT 2 lb x 0.01 oz / 1 kg x 0.5 g

#### Digital Portion Control Scale w/Oversized Platform

- 11.5" x 9.5" S/S removable platform
- · Tare and Hold features
- · Auto off after 2 minutes of non use
- · Operates on AC adaptor (included) or 2 AAA batteries (not included)

**TE22OS** 22 lb x 0.1 oz / 11 kg x 1 g



NSF.

TE11FT

# **Digital Portion Control**

- 13.2" x 11.2" S/S platform
- · Tare and hold and counting functions
- · Auto-off and disable auto-off features
- Field calibration
- · AC adapter (included) or 4 AA batteries (not included)

50 lb x 0.5 oz / 22 kg x 0.1 kg





#### Film & Foil Dispenser

- · Heavy duty stainless steel with suction feet
- Dispenses and cuts 12" and 18" film and foil
- Made in USA

FFD-18

12" and 18"

FFD-WMB

Foil & Film Dispenser Wall Mounting Bracket

#### Electric Knife Sharpener

- Track guidance system for easier sharpening and a better edge All stainless steel housing
- Replaceable grinding wheel
- 115V or 230V
- · 3 year warranty
- Made in USA

401







- Removable S/S platform
  LCD display
  Piece count, auto zero and tare weighing functions
  Complete with AC adapter and two AA batteries

**DPS-20** 20 lb x 0.01 lb




## **Spring Tongs** with Silicone Tips

- Molded silicone tips are heat resistant and will not trap food particles
  Non-slip handles and hanging loop
  Tongs can be locked closed

STS-9HD STS-12HD





SR-2\* 32 oz x 1/4 oz, Rotating Dial

**DR-2\*** 32 oz x 1/4 oz, Rotating Dial & Air Dashpot

SR-5 5 lb x 1 oz, Rotating Dial

DF-2\* 32 oz x 1/4 oz, Fixed Dial & Air Dashpot

5 lb x 1 oz, Fixed Dial SF-5 \*All 32 oz scales are field recalibratable



(NSE)



#### Poseidon™ Heavy Duty Digital Portion Scale

- · Submersible portion scale
- · Self-calibrating feature
- Stainless steel body
- Programmable
- Six capacity display options: 10 lb x 0.1 oz, 10 lb x 0.005 lb, 10 lb x 1/8 oz, 5000g x 1g, 160 oz x 0.05 oz, 160 oz x 1/8 oz

6" x 63/4" Standard Platform







(NSE) (E

**DFG-160** 160 oz x .1 oz/160 oz x 1/8 oz/5000g x 1g

#### Grippy Cutting Boards

- Dishwasher safe
  Kits include color-coded chart with stickers
  Colored boards available in White (WH), Green (GN), Red (RD), Yellow (YL), Blue (BL), Brown (BR) and Purple (PR)

#### Colored Boards with Matching Grips

CBG1218APK4 12" x 18" x ½", HACCP® Kit 4 Pack: WH, GN, YL and RD CBG1218APK6 12" x 18" x ½", HACCP® Kit 6 Pack: WH, GN, YL, RD, BL and BR

2", NACCI" Kit o Pack. WH, GN, FE, NE, BE and PR 2", Specify Color: WH, GN, RD, YL, BL, BR, and PR 2", HACCP® Kit 4 Pack: WH, GN, YL and RD 4", HACCP® Kit 6 Pack: WH, GN, RD, YL, BL and BR **CBG1218A** 

CBG1520APK4 15" x 20" x 1

CBG1520APK6 15" x 20" x 1 **CBG1520A** 

CBG1824APK4 18" x 24" x 1/2", HACCP® Kit 4 Pack: WH, GN, YL and RD

CBG1824APK6 18" x 24" x 1/2", HACCP® Kit 6 Pack: WH, GN, YL, RD, BL and BR

CBG1824A 18" x 24" x  $\frac{1}{2}$ ", Specify Color: WH, GN, RD, YL, BL and BR

CBG912APR

White Boards With Color Coded Grips

9" x 12" x ½", Specify Color: WH, GN, RD, YL, BL 6" x 10" x ½", Specify Color: GN, RD, YL, BL CBGW912A CBGW610A

CBRS7 13% " x 3% " x 6 ", Hanging Cutting Board Rack for Cutting Boards



#### KENKUT™ 3

- · Accommodates 12" to 18" rolls up to 3,000 feet
- Offers choice of safety blade or slide cutter with integrated blade storage on lid
- · Integrated handles
- Nonslip feet or wall mountable
- Dishwasher safe

#### KK3





NEW and improved slide cutter works with film or foil.



#### Color-Coded **Cutting Boards**

• Available in Brown (BR), Blue (BU), Green (GR), Red (RD), Yellow (YW) or White (WH)

PLCB181205 18" x 12" x ½" PLCB201505 20" x 15" x ½" PLCB241805 24" x 18" x ½"



- · Fits 6 boards
- · Vinyl coated with 6 brush hooks
- KD

#### PLCBR006

12" x 91/4" x 101/4"H





#### **Cutting Board** Brushes

- · Color-coded to match cutting boards
- · Available in Brown (BR), Blue (BU), Green (GR), Red (RD), Yellow (YW) or White (WH)

#### PLCBB02

Brushes 6" x 21/2" x 2"h





#### **Professional Countertop Blocks**

- Butcher block boards made from Northern hard birch for incredible durability
- · Each board is face glued, edge grain, with butcher block construction
- 1¾" thickness

8939	12" x 18"
8935	15" x 20"
8937	18" x 24"
8936	18" x 30"







#### Saf-T-Grip<sup>™</sup> 6-Board Cutting Board System\*

- Withstands high temperature commercial washing
- · Safety hook for transport & storage
- Contains (1 ea): Red (RD), Yellow (YL) Green (GN), Brown (BR), Blue (BL) and White (WH), and a free Smart Chart

CBG1218KC 12" x 18" x ½"
CBG1520KC 15" x 20" x ½"
CBG1824KC 18" x 24" x ½"
CBG121812PR 12" x 18" x ½", NEW
Allergen-Free, Purple

\*Available as individual boards or as part of a 6-cutting board system





#### Helios™ UV Knife Sterilizer Cabinet

- Holds up to 12 knives plus steel
- Stainless steel construction
- Plexiglass door with lock
- · LED lights indicate door is closed and sterilization is in process
- · 2 large slots for cleavers
- 99% effective in 3 minutes
- 115V

**KSUV-18** Sterilization Cabinet UVKR-18 Replacement Knife Rack



Knives Not Included





# **€**dlund

#### Knife Sanitizing System

- · A complete method of liquid sanitizing, air drying and storage of knives
- The sanitizing tank allows for submersion of the entire blade
- Built-in knife rack for air drying
- KSR-5000 liquid sanitizing rack is convenient for operations using wall mounted knife racks

KSS-5050 Knife Sanitizing System KSR-5000 Knife Sanitizing Rack Only



#### Locking Knife Cabinet

• Includes removable KR-699 knife rack, keyed locking handle with interior latch, three integral padlock holes and large wall mounting holes

#### **KLC-994**

1/2" x 1613/16" x 211/2" Inside





KLC-994

Knives Not Included

(NSF.)

With back plate or open back

#### Knife Racks

- · Holds 8 chef's knives, 2 small knives, 1 steel and scissors
- · Insert is dishwasher safe

Hollow Edge - When cutting, an air pocket is

created between the hollow edge and the slice.

This prevents food from sticking to the blade and

- · Stainless steel construction
- V-slot design holds knives upright and secure

KR-699 12" Skirt and Open Back KR-700 14" Skirt and S/S Back Plate

## **KNIFE TYPES & THEIR USES**

Straight Edge - Allows a smooth and clean cut. When carving, no fibers are torn out of the meat. This edge can be used for firm and soft food like meat, vegetables and fruit.

Serrated Edge - The serrated edge allows an easy cut through crusty food like a traditional roast and crispy bread.



Fillet Knife



allows for finer slices.



Chef's Knife





**Boning Knife** Deboning chicken or ham, trimming fat and sinews.



**Utility Knife** Excellent for food preparation from cutting vegetables and meats to halving sandwiches.

**Carving Knife** Ideal for ham and large cuts of meat and for breaking down larger fruits and vegetables.

Filleting delicate fish or preparing carpaccio - it's easier with this extra thin, flexible blade.

**Bread Knife** Slices bread, delicate fruits and vegetables. Cuts through hard crust for uniform slicing.

It is the most essential of all knives used in the kitchen. Used for heavy-duty cutting, chopping, dicing and mincing.





#### Sani-Safe® Cut-Resistant Gloves

- Constructed of a combination of Spectra® fiber, stainless steel wire, and specially engineered yarn for the utmost in hand protection
- MicroGard<sup>™</sup> antimicrobial treatment
- Washable with bleach solution

 SSG1-S
 Small
 SSG1-L
 Large

 SSG1-M
 Medium
 SSG1-X
 X-Large



# WHAT MAKES A GOOD KNIFE?

**Sharpness – Most** important is how well its blade will take and hold an edge.

**Durability** – A good knife will stand up to generations of daily use without undue wear or deterioration. Especially important is a moisture-proof handle.

Hygiene – Although cutlery steel is naturally sanitary, materials and construction details of the handle should minimize crevices that offer hospitality to bacteria.



(NSF.)

#### Sani-Safe® Colored Handle Cutlery

 Color-coded handles provide a safe and sanitary way to avoid cross-contamination

 Available in Blue (C), Green (G), Purple (P), Red (R), Tan (T) and Yellow (Y)

S104PCP Paring Knife, 3¼"
S145-8PCP Cook's Knife, 8"
S145-10PCP Cook's Knife, 10"
S136N-PCP Boning/Fillet Knife, 6"

S286-8PCP† Cake Turner, Offset Blade, 8" x 3"

†Not available in Tan





#### Dexter Basics® Knives

• Stainless steel blades ground with precision for the right flexibility and stiffness for the intended job

P94816	Clip Point Parer, 3"
P94843	Tapered Parer, 31/8"
P94846	Scalloped Tapered Parer, 31/8"
P94005	Scalloped Fruit Knife, 5"
P94801	Cook's Knife, 8"
P94802	Cook's Knife, 10"
P94831	Wide Cook's Knife, 10"
P94819	Wide Boning Knife, 6"
P94824	Flexible Curved Boning Knife, 5"
P94825	Flexible Curved Boning Knife, 6"
P94823	Stiff Curved Boning Knife, 6"
P94817	Flexible Narrow Boning Knife, 5"
P94818	Flexible Narrow Boning Knife, 6"
P94820	Stiff Narrow Boning Knife, 5"
P94821	Stiff Narrow Boning Knife, 6"
P94812	Narrow Fillet Knife, 7"
P94813	Narrow Fillet Knife, 8"
P94826	Cimeter Steak Knife, 10"
P94807	Scalloped Offset Sandwich Knife, 8"
P94803	Scalloped Bread Knife, 8"



Scalloped Slicer, 10"


Scalloped Slicer, 12"



P94804 P94805

High impact, slip resistant polypropylene handles.





#### Sofgrip<sup>™</sup> Cutlery

- The standard in non-slip and comfortable design for demanding kitchen environments
- A soft rubber grip reduces stresses that may cause fatigue and wrist injuries like carpal tunnel syndrome
- Blades are manufactured from proprietary DEXSTEEL™ stain-free, high-carbon steel and are individually ground and honed
- · Most pieces available with either black or white handle

SG173SC-PCP Scalloped Sandwich Spreader, 31/2"


SG173PCP Sandwich Spreader, 3½"
SG107B-PCP Clip-point Parer, 3½"
Cook's Style Parer, 3½"
Cook's Knife, 8"
SG145-10-PCP Cook's Knife, 10"
Cook's Knife, 12"

SG144-7GEB-PCP Duo-Edge Santoku Knife, 7" SG136PCP Wide Boning Knife, 6" SG136NB-PCP Narrow Boning Knife, 6" **SG131-6PCP** Narrow Curved Boning Knife, 6" **SG133-7PCP** Narrow Fillet Knife, 7" SG133-8B-PCP Narrow Fillet Knife, 8" SG162-8SC-PCP Scalloped Bread Knife, 8" SG147-10SCB-PCP Scalloped Bread Knife, 10" SG163-9SCB-PCP Scalloped Offset Knife, 9"

SG147-10SCB-PCP
SG163-9SCB-PCP
SG158SCB-PCP
SG142-9SC-PCP
SG140-12GE-PCP
SG140-14WGEB-PCP
SCalloped Utility Slicer, 9"
Scalloped Utility Slicer, 9"
Duo-Edge Roast Slicer, 12"
Wide Duo-Edge Slicer, 14"

SG140-12PCP Slicer, 12"

SG140-12SCB-PCP Scalloped Slicer, 12"
SGS01B-CP Scalloped Slicer, 12"
Poultry/Kitchen Shears







#### V-Lo® Cutlery

- Patented state-of-the-art handle design
- DEXSTEEL<sup>™</sup> stain-free, high-carbon steel blades, individually ground and honed

(NSE)

• Protective finger guard

VS12PCP

V105PCP Paring Knife, 3½"
V105SC-PCP Scalloped Paring Knife, 3½"
V156SC-PCP Scalloped Utility Knife, 6"
V145-8PCP Cook's Knife, 8"
Cook's Knife, 10"
Cook's Knife, 12"

V144-7GE-PCP Duo-Edge Santoku Chef's Knife, 7" V136N-PCP Boning Knife, Narrow, 6" V136F-PCP Boning Knife, Flexible, 6" V162-8SC-PCP Scalloped Bread Knife, 8" V147-10SC-PCP Scalloped Bread Knife, 10" V163-9SC-PCP Scalloped Offset Bread Knife, 9" V140-12SC-PCP Scalloped Roast Slicer, 12" V140-12GE-PCP Duo-Edge Roast Slicer, 12" V158SC-PCP Scalloped Utility Slicer, 8" V142-9SC-PCP Scalloped Utility Slicer, 9"



Diamond Sharpener, 12"

V-Lo® leads professional chefs into the future with an unmatched composite handle that fuses soft comfort with firm control.



#### Traditional<sup>™</sup> Turners

**S496** Dough Cutter/Scraper, 6" x 3" **25RC-4** Forged Pan Scraper, 4"

**S242** Turner, 4" x 2"

S8698 Cake Turner, Rosewood Handle, 8" x 3"
2386C-8 Cake Turner, Beech Handle, 8" x 3"
PS8698 Perforated Turner, 8" x 3"

**LS8698** Long-Handled Turner, 8" x 3", 20" OA

\$8699 Turner, 8" x 4"

Tuillei, 6 X 4

**85869** Hamburger Turner, 6" x 5" **S242**½ Cake/Pancake Server, 4" x 2½"


**S244** Pie Server, 4½" **S245R** Pie Server, 5"





Natural Rosewood handle is secured to the blade with brass compression rivets.





#### Connoisseur® Knives

 Stain free, high carbon steel blades with edges stone ground by hand and honed to ultimate sharpness

25-3PCP	Davina Kaifa Oll	
	Paring Knife, 3"	(NS
50-3PCP	Forged Tourné Parer, 3"	
50-4PCP	Forged Paring Knife, 4"	
45-8PCP	Cook's Knife, 8"	
45-10PCP	Cook's Knife, 10"	
48-10PCP	Forged Cook's Knife, 10"	
50-6PCP	Forged Chef's Knife, 6"	
50-8PCP	Forged Chef's Knife, 8"	
50-10PCP	Forged Chef's Knife, 10"	
50-7PCP	Forged Duo-Edge Santoku Knife, 7'	
13N-6PCP	Narrow Boning Knife, 6"	
50-6N-PCP	Forged Boning Knife (Narrow), 6"	
50-6F-PCP	Forged Boning Knife (Flexible), 6"	
50-9SC-PCP	Forged Scalloped Bread Knife, 9"	
11-9PCP	Carving Knife, 9"	
40D-12PCP	Duo-Edge Roast Slicer, 12"	
62-8SC-PCP	Scalloped Bread Slicer, 8"	
28-11PCP	Forged Chef's Fork, 6", 11" Overall	
28-78PCP	Forged Bayonet Fork, 7", 12" Overa	ıll
DDC-12PCP	Diamond Knife Sharpener, 12"	



Formed, sanitary handles of laminated rosewood are secured with large brass compression rivets.

#### Traditional™ Knives

 DEXSTEEL<sup>™</sup> stain free, high-carbon steel blade with an individually ground and honed edge

\$197PCP \$1941/4R-PCP 63689-8PCP 63689-10PCP \$5198PCP \$13G6NR-PCP \$62-8RSC-PCP \$47G10PCP \$2096SC 418SC \$46912PCP \$28961/2PCP

Clip Point Paring Knife, 3" Cook's Style Paring Knife, 31/4" Cook's Knife, 8"

Cook's Knife, 10" Chinese Chef's Knife, 8" x 31/4"

Narrow Boning Knife, 6" Scalloped Bread Slicer, 8" Curved Scalloped Bread Knife, 10"

Scalloped Slicer, 6"

Scalloped Slicer, 8", Walnut Handle

Scalloped Slicer, 12"

Cook's Fork, 61/2", 131/2" Overall



Features natural rosewood handle.



#### Black Fibrox Pro Cutlery

- High carbon stainless steel blades with taper ground & beveled edges
- Patented Black Fibrox® handles are NSF approved, dishwasher safe and slip resistant
- Comes with a lifetime guarantee!
- The Fibrox® handle has an ergonomic design and a gritty finish for increased safety when the handle is wet or greasy

**40600\*** Paring Knife, 31/4"

40602\* Paring Knife, Wavy Edge, 31/4"

48042\* 3-Piece Paring Set: 31/4" Parer w/Spear Point,

21/4" Bird's Beak Parer and 31/4" Wavy Edge Parer w/Spear Point

 40552
 Chef's Knife, 5"

 40570
 Chef's Knife, 6"

 40520
 Chef's Knife, 8"

 40521
 Chef's Knife, 10"

 40522
 Chef's Knife, 12"

40556 Chef's Knife, Wavy Edge, 5" 40720 Chef's Knife, Wavy Edge, 7½" 41529 Santoku Knife, Granton Edge, 7" 40511 Stiff Narrow Boning Knife, 6" 40515 Semi-Stiff Curved Boning Knife, 6"

**40539** Cimeter Knife, 10"

40549 Bread Knife, Wavy Edge, 8"

40547 Curved Bread Knife, Wavy Edge, 101/4"

 40550
 Offset Bread Knife, 9"

 40645
 Slicing, Granton Edge, 12"

 40646
 Slicing, Granton Edge, 14"

 40580
 Round Steel, Regular Cut, 10"

\*Nylon Handle









#### Rosewood Handle Cutlery

· High carbon stainless steel blades with taper ground & beveled edges

 One piece natural rosewood handles are ergonomically designed to minimize wrist tension

40027 Stiff Chef's Knife, Wavy Edge, 7½"
40020 Chef's Knife, 8"

40021 Chef's Knife, 10"

41527 Santoku Knife, Granton Edge, 7" 40040 Curved Bread Knife, 101/4"





#### **KITCHEN**

#### High Heat Turners & Fork

- Ergonomic handle withstands heat up to 450°F
- Durable, professional stainless steel blade

A. KT63681T Turner, Perforated, 8" x 3" B. KT63682 Turner, Square, 8" x 3" KT63683T Turner, 8" x 3" KT63685T Turner, Square End, 6" x 3" KT63687 Hamburger Turner, 5" x 4" KT63688 Turner, 8" x 4" C. KT63725 Fish Turner, Slotted, 61/2" x 3" KT63731 Turner, Flex, 4" x 3" KT63732 Turner, Beveled, 4" x 3"








#### PerformanceSHIELD 2 Cut Resistant Gloves

- · Unique elastic over banding in cuff for comfort and safety
- FDA & USDA approved materials with antimicrobial yarns
- Comfortable, durable, flexible and ambidextrous
- · Washable and bleach-safe

Bulk	Packaged	
83501	86501	X-Small, Gold Band
83502	86502	Small, Red Band
83503	86503	Medium, Green Band
83504	86504	Large, White
83505	86505	X-Large, Black Band

#### Shellfish Collection

- Large SuperGrip handles
- The perfect knives for getting into and prying open shellfish



A. 44692 Oyster Knife, Providence Style, 23/4", Red Handle B. 44693 Oyster Knife, New Haven Style, 23/4", Red Handle C. 44694 Oyster Knife, Boston Style, 3", Narrow, Red Handle D. 44695 Oyster Knife, Galveston Style, 4", Red Handle E. 44696 Oyster Knife, Boston Style, 4", Regular, Red Handle F. 286.9006.08 Clam Knife, 31/4", Blue Handle

Clam Knife, 31/2", Blue Handle

#### 7-Pc. Cutlery Roll Set

· Set includes: Paring Knife, Boning Knife, Slicer, Bread Knife, Chef's Knife and Steel

· Canvas knife roll

G. 286.9007.09





46149 w/Fibrox Handles

46047 w/Rosewood Handles (not shown)



#### PerformanceFIT 1 Cut Resistant Gloves

· Dynema and spandex 13 gauge construction for exemplary fit and feel

Antimicrobial


· Keep your fingers safe while working in the kitchen

· One-size fits most

· Easy-to-spot neon colors

86300.O Orange 86300.Y Yellow 86300.G Green 86300.P Pink





#### **Professional Cutlery**

A. W5601-31/4\* Chef's Style Paring, 31/4" B. W0547-4 Spear Point Paring, 4"

C. W0547-4E Spear Point Paring, Serrated, 4"

W5622-6E∆ Utility, Serrated, 6" E. W5610-8\* Chef's, 8" W5610-10\* Chef's, 10" F. W5610-10E Chef's, Serrated, 10"

W5604-7GE\* Santoku, Granton Edge, 7" W5615-61/4 Extra-Wide Stiff Boning, 61/4" I. W5607-6\* Curved Semi-Stiff Boning, 6" J. W5614-6 Narrow Stiff Boning, 6" W5613-8 Narrow Flexible Fillet, 8"

W5625-8 Butcher, 8" W5625-10 Butcher, 10" M. W5626-71/2

Bread, Serrated, 71/2" N. W5621-10 Curved Bread, Micro-Serra, 10" O. W5620-9E\* Offset Sandwich, Serrated, 9"

W5627-8E Slicer, Serrated, 8" W5627-10E\* Slicer, Serrated,10"

Q. W5627-12 Slicer, 12"

R. W5627-12GE Slicer, Granton Edge, 12" \*Also available in food safe colors red, blue, green, yellow and black

ΔAlso available in food safe colors black or green









NEW: All Mundial knife handles (excluding wood products) now have the extra safeguard of Sanitized Antimicrobial Protection, which guards against bacterial growth.

#### Cooking Accessories

A. W5697 Dough Cutter & Scraper, 6" x 3" W5688E-31/2\*\* Sandwich Spreader, Serrated, 31/2" Sandwich Spreader, 31/2" W5688-31/2 C. W5650-8 Baker's Icing Spatula, 8" W5650-10 Baker's Icing Spatula, 10" D. W5694 Pie Server, 21/4" x 41/2" W5680-61/2 Cleaver, 61/2" E. W5692-4 F. Griddle Scraper, 4" W5689 G. Mini Turner, 21/2" W5687 H. Steak & Hamburger Turner, 5" x 4"

W5685 Square End Turner, 6" x 3"

W5683\*\* Turner, 8" x 3"

W5681 Perforated Turner, 8" x 3"

K. 4687M† Steak & Hamburger Turner, 5" x 4", Wood Handle 4688M† Hamburger Turner, 6" x 5", Wood Handle 4689L+ Steak Turner, 8" x 4", Wood Handle 4684M† Long Handled Turner, 8" x 3", Wood Handle

M. W5654-12 Pot Fork, 12"


N. 4654-22† Broiler Fork, 22", Wood Handle O. 3311-12† Diamond Sharpening Steel, 12" 3303-12† Sharpening Steel, 12" P. 3313-14+ Sharpening Steel, 14"

Q. 666† Take-A-Part Kitchen Shears R. W5691-4† Pizza Cutter, 4"

**†Not NSF Approved** 

\*\* Also available in food safe colors red. yellow and black







#### Advanced Forged Professional Cutlery

- True forged blade; one piece full tang steel forged from high carbon German steel
- · Black POM handle
- NSF Listed

A. KFP-35 Paring Knife, 31/2"

B. KFP-50 Utility Knife, 5"

C. KFP-60 Chef Knife, 6"

KFP-80 Chef Knife, 8" **KFP-100** Chef Knife, 10"

KFP-120 Chef Knife, 12"

D. KFP-70 Santoku Knife, 7"

E. KFP-61 Boning Knife, 6"

F. KFP-82 Bread Knife, 8" G. KFP-83 Offset Bread Knife, 8"

H. KFP-81 Slicer, 8"

I. KFP-101 Granton Edge Slicer, 10"

J. KFP-102 Fish/Roast Slicer w/Granton Edge, 10"

K. KFP-71 Carving Fork, 7"







#### Black & White Handled Turners

- Stainless steel turners and spatulas with stain free ergonomic handles
- Polypropylene handleDishwasher safeNSF Listed

A. T\_P-31 Sandwich Spreader, 35/8" | x 11/4" w Blade

B. T PO-4 Offset Spatula, 31/2"I x 3/4"w Blade

T\_PO-7 Offset Spatula, 61/2" x 15/16" w Blade

T\_PO-9 Offset Spatula, 8½"l x 1½"w Blade

C. T PS-4 Bakery Spatula, 4"I x 3/4"w Blade

Bakery Spatula, 4 | x ½ w Blade
Bakery Spatula, 7½% 6"| x 1½" w Blade
Bakery Spatula, 10"| x 1½%" w Blade
Scraper, 4½"| x 3½%" w Blade
Scraper, 4½"| x 4" w Blade
Steak/Burger, 4½"| x 4½" w Blade
Turner, 2"| x 2½" w Blade T\_PS-7

T PS-9

D. T P-32

T P-40

E. T\_P-41

T\_P-30

T P-42

T\_P-61

Turner, 2"I x 21/4" w Blade

Turner, 8"I x 4" w Blade

Hamburger Turner, 51/8" I x 27/8" w Blade

Flexible Turner, 81/4" I x 27/8" w Blade

Flexible Turner, 81/4" I x 23/8" w Perforated Blade


Grill Spatula, 41/4" I x 23/8" w Blade

Fish Spatula, 63/4" I x 31/4" w Blade

Fish Spatula, 63/4" I x 31/4" w Blade

T\_P-60

T P-51



#### Stainless Steel Mesh Gloves

- · Lightweight and non-corrosive
- Antimicrobial wrist strap
- · Cut resistant level 5

PMG-1S Small, White Strap PMG-1M Medium, Red Strap PMG-1L Large, Blue Strap





(NSE)

Snap and cinch fastener detail



Mesh detail



#### **Ergonomic Kitchen Tools**

- Made of stainless steel with a comfortable non-slip soft grip handle
   Dishwasher safe
   NSF listed

**VP-316** 



VP-300	Straight Edge "Y" Peeler
VP-301	Serrated Edge, "Y" Peeler
VP-302	Julienne Peeler
VP-303	Straight Peeler
VP-304	Serrated Edge Straight Peeler
VP-305	Apple Corer
VP-306	Zester/Lemon Peeler
VP-307	Melon Baller
VP-308	Tomato Stem Corer
VP-309	Cheese Plane
VP-310	Butter Curler
VP-311	Grater with Small Holes
VP-312	Grater with Medium Holes
VP-313	Grater with Large Holes
VP-314	Oyster/Clam Knife, 211/16" Blade
VP-315	Small Pizza Cutter, 21/2" Wheel



Large Pizza Cutter, 4" Wheel



#### Firm Grip™ Utensils

- Patented, ergonomic soft grip handles · Non-slip grips provide
- comfort and safety
- · Made of durable stainless steel
- · Dishwasher safe





E5627 Hand Can Opener В. E5626 Pizza Cutter, 4" Wheel C. E6607 Soft Grip Poultry Shears D. E6606\* Kitchen Shears, Take Apart E. E5613 **Bagel Cutter** F. E5612 Fluted Melon Baller Garnishing Knife G. E5610 H. E5609 **Double Pastry Cutter** I. E5608 Grapefruit Knife

K. E5620 E5607 M. E5606 E5605 N. Ο.

P.

Q.

E5618 Paring Knife, 31/2" Mini Chef's Knife, 41/2" Tomato Stem Corer Apple Corer Melon Baller E5604 Zester/Lemon Peeler E5603 Cheese Plane E5602 "Y" Peeler, Straight Edge

E5602-SE "Y" Peeler, Serrated Edge

S. E5602-JU Julienne Peeler T. E5601 Straight Peeler, Straight Edge U. **E5601-SE** Straight Peeler, Serrated Edge E5619 ٧. Ice Cream Disher W. E5617 Grater, Large Holes E5616 X. Grater, Medium Holes Y. E5615 Grater, Small Holes Z. E5614 Garlic Press

Canacity

#### Standard Length Color-Coded Squeeze Dishers

- · Provides perfect portion control
- For right or left handed users
- Standard length handles work with all steam table pan depths
- Color coded for easy size identification
- · Not recommended for use with ice cream, frozen foods or other hard food products



	SIZE	COIOI	Capacity	Lengui
47404	100	Orange	.33 oz	71/2"
47403	70	Plum	.47 oz	73/4"
47402	60	Pink	.54 oz	73/4"
47401	50	Terracotta	.65 oz	77/8"
47400	40	Orchid	.72 oz	77/8"
47399	36	Mushroom	.94 oz	81/4"
47398	30	Black	1.13 oz	81/4"
47397	24	Red	1.52 oz	81/2"
47396	20	Yellow	1.8 oz	83/4"
47395	16	Royal Blue	2 oz	81/8"
47394	14	Sky Blue	2.4 oz	9"
47393	12	Green	2.8 oz	91/8"
47392	10	Ivory	3.2 oz	91/4"
47391	8	Gray	3.7 oz	91/4"
47390	6	White	4.7 oz	95/8"
47389	5	Teal	6 oz	9¾"
47388	4	Orange	8 oz	101/16"

Color

Siza

#### One-Piece Heavy Duty Spoodle® Utensils

- Heavy-duty, one-piece construction
- · Capacities clearly stamped on shaft
- Equipped with all natural antimicrobial protection
- Mirror finished 20 gauge S/S shafts and bowls resistant to corrosion
- Nylon handle is heat resistant to 450°F





Outperform every day.

#### (NSE.)

#### Black Handle Spoodle® Round Bowl

Solid	Perf.	Cap.	Length
6433120	6432120	1 oz	123/16"
6433220	6432220	2 oz	1211/16"
6433320	6432320	3 oz	131/16"
6433420	6432420	4 oz	135/16"
6433520	6432520	5 oz	131/2"
6433620	6432620	6 oz	13¾"
6433820	6432820	8 oz	<b>14</b> 3/16"
Oval Bowl			
Oval Bowl Solid	Perf.	Cap.	Length
	Perf. 6422120	Cap. 1 oz	Length 12½"
Solid			_
Solid 6412120	6422120	1 oz	121/2"
Solid 6412120 6412220	6422120 6422220	1 oz 2 oz	12½" 13½"
Solid 6412120 6412220 6412320	6422120 6422220 6422320	1 oz 2 oz 3 oz	12½" 13½" 13½"
Solid 6412120 6412220 6412320 6412420	6422120 6422220 6422320 6422420	1 oz 2 oz 3 oz 4 oz	12½" 13½" 13½" 13½" 13¹¾6"
Solid 6412120 6412220 6412320 6412420 6412520	6422120 6422220 6422320 6422420 6422520	1 oz 2 oz 3 oz 4 oz 5 oz	12½" 13½" 13½" 13½" 13½" 14½"



## Color-Coded Spoodle®

	-
Round Bowl	
Solid	Perf.

Solid 6433230 6433335 6433445	Perf. 6432230 6432335 6432445	Color Blue Ivory Gray	Cap. 2 oz 3 oz 4 oz	Length 12 <sup>11</sup> / <sub>16</sub> " 13 <sup>1</sup> / <sub>16</sub> " 13 <sup>5</sup> / <sub>16</sub> "
6433655	6432655	Teaĺ	6 oz	13¾"
6433865	6432865	Orange	8 oz	<b>14</b> 3/16"
Oval Bowl				
Solid	Perf.	Color	Cap.	Length
Solid <b>6412230</b>	Perf. 6422230	Color Blue	Cap. 2 oz	Length 131/16"
6412230	6422230	Blue	2 oz	131/16"
6412230 6412335	6422230 6422335	Blue Ivory	2 oz 3 oz	13½" 13½"
6412230 6412335 6412445	6422230 6422335 6422445	Blue Ivory Gray	2 oz 3 oz 4 oz	13½" 13½" 13⅓16"

#### Multi-Pack Color-Coded **NSF Utility Tongs**

• Includes 6 color-coded tongs – one each of black, blue, red, yellow, tan and green

#### 4780911 91/2" long



#### One-Piece Color-Coded Kool-Touch® Utility Tongs

- Springless design eliminates bacteria-
- prone food traps
  Kool-Touch® color-coded handles are
  heat resistant to 180°F and have all

natural antimicrobial protection		1	TOUR THE POLICE
		*USA MADE	NSE
Scalloped	VersaGrip®	Color	Length
4780920	4790920	Black	9½"
4781220	4791220	Black	12"
4781620	4791620	Black	16"
4780930	4790930	Blue	91/2"
4781230	4791230	Blue	12"
4781630	4791630	Blue	16"
4780940	4790940	Red	91/2"
4781240	4791240	Red	12"
4781640	4791640	Red	16"
4780950	4790950	Yellow	91/2"
4781250	4791250	Yellow	12"
4781650	4791650	Yellow	16"
4780960	4790960	Tan	91/2"
4781260	4791260	Tan	12"
4781660	4791660	Tan	16"
4780970	4790970	Green	91/2"
4781270	4791270	Green	12"
4781670	4791670	Green	16"











SHEET PANS SOLD SEPARATELY

#### Plastic Sheet Pan Covers

- · Snap-on fit
- Fits most standard aluminum sheet and display pans
- Dishwasher safe

90PSPCFL Full Size 90PSPCHF Half Size 90PSPCQT Quarter Size



## Opti Squeeze™ Citrus Juicers

 Requires up to 50% less force than existing squeezers, producing the same yield of juice

• High-end, color coded metal design

8928 For Squeezing Limes, Light Green8927 For Squeezing Lemons, Yellow8929 For Squeezing Oranges, Orange

Enameled Cast Aluminum Citrus Squeezers

Always get pure juice without any seeds or pulp
Enameled surface resists pitting and corrosion

Color coded for easy identification

8643 For Limes, Light Green8645 For Lemons, Yellow8646 For Oranges, Orange



OODSERVICE, LLC

6080 WITH

KNOB FOLDED

## ring-A-Way® Can Openers

- · A large crank makes opening cans effortless
- · Longer handles provide greater leverage
- Black swing grips for comfort, style and performance
- Swing-A-Way® Extra Easy Crank Can Opener – knob folds down for easy storage

6080 Swing-A-Way® Extra Easy Crank 6090 Swing-A-Way® Easy Crank

#### Magnetic Measuring Spoons & Cups

- Stainless steel, magnetic handles keep sets nested together
- Spoons have a non-stick finish and reversible heads for liquid and dry
- Cups have triangular shaped heads with flat edge for scooping ingredients

**8942** 4 Piece Measuring Spoon Set **8943** 4 Piece Measuring Cup Set



#### Ice Cream Dishers

• One piece plastic handle

Made with 18/8 stainless steel to prevent corrosion

· Color coded for no guess size

Available in Triangle handle (P) or EZ Grip (G)

**SLDS206** #6, 51/3 oz, White SLDS208 #8, 4 oz, Grev **SLDS210** #10, 31/4 oz, Ivory **SLDS212** #12, 23/3 oz, Green **SLDS216** #16, 2 oz, Blue **SLDS220** #20, 1% oz, Yellow SLDS224 #24, 11/3 oz, Red **SLDS230** #30, 1 oz, Black SLDS240 #40, 3/4 oz, Orchid





TRIANGLE



EZ GRIP



#### Stainless Steel Mixing Bowls

• Heavy duty stainless steel - 0.8 mm

SLMB201 34 qt SLMB204 4 qt SLMB207 13 gt SLMB202 1½ qt SLMB205 5 qt **SLMB208** 16 at **SLMB203** 3 qt **SLMB206** 8 qt SLMB209 20 qt

#### Quantum 2 Baking Pans · Non-stick coating • 24 gauge aluminized steel withstands temperatures up to 500°F Double coat · Wire-in reinforced rim • Folded body construction



Loaf Pans HLF-100 For 1 lb loaf HLF-150 For 1 1/2 lb loaf Cake Pans HSCP-0808 HRCP-1309

Square, 8" x 8" x 21/4" Rectangular, 13" x 9" x 21/4" Rectangular, 18" x 12" x 3"



#### Aluminum Cake Pans

- · Heavyweight, 16 gauge
- · Straight sided

HRCP-1812

• Extended 1/2" flange for easy and safe handling

ACP-1212 Square, 12" x 12" x 2" ACP-0913 Rectangular, 9" x 13" x 2" ACP-0913



#### Pie Plates


Aluminum

APPL-9 9" dia APPL-10 10" dia


#### **GUIDE TO STEAM PANS**


Complete flexibility for steam table service is available through a wide range of sectional pans which includes: Full Size, 1/2 Size, 1/2 Size, 1/2 Long Size, 1/3 Size, 1/4 Size, 1/6 Size, 1/8 Size. All are made to fit both 197/8" x 117/8" or 20" x 12" openings. Standard depths are  $2 \ensuremath{\rlap{1}/\!\!\!2}\xspace$  ,  $4\ensuremath{\rlap{"}}\xspace$  and  $6\ensuremath{\rlap{"}}\xspace$  . This extensive line makes countless combinations available for meeting specific individual requirements.



















Adapter bars in 12" or 20" lengths are needed when your arrangement gives unsupported corners. A variety of lid sizes and types are available.

#### **Aluminum Sheet Pans**

- · Closed bead with galvanized wire for rust resistance and reinforcement
- Open bead can be used as a roast pan
- Perforated holes are ½" diameter

Closed Bead

ALXP-1013 Quarter Size, 20 Gauge **ALXP-1318** 

Half Size, 20 Gauge

ALXP-1318P Half Size, Perforated, 18 Gauge

ALXP-1622 Two-Third Size, 19 Gauge **ALXP-1826** Full Size, 18 Gauge

ALXP-1826P Full Size, Perforated, 18 Gauge

ALXP-2618H Full Size, 16 Gauge

Open Bead - Heavy Duty

ALXP-1200 Full Size, 12 Gauge,

**NSF** Listed



ALXP-1200

ALXP-1318P

**KITCHEN** 

#### Revolving Cake Stand

- 12" turntable
- Heavy cast iron base with a non-slip silicone bottom

CKSR-12



- SPJL 25 gauge
- SPJH Heavy weight 22 gauge
- · Anti-jamming design

Standard Wt	Heavy Wt	
Full Size - 203	4" x 12¾"	
SPJL-102	SPJH-102	2½"d
SPJL-104	SPJH-104	4"d
SPJL-106	SPJH-106	6"d
Half Size - 103	/8" x 12¾"	
SPJL-202	SPJH-202	2½"d
SPJL-204	SPJH-204	4"d
SPJL-206	SPJH-206	6"d
Third Size - 67	/s" x 12¾"	
SPJL-302	SPJH-302	2½"d
SPJL-304	SPJH-304	4"d
SPJL-306	SPJH-306	6"d

(NSF,) Standard Wt Heavy Wt Fourth Size - 105/16" x 65/16" SPJL-402 SPJH-402 21/2"d SPJL-404 SPJH-404 4"d SPJL-406 **SPJH-406** 6"d Sixth Size - 61/8" x 65/16" SPJL-602 SPJH-602 21/2"d SPJL-604 SPJH-604 4"d SPJL-606 **SPJH-606** 6"d Ninth Size - 63/4" x 41/4" SPJL-902 SPJH-902 21/2"d SPJL-904 **SPJH-904** 4"d

**Winco** 



#### Super Pan V®

- 22 gauge, 300 series stainless steelReinforced corners for extra durability

- Anti-jamming design
   Flat edge and corners keep pans tight in well

Steam Table Pans			
Full Size - 20	)¾" x 12¾"		
30022	21/2"d	8.3 qt	
30022 30042	4"d	14 qt	
	6"d	21 qt	
Two-Thirds S	Size – 13%"	x 12¾¹	
30122	2½"d	5.6 qt	
30142	4"d	9.3 qt	
	6"d	14 qt	
Half Size – 1			
	2½"d	4.3 qt	
		6.7 qt	
	6"d	10 qt	
Half Size Lor	-		
	21/2"d	3.8 qt	
		6 qt	
	6"d	8.7 qt	
Third Size -			
	21/2"d		
30342		4.1 qt	
	6"d	6.1 qt	
Fourth Size -			
	21/2"d		
30442	4"d	3 qt	
	6"d	4.5 qt	
Sixth Size -			
	2½"d		
30642	4"d	1.8 qt	
30662	6"d	2.7 qt	

Ninth Size - 67/8" x 41/4"			
30922	2"d	.6 qt	
30942	4"d	1.1 qt	
Steam Table I	Pan Covers	3	
Flat Slotted			
75210	Full Size		
75220	Half Size		
75230	Third Size		
75240	Fourth Siz	е	
75260	Sixth Size		
75460	Ninth Size		
Flat Solid			
77250	Full Size		
75110	Two Third	s Size	
75050	Half Size I	_ong	
75120	Half Size	_	
75130	Third Size		
75140	Fourth Size		
75160	Sixth Size		
75360	Ninth Size		
Adaptor Bars			
75012	12 <sup>15</sup> / <sub>16</sub> " x 1	" x 1/4"	
75020	20 <sup>15</sup> / <sub>16</sub> " x 1	" x 1/4"	



**■USA** MADE





#### Food Pans


- Suitable for a wide range of temperatures and uses Camwear® Polycarbonate Pans withstand temperatures from -40° to 210°F, while our H-Pans™ accommodate -40° to 300°F
- · Ideal for use in microwaves or steam tables

Camwear®	H Pan™	
Full Size		
12CW	12HP	21/2" Deep
14CW	14HP	4" Deep
16CW	16HP	6" Deep
18CW	_	8" Deep
10PPCWSC	_	Seal Cover
10CWD	10HPD	Drain Shelf
Half Size Long	3	
22LPCW	22LPHP	21/2" Deep
24LPCW	24LPHP	4" Deep
Half Size		
22CW	22HP	21/2" Deep
24CW	24HP	4" Deep
26CW	26HP	6" Deep
28CW	_	8" Deep
23CLRCW	23CLRHP	Colander, 3" Deep
25CLRCW	25CLRHP	Colander, 5" Deep
20PPCWSC	_	Seal Cover
20CWD	20HPD	Drain Shelf
Third Size		
32CW	32HP	21/2" Deep
34CW	34HP	4" Deep
36CW	36HP	6" Deep
38CW		8" Deep
33CLRCW	33CLRHP	Colander, 3" Deep
35CLRCW	35CLRHP	Colander, 5" Deep
30PPCWSC		Seal Cover
30CWD	30HPD	Drain Shelf

Fourth Size		
42CW	42HP	21/2" Deep
44CW	44HP	4" Deep
46CW	46HP	6" Deep
40PPCWSC	_	Seal Cover
40CWD	40HPD	Drain Shelf
Sixth Size		
62CW	62HP	21/2" Deep
64CW	64HP	4" Deep
66CW	66HP	6" Deep
63CLRCW	63CLRHP	Colander, 3" Deep
65CLRCW	65CLRHP	Colander, 5" Deep
60PPCWSC	_	Seal Cover
60CWD	60HPD	Drain Shelf
Ninth Size		
92CW	92HP	21/2" Deep
94CW	94HP	4" Deep
90PPCWSC		Seal Cover
90CWD	90HPD	Drain Shelf









#### Food Storage Boxes

- Available in clear polycarbonate and white polyethylene in all standard sizes
- Clear containers withstand temperatures of -40° to 210°F, while poly containers for use in coolers and freezers withstand -40° to 160°F


Willistand -40 ld	1001		
Containers			
Clear	Poly		
12183CW	12183P	12" x 18" x 31/2", 1.75 Gal	
12186CW	12186P	12" x 18" x 6", 3 Gal	
12189CW	12189P	12" x 18" x 9", 4.75 Gal	
18263CW	18263P	18" x 26" x 31/2", 5 Gal	
18266CW	18266P	18" x 26" x 6", 8.75 Gal	
18269CW	18269P	18" x 26" x 9", 13 Gal	
182612CW	182612P	18" x 26" x 12", 17 Gal	
182615CW	182615P	18" x 26" x 15", 22 Gal	
Covers			
1218CCW	1218CP	12" x 18", Flat	
1218SCCW	_	12" x 18", Sliding Lid	
1826CCW	1826CP	18" x 26", Flat	
1826SCCW	_	18" x 26", Sliding Lid	
Accessories			
1218DSCW	Drain Shelf for 12" x 18" Food Boxes		
1826DSCW	Drain Shelf for 18" x 26" Food Boxes		
1826CLRCW	Colander for 18" x 26" x 6" Food Boxes		
18268CLRCW	Colander for 18" x 26" x 9" or 15" Food Boxes		
18268CLRKIT*	Colander Kit		
StoreSafe® Food	Rotation Lab	els	
1252SLB250	Bulk Pack, 11/4" x 2", 24 Rolls of 250		
23SL	Blister Pack,	2" x 3", 20 Rolls of 100	
23SLB250	Bulk Pack, 2'	' x 3", 24 Rolls of 250	
23SLB6250	Bulk Dispenser Pack, 2" x 3", 6 Rolls of 250		
*Includes an 182680	CLRCW, 18269C	W and 1826SCCW	

#### Anti-Jam Steam Pans

- Heavy-duty construction made to endure busy kitchen activity
- Made with true gauge 18/8 stainless steel









#### **Bus Boxes**

- Heavy duty with molded-in handlesMade of high density polyethyleneAnti-jam

- Anti-jam
   Available in Gray (G), Black (B) and White (W) freezer safe


PLBT005 5" Bus Box PLBT007 PLBTC001 Bus Box Lid








· Shatter and scratch resistant



- Easy to clean and dishwasher safe
- Withstands temperatures from -40°F to 212°F · Lids and drain shelves are sold separately
- Available in Clear and Black (BK)





Ninth Size 4" Deep

**Drain Shelves** PLPA7000DS Full Size PLPA7120DS Half Size PLPA7130DS Third Size PLPA7140DS Quarter Size PLPA7160DS Sixth Size Lids PLPA7000C Full Size Solid PLPA7000CS Full Size Slotted PLPA7120C Half Size Solid PLPA7120CS Half Size Slotted PLPA7130C Third Size Solid PLPA7130CS Third Size Slotted PLPA7140C Quarter Size Solid PLPA7140CS Quarter Size Slotted PLPA7160C Sixth Size Solid PLPA7160CS Sixth Size Slotted PLPA7190C Ninth Size Solid

(NSE)





#### SaferFood Solutions™ WideMouth™ Squeeze Bottle Dispensers

- · Safety in food prep and storage
- Cleanability and sanitation assured
- Increases efficiencies within your operation
- Leakproof "soft" polyethylene PerfectFlex™ for fast prep
- Custom color tops available, 5,000 minimum per color
- 63mm opening



N<sub>2</sub>0C N63BBQ

20 oz WideMouth™ Squeeze Bottle Dispenser BBQ Brush. Fits 20 oz and 24 oz SaferFood Solutions<sup>™</sup> Squeeze Bottle Dispensers

N20CBBQ BBQ Brush Dispensing System, Includes 20 oz SaferFood Solutions™ Squeeze Bottle Dispenser & BBQ Brush

#### Non-Slip Utility Tongs

· Stainless steel

Locking Utility Tongs-Silicone Tips & Grip

SLTHUT610 9" long SLTHUT612 12" long Utility Tongs—Silicone Tips SLTHUT507 7" long



#### Polycarbonate Utensils

• Available in Beige (BG), Black (BK), Clear (CL), Green (GR), Red (RD) and White (WH)



One Piece Ladles

PLOP009 8½". ¾ oz PLOP010 10½", 1 oz PLOP013 13", 1 oz Serving Spoons

PLSS111 11" Solid PLSS113 11" Perforated **PLBS010** 10", 34 oz Solid **PLBS110** 10", 34 oz Perforated

Flat Grip Tongs PLFTG006 PLFTG009 PLFTG012 12" Scallop Grip Tongs PLSGTG006 6" PLSGTG009 9" PLSGTG012 12"

WHITE

CLEAR



#### Square Food Storage Containers

- These storage containers are a great way to keep your food fresh
- Lids sold separately
   Available in Shatter-Resistant Polycarbonate (PC) or Durable Polypropylene (PP)

PLSFT002 2 at PLSFT012 12 at PLSFT018 PLSFT004 4 at 18 at PLSFT006 6 qt PLSFT022 22 qt PLSFT008 8 qt

Covers

PLSFT0204C 2 qt & 4 qt, Green PLSFT0608C 6 qt & 8 qt, Red PLSFT121822C 12 qt, 18 qt & 22 qt, Blue



#### Round Food Storage Containers

RED

(NSF.)

BLACK

PLRFT001PC 1 qt PLRFT002PC 2 qt PLRFT004PC 4 qt PLRFT006PC 6 qt PLRFT008PC 8 qt PLRFT012PC 12 qt PLRFT018PC 18 qt PLRFT022PC 22 at

PLRFC0001PC Fits 1 qt PLRFC0204PC PLRFC0608PC Fits 6 & 8 qt PLRFC121822PC Fits 12, 18 & 22 qt



#### StorPlus™ Food Pans & Smart Lids™

• Polycarbonate construction resists food acids and oils

 Clear polycarbonate tolerates -40° to 212°F · Food pans also available in polypropylene, ask for more infomation

- Reinforced corners
- Spoonable bottoms
- · Capacity indicators
- Dishwasher safe
- Smart Lids<sup>™</sup> are perfect for transporting foods to off-site locations
- · Lids are dishwasher safe, for use in -40° to 180°F
- Food pans available in Black (03) and Clear (07)
- Smart Lids are available in Blue (60)



Full Size - 203/4" x 123/4"

10200B	2½"d	7.6 qt
10201B	4"d	12.7 qt
10202B	6"d	19.4 qt
10203B	8"d	25.9 qt
10215	Drain Shelf	
10212B*	Smart Lid	
One-Half Size	- 12¾" x 10¾"	

10220B 21/2"d 3.6 qt 10221B 4"d 5.6 qt 10222B 6"d 8.7 qt 10223B 8"d 11.4 qt

Drain Shelf 10235 10232B\* Smart Lid \*NOT NSF


30660 21/2"d 2.4 qt 30661 4"d 3.8 qt 30662 6"d 5.7 qt 30670 Drain Shelf 30580\* Smart Lid

One-Fourth Size - 101/4" x 63/8" 30680 2½"d

1.7 qt 30681 4"d 2.8 qt 30682 6"d 4.0 qt 30695 Drain Shelf 30581\* Smart Lid

One-Sixth Size - 63/4" x 63/8" 30683 21/2"d 1.1 qt 30684 4"d 1.7 qt

30685 6"d 30689 Drain Shelf 30582\* Smart Lid





#### Chef Series™ Basting Brushes

- Wood handled
- Epoxy-set, white boar bristles can withstand temperatures up to 500°F
- Long Reach brushes have 12" handles bent at a 45° angle to keep



#### **Broiler Brush**

- · One side is extra stiff bristles for stubborn grill residue
- · The other side is semi-stiff bristles to clean sides of grill grates

2.5 at

• 30" wood handle



40403 2" wide Bristle

40405







#### StorPlus™ Square Food Storage Containers


- · Capacity indicators are listed in both quarts and liters,
- Clear polycarbonate withstands temperatures from -40° to 212°F
   White polyethylene containers withstand temperatures from -40° to 180°F

Dalvas	do o o o t o	Dalvethylane	
Polycal	bonate	Polyethylene	
10720		10730	2 qt
10721		10731	4 qt
10722		10732	6 qt
10723		10733	8 qt
10724		10734	12 qt
10725		10735	18 qt
10726		10736	22 qt
Lids			
10740	Fits 2 & 4	qt Containers,	Forest Green
10741	Fits 6 & 8 qt Containers, Red		
10742	Fits 12, 18	& 22 qt Conta	ainers, Blue



10763

Round	Containers
& Lids	



 Tight double-sealing polypropylene lids

(NSF.)

- Molded-in capacity indicators in quarts and liters
- · Stacking shoulder prevents jamming
- Dishwasher safe



Container,	1	qt	
Container,	2	qt	
Cantainar	1	at.	

- 10764 Container, 4 qt 10765 Container, 6 qt 10766 Container, 8 qt 10767 Container, 12 qt Container, 18 qt 10768
- 10769 Container, 22 qt 10770 Lid For 1 qt Container, Clear 10771 Lid For 2 & 4 qt Container,
  - Forest Green
  - 10772 Lid For 6 & 8 qt Container, Red
  - 10773 Lid For 12,18 or 22 qt Container,

Blue

#### Polypropylene Block Kitchen Brushes

- · Lightweight, break resistant, soak-proof plastic handles are perfect for clean-up in a foodservice environment
- · Grips and bristles are designed to work in the most comfortable positions and provide the most efficient cleaning
- Cutting board brush is available in White (02), Yellow (04), Red (05), Green (09), Blue (14) and Tan (25)
- Utility brushes available in White (00)

#### **Cutting Board Brush**

40521 6" long w/Polyester Bristles

**Utility Brush** 

40546 8" long w/Medium Stiff Polyester Bristles

40545 8" long w/Medium Stiff Polyester Bristles and Bent Handle

40542 8" long w/Medium Stiff Nylon Bristles 40500 20" long w/Medium Stiff Nylon Bristles



#### Food Storage Boxes

- · Clear polycarbonate provides easy visibility, superior resistance to food acids and oils - withstands temperatures from -40° to 212°F
- White polyethylene offers economical storage and transport withstands temperatures from -40° to 180°F
- All sizes stack for easy, efficient storage fits standard carts and racks
- · Lock-Tight lids are reversible and stackable



Polycarbonate	Polyethylene	
10610	10630	Box, 12" x 18" x 31/2"
10611	10631	Box, 12" x 18" x 6"
10612	10632	Box, 12" x 18" x 9"
10620	10640	Box, 18" x 26" x 31/2"
10621	10641	Box, 18" x 26" x 6"
10622	10642	Box, 18" x 26" x 9"
10623	10643	Box, 18" x 26" x 12"
10624	10644	Box, 18" x 26" x 15"
10617	10637	Lid, 12" x 18"
10627	10647	Lid, 18" x 26"
10628	10648	Colander, 18" x 26" x 5

#### **Food Containers** • Clear polycarbonate can withstand -40° to 210°F • White polyethylene and translucent containers withstand -40° to 160°F CamSquare® Containers Translucent 2SFSPP White Poly 2SFSCW 2 qt 4SFSCW 4SFSPP 4 qt 6SFSCW 6SFSPP 8SFSCW **8SFSPP** 8SFSP 8 qt 12SFSCW 12SFSP 12SFSPP 12 qt 18SFSCW 18SFSPP 18SFSP 18 qt 22SFSCW 22SFSPP 22SFSP 22 qt CamSquare® Lids **Poly Covers** Seal Covers SFC2 SFC2SCPP Fits 2 & 4 qt Fits 6 & 8 qt SFC6SCPP SFC6 SFC12 SFC12SCPP Fits 12, 18 & 22 qt **Round Containers** Clear Translucent White Poly Cap RFSCW1 RFS1PP RFS1 1 qt RFSCW2 RFS2PP RFS2 2 qt RFSCW4 RFS4PP RFS4 RFSCW6 RFS6PP RFS6 RFS8PP RFSCW8 RFS8 RFSCW12 RFS12PP RFS12 12 qt RFSCW18 RFS18PP RFS18 18 qt RFSCW22 RFS22PP RFS22 22 qt Seal Lids Camwear® Lids Poly Lids RFSCWC1 RFS1SCPP RFSC1 Fits 1 qt Fits 2 & 4 qt RFSCWC2 **RFS2SCPP** RFSC2



#### Ingredient Bins

RFSCWC6

RFSCWC12

- · Fits under standard work tables
- Body is made of FDA-accepted poly so no liners are needed

RFS6SCPP

Polycarbonate lids are transparent to easily identify the contents

RFS12SCPP RFSC12

RFSC6

Fits 6 & 8 qt

Fits 12, 18 & 22 qt

• 3" casters, 2 fixed and 2 swivel



IBS20Slant Top Bin, 21 GallonIBS27Slant Top Bin, 27 GallonIB32Flat Top Bin, 32 GallonIBS37Slant Top Bin, 37 GallonIB36Flat Top Bin, 34 GallonIBSF27Sliding Flat Top Bin, 27 GallonIB44Flat Top Bin, 42.5 Gallon

#### Camwear® Solid Serving Spoons

- Unbreakable polycarbonate
- Wide handle with a notched back to rest on pans and a hole for hanging

SPO8CW SPO10CW SPO11CW SPO13CW Salad Spoon, 81/8" Buffet Spoon, 101/4" Deli Spoon, 111/8" Deli Spoon, 131/8"

#### Camwear® Scoops

NSF.

- Unbreakable polycarbonate
- Dishwasher safe
- Clear (135)

SCP6CW 6 oz SCP12CW 12 oz SCP24CW 24 oz SCP64CW 64 oz

64 oz

Won't dent, chip or rust and the sure grip handle won't break off.



- High heat material is safe up to 300°F
- Use to toss and serve cold or hot food
- · Also available in flat grip

6TGS 6" 9" 12TGS 12"



(NSE)


105



- Advanced super clasp lidClear, see-thru plastic
- front cover
- 3" caster wheels with brakes
- Scoop handle designed to remain out of ingredients to prevent cross contamination
- NSF

**IB-21** 21 gallon **IB-27** 27 gallon





- Stackable
- One-handed access even when stacked
- · Scoop handle designed to remain out of ingredients to prevent cross contamination
- NSF

IB-2S 2 gallon, 40 cup Capacity 5 gallon, 80 cup Capacity

IB-10S 10 gallon, 150 cup Capacity





#### **COOLER TEMPERATURE RANGE**

#### Store Outside Cooler

Potatoes Onions Tomatoes Lemons Bananas Limes

#### Door Front 40° - 45°F

Melons Green Beans Citrus Cucumbers Cantaloupe Eggplant Pineapple Avocados

**Red Potatoes** Peppers Summer Squash

#### Middle 35° - 39°F

Squash Herbs Zucchini Pears **Sprouts** Parsley Green Onions

#### Back 33° - 35°F

Artichokes Grapes Corn Asparagus Peaches Kiwi Broccoli Radishes Leaf Lettuce Carrots Apples Mushrooms Cauliflower Apricots Strawberries Celery Blueberries Cherries Cabbage

# Food Pans & Covers **Winco**

#### Polycarbonate Food Storage Boxes

boxes available BPA freeNSF

Many Sizes Available

Polycarbonate



Choose from 6" to 15"

#### Thermalloy® Professional Stainless Steel Cookware

- Stainless steel with an aluminum sandwiched bottom
   Stay Cool ergonomic handle is riveted for added strength
   Induction ready
   Covers sold separately
   Limited Lifetime Warranty



# **∧**Thermalloy

Stock Pots		Covers
57 23908	8.3 qt, 8½" dia	57 24122
57 23910	9.6 qt, 9½" dia	57 24124
57 23912	12 qt, 10¼" dia 16 qt, 11" dia 20 qt, 12½" dia 24 qt, 13¼" dia	57 24126
57 23916	16 qt, 11" dia	57 24128
57 23920	20 qt, 121/2" dia	57 24132
57 23924	24 qt, 131/4" dia	57 24134
57 23932	32 qt, 131/4" dia	57 24134
57 23940	40 qt, 17¾" dia	57 24145
	60 qt, 19½" dia	
57 23980	80 qt, 19½" dia	57 24150
57 24000	80 qt, 19½" dia 100 qt, 19½" dia	57 24150
Sauce Pans		Covers
57 24032	2 qt, 61/4" dia	57 24116
57 24033	3.5 qt, 7¾" dia	57 24120
	4.5 qt, 7¾" dia	
57 24036	6 qt, 81/2" dia	57 24122
57 24037*	7.6 qt, 9½" dia	57 24124
57 24040*	7.6 qt, 9½" dia 10 qt, 11" dia	57 24128
* Has helper handle		



Fry Pans		
Natural Finish	Excalibur®	
Stainless	Non-stick	Covers
57 24048	57 24058	8" dia
57 24050	57 24060	9½" dia
57 24051	57 24061	11" dia
57 24052*	57 24062*	12" dia
57 24054*	57 24064*	14" dia

\* Has helper handle

#### Thermalloy® Professional Aluminum Fry Pans

- Constructed of durable, 8 gauge aluminum
- · Deep sided to make stirring and turning contents easier
- · Designed to sit flat on the burner
- Includes removable silicone sleeves, heat-resistant to 572°F

#### Thermalloy® 2-Ply Aluminum Fry Pans

- Stainless interior and aluminum exterior
- Non-drip edge
- Silicone handle is heat resistant to 410°F
- Available in Natural or Excalibur® Non-Stick



(NSE)



Natural Finish 58 13807 58 13808 58 13810 58 13812 58 13814	7" dia 8" dia 10" dia 12" dia 14" dia	Eclipse® Non-Stick Finish 58 13827 58 13828 58 13830 58 13832 58 13834
58 13814	14" dia	58 13834











#### Pasta Cooker Set





#### Induction Ready Fry Pans

- New hybrid version of aluminum fry pan is bonded with stainless steel plate to allow for use with induction cooktops
- 3003 aluminum body is ideal for quick and even heat distribution
- Ergonomic comfort handle, heat resistant up to 500°F
- Can also be safely used with gas ranges
- · Available in natural and non-stick finish
- NSF



- Thicker handles made lifting and carrying heavy pots easier

#### Heavy-Duty Aluminum Sauce Pans

• 3003 aluminum · Available Natural and Non-Stick · Covers also available NSF (NSF.) **Winco** 



#### Wear-Ever® Fry Pans

- Heavy duty impact resistant 3004 aluminum with SteelCoat x3<sup>™</sup> non-stick interior
- TriVent® silicone handle is oven safe to 450°F

\*Gauge is same for SteelCoat x3™ and PowerCoat2™

- EverTite™ riveting on handle offers lifetime warranty against loose rivets
   Made without PFOA's

Non-Stick Coating - Silicone Handles				
SteelCoat x3™	PowerCoat2 <sup>™</sup>	Top Dia	Gauge*	Covers
67607	67807	7"	8	67327
67608	67808	8"	10	67312
67610	67810	10"	8	67509
67612	67812	12"	8	67521
67614	67814	14"	6	67541
Non-Stick Coat	ing - Plated Hand	dles		
SteelCoat x3™	PowerCoat2™			
67627	67007	7"	8	67327
67628	67008	8"	10	67312
67630	67010	10"	8	67509
67632	67012	12"	8	67521
67634	67014	14"	6	67541
Natural Finish				
Silicone Handle	s Plated Handle	s		
67907	67107	7"	8	67327
67908	67108	8"	10	67312
67910	67110	10"	8	67509
67912	67112	12"	8	67521
67914	67114	14"	6	67541



TriVent Handles



## Wear-Ever® Classic Select® Heavy-Duty Cookware • Manufactured from heavy-duty impact resistant 3004 aluminum • Double thick top and bottom for durability and even heat distribution • Solid welded heavy-duty aluminum handles • TriVent® Silicone insulated handle – rated to 450°F for stovetop

- or oven use
  2 gauge 1/4" thick
  Covers feature all natural antimicrobial handle





Outperform every day.	GUARANTEED FOR LIFE			
		Flat	Domed	
Stock Pots	Description	Covers*	Covers*	
68616	15 qt, 10" ID	67509	67409	
68620	20 qt, 12" ID	67521	67421	
68624	25 qt, 12" ID	67521	67421	
68633	32 qt, 13" ID	67533	67433	
68640	40 qt, 14" ID	67541	67441	
68660	60 qt, 16" ID	67561	67461	
68680	80 qt, 18" ID	67581		
68690	100 qt, 20" ID	67691	67491	
68700	120 qt, 20" ID	67691	67491	
Sauce Pots				
68408	8½ qt, 10" ID	67509	67409	
68413	12 qt, 12" ID	67521	67421	
68414	14 qt, 12" ID	67521	67421	
68420	20 qt, 13" ID	67533	67433	
68426	26 qt, 14" ID	67541	67441	
68434	34 qt, 16" ID	67561	67461	
68444	44 qt, 18" ID	67581		
68460	60 qt, 20" ID	67691	67491	
100				

			Flat	Domed
Braziers		Description	Covers*	Covers*
68215		15 qt, 14" ID	67541	67441
68218		18 qt, 16" ID	67561	67461
68224		24 qt, 18" ID	67581	
68228		28 qt, 20" ID	67691	67491
Sauté Pans	(Silicone Ha	andles)		
68733***		3 qt, 10" ID	67509	67409
68735		5 qt, 12" ID	67521	67421
68737**		7½ qt, 14" ID	67541	67441
Sauce Pans	S***			
Silicone	Plated		Flat	Domed
Handles	Handles	Description	Covers*	Covers*
69442	69402	2½ qt, 7¼" ID	67327	67427
69444	69404	4½ qt, 7⅓6" ID	67312	67412
69446	69406	6½ qt, 10" ID	67509	67409
69448	69408	8½ qt, 10" ID	67509	67409
	ncluded in Wa	ırranty		
**Includes he ***6 gauge	nper nandie			
<del>o g</del> uugo				



Silicone	Plated	Тор		
Handles	Handles	Dia	Gauge	Covers
Fry Pans - N	latural Finish			
69807	69207	7"	10	69327
69808	69208	8"	10	69328
69810	69210	10"	8	69410
69812	69212	12"	8	69412
69814	69214	14"	6	69414
Fry Pans - Ceramiguard® II Finish				
69107	69607	7"	10	69327
69108	69608	8"	10	69328
69110	69610	10"	8	69410
69112	69612	12"	8	69412
69114	69614	14"	6	69414



	Description	Gauge	Covers	
Stock & Sauce Pots				
77780	41/2 qt, 9" ID	8	69329	
77519	6 qt, 9" ID	8	69329	
77520	8 qt, 10" ID	8	69410	
77521	12 qt, 12" ID	8	69412	
77522	16 qt, 12" ID	8	69412	
77523	22 qt, 14" ID	8	69414	
Braziers				
77760	10 qt, 12" ID	8	69412	
77761	15 qt, 14" ID	8	69414	
Sauce Pans - S	Silicone Insulated Ha	ndle		
77739	1½ qt, 6" ID	10	69325	
77740	21/2 qt, 7" ID	8	69327	
77741	31/2 qt, 8" ID	8	69328	
77742	4½ qt, 9" ID	8	69329	
77743*	7 qt, 10" ID	8	69410	
Sauté Pans - Silicone Insulated Handle				
77744	2 qt, 8" ID	8	69328	
77745	3 qt, 10" ID	8	69410	
77746*	6 qt, 12" ID	8	69412	
77747*	7½ qt, 14" ID	8	69414	
Stir Fry Pans - Silicone Insulated Handle				
77750	4¾ qt, 11" ID	8	68121	
77754	103/32 qt, 14" ID	8	69414	
* With Handle Helper				



(NSE)







**Fry Pan** 

- Curved side walls for easy stirring and sliding food out of the pan
- · Ideal for frying, scrambling, sautéing or searing
- Sloped sides prevent steam from forming in the pan



Sauté Pan

- Wide bottom area for maximum heat conduction
- · Ideal for sautéing, searing, deglazing, poaching, and stir frying
- Straight, tall sides help contain food and expose all sides to heat and minimize splattering




Stir Fry Pan

- · Ideal for stir frying or wok applications
- Deep curved sides promote excellent food movement
- Flat bottom sits level on cooking surface as opposed to a wok's rounded bottom



Saucier

- Hybrid sauce pan and fry pan
- · Sauté, brown, poach, create a stir-fry and build a sauce
- Curved sides allow for thorough and efficient whisking of ingredients




Straight Sided Sauce Pan

- Wide bottom area for maximum heat conduction
- Ideal for creating and reducing sauces and cooking vegetables
- Use with a lid to control evaporation and accelerate cooking




Tapered Sauce Pan

- Small bottom diameter for less heat exposure
- Flared sides allow for good stirring action
- Ideal for cooking at lower temperatures for a longer time




Brazier/Rondo

- Wide heating surface allows cooking in limited amounts of liquid
- Ideal for long, slow cooking, which allows the liquid to add juices and flavor
- Also used as a hot bath in conjunction with tapered sauce pans for melting butters, heating sauces or for blanching vegetables
- Its large diameter and short side walls make it a great multi-use pot



Sauce Pot

- Wide bottom area for maximum heat conduction
- Ideal for slow cooking stews, sauces, soups, casseroles and roasts while reducing the content
- Two loop handles for easier pouring and movement
- Sauce pots are shorter and wider than stock pots, making it easier to work over the pot



Stock Pot

- Thick base for a good slow simmer
- Ideal for stocks, soups, pastas, bulk vegetables and seafood
- Smaller diameter and taller height of pot preserves liquids longer and forces the liquid to bubble up through the ingredients, maximizing flavor transfer



Griddle

- Wide flat bottom for maximum cooking area
- Designed to heat or brown foods
- Ideal for eggs, grilled cheese, quesadillas and sandwiches



- Before using for the first time, remove all labels and wash in hot soapy water to remove any manufacturing lubricants
- Never leave cookware on heat source without food or liquid inside.
   Overheating in this manner may cause warping or delamination of metal layers and could void warranty.
- For safety and to prevent warping, allow cookware to cool before cleaning or immersion in water.
- All cookware will last longer and look better if washed by hand with hot soapy water. Always scrub in the direction of the material grain. Rinse thoroughly and allow to air dry completely.
- Use of plastic, wooden or rubber utensils is recommended.

- If label adhesive remains on cookware, wipe off with WD-40 and clean with warm soapy water.
- To remove white film caused by starch or water minerals, rub with sponge that has been dipped in lemon juice or vinegar, then wash with hot, soapy water.
- To remove food burnt to the bottom of cookware, boil a mild solution of vinegar and water for 10 minutes to dislodge food particles.
- Direct contact with salt can cause pitting.
   Add salt to boiling water to dissolve it.
- Salt solutions, acidic products like tomatoes, disinfectants, or bleaches can corrode cookware. Never store these items in cookware and avoid prolonged exposure.

#### SPECIFIC COOKWARE TIPS

#### **Non-Stick Coatings**

on new cookware.

Allow non-stick coating to cool before cleaning. Hand wash in hot soapy water and dry immediately to preserve appearance. Use a non-woven scouring pad to remove burnt food. Avoid using abrasive cleaners, metal scouring pads, and strong solvents. When stacking pans, place liners between pans to avoid scratching non-stick surfaces.

#### **Carbon Steel Cookware**

Pans are shipped with mineral oil applied to the pan. Wipe down oil and clean the pan using hot soapy water. Dry immediately. After each use, clean and season. Wipe the inside and outside of the pan with unsalted cooking oil or shortening to prevent oxidation. The pan will turn a dark color as seasoning occurs after repeated use.

#### Seasoning Non-Coated Aluminum and Stainless Steel Cookware

Season cookware before its first use. Clean and dry cookware. Spray the inside of the pan lightly with vegetable oil or use a small amount of shortening. Place cookware on burner at medium for 5-10 minutes, until light smoke or heat waves appear. When the oil/shortening turns a deep amber color, turn the burner off and allow to cool. Pour out liquid oil/shortening and wipe down pan with paper towels until all oil/shortening is removed. Cleaning with a mild soapy solution after each use will not affect the "seasoning" of the pan. This procedure may be repeated as often as needed without damaging the cookware.

#### Removing Discoloration from Aluminum Cookware

Boil a solution of two tablespoons of cream of tartar to each quart of water in the cookware for ten minutes.

#### **COOKWARE - USE & CARE**

#### Stainless Steel

Stainless steel cookware is exceptionally durable. It won't corrode or tarnish and its hard, non-porous surface is resistant to wear and scratching. Stainless steel cookware is usually made by combining stainless with other metals such as aluminum or copper to improve its heat conductivity.

**Use and Care:** Stainless steel is one of the easiest materials to clean and keep clean. Washing and light scouring will remove soil and stubborn burns. As with aluminum cookware, long exposure to acidic or salty foods should be avoided to prevent pitting.

#### Copper

Copper's uniform heat conductivity makes it a good material for top-of-range cooking because the heat is distributed evenly. Copper cooking surfaces are usually lined with stainless steel or coated with a nonstock finish since foods left directly in contact with uncoated copper may become discolored.

**Use and Care:** Copper can be easily polished with various commercial copper cleaners.

#### Cast Iron

The key properties of cast iron are its heat retention and heat distribution. It allows for precise control of cooking temperatures and provides even cooking without hot spots. Cast iron is also extremely durable and will last for generations. **Use and Care:** Cast iron cookware should be seasoned before using. Wash it with warm water, then apply a thin coat of vegetable oil and place in a 350° oven for about an hour. Over time, the cookware will darken to a black patina, a lasting non-stick finish.

#### Induction

With induction cooking, heat is induced into the cookware, not transferred to it by the cooktop. An electromagnetic coil beneath the ceramic cooking surface creates a magnetic field which heats the cookware and its contents. The cookware must therefore have magnetic properties. Most types of induction cookware consist of several layers of different substances, usually stainless steel for its strength and magnetism and aluminum for its conductivity.

Use and Care: As with traditional stainless steel cookware, washing and light scouring will keep the cookware clean and attractive. If the surface is stainless steel (rather than a non-stick coating) care should be taken with acidic and salty foods to avoid pitting.

#### Aluminum

Aluminum cookware is very popular because it is an excellent conductor of heat. Heat spreads quickly and evenly across the bottom, up the sides and across the cover to completely surround the food being cooked. Aluminum is also lightweight, so that even large pans are relatively easy to handle. **Use and Care:** After use, aluminum cookware should be allowed to cool before washing or soaking in order to safeguard against warping. Acidic foods (especially tomato-based sauces) and undissolved salt may cause pitting of the surface. Aluminum may stain when it comes in contact with minerals in water and foods. Automatic dishwashing may increase the amount of staining due to the high heat of the drying cycle. Therefore, hand washing may be preferable.



#### Stainless Steel Cookware

- Constructed of durable 18/8 stainless steel with a heavy-duty encapsulated base
- Extra strength and superior heat distribution
- · Induction ready



#### THUNDER GROUP®

Fry Pans SLSFP008 8" SLSFP009 91/2" SLSFP011 11" SLSFP012

With Helper Handle, 12" SLSFP014 With Helper Handle, 14" Fry Pans w/Quantum II Coating

SLSFP108 SLSFP109 91/21 SLSFP111 11"

SLSFP112 With Helper Handle, 12" SLSFP114 With Helper Handle, 14"

Braziers w/Cover

SLSBP015 15 qt SLSBP020 20 qt SLSBP025 25 qt SLSBP030 30 qt Saute Pans w/Cover & Helper Handle

100 qt

SLSAP030 3 qt SLSAP050 5 qt SLSAP070 7 qt Stock Pots w/Lid SLSPS008 8 qt SLSPS012 12 qt SLSPS016 16 qt SLSPS020 20 qt SLSPS024 24 qt SLSPS032 32 qt SLSPS040 40 qt SLSPS060 60 qt SLSPS080 80 qt

SLSPS100

ALSKFP102C

ALSKFP103C

ALSKFP104C

ALSKFP105C

8"

10"

12"

14"

Double Boilers w/Cover (3 Piece Set)

SLDB008 8 qt **SLDB012** 12 qt **SLDB016** 16 at **SLDB020** 20 qt

Pasta Cookers w/Cover (3 Piece Set)

SLSPC012 12 qt SLSPC020 20 qt Sauce Pans w/Cover SLSSP020 2 qt SLSSP035 31/2 qt SLSSP045 41/2 qt SLSSP060 6 qt

With Helper Handle, 7.6 qt SLSSP076 SLSSP100 With Helper Handle, 10 qt





#### Japanese Jin-Ping Woks

• Extra strength steel with reinforced sandwiched welding and one-piece handle



#### Wood Handle Woks

· Professional iron wok made to last with wooden handle



#### Made in Taiwan



#### Taiwan Woks

· Heavy-duty iron wok 14"



#### T-Fal Non-Stick Woks

· Heavy carbon steel wok with wooden handles

TF001 12"

TF002 14", w/Helper Handle



#### Curved Rim Woks

- · Heavy iron wok with handles
- · Curved rim prevents drips

IRWC001 19" IRWC002 211/2" IRWC003 24" IRWC004 26" IRWC005 28¾"



#### Wooden Spoons & Asian Style Rolling Pins

Spoons

**WDSP012** 12" **WDSP014** 14" **WDSP016** 16" **WDSP018** 18"

Rolling Pins BANP001

1" dia x 12" BANP002 1" dia x 14"



#### China Caps & **Bouillon Strainers**

China Caps

SLKCP008 8" Coarse S/S SLKCP010 SLKCP012 SLKCP108 SLKCP110 SLKCP112 12" Fine S/S

Bouillon Strainers
SLKCP208 8" SLKCP210

SLKCP208R

SLKCP210R



#### Stainless Steel Colanders

Heavy duty stainless steel - 0.8 mm

Colanders

SLIL001 SLIL002 SLIL003 SLIL 004

Perforated Mixing Bowls SLMBP075

SLMBP200 Chinese Colanders

SLMBP150

SLCIL15S

SLCIL11L SLCIL11S 13", 4.5 mm Holes 13", 2.0 mm Holes 15", 4.5 mm Holes SLCIL13L SLCIL13S SLCIL15L

Chinese Colanders



#### Stainless Steel Steamers

• Commercial grade, 18/8 stainless steel · Stackable compartments for multi-level cooking



SLSTM010 SLSTM010C SLSTM018 SLSTM018C SLSTM018R Steamer, 10" Cover, 10" Steamer, 18" Cover, 18" Ring, 18"

SLSTM020 SLSTM020C SLSTM020R SLSTM022 SLSTM022C

SLSTM022R

Steamer, 20" Cover, 20" Ring, 20" Steamer, 22" Cover, 22" Ring, 22"

Perforated



#### 4-In-1™ Digital Timer

- 4 countdown timers with memory recall feature 10-hour countdown with hour, minute and second adjustment
- Water-resistant keypad and housing
  Antimicrobial housing
  Large ¾" high LCD display
  9V battery included or optional AC adaptor

151-7500

#### Basket Border™ Fryer Basket Divider

- · Converts a standard fryer basket into a multicompartment basket
- Fits most baskets with 53/4" to 65/16" top width and 47/8" minimum bottom width

226-1132



#### Pre-Rinse Baskets

- Fits standard 20" x 20" pre-rinse sink
- Type 304 stainless steel

102-1125 102-1151 21/4" deep 4" deep






#### Accusharp® Knife Sharpener

· Diamond-honed tungsten carbide sharpening blades puts a razorsharp edge on knives in seconds

280-1216







#### Mixer Accessories

• For use with Hobart® Equipment (except Hobart® Legacy mixers)

Mixing Bowls, 14 Gauge Type 304 S/S 205-1020 12 qt, fits Model A-120

205-1000 20 qt, fits Model A-200 205-1001 30 qt, fits Models D-300, D-330

Dough Hooks, Cast Aluminum 205-1046\* For 12 qt Mixers 205-1027 For 20 qt Mixers 205-1028 For 30 qt Mixers 205-1042 For 80 at Mixers

\* Available only as a flat-type hook, not spiral





Flat Beaters, Cast Aluminum 205-1047 For 12 at Mixers 205-1033 For 20 qt Mixers 205-1043 For 30 qt Mixers 205-1044 For 60 qt Mixers 205-1041 For 80 qt Mixers Wire Whips, Stainless Steel Wires

205-1045 For 12 qt Mixers 205-1030 For 20 qt Mixers 205-1031 For 30 qt Mixers 205-1032 For 60 qt Mixers



#### Pizza Oven Brush

- 40" handle
- 10" head w/brass bristles
- Stainless steel scraper blade
- Double crimped collar

#### 90041



#### Hand Held Grill Brush

- Durable handle
- S/S bristles and scraper

#### 90044



#### **Broiler Brush**

- 30" handle, 8" head
- · S/S bristles and scraper
- Double crimped collar

#### 90042



#### Charbroiler Brush

- 17'
- S/S bristles and scraper

#### 90051



# 90014

#### Chef's Torch

- High performance flame, with anti-flare device
- Push button automatic ignition
- Burns up to 3 hours per 8 oz canister of butane fuel (sold separately)

90014 Heats To 2,012°F 90022 Heats To 2,192°F









#### Salad Dryer

 90012 and 90005 have an innovative braking system that increases the life of the gears

 Sealed gearbox provides a sanitary environment

Heavy duty, FDA approved plastic

#### 90012

2½ Gal, 2-3 Heads of Lettuce **90005** 

#### 90005

5 Gal, 5-6 Heads of Lettuce **90008** 

5 Gal, 5-6 Heads of Lettuce



90005







#### Manual Can Openers

- · Table top style
- · Rust resistant, replaceable parts
- Nickel plated cast iron
- Tempered steel reversible blade
- Cans up to 11" Tall Up to 50 Cans Per Day
- Cans up to 7" Tall Up to 15 Cans Per Day



All Edlund products on this page are MADE IN THE USA



#### **NSF Manual Can Openers**

- · Easily disassembled
- 16" bar length
- S-11 Up to 50 Cans Per Day, All S/S, Dishwasher Safe, 5 year warranty
- U-12 Up to 50 Cans Per Day, Nickel Plated w/S/S Shaft, Knife & Gear
- Up to 15 Cans Per Day, Nickel Plated w/S/S Shaft, Knife & Gear



### SG-2 Available with screw-down stainless steel base or clamp model.

#### Stainless Steel Manual Can Openers

- · Dishwasher safe
- Recommended use: 15-20 cans a day
- 16" bar length
- 2 year warranty

SG-2 Standard Bar & S/S Base SG-2C Stainless Clamp Base SG-2L Long Bar & S/S Base SC-2CL Long Bar & S/S Clamp Base



#### Electric Can Openers

- Durable stainless steel construction
- Opens most can shapes and sizes
   Replaceable knife and gear
   Single handle operation

- 115V or 230V
- Recommended use: 50-75 cans per day



Single Speed Can Opener 203 Dual Speed Can Opener



#### NSF High Volume Electric Can Opener

- Heavy duty S/S construction
- Two speed motor
   Removable knife holder and
- splash-back from entering interior 115V or 220V
- 100-200 cans per day

S/S construction

Dishwasher safe



Tomato Laser™ Slicers

· Removable blades - no tools



Slicer with 3/16" blades

ETL-140 ETL-380

ETL-316

The industry standard for the past 80 years!

> Slicer with 1/4" blades Slicer with 3/8" blades



#### Heavy Duty Locking Tongs

· Heavy duty replaceable S/S springs and locking mechanism

Scalloped Paddle Tongs 4409HDL 4412HDL 12" 4416HDL 16" Gripper Paddle Tongs 6410HDL 10" 6412HDL 12" 6416HDL 16"







#### **MANDOLINE SAFETY TIPS** 499999999999999999 1. A food holder should always be used to protect your fingers and hands from the sharp blade. 2. Clean after each use to prevent cross-contamination. 3. When cleaning the blade, wipe in the direction against the sharp side of the blade so that your fingers are not pressing towards the blade. Use a cleaning utensil and not your fingers to wipe or clean the blade. 4. Wearing a cut resistant glove during operation and cleaning will help maintain safety. 5. Make sure the base of the mandoline is resting on a dry and clean countertop so it will not slip during use.

MDL-18

#### **KITCHEN** Standard #1 Manual Can Opener • Opens #10 and smaller can sizes · Rust-resistant steel body for long-lasting durability · Includes base, blade, gear, and installation kit Recommended use: up to 50 cans per day CO-1 Cast Iron Body CO-1 winco CO-3 Premium Manual Can Opener • S/S blade and gear opens #10 can sizes and smaller · Includes base, blade, gear and installation kit · Portable clamp included **CO-3**



Heavy Duty Nickel-Plated Body

Citrus Wedgers

Heavy duty aluminumS/S blades

Non-skid feet

CTR-WED6

Wedger, 6-Section CTR-WED8

Wedger, 8-Section

#### Vegetable Dicers

- Aluminum elevated base
- S/S blade assemblies
- Rubber feet

#### CTR-VD1

Dicer, 1/4" Blade Assembly CTR-VD2

Dicer, 3/4" Blade Assembly

Razor-sharp blades slice evenly without bruising.

#### Tomato Slicers

- · Aluminum elevated base
- S/S blade assemblies
- Rubber feet
- Includes table lock

#### CTR-TS14

Slicer with 1/4" Blade Set CTR-TS316

Slicer with 3/16" Blade Set



#### Redco® InstaCut™ 3.5

- · One-stroke operation produces quick, clean cuts
- · One-piece blade assembly pops in and out
- · Also available in wall mount models
- 2 year warranty

15008

15000 1/4" Dice 15001 3/8" Dice 15002 1/2" Dice 15009 6 Section Core 15010 8 Section Core 15003 4 Section Wedge 15005 6 Section Wedge 15006 8 Section Wedge 15007 10 Section Wedge









Outperform every day:

#### Redco® EaziClean® Can Openers

- Blades are case-hardened and finished with antibacterial coating
- · High-grade steel cutting mechanism for clean cut
- · All cutting mechanisms are dishwasher safe, and BCO-7000 is completely dishwasher safe
- 2 year warranty

**BCO-2000** Med. Duty, Zammac Alloy, 14"h Can, 16" Bar Length Med. Duty, Zammac Alloy, 22"h Can, 25" Bar Length **BCO-3000** Heavy Duty, Stainless Steel, **BCO-5000** 14"h Can, 16" Bar Length **BCO-6000** Heavy Duty, Stainless Steel, 22"h Can, 25" Bar Length **BCO-7000** Titan, Stainless Steel, 22"h Can, 25" Bar Length







Longer lasting scalloped blades, perfect for vine ripe tomatoes

One-piece blade assembly pops in and out

Polyurethane food carrier is corrosion resistant

· 2 year warranty


15105 3/16" Cut, 16 Blades 1/4" Cut, 12 Blades 15103 7/32" Cut, 13 Blades 15104 3/8" Cut, 8 Blades



NSF.



· Stainless steel blades stay razor sharp



Slices to perfection...fast and easy to operate!

55200AN 55816

Adjustable Easy Slicer, 121/2"w x 11"d x 161/2"h Suction Cup Mounting Base

Accommodates a larger tomato than the original! (NSF. Easy Tomato Slicer II™ Razor-sharp S/S blades slice effortlessly

Exceeding your expectations

• The pre-tensioned cartridge blade set stays properly aligned and tightened without the need to adjust it

· Aluminum frame and handles with high density polyethylene slide board

56600-1 56600-2

56600-3

3/16" Cut Slice 1/4" Cut Slice %" Cut Slice

7½"w x 18½"l x 9¾"h

"Exceeding your expectations"

#### Easy Wedger™

· Wedges a large variety of fruits and vegetables

· Cuts cleanly and precisely with stay-sharp stainless steel blades that minimize bruising

55550-4 4 Section 55550-6 6 Section 55550-8 8 Section 55550-10 10 Section

> Ideal for bar and beverage areas.

NSF.



#### Easy Chopper II™

· Chops and slices big veggies with less effort

• S/S blade assemblies are easily interchangeable

· Tough, lightweight aluminum construction

• 41/4" square cutting area

56500-1 Square Chop, 1/4" 56500-2 Square Chop, 3/8" 56500-3 Square Chop, 1/2" 56500-4 Square Chop, 1" 56500-5 Thick Slice, 1/4" 56500-6 Thick Slice, %" 56500-7 Thick Slice, 1/2"



#### Easy LettuceKutter™

- Cuts a case of cored lettuce in less than 3 minutes
- · Scalloped blades cut one inch squares without crushing or bruising
- Interlocked blades avoid flexing
- · Clip-on blade assembly and removable pusher block make cleanup easy
- · Angled, cast aluminum legs with no slip feet

#### 55650

1" x 1" Square







#### The "Original" Bron Coucke Mandoline

- 18/10 stainless steel
- · Produces julienne, matchstick, french fry and waffle cuts on any vegetable
- Adjustable cutting thickness up to ½"
  Table edge support for stability





Perfect for slicing deli meats and vegetables.



Manual Meat Slicer

- Anodized aluminum construction
- · Blade sharpener
- Belt driven
- · Perspex Protector Guard
- Waterproof and emergency shut off switch
- Robust handle
- 10" blade
- Slice thickness: 0.2mm-15mm
- 120V, 150W, 1/5 Hp

**HBS-250L** 





#### 5 Qt Food Mill

- Tin plated
- Includes three grids:
- 1½, 2½ & 4 mm
   Purees and mills tomatoes, apples, carrots, potatoes and more
- Strains out skins and seeds

**S**3





#### Salad Spinner

- 5 gallon
- Handle is collapsible for storage
- Dries from 6-8 heads of lettuce

#### SP027



