



1 SECOND FLOOR - DIMENSION PLAN
SCALE: 1/8" = 1'-0"



WALL CONSTRUCTION			GENERAL NOTES	
WALL TYPE	DETAIL#	FIRE RATING		
[A]	[A6]	6A600 NON-RATED	1. INTERIOR DIMENSIONS TO OUT-SIDE WALL ARE TO COLUMN / BEAM CENTERLINES.	
[C] OR [C2]	[C2]	1A600 NON-RATED	2. ALL INTERIOR DIMENSIONS ARE TO CENTERLINE OF METAL STUDS UNLESS OTHERWISE NOTED.	
[D]	[D6]	2A600 1 HOUR-UL U419	3. ALL WALLS TO BE TYPE [C] UNLESS OTHERWISE NOTED.	
[F2]	[F4]	3A600 NON-RATED	4. FOR ADDITIONAL DIMENSIONS SEE '14' PLANS and ELEVATIONS	
[F3]	[F4]	4A600 NON-RATED	5. FOR DOOR, HARDWARE and EQUIPMENT SCHEDULE and INTERIOR WINDOW ELEVATION SEE A700's	
[I]	[I4]	5A600 1 HOUR-UL U415	6. SEE DRAWING LS210 FOR FIRE EXTINGUISHER & CABINET LOCATIONS.	
1 HOUR SHAFT WALL SYSTEM			LEGEND & NOTES	
NUMBER SUFFIX AT WALL TYPE INDICATES STUD SIZE OTHER THAN STANDARD 3.5" (1E-4, 6")			1. HANDICAPPED TOILETS ARE TO BE EQUIPPED AS REQUIRED BY LOCAL CODE AND ADAAG.	
TAGS			2. ALL WOOD BLOCKING SHALL BE PRESSURE FIRE/PRESERVATIVE TREATED.	
[1000]	DOOR NUMBER		3. HEADERS and SOFFITS AT 7'-2" AFF UNLESS NOTED OTHERWISE ON REFLECTED CEILING PLANS.	
[1]	WINDOW TYPE		KEYED NOTES ON A211 & A221	
[OFFICE]	ROOM TAG		1. LOCATION OF SEMI-RECESSED FIRE EXTINGUISHER CABINET. MOUNT BOTTOM AT 25" A.F.F.	
[F]	WALL HUNG FIRE EXTINGUISHER		2. BUILDING STANDARD BLINDS - SEE SPECIFICATIONS.	
[F.C.]	FIRE EXTINGUISHER & CABINET		3. SOLID SURFACE WINDOW SILLS THIS ROOM.	
[K]	KEYED NOTE		4. LIGHT CONTROL BLINDS - SEE SPECIFICATIONS.	
			5. MEDICAL GAS RESTRAINTS AT MANIFOLD LOCATIONS - SEE TYPICAL DETAIL 7A601.	
			6. ADD (1) LAYER 5/8" TYPE "X" GYP. BRD. TO THE EXTERIOR SIDE OF STUDS THIS WALL FOR A 1 HOUR RATED EXTERIOR WALL.	
			7. LOCATION OF ROOF ACCESS LADDER - SEE SPECIFICATIONS.	
			8. WINDOW SHADES WITH VALANCE AT LOBBY WINDOWS - SEE SPEC.	
			9. LOCATION OF 18x18 INSPECTION ACCESS PANEL. MOUNT 8" A.F.F.	

Project Number:
201704

AMB Design Associates
1243 N. 10th Street, Milwaukee, WI 53205
414-291-4420

Architect
MICHAEL T. JANSSEN, R.A.
ILLINOIS LICENSE # 001-013856
1243 N. 10th Street, Suite 150
Milwaukee, Wisconsin 53205
414/291-4438

EXPIRES 11-30-2020

Consulting Engineers

Revisions:
CB#3 11/6/2019
CB# 2 9/3/2019
Addendum #1 4/17/2019

SECOND FLOOR DIMENSION PLAN

Scale: AS SHOWN

Drawn by: BJK
Checked by: GS
Date: 3/15/2019

CONSTRUCTION DOCUMENTS

A220