

Annual Average Helicopters 2013.txt

INM 7.0d SCENARIO RUN INPUT REPORT 05-Nov-14 13:03

STUDY: C:\PROGRAM FILES (X86)\INM 7.0D\TEST HELICOPTER TRACKS\

Created : 19-Aug-14 15:06
Units : English
Airport : HTO
Description :
Your description

SCENARIO: Annual Average helicopter 2013

Created : 28-Aug-14 16:07
Description :

Last Run : 16-Oct-14 12:01
Run Duration : 000:03:08

STUDY AIRPORT

Latitude : 40.959578 deg
Longitude : -72.251851 deg
Elevation : 56.0 ft

CASES RUN:

CASENAME: 2013 Annual

Temperature : 58.8 F
Pressure : 29.92 in-Hg
AverageWind : 8.0 kt
ChangeNPD : No

STUDY RUNWAYS

04

Latitude : 40.956976 deg
Longitude : -72.254678 deg
Xcoord : -0.1285 nmi
Ycoord : -0.1560 nmi
Elevation : 45.9 ft
OtherEnd : 22
Length : 2501 ft
Gradient : -0.21 %
TkoThresh : 0 ft
AppThresh : 0 ft

CASENAME: 2013 Annual

RwyWind : 8.0 kt

10

Latitude : 40.958884 deg
Longitude : -72.260305 deg
Xcoord : -0.3843 nmi
Ycoord : -0.0416 nmi
Elevation : 55.5 ft
OtherEnd : 28
Length : 4255 ft
Gradient : -0.58 %
TkoThresh : 0 ft
AppThresh : 0 ft

CASENAME: 2013 Annual

RwyWind : 8.0 kt

16

Latitude : 40.962853 deg
Longitude : -72.251741 deg

Annual Average Helicopters 2013.txt

Xcoord : 0.0050 nmi
Ycoord : 0.1964 nmi
Elevation : 41.9 ft
OtherEnd : 34
Length : 2222 ft
Gradient : -0.54 %
TkoThresh : 0 ft
AppThresh : 57 ft

CASENAME: 2013 Annual

RwyWind : 8.0 kt

22

Latitude : 40.962998 deg
Longitude : -72.250331 deg
Xcoord : 0.0691 nmi
Ycoord : 0.2051 nmi
Elevation : 40.6 ft
OtherEnd : 04
Length : 2501 ft
Gradient : 0.21 %
TkoThresh : 0 ft
AppThresh : 380 ft

CASENAME: 2013 Annual

RwyWind : 8.0 kt

28

Latitude : 40.959103 deg
Longitude : -72.244902 deg
Xcoord : 0.3159 nmi
Ycoord : -0.0285 nmi
Elevation : 30.8 ft
OtherEnd : 10
Length : 4255 ft
Gradient : 0.58 %
TkoThresh : 0 ft
AppThresh : 0 ft

CASENAME: 2013 Annual

RwyWind : 8.0 kt

34

Latitude : 40.957618 deg
Longitude : -72.247608 deg
Xcoord : 0.1929 nmi
Ycoord : -0.1175 nmi
Elevation : 30.0 ft
OtherEnd : 16
Length : 2222 ft
Gradient : 0.54 %
TkoThresh : 0 ft
AppThresh : 106 ft

CASENAME: 2013 Annual

RwyWind : 8.0 kt

CASENAME: 2013 Annual

RwyWind : 8.0 kt

CASENAME: 2013 Annual

RwyWind : 8.0 kt

STUDY HELIPADS

HELI 1

Latitude : 40.962600 deg

Annual Average Helicopters 2013.txt

Longitude : -72.251556 deg
 Xcoord : 0.0134 nmi
 Ycoord : 0.1812 nmi
 HELI 2
 Latitude : 40.959875 deg
 Longitude : -72.248373 deg
 Xcoord : 0.1581 nmi
 Ycoord : 0.0178 nmi

STUDY TRACKS

RwyId-OpType-TrkId	Sub	PctSub	TrkType	Delta(ft)
10-APP-ARR10	0	100.00	Vectors	0.0
10-DEP-D10JLFT	0	100.00	Vectors	0.0
10-DEP-D10JRGT2	0	100.00	Vectors	0.0
10-DEP-D10JRT	0	100.00	Vectors	0.0
10-DEP-DEP10	0	100.00	Vectors	0.0
10-DEP-DPT10LFT	0	100.00	Vectors	0.0
10-DEP-DPT10RT	0	100.00	Vectors	0.0
16-APP-A16LFT	0	100.00	Vectors	0.0
16-APP-A16P	0	100.00	Vectors	0.0
16-APP-A16RT	0	100.00	Vectors	0.0
16-DEP-D16P	0	100.00	Vectors	0.0
16-TGO-16LFT	0	100.00	Vectors	0.0
28-APP-28PROP1	0	100.00	Vectors	0.0
28-APP-A28JLFTN	0	100.00	Vectors	0.0
28-APP-A28JLFTS	0	100.00	Vectors	0.0
28-APP-A28JRT	0	100.00	Vectors	0.0
28-APP-A28LT	0	100.00	Vectors	0.0
28-APP-A28LT2	0	100.00	Vectors	0.0
28-APP-A28LT3	0	100.00	Vectors	0.0
28-APP-A28RT1	0	100.00	Vectors	0.0
28-APP-A28RT2	0	100.00	Vectors	0.0
28-APP-ARR28	0	100.00	Vectors	0.0
28-DEP-D28JLFT1	0	100.00	Vectors	0.0
28-DEP-D28JR1	0	100.00	Vectors	0.0
28-DEP-D28JRT2	0	100.00	Vectors	0.0

Annual Average Helicopters 2013.txt

0	100.00	Vectors	0.0
28-DEP-D28LFTRT			
0	100.00	Vectors	0.0
28-DEP-DEP28			
0	100.00	Vectors	0.0
28-DEP-DPT28LFT			
0	100.00	Vectors	0.0
28-DEP-DPT28RT			
0	100.00	Vectors	0.0
28-TGO-28LFT			
0	100.00	Vectors	0.0
34-APP-A34LFTP			
0	100.00	Vectors	0.0
34-APP-A34LT			
0	100.00	Vectors	0.0
34-APP-A34P			
0	100.00	Vectors	0.0
34-DEP-D34P			
0	100.00	Vectors	0.0
HELI 1-APP-GEORG2			
0	100.00	Vectors	160.0
HELI 1-APP-TRN			
0	68.26	Points	0.0
1	15.87	Points	0.0
2	15.87	Points	0.0
HELI 2-APP-APR10			
0	100.00	Vectors	90.0
HELI 2-APP-APR28			
0	100.00	Vectors	270.0
HELI 2-APP-TR RWY10			
0	100.00	Vectors	89.0
HELI 2-APP-TR RWY28			
0	100.00	Vectors	269.0
HELI 2-APP-TRG			
1	100.00	Vectors	274.0
HELI 2-DEP-APR28			
0	100.00	Vectors	0.0
HELI 2-DEP-BARPT			
0	33.40	Points	0.0
1	33.30	Points	0.0
2	33.30	Points	0.0
HELI 2-DEP-DPT JNH			
0	68.26	Points	0.0
1	15.87	Points	0.0
2	15.87	Points	0.0
HELI 2-DEP-DPT10HE			
0	68.26	Points	0.0
1	15.87	Points	0.0
2	15.87	Points	0.0
HELI 2-DEP-DPT28HE			
0	68.26	Points	0.0
1	15.87	Points	0.0
2	15.87	Points	0.0
HELI 2-DEP-GEORG			
0	100.00	Vectors	288.0
HELI 2-DEP-RWY10			
0	100.00	Vectors	89.0
HELI 2-DEP-TR RWY28			
0	100.00	Vectors	269.0

STUDY TRACK DETAIL

Rwy/d-OpType-Trk/d-SubTrk
 # SegType Dist/Angle Radius(nmi)
 Page 4

Annual Average Helicopters 2013.txt

10-APP-ARR10-0			
1	Straight	20.0000	nmi
10-DEP-D10JLFT-0			
1	Straight	0.6000	nmi
2	Left-Turn	150.0000	deg 0.5000
3	Straight	20.0000	nmi
10-DEP-D10JRGT2-0			
1	Straight	0.5500	nmi
2	Right-Turn	180.0000	deg 0.5500
3	Straight	1.0000	nmi
4	Right-Turn	30.0000	deg 1.0000
5	Straight	20.0000	nmi
10-DEP-D10JRT-0			
1	Straight	0.6000	nmi
2	Right-Turn	180.0000	deg 0.6000
3	Straight	20.0000	nmi
10-DEP-DEP10-0			
1	Straight	20.0000	nmi
10-DEP-DPT10LFT-0			
1	Straight	0.5000	nmi
2	Left-Turn	150.0000	deg 0.5000
3	Straight	20.0000	nmi
10-DEP-DPT10RT-0			
1	Straight	0.5000	nmi
2	Right-Turn	210.0000	deg 0.5000
3	Straight	20.0000	nmi
16-APP-A16LFT-0			
1	Straight	20.0000	nmi
2	Left-Turn	180.0000	deg 1.0000
3	Straight	1.0000	nmi
4	Left-Turn	90.0000	deg 0.2500
5	Straight	0.5000	nmi
6	Left-Turn	90.0000	deg 0.2500
7	Straight	0.7500	nmi
16-APP-A16P-0			
1	Straight	20.0000	nmi
16-APP-A16RT-0			
1	Straight	20.0000	nmi
2	Right-Turn	30.0000	deg 3.0000
3	Straight	1.5000	nmi
16-DEP-D16P-0			
1	Straight	20.0000	nmi
16-TG0-16LFT-0			
1	Straight	1.0000	nmi
2	Left-Turn	90.0000	deg 0.2500
3	Straight	0.2500	nmi
4	Left-Turn	90.0000	deg 0.2500
5	Straight	1.7500	nmi
6	Left-Turn	90.0000	deg 0.2500
7	Straight	0.2500	nmi
8	Left-Turn	90.0000	deg 0.2500
9	Straight	0.7500	nmi
28-APP-28PROP1-0			
1	Straight	20.0000	nmi
2	Left-Turn	30.0000	deg 0.2500
3	Straight	1.0000	nmi
4	Left-Turn	90.0000	deg 0.2500
5	Straight	0.2500	nmi
6	Left-Turn	90.0000	deg 0.2500
7	Straight	0.7500	nmi
28-APP-A28JLFTN-0			
1	Straight	20.0000	nmi
2	Left-Turn	280.0000	deg 0.7500

Annual Average Helicopters 2013.txt

3	Strai ght	0. 5000	nmi	
28-APP-A28JLFTS-0	1	20. 0000	nmi	
	2	180. 0000	deg	1. 0000
	3	3. 5000	nmi	
28-APP-A28JRT-0	1	20. 0000	nmi	
	2	90. 0000	deg	0. 7500
	3	2. 0000	nmi	
28-APP-A28LT-0	1	20. 0000	nmi	
	2	100. 0000	deg	0. 5000
	3	0. 2000	nmi	
	4	90. 0000	deg	0. 5000
	5	0. 5000	nmi	
28-APP-A28LT2-0	1	20. 0000	nmi	
	2	100. 0000	deg	0. 5000
	3	0. 5000	nmi	
	4	90. 0000	deg	0. 6000
	5	1. 0000	nmi	
28-APP-A28LT3-0	1	20. 0000	nmi	
	2	100. 0000	deg	0. 7000
	3	0. 7000	nmi	
	4	90. 0000	deg	0. 7000
	5	2. 0000	nmi	
28-APP-A28RT1-0	1	20. 0000	nmi	
	2	90. 0000	deg	0. 5000
	3	0. 4000	nmi	
	4	90. 0000	deg	0. 5000
	5	0. 5000	nmi	
28-APP-A28RT2-0	1	20. 0000	nmi	
	2	90. 0000	deg	0. 5000
	3	0. 6000	nmi	
	4	90. 0000	deg	0. 5000
	5	1. 5000	nmi	
28-APP-ARR28-0	1	20. 0000	nmi	
28-DEP-D28JLFT1-0	1	0. 4000	nmi	
	2	40. 0000	deg	0. 5000
	3	20. 0000	nmi	
28-DEP-D28JR1-0	1	0. 8000	nmi	
	2	30. 0000	deg	0. 5000
	3	20. 0000	nmi	
28-DEP-D28JRT2-0	1	3. 5000	nmi	
	2	30. 0000	deg	0. 5000
	3	20. 0000	nmi	
28-DEP-D28LFTRT-0	1	0. 5000	nmi	
	2	30. 0000	deg	0. 5000
	3	20. 0000	nmi	
28-DEP-DEP28-0	1	20. 0000	nmi	
28-DEP-DPT28LFT-0	1	1. 0000	nmi	
	2	30. 0000	deg	0. 5000
	3	20. 0000	nmi	

Annual Average Helicopters 2013.txt

28-DEP-DPT28RT-0			
1	Straight	1.0000	nmi
2	Right-Turn	30.0000	deg
			0.5000
3	Straight	20.0000	nmi
28-TG0-28LFT-0			
1	Straight	1.2500	nmi
2	Left-Turn	90.0000	deg
			0.2500
3	Straight	0.5000	nmi
4	Left-Turn	90.0000	deg
			0.2500
5	Straight	2.2500	nmi
6	Left-Turn	90.0000	deg
			0.2500
7	Straight	0.5000	nmi
8	Left-Turn	90.0000	deg
			0.2500
9	Straight	1.0000	nmi
34-APP-A34LFTP-0			
1	Straight	20.0000	nmi
2	Left-Turn	90.0000	deg
			0.2500
3	Straight	0.7500	nmi
4	Left-Turn	90.0000	deg
			0.2500
5	Straight	0.7500	nmi
34-APP-A34LT-0			
1	Straight	20.0000	nmi
2	Left-Turn	110.0000	deg
			0.5000
3	Straight	2.0000	nmi
34-APP-A34P-0			
1	Straight	20.0000	nmi
34-DEP-D34P-0			
1	Straight	20.0000	nmi
HELI 1-APP-GEORG2-0			
1	Straight	20.0000	nmi
2	Left-Turn	112.0000	deg
			0.5000
3	Straight	2.5000	nmi
4	Right-Turn	208.0000	deg
			0.3500
5	Straight	0.4000	nmi
HELI 1-APP-TRN-0			
1	Points	-14.0458	nmi
			3.3672
2	Points	-14.0458	nmi
			3.3315
3	Points	-5.3248	nmi
			2.1641
4	Points	-4.0234	nmi
			0.8449
5	Points	-2.1261	nmi
			0.6641
6	Points	0.0134	nmi
			0.1812
HELI 1-APP-TRN-1			
1	Points	-13.0458	nmi
			3.3667
2	Points	-13.8576	nmi
			3.4961
3	Points	-5.1016	nmi
			2.6115
4	Points	-3.9161	nmi
			1.0707
5	Points	-2.1261	nmi
			0.6643
6	Points	0.0134	nmi
			0.1814
HELI 1-APP-TRN-2			
1	Points	-15.0458	nmi
			3.3677
2	Points	-14.2340	nmi
			3.1669
3	Points	-5.5479	nmi
			1.7166
4	Points	-4.1307	nmi
			0.6191
5	Points	-2.1262	nmi
			0.6639
6	Points	0.0134	nmi
			0.1810
HELI 2-APP-APR10-0			
1	Straight	20.0000	nmi
HELI 2-APP-APR28-0			
1	Straight	20.0000	nmi
HELI 2-APP-TR RWY10-0			
1	Straight	20.0000	nmi
HELI 2-APP-TR RWY28-0			
1	Straight	20.0000	nmi

Annual Average Helicopters 2013.txt

HELI 2-APP-TRG-1			
1	Straight	20.0000 nmi	
2	Left-Turn	97.0000 deg	0.5000
3	Straight	2.2000 nmi	
4	Right-Turn	307.0000 deg	0.4000
5	Straight	0.2000 nmi	
HELI 2-DEP-APR28-0			
1	Straight	20.0000 nmi	
HELI 2-DEP-BARPT-0			
1	Points	0.1581 nmi	0.0178
2	Points	-0.8839 nmi	0.4554
3	Points	-0.4687 nmi	2.4375
4	Points	-2.5937 nmi	5.1696
5	Points	-4.7545 nmi	4.0625
6	Points	-10.3259 nmi	7.9375
HELI 2-DEP-BARPT-1			
1	Points	0.1580 nmi	0.0176
2	Points	-0.8841 nmi	0.4553
3	Points	-0.7123 nmi	2.3812
4	Points	-2.6478 nmi	4.9256
5	Points	-4.7712 nmi	3.8131
6	Points	-13.1808 nmi	3.8327
HELI 2-DEP-BARPT-2			
1	Points	0.1582 nmi	0.0180
2	Points	-0.8838 nmi	0.4555
3	Points	-0.2252 nmi	2.4938
4	Points	-2.5397 nmi	5.4137
5	Points	-4.7377 nmi	4.3119
6	Points	-7.4710 nmi	12.0423
HELI 2-DEP-DPT JNH-0			
1	Points	0.1581 nmi	0.0178
2	Points	-2.1112 nmi	0.6533
3	Points	-5.3203 nmi	2.1683
4	Points	-12.5722 nmi	6.3813
HELI 2-DEP-DPT JNH-1			
1	Points	0.1580 nmi	0.0176
2	Points	-2.1113 nmi	0.6532
3	Points	-5.6691 nmi	1.5043
4	Points	-12.9489 nmi	5.7328
HELI 2-DEP-DPT JNH-2			
1	Points	0.1582 nmi	0.0180
2	Points	-2.1112 nmi	0.6535
3	Points	-4.9716 nmi	2.8322
4	Points	-12.1954 nmi	7.0298
HELI 2-DEP-DPT10HE-0			
1	Points	0.1581 nmi	0.0178
2	Points	0.7765 nmi	0.0311
3	Points	0.7670 nmi	0.9210
4	Points	0.1706 nmi	2.8712
5	Points	-2.5559 nmi	5.1055
6	Points	-11.2089 nmi	9.2899
HELI 2-DEP-DPT10HE-1			
1	Points	0.1581 nmi	0.0180
2	Points	0.7763 nmi	0.0313
3	Points	-0.2212 nmi	0.7679
4	Points	-0.6601 nmi	2.3144
5	Points	-3.0943 nmi	4.2628
6	Points	-11.6442 nmi	8.3897
HELI 2-DEP-DPT10HE-2			
1	Points	0.1581 nmi	0.0176
2	Points	0.7766 nmi	0.0310
3	Points	1.7552 nmi	1.0741
4	Points	1.0012 nmi	3.4281

		Annual Average Helicopters 2013.txt	
5	Points	-2.0176 nmi	5.9482
6	Points	-10.7735 nmi	10.1902
HELI 2-DEP-DPT28HE-0			
1	Points	0.1581 nmi	0.0178
2	Points	-0.8992 nmi	0.0335
3	Points	-13.3863 nmi	0.0714
HELI 2-DEP-DPT28HE-1			
1	Points	0.1581 nmi	0.0176
2	Points	-0.8992 nmi	0.0333
3	Points	-13.3893 nmi	-0.9286
HELI 2-DEP-DPT28HE-2			
1	Points	0.1581 nmi	0.0180
2	Points	-0.8992 nmi	0.0337
3	Points	-13.3833 nmi	1.0714
HELI 2-DEP-GEORG-0			
1	Straight	0.5000 nmi	
2	Right-Turn	224.0000 deg	0.3000
3	Straight	2.6000 nmi	
4	Right-Turn	92.0000 deg	0.4000
5	Straight	20.0000 nmi	
HELI 2-DEP-RWY10-0			
1	Straight	20.0000 nmi	
HELI 2-DEP-TR RWY28-0			
1	Straight	20.0000 nmi	

AI RCRAFT GROUP ASSIGNMENTS

STUDY AIRPLANES

BEC58P	Standard data
CL600	Standard data
CL601	Standard data
CNA172	Standard data
CNA206	Standard data
CNA208	Standard data
CNA441	Standard data
CNA525C	Standard data
CNA560E	Standard data
CNA560XL	Standard data
CNA680	Standard data
F10062	Standard data
FAL20	Standard data
GASEPF	Standard data
GASEPV	Standard data
GII	Standard data
GV	Standard data
LEAR35	Standard data
MU3001	Standard data
PA31	Standard data
SD330	Standard data

STUDY SUBSTITUTION AIRPLANES

USER-DEFINED NOISE CURVES

USER-DEFINED METRICS

USER-DEFINED PROFILE IDENTIFIERS

USER-DEFINED PROCEDURAL PROFILES

USER-DEFINED FIXED-POINT PROFILES

Annual Average Helicopters 2013.txt

USER-DEFINED FLAP COEFFICIENTS

USER-DEFINED JET THRUST COEFFICIENTS

USER-DEFINED PROP THRUST COEFFICIENTS

USER-DEFINED GENERAL THRUST COEFFICIENTS

STUDY MILITARY AIRPLANES

USER-DEFINED MILITARY NOISE CURVES

USER-DEFINED MILITARY PROFILE IDENTIFIERS

USER-DEFINED MILITARY FIXED-POINT PROFILES

STUDY HELICOPTERS

A109	Standard data
B222	Standard data
B407	Standard data
B427	Standard data
B430	Standard data
EC130	Standard data
R22	Standard data
R44	Standard data
S76	Standard data
SA330J	Standard data
SA350D	Standard data
SA355F	Standard data
SA365N	Standard data

USER-DEFINED HELICOPTER PROFILE IDENTIFIERS

Op	Profile	Stg	Weight(lb)
A109			
APP	USER	1	5730
DEP	USER	1	5730
B222			
APP	USER	1	7800
DEP	USER	1	7800
B407			
APP	USER	1	5000
DEP	USER	1	5000
B427			
APP	USER	1	6350
DEP	USER	1	6350
B430			
APP	USER	1	9300
DEP	USER	1	9300
EC130			
APP	USER	1	5290
DEP	USER	1	5290
R22			
APP	USER	1	1370
DEP	USER	1	1370
R44			
APP	USER	1	2400
DEP	USER	1	2400
S76			

Annual Average Helicopters 2013.txt

APP	USER	1	10000
DEP	USER	1	10000
SA330J			
APP	USER	1	15432
DEP	USER	1	15432
SA350D			
APP	USER	1	4300
DEP	USER	1	4300
SA355F			
APP	USER	1	5070
DEP	USER	1	5070
SA365N			
APP	USER	1	8488
DEP	USER	1	8488

USER-DEFINED HELICOPTER PROCEDURAL PROFILES

Speed(kt)	#	StepType	Durati on(sec)	Di stance(ft)	Al ti tude(ft)
A109-DEP-USER-1					
116.0	1	Start Al ti tude	0.0	0.0	3000.0
0.0	2	Level Fly	0.0	87250.0	0.0
60.0	3	App Hori z Decel	0.0	5000.0	0.0
0.0	4	App Const Speed	0.0	24000.0	500.0
0.0	5	App Desc Decel	3.0	24000.0	15.0
0.0	6	App Verti cal	3.0	0.0	0.0
0.0	7	FL ight Idle	30.0	0.0	0.0
0.0	8	FL ight Idle	30.0	0.0	0.0
A109-APP-USER-1					
0.0	1	Ground Idle	30.0	0.0	0.0
30.0	2	FL ight Idle	30.0	100.0	15.0
0.0	3	Dep Verti cal	3.0	0.0	15.0
30.0	4	Dep Hori z Accel	0.0	100.0	0.0
60.0	5	Dep Cl imb Accel	0.0	500.0	30.0
116.0	6	Dep Const Speed	0.0	10716.5	3000.0
116.0	7	Dep Hori z Accel	0.0	2800.0	0.0
0.0	8	Level Fly	0.0	93100.0	0.0
B222-DEP-USER-1					
123.0	1	Start Al ti tude	0.0	0.0	3000.0
0.0	2	Level Fly	0.0	87250.0	0.0
65.0	3	App Hori z Decel	0.0	5000.0	0.0
0.0	4	App Const Speed	0.0	24000.0	500.0
0.0	5	App Desc Decel	0.0	2850.0	15.0

		Annual	Average Helicopters	2013.txt	
0.0	6	App Vertical	3.0	0.0	0.0
0.0	7	Flight Idle	30.0	0.0	0.0
0.0	8	Ground Idle	30.0	0.0	0.0
B222-APP-USER-1					
0.0	1	Ground Idle	30.0	0.0	0.0
0.0	2	Flight Idle	30.0	0.0	0.0
0.0	3	Dep Vertical	3.0	0.0	15.0
30.0	4	Dep Horiz Accel	0.0	100.0	0.0
65.0	5	Dep Climb Accel	0.0	500.0	30.0
0.0	6	Dep Const Speed	0.0	10716.5	3000.0
123.0	7	Dep Horiz Accel	0.0	2800.0	0.0
0.0	8	Level Fly	0.0	93100.0	0.0
B407-DEP-USER-1					
113.0	1	Start Altitude	0.0	0.0	3000.0
0.0	2	Level Fly	0.0	87250.0	0.0
90.0	3	App Horiz Decel	0.0	5000.0	0.0
0.0	4	App Const Speed	0.0	24000.0	500.0
0.0	5	App Desc Decel	0.0	2800.0	15.0
0.0	6	App Vertical	3.0	0.0	0.0
0.0	7	Flight Idle	30.0	0.0	0.0
0.0	8	Flight Idle	30.0	0.0	0.0
B407-APP-USER-1					
0.0	1	Ground Idle	30.0	0.0	0.0
0.0	2	Flight Idle	30.0	0.0	0.0
0.0	3	Dep Vertical	3.0	0.0	15.0
30.0	4	Dep Horiz Accel	0.0	100.0	0.0
50.0	5	Dep Horiz Accel	0.0	500.0	0.0
0.0	6	Dep Const Speed	0.0	10716.5	3000.0
113.0	7	Dep Horiz Accel	0.0	2800.0	0.0
0.0	8	Level Fly	0.0	93100.0	0.0
B427-DEP-USER-1					
115.0	1	Start Altitude	0.0	0.0	3000.0
0.0	2	Level Fly	0.0	87250.0	0.0
0.0	3	App Horiz Decel	0.0	5000.0	0.0

Annual Average Helicopters 2013.txt

70.0	4	App Const Speed	0.0	24000.0	500.0
0.0	5	App Desc Decel	0.0	2850.0	15.0
0.0	6	App Vertical	3.0	0.0	0.0
0.0	7	Flight Idle	30.0	0.0	0.0
0.0	8	Ground Idle	30.0	0.0	0.0
0.0	B427-APP-USER-1				
0.0	1	Ground Idle	30.0	0.0	0.0
0.0	2	Flight Idle	30.0	0.0	0.0
0.0	3	Dep Vertical	3.0	0.0	15.0
0.0	4	Dep Horiz Accel	0.0	100.0	0.0
30.0	5	Dep Climb Accel	0.0	500.0	30.0
50.0	6	Dep Const Speed	0.0	10716.5	3000.0
0.0	7	Dep Horiz Accel	0.0	2800.0	0.0
115.0	8	Level Fly	0.0	93100.0	0.0
0.0	B430-DEP-USER-1				
122.0	1	Start Altitude	0.0	0.0	3000.0
0.0	2	Level Fly	0.0	87250.0	0.0
60.0	3	App Horiz Decel	0.0	5000.0	0.0
0.0	4	App Const Speed	0.0	24000.0	500.0
0.0	5	App Desc Decel	0.0	2850.0	15.0
0.0	6	App Vertical	3.0	0.0	0.0
0.0	7	Flight Idle	30.0	0.0	0.0
0.0	8	Ground Idle	30.0	0.0	0.0
0.0	B430-APP-USER-1				
0.0	1	Ground Idle	30.0	0.0	0.0
0.0	2	Flight Idle	30.0	0.0	0.0
0.0	3	Dep Vertical	3.0	0.0	15.0
0.0	4	Dep Horiz Accel	0.0	100.0	0.0
30.0	5	Dep Climb Accel	0.0	500.0	30.0
72.0	6	Dep Const Speed	0.0	10716.5	3000.0
0.0	7	Dep Horiz Accel	0.0	2800.0	0.0
122.0	8	Level Fly	0.0	93100.0	0.0
0.0	EC130-DEP-USER-1				

Annual Average Helicopters 2013.txt

113.0	1	Start Altitude	0.0	0.0	3000.0
0.0	2	Level Fly	0.0	87250.0	0.0
65.0	3	App Horiz Decel	0.0	5000.0	0.0
0.0	4	App Const Speed	0.0	24000.0	500.0
0.0	5	App Desc Decel	3.0	2850.0	15.0
0.0	6	App Vertical	3.0	0.0	0.0
0.0	7	Flight Idle	30.0	0.0	0.0
0.0	8	Ground Idle	30.0	0.0	0.0
0.0	EC130-APP-USER-1				
0.0	1	Ground Idle	30.0	0.0	0.0
0.0	2	Flight Idle	30.0	0.0	0.0
0.0	3	Dep Vertical	3.0	0.0	15.0
30.0	4	Dep Horiz Accel	0.0	100.0	30.0
65.0	5	Dep Climb Accel	0.0	500.0	30.0
0.0	6	Dep Const Speed	0.0	10716.5	3000.0
113.4	7	Dep Horiz Accel	0.0	2800.0	0.0
0.0	8	Level Fly	0.0	93100.0	0.0
0.0	R22-DEP-USER-1				
91.8	1	Start Altitude	0.0	0.0	3000.0
0.0	2	Level Fly	0.0	87250.0	0.0
53.0	3	App Horiz Decel	0.0	5000.0	0.0
0.0	4	App Const Speed	0.0	24000.0	500.0
0.0	5	App Desc Decel	0.0	2850.0	15.0
0.0	6	App Vertical	3.0	0.0	0.0
0.0	7	Flight Idle	30.0	0.0	0.0
0.0	8	Ground Idle	30.0	0.0	0.0
0.0	R22-APP-USER-1				
0.0	1	Ground Idle	30.0	0.0	0.0
0.0	2	Flight Idle	30.0	0.0	0.0
0.0	3	Dep Vertical	30.0	0.0	15.0
30.0	4	Dep Horiz Accel	0.0	100.0	0.0
53.0	5	Dep Climb Accel	0.0	500.0	30.0
0.0	6	Dep Const Speed	0.0	10716.5	3000.0

Annual Average Helicopters 2013.txt

91.0	7	Dep Horiz Accel	0.0	2800.0	0.0
0.0	8	Level Fly	0.0	93100.0	0.0
	R44-DEP-USER-1				
104.0	1	Start Altitude	0.0	0.0	3000.0
0.0	2	Level Fly	0.0	78250.0	0.0
68.0	3	App Horiz Decel	0.0	5000.0	0.0
0.0	4	App Const Speed	0.0	24000.0	500.0
0.0	5	App Desc Decel	0.0	2850.0	15.0
0.0	6	App Vertical	3.0	0.0	0.0
0.0	7	Flight Idle	30.0	0.0	0.0
0.0	8	Ground Idle	30.0	0.0	0.0
	R44-APP-USER-1				
0.0	1	Ground Idle	30.0	0.0	0.0
0.0	2	Flight Idle	30.0	0.0	0.0
0.0	3	Dep Vertical	3.0	0.0	15.0
30.0	4	Dep Horiz Accel	0.0	100.0	0.0
67.0	5	Dep Climb Accel	0.0	500.0	30.0
0.0	6	Dep Const Speed	0.0	10716.5	3000.0
104.0	7	Dep Horiz Accel	0.0	2800.0	0.0
0.0	8	Level Fly	0.0	93100.0	0.0
	S76-DEP-USER-1				
130.0	1	Start Altitude	0.0	0.0	3000.0
0.0	2	Level Fly	0.0	87250.0	0.0
74.0	3	App Horiz Decel	0.0	5000.0	0.0
0.0	4	App Const Speed	0.0	24000.0	500.0
0.0	5	App Desc Decel	0.0	2850.0	15.0
0.0	6	App Vertical	3.0	0.0	0.0
0.0	7	Flight Idle	30.0	0.0	0.0
0.0	8	Ground Idle	30.0	0.0	0.0
	S76-APP-USER-1				
0.0	1	Ground Idle	30.0	0.0	0.0
0.0	2	Flight Idle	30.0	0.0	0.0
0.0	3	Dep Vertical	3.0	0.0	15.0
0.0	4	Dep Horiz Accel	0.0	100.0	0.0

Annual Average Helicopters 2013.txt

30.0				
74.0	5	Dep Climb Accel	0.0	500.0
0.0				30.0
130.0	6	Dep Const Speed	0.0	10716.5
0.0				3000.0
	7	Dep Horiz Accel	0.0	2800.0
				0.0
0.0	8	Level Fly	0.0	93100.0
				0.0
	SA330J-DEP-USER-1			
126.0	1	Start Altitude	0.0	0.0
0.0				3000.0
	2	Level Fly	0.0	87250.0
				0.0
0.0	3	App Horiz Decel	0.0	5000.0
69.6				0.0
0.0	4	App Const Speed	0.0	24000.0
				500.0
0.0	5	App Desc Decel	0.0	2850.0
				15.0
0.0	6	App Vertical	3.0	0.0
				0.0
0.0	7	Flight Idle	30.0	0.0
				0.0
0.0	8	Ground Idle	30.0	0.0
				0.0
0.0	SA330J-APP-USER-1			
0.0	1	Ground Idle	30.0	0.0
				0.0
0.0	2	Flight Idle	30.0	0.0
				0.0
0.0	3	Dep Vertical	3.0	0.0
				15.0
0.0	4	Dep Horiz Accel	0.0	100.0
30.0				0.0
69.4	5	Dep Climb Accel	0.0	500.0
				30.0
0.0	6	Dep Const Speed	0.0	10716.5
				3000.0
	7	Dep Horiz Accel	0.0	2800.0
				0.0
126.0	8	Level Fly	0.0	93100.0
				0.0
0.0	SA350D-DEP-USER-1			
116.0	1	Start Altitude	0.0	0.0
0.0				3000.0
	2	Level Fly	0.0	87250.0
				0.0
0.0	3	App Horiz Decel	0.0	5000.0
				0.0
63.0	4	App Const Speed	0.0	24000.0
				500.0
0.0	5	App Desc Decel	0.0	2850.0
				15.0
0.0	6	App Vertical	3.0	0.0
				0.0
0.0	7	Flight Idle	30.0	0.0
				0.0
0.0	8	Ground Idle	30.0	0.0
				0.0
0.0	SA350D-APP-USER-1			
0.0	1	Ground Idle	30.0	0.0
				0.0

Annual Average Helicopters 2013.txt

0.0	2	Flight Idle	30.0	0.0	0.0
0.0	3	Dep Vertical	3.0	0.0	15.0
30.0	4	Dep Horiz Accel	0.0	100.0	0.0
63.0	5	Dep Climb Accel	0.0	500.0	30.0
0.0	6	Dep Const Speed	0.0	10716.5	3000.0
116.0	7	Dep Horiz Accel	0.0	2800.0	0.0
0.0	8	Level Fly	0.0	93100.0	0.0
		SA355F-DEP-USER-1			
116.0	1	Start Altitude	0.0	0.0	3000.0
0.0	2	Level Fly	0.0	87250.0	0.0
63.0	3	App Horiz Decel	0.0	5000.0	0.0
0.0	4	App Const Speed	0.0	24000.0	500.0
0.0	5	App Desc Decel	0.0	2850.0	15.0
0.0	6	App Vertical	3.0	0.0	0.0
0.0	7	Flight Idle	30.0	0.0	0.0
0.0	8	Ground Idle	30.0	0.0	0.0
		SA355F-APP-USER-1			
0.0	1	Ground Idle	30.0	0.0	0.0
0.0	2	Flight Idle	30.0	0.0	0.0
0.0	3	Dep Vertical	3.0	0.0	15.0
30.0	4	Dep Horiz Accel	0.0	100.0	0.0
63.0	5	Dep Climb Accel	0.0	500.0	30.0
0.0	6	Dep Const Speed	0.0	10761.5	3000.0
116.0	7	Dep Horiz Accel	0.0	2800.0	0.0
0.0	8	Level Fly	0.0	93100.0	0.0
		SA365N-DEP-USER-1			
120.0	1	Start Altitude	0.0	0.0	3000.0
0.0	2	Level Fly	0.0	87250.0	0.0
75.0	3	App Horiz Decel	0.0	5000.0	0.0
0.0	4	App Const Speed	0.0	24000.0	500.0
0.0	5	App Desc Decel	0.0	2850.0	15.0
0.0	6	App Vertical	3.0	0.0	0.0
0.0	7	Flight Idle	3.0	0.0	0.0

		Annual	Average Helicopters	2013.txt	
0.0	8 Ground Idle		30.0	0.0	0.0
	SA365N-APP-USER-1				
0.0	1 Ground Idle		30.0	0.0	0.0
0.0	2 Flight Idle		30.0	0.0	0.0
0.0	3 Dep Vertical		3.0	0.0	15.0
0.0	4 Dep Horiz Accel		0.0	100.0	0.0
30.0	5 Dep Climb Accel		0.0	500.0	30.0
74.0	6 Dep Const Speed		0.0	10716.5	3000.0
0.0	7 Dep Horiz Accel		0.0	2800.0	0.0
120.0	8 Level Fly		0.0	93100.0	0.0
0.0					

USER-DEFINED HELICOPTER NOISE CURVES

USER-DEFINED HELICOPTER DIRECTIVITY

CASE FLIGHT OPERATIONS - [2013 Annual]

Acft	Op	Profile	Stg	Rwy	Track	Sub	Group	Day
Evening	Night							
A109	APP	STANDARD	1	HELI 1	GEORG2	0	---	0.0368
0.0000	0.0011							
A109	APP	STANDARD	1	HELI 1	TRN	0	---	0.1293
0.0000	0.0039							
A109	APP	STANDARD	1	HELI 1	TRN	1	---	0.0301
0.0000	0.0009							
A109	APP	STANDARD	1	HELI 1	TRN	2	---	0.0301
0.0000	0.0009							
A109	APP	STANDARD	1	HELI 2	TR RWY10	0	---	0.0421
0.0000	0.0013							
A109	APP	STANDARD	1	HELI 2	TR RWY28	0	---	0.0421
0.0000	0.0013							
A109	APP	STANDARD	1	HELI 2	TRG	1	---	0.1105
0.0000	0.0034							
A109	APP	USER	1	HELI 1	GEORG2	0	---	0.0181
0.0000	0.0006							
A109	APP	USER	1	HELI 1	TRN	0	---	0.0637
0.0000	0.0019							
A109	APP	USER	1	HELI 1	TRN	1	---	0.0148
0.0000	0.0005							
A109	APP	USER	1	HELI 1	TRN	2	---	0.0148
0.0000	0.0005							
A109	APP	USER	1	HELI 2	TR RWY10	0	---	0.0207
0.0000	0.0006							
A109	APP	USER	1	HELI 2	TR RWY28	0	---	0.0207
0.0000	0.0006							
A109	APP	USER	1	HELI 2	TRG	1	---	0.0544
0.0000	0.0017							
A109	DEP	STANDARD	1	HELI 2	BARPT	0	---	0.0422
0.0000	0.0013							
A109	DEP	STANDARD	1	HELI 2	BARPT	1	---	0.0420
0.0000	0.0013							
A109	DEP	STANDARD	1	HELI 2	BARPT	2	---	0.0420
0.0000	0.0013							

Annual Average Helicopters 2013.txt								
A109	DEP	STANDARD	1	HELI 2	DPT JNH	0	---	0.0431
0.0000	0.0013							
A109	DEP	STANDARD	1	HELI 2	DPT JNH	1	---	0.0100
0.0000	0.0003							
A109	DEP	STANDARD	1	HELI 2	DPT JNH	2	---	0.0100
0.0000	0.0003							
A109	DEP	STANDARD	1	HELI 2	DPT10HE	0	---	0.0287
0.0000	0.0009							
A109	DEP	STANDARD	1	HELI 2	DPT10HE	1	---	0.0067
0.0000	0.0002							
A109	DEP	STANDARD	1	HELI 2	DPT10HE	2	---	0.0067
0.0000	0.0002							
A109	DEP	STANDARD	1	HELI 2	DPT28HE	0	---	0.0287
0.0000	0.0009							
A109	DEP	STANDARD	1	HELI 2	DPT28HE	1	---	0.0067
0.0000	0.0002							
A109	DEP	STANDARD	1	HELI 2	DPT28HE	2	---	0.0067
0.0000	0.0002							
A109	DEP	STANDARD	1	HELI 2	GEORG	0	---	0.1262
0.0000	0.0039							
A109	DEP	USER	1	HELI 2	BARPT	0	---	0.0208
0.0000	0.0006							
A109	DEP	USER	1	HELI 2	BARPT	1	---	0.0207
0.0000	0.0006							
A109	DEP	USER	1	HELI 2	BARPT	2	---	0.0207
0.0000	0.0006							
A109	DEP	USER	1	HELI 2	DPT JNH	0	---	0.0212
0.0000	0.0006							
A109	DEP	USER	1	HELI 2	DPT JNH	1	---	0.0049
0.0000	0.0002							
A109	DEP	USER	1	HELI 2	DPT JNH	2	---	0.0049
0.0000	0.0002							
A109	DEP	USER	1	HELI 2	DPT10HE	0	---	0.0141
0.0000	0.0004							
A109	DEP	USER	1	HELI 2	DPT10HE	1	---	0.0033
0.0000	0.0001							
A109	DEP	USER	1	HELI 2	DPT10HE	2	---	0.0033
0.0000	0.0001							
A109	DEP	USER	1	HELI 2	DPT28HE	0	---	0.0141
0.0000	0.0004							
A109	DEP	USER	1	HELI 2	DPT28HE	1	---	0.0033
0.0000	0.0001							
A109	DEP	USER	1	HELI 2	DPT28HE	2	---	0.0033
0.0000	0.0001							
A109	DEP	USER	1	HELI 2	GEORG	0	---	0.0622
0.0000	0.0019							
B206L	APP	STANDARD	1	HELI 1	GEORG2	0	---	0.0037
0.0000	0.0000							
B206L	APP	STANDARD	1	HELI 1	TRN	0	---	0.0129
0.0000	0.0000							
B206L	APP	STANDARD	1	HELI 1	TRN	1	---	0.0030
0.0000	0.0000							
B206L	APP	STANDARD	1	HELI 1	TRN	2	---	0.0030
0.0000	0.0000							
B206L	APP	STANDARD	1	HELI 2	TR RWY10	0	---	0.0042
0.0000	0.0000							
B206L	APP	STANDARD	1	HELI 2	TR RWY28	0	---	0.0042
0.0000	0.0000							
B206L	APP	STANDARD	1	HELI 2	TRG	1	---	0.0110
0.0000	0.0000							
B206L	APP	USER	1	HELI 1	GEORG2	0	---	0.0018
0.0000	0.0000							
B206L	APP	USER	1	HELI 1	TRN	0	---	0.0064

Annual Average Helicopters 2013.txt

0.0000	0.0000							
B206L	APP	USER	1	HELI 1	TRN	1	---	0.0015
0.0000	0.0000							
B206L	APP	USER	1	HELI 1	TRN	2	---	0.0015
0.0000	0.0000							
B206L	APP	USER	1	HELI 2	TR RWY10	0	---	0.0021
0.0000	0.0000							
B206L	APP	USER	1	HELI 2	TR RWY28	0	---	0.0021
0.0000	0.0000							
B206L	APP	USER	1	HELI 2	TRG	1	---	0.0054
0.0000	0.0000							
B206L	DEP	STANDARD	1	HELI 2	BARPT	0	---	0.0042
0.0000	0.0000							
B206L	DEP	STANDARD	1	HELI 2	BARPT	1	---	0.0042
0.0000	0.0000							
B206L	DEP	STANDARD	1	HELI 2	BARPT	2	---	0.0042
0.0000	0.0000							
B206L	DEP	STANDARD	1	HELI 2	DPT JNH	0	---	0.0086
0.0000	0.0000							
B206L	DEP	STANDARD	1	HELI 2	DPT JNH	1	---	0.0020
0.0000	0.0000							
B206L	DEP	STANDARD	1	HELI 2	DPT JNH	2	---	0.0020
0.0000	0.0000							
B206L	DEP	STANDARD	1	HELI 2	DPT10HE	0	---	0.0029
0.0000	0.0000							
B206L	DEP	STANDARD	1	HELI 2	DPT10HE	1	---	0.0007
0.0000	0.0000							
B206L	DEP	STANDARD	1	HELI 2	DPT10HE	2	---	0.0007
0.0000	0.0000							
B206L	DEP	STANDARD	1	HELI 2	DPT28HE	0	---	0.0029
0.0000	0.0000							
B206L	DEP	STANDARD	1	HELI 2	DPT28HE	1	---	0.0007
0.0000	0.0000							
B206L	DEP	STANDARD	1	HELI 2	DPT28HE	2	---	0.0007
0.0000	0.0000							
B206L	DEP	STANDARD	1	HELI 2	GEORG	0	---	0.0126
0.0000	0.0000							
B206L	DEP	USER	1	HELI 2	BARPT	0	---	0.0042
0.0000	0.0000							
B206L	DEP	USER	1	HELI 2	BARPT	1	---	0.0042
0.0000	0.0000							
B206L	DEP	USER	1	HELI 2	BARPT	2	---	0.0042
0.0000	0.0000							
B206L	DEP	USER	1	HELI 2	DPT JNH	0	---	0.0042
0.0000	0.0000							
B206L	DEP	USER	1	HELI 2	DPT JNH	1	---	0.0010
0.0000	0.0000							
B206L	DEP	USER	1	HELI 2	DPT JNH	2	---	0.0010
0.0000	0.0000							
B206L	DEP	USER	1	HELI 2	DPT10HE	0	---	0.0014
0.0000	0.0000							
B206L	DEP	USER	1	HELI 2	DPT10HE	1	---	0.0003
0.0000	0.0000							
B206L	DEP	USER	1	HELI 2	DPT10HE	2	---	0.0003
0.0000	0.0000							
B206L	DEP	USER	1	HELI 2	DPT28HE	0	---	0.0014
0.0000	0.0000							
B206L	DEP	USER	1	HELI 2	DPT28HE	1	---	0.0003
0.0000	0.0000							
B206L	DEP	USER	1	HELI 2	DPT28HE	2	---	0.0003
0.0000	0.0000							
B206L	DEP	USER	1	HELI 2	GEORG	0	---	0.0062
0.0000	0.0000							

Annual Average Helicopters 2013.txt								
B222	APP	STANDARD	1	HELI 1	GEORG2	0	---	0.0030
0.0000	0.0000							
B222	APP	STANDARD	1	HELI 1	TRN	0	---	0.0107
0.0000	0.0000							
B222	APP	STANDARD	1	HELI 1	TRN	1	---	0.0025
0.0000	0.0000							
B222	APP	STANDARD	1	HELI 1	TRN	2	---	0.0025
0.0000	0.0000							
B222	APP	STANDARD	1	HELI 2	TR RWY10	0	---	0.0035
0.0000	0.0000							
B222	APP	STANDARD	1	HELI 2	TR RWY28	0	---	0.0035
0.0000	0.0000							
B222	APP	STANDARD	1	HELI 2	TRG	1	---	0.0091
0.0000	0.0000							
B222	APP	USER	1	HELI 1	GEORG2	0	---	0.0015
0.0000	0.0000							
B222	APP	USER	1	HELI 1	TRN	0	---	0.0053
0.0000	0.0000							
B222	APP	USER	1	HELI 1	TRN	1	---	0.0012
0.0000	0.0000							
B222	APP	USER	1	HELI 1	TRN	2	---	0.0012
0.0000	0.0000							
B222	APP	USER	1	HELI 2	TR RWY10	0	---	0.0017
0.0000	0.0000							
B222	APP	USER	1	HELI 2	TR RWY28	0	---	0.0017
0.0000	0.0000							
B222	APP	USER	1	HELI 2	TRG	1	---	0.0045
0.0000	0.0000							
B222	DEP	STANDARD	1	HELI 2	BARPT	0	---	0.0035
0.0000	0.0000							
B222	DEP	STANDARD	1	HELI 2	BARPT	1	---	0.0035
0.0000	0.0000							
B222	DEP	STANDARD	1	HELI 2	BARPT	2	---	0.0035
0.0000	0.0000							
B222	DEP	STANDARD	1	HELI 2	DPT JNH	0	---	0.0036
0.0000	0.0000							
B222	DEP	STANDARD	1	HELI 2	DPT JNH	1	---	0.0008
0.0000	0.0000							
B222	DEP	STANDARD	1	HELI 2	DPT JNH	2	---	0.0008
0.0000	0.0000							
B222	DEP	STANDARD	1	HELI 2	DPT10HE	0	---	0.0024
0.0000	0.0000							
B222	DEP	STANDARD	1	HELI 2	DPT10HE	1	---	0.0006
0.0000	0.0000							
B222	DEP	STANDARD	1	HELI 2	DPT10HE	2	---	0.0006
0.0000	0.0000							
B222	DEP	STANDARD	1	HELI 2	DPT28HE	0	---	0.0024
0.0000	0.0000							
B222	DEP	STANDARD	1	HELI 2	DPT28HE	1	---	0.0006
0.0000	0.0000							
B222	DEP	STANDARD	1	HELI 2	DPT28HE	2	---	0.0006
0.0000	0.0000							
B222	DEP	STANDARD	1	HELI 2	GEORG	0	---	0.0104
0.0000	0.0000							
B222	DEP	USER	1	HELI 2	BARPT	0	---	0.0017
0.0000	0.0000							
B222	DEP	USER	1	HELI 2	BARPT	1	---	0.0017
0.0000	0.0000							
B222	DEP	USER	1	HELI 2	BARPT	2	---	0.0017
0.0000	0.0000							
B222	DEP	USER	1	HELI 2	DPT JNH	0	---	0.0035
0.0000	0.0000							
B222	DEP	USER	1	HELI 2	DPT JNH	1	---	0.0008

Annual Average Helicopters 2013.txt

0.0000	0.0000							
B222	DEP	USER	1	HELI 2	DPT JNH	2	---	0.0008
0.0000	0.0000							
B222	DEP	USER	1	HELI 2	DPT10HE	0	---	0.0012
0.0000	0.0000							
B222	DEP	USER	1	HELI 2	DPT10HE	1	---	0.0003
0.0000	0.0000							
B222	DEP	USER	1	HELI 2	DPT10HE	2	---	0.0003
0.0000	0.0000							
B222	DEP	USER	1	HELI 2	DPT28HE	0	---	0.0012
0.0000	0.0000							
B222	DEP	USER	1	HELI 2	DPT28HE	1	---	0.0003
0.0000	0.0000							
B222	DEP	USER	1	HELI 2	DPT28HE	2	---	0.0003
0.0000	0.0000							
B222	DEP	USER	1	HELI 2	GEORG	0	---	0.0051
0.0000	0.0000							
B407	APP	STANDARD	1	HELI 1	GEORG2	0	---	0.0339
0.0000	0.0016							
B407	APP	STANDARD	1	HELI 1	TRN	0	---	0.1191
0.0000	0.0056							
B407	APP	STANDARD	1	HELI 1	TRN	1	---	0.0277
0.0000	0.0013							
B407	APP	STANDARD	1	HELI 1	TRN	2	---	0.0277
0.0000	0.0013							
B407	APP	STANDARD	1	HELI 2	TR RWY10	0	---	0.0388
0.0000	0.0018							
B407	APP	STANDARD	1	HELI 2	TR RWY28	0	---	0.0388
0.0000	0.0018							
B407	APP	STANDARD	1	HELI 2	TRG	1	---	0.1018
0.0000	0.0048							
B407	APP	USER	1	HELI 1	GEORG2	0	---	0.0167
0.0000	0.0008							
B407	APP	USER	1	HELI 1	TRN	0	---	0.0587
0.0000	0.0028							
B407	APP	USER	1	HELI 1	TRN	1	---	0.0136
0.0000	0.0006							
B407	APP	USER	1	HELI 1	TRN	2	---	0.0136
0.0000	0.0006							
B407	APP	USER	1	HELI 2	TR RWY10	0	---	0.0191
0.0000	0.0009							
B407	APP	USER	1	HELI 2	TR RWY28	0	---	0.0579
0.0000	0.0027							
B407	APP	USER	1	HELI 2	TRG	1	---	0.0501
0.0000	0.0024							
B407	DEP	STANDARD	1	HELI 2	BARPT	0	---	0.0389
0.0000	0.0018							
B407	DEP	STANDARD	1	HELI 2	BARPT	1	---	0.0387
0.0000	0.0018							
B407	DEP	STANDARD	1	HELI 2	BARPT	2	---	0.0387
0.0000	0.0018							
B407	DEP	STANDARD	1	HELI 2	DPT JNH	0	---	0.0397
0.0000	0.0019							
B407	DEP	STANDARD	1	HELI 2	DPT JNH	1	---	0.0092
0.0000	0.0004							
B407	DEP	STANDARD	1	HELI 2	DPT JNH	2	---	0.0092
0.0000	0.0004							
B407	DEP	STANDARD	1	HELI 2	DPT10HE	0	---	0.0265
0.0000	0.0013							
B407	DEP	STANDARD	1	HELI 2	DPT10HE	1	---	0.0062
0.0000	0.0003							
B407	DEP	STANDARD	1	HELI 2	DPT10HE	2	---	0.0062
0.0000	0.0003							

Annual Average Helicopters 2013.txt								
B407	DEP	STANDARD	1	HELI 2	DPT28HE	0	---	0.0265
0.0000	0.0013							
B407	DEP	STANDARD	1	HELI 2	DPT28HE	1	---	0.0062
0.0000	0.0003							
B407	DEP	STANDARD	1	HELI 2	DPT28HE	2	---	0.0062
0.0000	0.0003							
B407	DEP	STANDARD	1	HELI 2	GEORG	0	---	0.1164
0.0000	0.0055							
B407	DEP	USER	1	HELI 2	BARPT	0	---	0.0191
0.0000	0.0009							
B407	DEP	USER	1	HELI 2	BARPT	1	---	0.0191
0.0000	0.0009							
B407	DEP	USER	1	HELI 2	BARPT	2	---	0.0191
0.0000	0.0009							
B407	DEP	USER	1	HELI 2	DPT JNH	0	---	0.0196
0.0000	0.0009							
B407	DEP	USER	1	HELI 2	DPT JNH	1	---	0.0045
0.0000	0.0002							
B407	DEP	USER	1	HELI 2	DPT JNH	2	---	0.0045
0.0000	0.0002							
B407	DEP	USER	1	HELI 2	DPT10HE	0	---	0.0265
0.0000	0.0013							
B407	DEP	USER	1	HELI 2	DPT10HE	1	---	0.0062
0.0000	0.0003							
B407	DEP	USER	1	HELI 2	DPT10HE	2	---	0.0062
0.0000	0.0003							
B407	DEP	USER	1	HELI 2	DPT28HE	0	---	0.0130
0.0000	0.0006							
B407	DEP	USER	1	HELI 2	DPT28HE	1	---	0.0030
0.0000	0.0001							
B407	DEP	USER	1	HELI 2	DPT28HE	2	---	0.0030
0.0000	0.0001							
B407	DEP	USER	1	HELI 2	GEORG	0	---	0.0573
0.0000	0.0027							
B427	APP	STANDARD	1	HELI 1	GEORG2	0	---	0.0053
0.0000	0.0000							
B427	APP	STANDARD	1	HELI 1	TRN	0	---	0.0185
0.0000	0.0000							
B427	APP	STANDARD	1	HELI 1	TRN	1	---	0.0043
0.0000	0.0000							
B427	APP	STANDARD	1	HELI 1	TRN	2	---	0.0043
0.0000	0.0000							
B427	APP	STANDARD	1	HELI 2	TR RWY10	0	---	0.0060
0.0000	0.0000							
B427	APP	STANDARD	1	HELI 2	TR RWY28	0	---	0.0060
0.0000	0.0000							
B427	APP	STANDARD	1	HELI 2	TRG	1	---	0.0159
0.0000	0.0000							
B427	APP	USER	1	HELI 1	GEORG2	0	---	0.0026
0.0000	0.0000							
B427	APP	USER	1	HELI 1	TRN	0	---	0.0091
0.0000	0.0000							
B427	APP	USER	1	HELI 1	TRN	1	---	0.0021
0.0000	0.0000							
B427	APP	USER	1	HELI 1	TRN	2	---	0.0021
0.0000	0.0000							
B427	APP	USER	1	HELI 2	TR RWY10	0	---	0.0030
0.0000	0.0000							
B427	APP	USER	1	HELI 2	TR RWY28	0	---	0.0030
0.0000	0.0000							
B427	APP	USER	1	HELI 2	TRG	1	---	0.0078
0.0000	0.0000							
B427	DEP	STANDARD	1	HELI 2	BARPT	0	---	0.0060

Annual Average Helicopters 2013.txt

0.0000	0.0000							
B427	DEP	STANDARD	1	HELI 2	BARPT	1	---	0.0060
0.0000	0.0000							
B427	DEP	STANDARD	1	HELI 2	BARPT	2	---	0.0060
0.0000	0.0000							
B427	DEP	STANDARD	1	HELI 2	DPT JNH	0	---	0.0062
0.0000	0.0000							
B427	DEP	STANDARD	1	HELI 2	DPT JNH	1	---	0.0014
0.0000	0.0000							
B427	DEP	STANDARD	1	HELI 2	DPT JNH	2	---	0.0014
0.0000	0.0000							
B427	DEP	STANDARD	1	HELI 2	DPT10HE	0	---	0.0041
0.0000	0.0000							
B427	DEP	STANDARD	1	HELI 2	DPT10HE	1	---	0.0010
0.0000	0.0000							
B427	DEP	STANDARD	1	HELI 2	DPT10HE	2	---	0.0010
0.0000	0.0000							
B427	DEP	STANDARD	1	HELI 2	DPT28HE	0	---	0.0041
0.0000	0.0000							
B427	DEP	STANDARD	1	HELI 2	DPT28HE	1	---	0.0010
0.0000	0.0000							
B427	DEP	STANDARD	1	HELI 2	DPT28HE	2	---	0.0010
0.0000	0.0000							
B427	DEP	STANDARD	1	HELI 2	GEORG	0	---	0.0181
0.0000	0.0000							
B427	DEP	USER	1	HELI 2	BARPT	0	---	0.0030
0.0000	0.0000							
B427	DEP	USER	1	HELI 2	BARPT	1	---	0.0030
0.0000	0.0000							
B427	DEP	USER	1	HELI 2	BARPT	2	---	0.0030
0.0000	0.0000							
B427	DEP	USER	1	HELI 2	DPT JNH	0	---	0.0030
0.0000	0.0000							
B427	DEP	USER	1	HELI 2	DPT JNH	1	---	0.0007
0.0000	0.0000							
B427	DEP	USER	1	HELI 2	DPT JNH	2	---	0.0007
0.0000	0.0000							
B427	DEP	USER	1	HELI 2	DPT10HE	0	---	0.0020
0.0000	0.0000							
B427	DEP	USER	1	HELI 2	DPT10HE	1	---	0.0005
0.0000	0.0000							
B427	DEP	USER	1	HELI 2	DPT10HE	2	---	0.0005
0.0000	0.0000							
B427	DEP	USER	1	HELI 2	DPT28HE	0	---	0.0020
0.0000	0.0000							
B427	DEP	USER	1	HELI 2	DPT28HE	1	---	0.0005
0.0000	0.0000							
B427	DEP	USER	1	HELI 2	DPT28HE	2	---	0.0005
0.0000	0.0000							
B427	DEP	USER	1	HELI 2	GEORG	0	---	0.0089
0.0000	0.0000							
B430	APP	STANDARD	1	HELI 1	GEORG2	0	---	0.0435
0.0000	0.0031							
B430	APP	STANDARD	1	HELI 1	TRN	0	---	0.1529
0.0000	0.0107							
B430	APP	STANDARD	1	HELI 1	TRN	1	---	0.0355
0.0000	0.0025							
B430	APP	STANDARD	1	HELI 1	TRN	2	---	0.0355
0.0000	0.0025							
B430	APP	STANDARD	1	HELI 2	TR RWY10	0	---	0.0498
0.0000	0.0035							
B430	APP	STANDARD	1	HELI 2	TR RWY28	0	---	0.0498
0.0000	0.0035							

		Annual Average Helicopters 2013.txt						
B430	APP	STANDARD	1	HELI 2	TRG	1	---	0.1306
0.0000	0.0092							
B430	APP	USER	1	HELI 1	GEORG2	0	---	0.0214
0.0000	0.0015							
B430	APP	USER	1	HELI 1	TRN	0	---	0.0753
0.0000	0.0053							
B430	APP	USER	1	HELI 1	TRN	1	---	0.0175
0.0000	0.0012							
B430	APP	USER	1	HELI 1	TRN	2	---	0.0175
0.0000	0.0012							
B430	APP	USER	1	HELI 2	TR RWY10	0	---	0.0245
0.0000	0.0017							
B430	APP	USER	1	HELI 2	TR RWY28	0	---	0.0245
0.0000	0.0017							
B430	APP	USER	1	HELI 2	TRG	1	---	0.0643
0.0000	0.0045							
B430	DEP	STANDARD	1	HELI 2	BARPT	0	---	0.0499
0.0000	0.0035							
B430	DEP	STANDARD	1	HELI 2	BARPT	1	---	0.0497
0.0000	0.0035							
B430	DEP	STANDARD	1	HELI 2	BARPT	2	---	0.0497
0.0000	0.0035							
B430	DEP	STANDARD	1	HELI 2	DPT JNH	0	---	0.0509
0.0000	0.0036							
B430	DEP	STANDARD	1	HELI 2	DPT JNH	1	---	0.0118
0.0000	0.0008							
B430	DEP	STANDARD	1	HELI 2	DPT JNH	2	---	0.0118
0.0000	0.0008							
B430	DEP	STANDARD	1	HELI 2	DPT10HE	0	---	0.0340
0.0000	0.0024							
B430	DEP	STANDARD	1	HELI 2	DPT10HE	1	---	0.0079
0.0000	0.0006							
B430	DEP	STANDARD	1	HELI 2	DPT10HE	2	---	0.0079
0.0000	0.0006							
B430	DEP	STANDARD	1	HELI 2	DPT28HE	0	---	0.0340
0.0000	0.0024							
B430	DEP	STANDARD	1	HELI 2	DPT28HE	1	---	0.0079
0.0000	0.0006							
B430	DEP	STANDARD	1	HELI 2	DPT28HE	2	---	0.0079
0.0000	0.0006							
B430	DEP	STANDARD	1	HELI 2	GEORG	0	---	0.1493
0.0000	0.0105							
B430	DEP	USER	1	HELI 2	BARPT	0	---	0.0246
0.0000	0.0017							
B430	DEP	USER	1	HELI 2	BARPT	1	---	0.0245
0.0000	0.0017							
B430	DEP	USER	1	HELI 2	BARPT	2	---	0.0245
0.0000	0.0017							
B430	DEP	USER	1	HELI 2	DPT JNH	0	---	0.0251
0.0000	0.0018							
B430	DEP	USER	1	HELI 2	DPT JNH	1	---	0.0058
0.0000	0.0004							
B430	DEP	USER	1	HELI 2	DPT JNH	2	---	0.0058
0.0000	0.0004							
B430	DEP	USER	1	HELI 2	DPT10HE	0	---	0.0167
0.0000	0.0012							
B430	DEP	USER	1	HELI 2	DPT10HE	1	---	0.0039
0.0000	0.0003							
B430	DEP	USER	1	HELI 2	DPT10HE	2	---	0.0039
0.0000	0.0003							
B430	DEP	USER	1	HELI 2	DPT28HE	0	---	0.0167
0.0000	0.0012							
B430	DEP	USER	1	HELI 2	DPT28HE	1	---	0.0039

Annual Average Helicopters 2013.txt

0.0000	0.0003							
B430	DEP	USER	1	HELI 2	DPT28HE	2	---	0.0039
0.0000	0.0003							
B430	DEP	USER	1	HELI 2	GEORG	0	---	0.0735
0.0000	0.0052							
EC130	APP	STANDARD	1	HELI 1	GEORG2	0	---	0.0099
0.0000	0.0014							
EC130	APP	STANDARD	1	HELI 1	TRN	0	---	0.0348
0.0000	0.0051							
EC130	APP	STANDARD	1	HELI 1	TRN	1	---	0.0081
0.0000	0.0012							
EC130	APP	STANDARD	1	HELI 1	TRN	2	---	0.0081
0.0000	0.0012							
EC130	APP	STANDARD	1	HELI 2	TR RWY10	0	---	0.0113
0.0000	0.0017							
EC130	APP	STANDARD	1	HELI 2	TR RWY28	0	---	0.0113
0.0000	0.0017							
EC130	APP	STANDARD	1	HELI 2	TRG	1	---	0.0298
0.0000	0.0043							
EC130	APP	USER	1	HELI 1	GEORG2	0	---	0.0049
0.0000	0.0007							
EC130	APP	USER	1	HELI 1	TRN	0	---	0.0172
0.0000	0.0025							
EC130	APP	USER	1	HELI 1	TRN	1	---	0.0040
0.0000	0.0006							
EC130	APP	USER	1	HELI 1	TRN	2	---	0.0040
0.0000	0.0006							
EC130	APP	USER	1	HELI 2	TR RWY10	0	---	0.0056
0.0000	0.0008							
EC130	APP	USER	1	HELI 2	TR RWY28	0	---	0.0056
0.0000	0.0008							
EC130	APP	USER	1	HELI 2	TRG	1	---	0.0147
0.0000	0.0021							
EC130	DEP	STANDARD	1	HELI 2	BARPT	0	---	0.0114
0.0000	0.0017							
EC130	DEP	STANDARD	1	HELI 2	BARPT	1	---	0.0113
0.0000	0.0016							
EC130	DEP	STANDARD	1	HELI 2	BARPT	2	---	0.0113
0.0000	0.0016							
EC130	DEP	STANDARD	1	HELI 2	DPT JNH	0	---	0.0116
0.0000	0.0017							
EC130	DEP	STANDARD	1	HELI 2	DPT JNH	1	---	0.0027
0.0000	0.0004							
EC130	DEP	STANDARD	1	HELI 2	DPT JNH	2	---	0.0027
0.0000	0.0004							
EC130	DEP	STANDARD	1	HELI 2	DPT10HE	0	---	0.0077
0.0000	0.0011							
EC130	DEP	STANDARD	1	HELI 2	DPT10HE	1	---	0.0018
0.0000	0.0003							
EC130	DEP	STANDARD	1	HELI 2	DPT10HE	2	---	0.0018
0.0000	0.0003							
EC130	DEP	STANDARD	1	HELI 2	DPT28HE	0	---	0.0077
0.0000	0.0011							
EC130	DEP	STANDARD	1	HELI 2	DPT28HE	1	---	0.0018
0.0000	0.0003							
EC130	DEP	STANDARD	1	HELI 2	DPT28HE	2	---	0.0018
0.0000	0.0003							
EC130	DEP	STANDARD	1	HELI 2	GEORG	0	---	0.0340
0.0000	0.0050							
EC130	DEP	USER	1	HELI 2	BARPT	0	---	0.0056
0.0000	0.0008							
EC130	DEP	USER	1	HELI 2	BARPT	1	---	0.0056
0.0000	0.0008							

Annual Average Helicopters 2013.txt

EC130	DEP	USER	1	HELI 2	BARPT	2	---	0.0056
0.0000	0.0008							
EC130	DEP	USER	1	HELI 2	DPT JNH	0	---	0.0057
0.0000	0.0008							
EC130	DEP	USER	1	HELI 2	DPT JNH	1	---	0.0013
0.0000	0.0002							
EC130	DEP	USER	1	HELI 2	DPT JNH	2	---	0.0013
0.0000	0.0002							
EC130	DEP	USER	1	HELI 2	DPT10HE	0	---	0.0038
0.0000	0.0006							
EC130	DEP	USER	1	HELI 2	DPT10HE	1	---	0.0009
0.0000	0.0001							
EC130	DEP	USER	1	HELI 2	DPT10HE	2	---	0.0009
0.0000	0.0001							
EC130	DEP	USER	1	HELI 2	DPT28HE	0	---	0.0038
0.0000	0.0006							
EC130	DEP	USER	1	HELI 2	DPT28HE	1	---	0.0009
0.0000	0.0001							
EC130	DEP	USER	1	HELI 2	DPT28HE	2	---	0.0009
0.0000	0.0001							
EC130	DEP	USER	1	HELI 2	GEORG	0	---	0.0168
0.0000	0.0024							
R22	APP	STANDARD	1	HELI 1	GEORG2	0	---	0.0040
0.0000	0.0000							
R22	APP	STANDARD	1	HELI 1	TRN	0	---	0.0141
0.0000	0.0000							
R22	APP	STANDARD	1	HELI 1	TRN	1	---	0.0033
0.0000	0.0000							
R22	APP	STANDARD	1	HELI 1	TRN	2	---	0.0033
0.0000	0.0000							
R22	APP	STANDARD	1	HELI 2	TR RWY10	0	---	0.0046
0.0000	0.0000							
R22	APP	STANDARD	1	HELI 2	TR RWY28	0	---	0.0046
0.0000	0.0000							
R22	APP	STANDARD	1	HELI 2	TRG	1	---	0.0120
0.0000	0.0000							
R22	APP	USER	1	HELI 1	GEORG2	0	---	0.0020
0.0000	0.0000							
R22	APP	USER	1	HELI 1	TRN	0	---	0.0069
0.0000	0.0000							
R22	APP	USER	1	HELI 1	TRN	1	---	0.0016
0.0000	0.0000							
R22	APP	USER	1	HELI 1	TRN	2	---	0.0016
0.0000	0.0000							
R22	APP	USER	1	HELI 2	TR RWY10	0	---	0.0023
0.0000	0.0000							
R22	APP	USER	1	HELI 2	TR RWY28	0	---	0.0023
0.0000	0.0000							
R22	APP	USER	1	HELI 2	TRG	1	---	0.0059
0.0000	0.0000							
R22	DEP	STANDARD	1	HELI 2	BARPT	0	---	0.0046
0.0000	0.0000							
R22	DEP	STANDARD	1	HELI 2	BARPT	1	---	0.0046
0.0000	0.0000							
R22	DEP	STANDARD	1	HELI 2	BARPT	2	---	0.0046
0.0000	0.0000							
R22	DEP	STANDARD	1	HELI 2	DPT JNH	0	---	0.0047
0.0000	0.0000							
R22	DEP	STANDARD	1	HELI 2	DPT JNH	1	---	0.0011
0.0000	0.0000							
R22	DEP	STANDARD	1	HELI 2	DPT JNH	2	---	0.0011
0.0000	0.0000							
R22	DEP	STANDARD	1	HELI 2	DPT10HE	0	---	0.0031

Annual Average Helicopters 2013.txt

0.0000	0.0000							
R22	DEP	STANDARD	1	HELI 2	DPT10HE	1	---	0.0007
0.0000	0.0000							
R22	DEP	STANDARD	1	HELI 2	DPT10HE	2	---	0.0007
0.0000	0.0000							
R22	DEP	STANDARD	1	HELI 2	DPT28HE	0	---	0.0031
0.0000	0.0000							
R22	DEP	STANDARD	1	HELI 2	DPT28HE	1	---	0.0007
0.0000	0.0000							
R22	DEP	STANDARD	1	HELI 2	DPT28HE	2	---	0.0007
0.0000	0.0000							
R22	DEP	STANDARD	1	HELI 2	GEORG	0	---	0.0137
0.0000	0.0000							
R22	DEP	USER	1	HELI 2	BARPT	0	---	0.0023
0.0000	0.0000							
R22	DEP	USER	1	HELI 2	BARPT	1	---	0.0023
0.0000	0.0000							
R22	DEP	USER	1	HELI 2	BARPT	2	---	0.0023
0.0000	0.0000							
R22	DEP	USER	1	HELI 2	DPT JNH	0	---	0.0023
0.0000	0.0000							
R22	DEP	USER	1	HELI 2	DPT JNH	1	---	0.0005
0.0000	0.0000							
R22	DEP	USER	1	HELI 2	DPT JNH	2	---	0.0005
0.0000	0.0000							
R22	DEP	USER	1	HELI 2	DPT10HE	0	---	0.0015
0.0000	0.0000							
R22	DEP	USER	1	HELI 2	DPT10HE	1	---	0.0004
0.0000	0.0000							
R22	DEP	USER	1	HELI 2	DPT10HE	2	---	0.0004
0.0000	0.0000							
R22	DEP	USER	1	HELI 2	DPT28HE	0	---	0.0015
0.0000	0.0000							
R22	DEP	USER	1	HELI 2	DPT28HE	1	---	0.0004
0.0000	0.0000							
R22	DEP	USER	1	HELI 2	DPT28HE	2	---	0.0004
0.0000	0.0000							
R22	DEP	USER	1	HELI 2	GEORG	0	---	0.0068
0.0000	0.0000							
R44	APP	STANDARD	1	HELI 1	GEORG2	0	---	0.0040
0.0000	0.0002							
R44	APP	STANDARD	1	HELI 1	TRN	0	---	0.0141
0.0000	0.0006							
R44	APP	STANDARD	1	HELI 1	TRN	1	---	0.0033
0.0000	0.0001							
R44	APP	STANDARD	1	HELI 1	TRN	2	---	0.0033
0.0000	0.0001							
R44	APP	STANDARD	1	HELI 2	TR RWY10	0	---	0.0046
0.0000	0.0002							
R44	APP	STANDARD	1	HELI 2	TR RWY28	0	---	0.0046
0.0000	0.0002							
R44	APP	STANDARD	1	HELI 2	TRG	1	---	0.0120
0.0000	0.0005							
R44	APP	USER	1	HELI 1	GEORG2	0	---	0.0020
0.0000	0.0001							
R44	APP	USER	1	HELI 1	TRN	0	---	0.0069
0.0000	0.0003							
R44	APP	USER	1	HELI 1	TRN	1	---	0.0016
0.0000	0.0001							
R44	APP	USER	1	HELI 1	TRN	2	---	0.0016
0.0000	0.0001							
R44	APP	USER	1	HELI 2	TR RWY10	0	---	0.0023
0.0000	0.0001							

Annual Average Helicopters 2013.txt

R44	APP	USER	1	HELI 2	TR RWY28	0	---	0.0023
0.0000	0.0001							
R44	APP	USER	1	HELI 2	TRG	1	---	0.0059
0.0000	0.0002							
R44	DEP	STANDARD	1	HELI 2	BARPT	0	---	0.0046
0.0000	0.0002							
R44	DEP	STANDARD	1	HELI 2	BARPT	1	---	0.0046
0.0000	0.0002							
R44	DEP	STANDARD	1	HELI 2	BARPT	2	---	0.0046
0.0000	0.0002							
R44	DEP	STANDARD	1	HELI 2	DPT JNH	0	---	0.0047
0.0000	0.0002							
R44	DEP	STANDARD	1	HELI 2	DPT JNH	1	---	0.0011
0.0000	0.0000							
R44	DEP	STANDARD	1	HELI 2	DPT JNH	2	---	0.0011
0.0000	0.0000							
R44	DEP	STANDARD	1	HELI 2	DPT10HE	0	---	0.0031
0.0000	0.0001							
R44	DEP	STANDARD	1	HELI 2	DPT10HE	1	---	0.0007
0.0000	0.0000							
R44	DEP	STANDARD	1	HELI 2	DPT10HE	2	---	0.0007
0.0000	0.0000							
R44	DEP	STANDARD	1	HELI 2	DPT28HE	0	---	0.0031
0.0000	0.0001							
R44	DEP	STANDARD	1	HELI 2	DPT28HE	1	---	0.0007
0.0000	0.0000							
R44	DEP	STANDARD	1	HELI 2	DPT28HE	2	---	0.0007
0.0000	0.0000							
R44	DEP	STANDARD	1	HELI 2	GEORG	0	---	0.0137
0.0000	0.0006							
R44	DEP	USER	1	HELI 2	BARPT	0	---	0.0023
0.0000	0.0001							
R44	DEP	USER	1	HELI 2	BARPT	1	---	0.0023
0.0000	0.0001							
R44	DEP	USER	1	HELI 2	BARPT	2	---	0.0023
0.0000	0.0001							
R44	DEP	USER	1	HELI 2	DPT JNH	0	---	0.0023
0.0000	0.0001							
R44	DEP	USER	1	HELI 2	DPT JNH	1	---	0.0005
0.0000	0.0000							
R44	DEP	USER	1	HELI 2	DPT JNH	2	---	0.0005
0.0000	0.0000							
R44	DEP	USER	1	HELI 2	DPT10HE	0	---	0.0015
0.0000	0.0001							
R44	DEP	USER	1	HELI 2	DPT10HE	1	---	0.0004
0.0000	0.0000							
R44	DEP	USER	1	HELI 2	DPT10HE	2	---	0.0004
0.0000	0.0000							
R44	DEP	USER	1	HELI 2	DPT28HE	0	---	0.0015
0.0000	0.0001							
R44	DEP	USER	1	HELI 2	DPT28HE	1	---	0.0004
0.0000	0.0000							
R44	DEP	USER	1	HELI 2	DPT28HE	2	---	0.0004
0.0000	0.0000							
R44	DEP	USER	1	HELI 2	GEORG	0	---	0.0068
0.0000	0.0003							
S76	APP	STANDARD	1	HELI 1	GEORG2	0	---	0.1854
0.0000	0.0061							
S76	APP	STANDARD	1	HELI 1	TRN	0	---	0.6508
0.0000	0.0214							
S76	APP	STANDARD	1	HELI 1	TRN	1	---	0.1513
0.0000	0.0050							
S76	APP	STANDARD	1	HELI 1	TRN	2	---	0.1513

Annual Average Helicopters 2013.txt

0.0000	0.0050								
S76	APP	STANDARD	1	HELI 2	TR RWY10	0	---		0.2119
0.0000	0.0070								
S76	APP	STANDARD	1	HELI 2	TR RWY28	0	---		0.2119
0.0000	0.0070								
S76	APP	STANDARD	1	HELI 2	TRG	1	---		0.5562
0.0000	0.0183								
S76	APP	USER	1	HELI 1	GEORG2	0	---		0.0913
0.0000	0.0030								
S76	APP	USER	1	HELI 1	TRN	0	---		0.3205
0.0000	0.0106								
S76	APP	USER	1	HELI 1	TRN	1	---		0.0745
0.0000	0.0025								
S76	APP	USER	1	HELI 1	TRN	2	---		0.0745
0.0000	0.0025								
S76	APP	USER	1	HELI 2	TR RWY10	0	---		0.1044
0.0000	0.0034								
S76	APP	USER	1	HELI 2	TR RWY28	0	---		0.1044
0.0000	0.0034								
S76	APP	USER	1	HELI 2	TRG	1	---		0.2739
0.0000	0.0090								
S76	DEP	STANDARD	1	HELI 2	BARPT	0	---		0.2123
0.0000	0.0070								
S76	DEP	STANDARD	1	HELI 2	BARPT	1	---		0.2117
0.0000	0.0070								
S76	DEP	STANDARD	1	HELI 2	BARPT	2	---		0.2117
0.0000	0.0070								
S76	DEP	STANDARD	1	HELI 2	DPT JNH	0	---		0.2169
0.0000	0.0071								
S76	DEP	STANDARD	1	HELI 2	DPT JNH	1	---		0.0504
0.0000	0.0017								
S76	DEP	STANDARD	1	HELI 2	DPT JNH	2	---		0.0504
0.0000	0.0017								
S76	DEP	STANDARD	1	HELI 2	DPT10HE	0	---		0.1446
0.0000	0.0048								
S76	DEP	STANDARD	1	HELI 2	DPT10HE	1	---		0.0336
0.0000	0.0011								
S76	DEP	STANDARD	1	HELI 2	DPT10HE	2	---		0.0336
0.0000	0.0011								
S76	DEP	STANDARD	1	HELI 2	DPT28HE	0	---		0.1446
0.0000	0.0048								
S76	DEP	STANDARD	1	HELI 2	DPT28HE	1	---		0.0336
0.0000	0.0011								
S76	DEP	STANDARD	1	HELI 2	DPT28HE	2	---		0.0336
0.0000	0.0011								
S76	DEP	STANDARD	1	HELI 2	GEORG	0	---		0.6356
0.0000	0.0209								
S76	DEP	USER	1	HELI 2	BARPT	0	---		0.1046
0.0000	0.0034								
S76	DEP	USER	1	HELI 2	BARPT	1	---		0.1043
0.0000	0.0034								
S76	DEP	USER	1	HELI 2	BARPT	2	---		0.1043
0.0000	0.0034								
S76	DEP	USER	1	HELI 2	DPT JNH	0	---		0.1068
0.0000	0.0035								
S76	DEP	USER	1	HELI 2	DPT JNH	1	---		0.0248
0.0000	0.0008								
S76	DEP	USER	1	HELI 2	DPT JNH	2	---		0.0248
0.0000	0.0008								
S76	DEP	USER	1	HELI 2	DPT10HE	0	---		0.0712
0.0000	0.0000								
S76	DEP	USER	1	HELI 2	DPT10HE	1	---		0.0166
0.0000	0.0000								

Annual Average Helicopters 2013.txt

S76	DEP	USER	1	HELI 2	DPT10HE	2	---	0.0166
0.0000	0.0000							
S76	DEP	USER	1	HELI 2	DPT28HE	0	---	0.0712
0.0000	0.0023							
S76	DEP	USER	1	HELI 2	DPT28HE	1	---	0.0166
0.0000	0.0005							
S76	DEP	USER	1	HELI 2	DPT28HE	2	---	0.0166
0.0000	0.0005							
S76	DEP	USER	1	HELI 2	GEORG	0	---	0.3131
0.0000	0.0103							
SA330J	APP	STANDARD	1	HELI 1	GEORG2	0	---	0.0134
0.0000	0.0002							
SA330J	APP	STANDARD	1	HELI 1	TRN	0	---	0.0472
0.0000	0.0006							
SA330J	APP	STANDARD	1	HELI 1	TRN	1	---	0.0110
0.0000	0.0001							
SA330J	APP	STANDARD	1	HELI 1	TRN	2	---	0.0110
0.0000	0.0001							
SA330J	APP	STANDARD	1	HELI 2	TR RWY10	0	---	0.0154
0.0000	0.0002							
SA330J	APP	STANDARD	1	HELI 2	TR RWY28	0	---	0.0154
0.0000	0.0002							
SA330J	APP	STANDARD	1	HELI 2	TRG	1	---	0.0403
0.0000	0.0005							
SA330J	APP	USER	1	HELI 1	GEORG2	0	---	0.0066
0.0000	0.0001							
SA330J	APP	USER	1	HELI 1	TRN	0	---	0.0233
0.0000	0.0003							
SA330J	APP	USER	1	HELI 1	TRN	1	---	0.0054
0.0000	0.0001							
SA330J	APP	USER	1	HELI 1	TRN	2	---	0.0054
0.0000	0.0001							
SA330J	APP	USER	1	HELI 2	TR RWY10	0	---	0.0076
0.0000	0.0001							
SA330J	APP	USER	1	HELI 2	TR RWY28	0	---	0.0076
0.0000	0.0001							
SA330J	APP	USER	1	HELI 2	TRG	1	---	0.0199
0.0000	0.0002							
SA330J	DEP	STANDARD	1	HELI 2	BARPT	0	---	0.0154
0.0000	0.0002							
SA330J	DEP	STANDARD	1	HELI 2	BARPT	1	---	0.0154
0.0000	0.0002							
SA330J	DEP	STANDARD	1	HELI 2	BARPT	2	---	0.0154
0.0000	0.0002							
SA330J	DEP	STANDARD	1	HELI 2	DPT JNH	0	---	0.0157
0.0000	0.0002							
SA330J	DEP	STANDARD	1	HELI 2	DPT JNH	1	---	0.0037
0.0000	0.0000							
SA330J	DEP	STANDARD	1	HELI 2	DPT JNH	2	---	0.0037
0.0000	0.0000							
SA330J	DEP	STANDARD	1	HELI 2	DPT10HE	0	---	0.0105
0.0000	0.0001							
SA330J	DEP	STANDARD	1	HELI 2	DPT10HE	1	---	0.0024
0.0000	0.0000							
SA330J	DEP	STANDARD	1	HELI 2	DPT10HE	2	---	0.0024
0.0000	0.0000							
SA330J	DEP	STANDARD	1	HELI 2	DPT28HE	0	---	0.0105
0.0000	0.0001							
SA330J	DEP	STANDARD	1	HELI 2	DPT28HE	1	---	0.0024
0.0000	0.0000							
SA330J	DEP	STANDARD	1	HELI 2	DPT28HE	2	---	0.0024
0.0000	0.0000							
SA330J	DEP	STANDARD	1	HELI 2	GEORG	0	---	0.0461

Annual Average Helicopters 2013.txt

0.0000	0.0006							
SA330J	DEP	USER	1	HELI 2	BARPT	0	---	0.0076
0.0000	0.0001							
SA330J	DEP	USER	1	HELI 2	BARPT	1	---	0.0076
0.0000	0.0001							
SA330J	DEP	USER	1	HELI 2	BARPT	2	---	0.0076
0.0000	0.0001							
SA330J	DEP	USER	1	HELI 2	DPT JNH	0	---	0.0078
0.0000	0.0001							
SA330J	DEP	USER	1	HELI 2	DPT JNH	1	---	0.0018
0.0000	0.0000							
SA330J	DEP	USER	1	HELI 2	DPT JNH	2	---	0.0018
0.0000	0.0000							
SA330J	DEP	USER	1	HELI 2	DPT10HE	0	---	0.0052
0.0000	0.0001							
SA330J	DEP	USER	1	HELI 2	DPT10HE	1	---	0.0012
0.0000	0.0000							
SA330J	DEP	USER	1	HELI 2	DPT10HE	2	---	0.0012
0.0000	0.0000							
SA330J	DEP	USER	1	HELI 2	DPT28HE	0	---	0.0052
0.0000	0.0001							
SA330J	DEP	USER	1	HELI 2	DPT28HE	1	---	0.0012
0.0000	0.0000							
SA330J	DEP	USER	1	HELI 2	DPT28HE	2	---	0.0012
0.0000	0.0000							
SA330J	DEP	USER	1	HELI 2	GEORG	0	---	0.0227
0.0000	0.0003							
SA350D	APP	STANDARD	1	HELI 1	GEORG2	0	---	0.0315
0.0000	0.0006							
SA350D	APP	STANDARD	1	HELI 1	TRN	0	---	0.1107
0.0000	0.0023							
SA350D	APP	STANDARD	1	HELI 1	TRN	1	---	0.0257
0.0000	0.0005							
SA350D	APP	STANDARD	1	HELI 1	TRN	2	---	0.0257
0.0000	0.0005							
SA350D	APP	STANDARD	1	HELI 2	TR RWY10	0	---	0.0360
0.0000	0.0007							
SA350D	APP	STANDARD	1	HELI 2	TR RWY28	0	---	0.0360
0.0000	0.0007							
SA350D	APP	STANDARD	1	HELI 2	TRG	1	---	0.0946
0.0000	0.0019							
SA350D	APP	USER	1	HELI 1	GEORG2	0	---	0.0155
0.0000	0.0003							
SA350D	APP	USER	1	HELI 1	TRN	0	---	0.0545
0.0000	0.0011							
SA350D	APP	USER	1	HELI 1	TRN	1	---	0.0127
0.0000	0.0003							
SA350D	APP	USER	1	HELI 1	TRN	2	---	0.0127
0.0000	0.0003							
SA350D	APP	USER	1	HELI 2	TR RWY10	0	---	0.0178
0.0000	0.0004							
SA350D	APP	USER	1	HELI 2	TR RWY28	0	---	0.0178
0.0000	0.0004							
SA350D	APP	USER	1	HELI 2	TRG	1	---	0.0466
0.0000	0.0009							
SA350D	DEP	STANDARD	1	HELI 2	BARPT	0	---	0.0361
0.0000	0.0007							
SA350D	DEP	STANDARD	1	HELI 2	BARPT	1	---	0.0360
0.0000	0.0007							
SA350D	DEP	STANDARD	1	HELI 2	BARPT	2	---	0.0360
0.0000	0.0007							
SA350D	DEP	STANDARD	1	HELI 2	DPT JNH	0	---	0.0369
0.0000	0.0008							

		Annual Average Helicopters 2013.txt						
SA350D	DEP	STANDARD	1	HELI 2	DPT JNH	1	---	0.0086
0.0000	0.0002							
SA350D	DEP	STANDARD	1	HELI 2	DPT JNH	2	---	0.0086
0.0000	0.0002							
SA350D	DEP	STANDARD	1	HELI 2	DPT10HE	0	---	0.0246
0.0000	0.0005							
SA350D	DEP	STANDARD	1	HELI 2	DPT10HE	1	---	0.0057
0.0000	0.0001							
SA350D	DEP	STANDARD	1	HELI 2	DPT10HE	2	---	0.0057
0.0000	0.0001							
SA350D	DEP	STANDARD	1	HELI 2	DPT28HE	0	---	0.0246
0.0000	0.0005							
SA350D	DEP	STANDARD	1	HELI 2	DPT28HE	1	---	0.0057
0.0000	0.0001							
SA350D	DEP	STANDARD	1	HELI 2	DPT28HE	2	---	0.0057
0.0000	0.0001							
SA350D	DEP	STANDARD	1	HELI 2	GEORG	0	---	0.1081
0.0000	0.0022							
SA350D	DEP	USER	1	HELI 2	BARPT	0	---	0.0178
0.0000	0.0004							
SA350D	DEP	USER	1	HELI 2	BARPT	1	---	0.0177
0.0000	0.0004							
SA350D	DEP	USER	1	HELI 2	BARPT	2	---	0.0177
0.0000	0.0004							
SA350D	DEP	USER	1	HELI 2	DPT JNH	0	---	0.0182
0.0000	0.0004							
SA350D	DEP	USER	1	HELI 2	DPT JNH	1	---	0.0042
0.0000	0.0001							
SA350D	DEP	USER	1	HELI 2	DPT JNH	2	---	0.0042
0.0000	0.0001							
SA350D	DEP	USER	1	HELI 2	DPT10HE	0	---	0.0121
0.0000	0.0002							
SA350D	DEP	USER	1	HELI 2	DPT10HE	1	---	0.0028
0.0000	0.0001							
SA350D	DEP	USER	1	HELI 2	DPT10HE	2	---	0.0028
0.0000	0.0001							
SA350D	DEP	USER	1	HELI 2	DPT28HE	0	---	0.0121
0.0000	0.0002							
SA350D	DEP	USER	1	HELI 2	DPT28HE	1	---	0.0028
0.0000	0.0001							
SA350D	DEP	USER	1	HELI 2	DPT28HE	2	---	0.0028
0.0000	0.0001							
SA350D	DEP	USER	1	HELI 2	GEORG	0	---	0.0533
0.0000	0.0011							
SA355F	APP	STANDARD	1	HELI 1	GEORG2	0	---	0.0812
0.0000	0.0022							
SA355F	APP	STANDARD	1	HELI 1	TRN	0	---	0.2849
0.0000	0.0079							
SA355F	APP	STANDARD	1	HELI 1	TRN	1	---	0.0662
0.0000	0.0018							
SA355F	APP	STANDARD	1	HELI 1	TRN	2	---	0.0662
0.0000	0.0018							
SA355F	APP	STANDARD	1	HELI 2	TR RWY10	0	---	0.0928
0.0000	0.0026							
SA355F	APP	STANDARD	1	HELI 2	TR RWY28	0	---	0.0928
0.0000	0.0026							
SA355F	APP	STANDARD	1	HELI 2	TRG	1	---	0.2435
0.0000	0.0067							
SA355F	APP	USER	1	HELI 1	GEORG2	0	---	0.0400
0.0000	0.0011							
SA355F	APP	USER	1	HELI 1	TRN	0	---	0.1403
0.0000	0.0039							
SA355F	APP	USER	1	HELI 1	TRN	1	---	0.0326

Annual Average Helicopters 2013.txt

0.0000	0.0009							
SA355F	APP	USER	1	HELI 1	TRN	2	---	0.0326
0.0000	0.0009							
SA355F	APP	USER	1	HELI 2	TR RWY10	0	---	0.0457
0.0000	0.0013							
SA355F	APP	USER	1	HELI 2	TR RWY28	0	---	0.0457
0.0000	0.0013							
SA355F	APP	USER	1	HELI 2	TRG	1	---	0.0184
0.0000	0.0017							
SA355F	DEP	STANDARD	1	HELI 2	BARPT	0	---	0.0930
0.0000	0.0026							
SA355F	DEP	STANDARD	1	HELI 2	BARPT	1	---	0.0927
0.0000	0.0026							
SA355F	DEP	STANDARD	1	HELI 2	BARPT	2	---	0.0927
0.0000	0.0026							
SA355F	DEP	STANDARD	1	HELI 2	DPT JNH	0	---	0.0950
0.0000	0.0026							
SA355F	DEP	STANDARD	1	HELI 2	DPT JNH	1	---	0.0221
0.0000	0.0006							
SA355F	DEP	STANDARD	1	HELI 2	DPT JNH	2	---	0.0221
0.0000	0.0006							
SA355F	DEP	STANDARD	1	HELI 2	DPT10HE	0	---	0.0633
0.0000	0.0018							
SA355F	DEP	STANDARD	1	HELI 2	DPT10HE	1	---	0.0147
0.0000	0.0004							
SA355F	DEP	STANDARD	1	HELI 2	DPT10HE	2	---	0.0147
0.0000	0.0004							
SA355F	DEP	STANDARD	1	HELI 2	DPT28HE	0	---	0.0633
0.0000	0.0018							
SA355F	DEP	STANDARD	1	HELI 2	DPT28HE	1	---	0.0147
0.0000	0.0004							
SA355F	DEP	STANDARD	1	HELI 2	DPT28HE	2	---	0.0147
0.0000	0.0004							
SA355F	DEP	STANDARD	1	HELI 2	GEORG	0	---	0.2783
0.0000	0.0077							
SA355F	DEP	USER	1	HELI 2	BARPT	0	---	0.0458
0.0000	0.0013							
SA355F	DEP	USER	1	HELI 2	BARPT	1	---	0.0456
0.0000	0.0013							
SA355F	DEP	USER	1	HELI 2	BARPT	2	---	0.0456
0.0000	0.0013							
SA355F	DEP	USER	1	HELI 2	DPT JNH	0	---	0.0468
0.0000	0.0013							
SA355F	DEP	USER	1	HELI 2	DPT JNH	1	---	0.0109
0.0000	0.0003							
SA355F	DEP	USER	1	HELI 2	DPT JNH	2	---	0.0109
0.0000	0.0003							
SA355F	DEP	USER	1	HELI 2	DPT10HE	0	---	0.0312
0.0000	0.0009							
SA355F	DEP	USER	1	HELI 2	DPT10HE	1	---	0.0073
0.0000	0.0002							
SA355F	DEP	USER	1	HELI 2	DPT10HE	2	---	0.0073
0.0000	0.0002							
SA355F	DEP	USER	1	HELI 2	DPT28HE	0	---	0.0312
0.0000	0.0009							
SA355F	DEP	USER	1	HELI 2	DPT28HE	1	---	0.0073
0.0000	0.0002							
SA355F	DEP	USER	1	HELI 2	DPT28HE	2	---	0.0073
0.0000	0.0002							
SA355F	DEP	USER	1	HELI 2	GEORG	0	---	0.1371
0.0000	0.0038							
SA365N	APP	STANDARD	1	HELI 1	GEORG2	0	---	0.0125
0.0000	0.0011							

		Annual Average Helicopters 2013.txt						
SA365N	APP	STANDARD	1	HELI 1	TRN	0	---	0.0438
0.0000	0.0039							
SA365N	APP	STANDARD	1	HELI 1	TRN	1	---	0.0102
0.0000	0.0009							
SA365N	APP	STANDARD	1	HELI 1	TRN	2	---	0.0102
0.0000	0.0009							
SA365N	APP	STANDARD	1	HELI 2	TR RWY10	0	---	0.0143
0.0000	0.0013							
SA365N	APP	STANDARD	1	HELI 2	TR RWY28	0	---	0.0143
0.0000	0.0013							
SA365N	APP	STANDARD	1	HELI 2	TRG	1	---	0.0375
0.0000	0.0034							
SA365N	APP	USER	1	HELI 1	GEORG2	0	---	0.0061
0.0000	0.0006							
SA365N	APP	USER	1	HELI 1	TRN	0	---	0.0216
0.0000	0.0019							
SA365N	APP	USER	1	HELI 1	TRN	1	---	0.0050
0.0000	0.0005							
SA365N	APP	USER	1	HELI 1	TRN	2	---	0.0050
0.0000	0.0005							
SA365N	APP	USER	1	HELI 2	TR RWY10	0	---	0.0070
0.0000	0.0006							
SA365N	APP	USER	1	HELI 2	TR RWY28	0	---	0.0070
0.0000	0.0006							
SA365N	APP	USER	1	HELI 2	TRG	1	---	0.0017
0.0000	0.0061							
SA365N	DEP	STANDARD	1	HELI 2	BARPT	0	---	0.0143
0.0000	0.0013							
SA365N	DEP	STANDARD	1	HELI 2	BARPT	1	---	0.0143
0.0000	0.0013							
SA365N	DEP	STANDARD	1	HELI 2	BARPT	2	---	0.0143
0.0000	0.0013							
SA365N	DEP	STANDARD	1	HELI 2	DPT JNH	0	---	0.0146
0.0000	0.0013							
SA365N	DEP	STANDARD	1	HELI 2	DPT JNH	1	---	0.0034
0.0000	0.0003							
SA365N	DEP	STANDARD	1	HELI 2	DPT JNH	2	---	0.0034
0.0000	0.0003							
SA365N	DEP	STANDARD	1	HELI 2	DPT10HE	0	---	0.0097
0.0000	0.0009							
SA365N	DEP	STANDARD	1	HELI 2	DPT10HE	1	---	0.0023
0.0000	0.0002							
SA365N	DEP	STANDARD	1	HELI 2	DPT10HE	2	---	0.0023
0.0000	0.0002							
SA365N	DEP	STANDARD	1	HELI 2	DPT28HE	0	---	0.0097
0.0000	0.0009							
SA365N	DEP	STANDARD	1	HELI 2	DPT28HE	1	---	0.0023
0.0000	0.0002							
SA365N	DEP	STANDARD	1	HELI 2	DPT28HE	2	---	0.0023
0.0000	0.0002							
SA365N	DEP	STANDARD	1	HELI 2	GEORG	0	---	0.0428
0.0000	0.0039							
SA365N	DEP	USER	1	HELI 2	BARPT	0	---	0.0070
0.0000	0.0006							
SA365N	DEP	USER	1	HELI 2	BARPT	1	---	0.0070
0.0000	0.0006							
SA365N	DEP	USER	1	HELI 2	BARPT	2	---	0.0070
0.0000	0.0006							
SA365N	DEP	USER	1	HELI 2	DPT JNH	0	---	0.0072
0.0000	0.0006							
SA365N	DEP	USER	1	HELI 2	DPT JNH	1	---	0.0017
0.0000	0.0002							
SA365N	DEP	USER	1	HELI 2	DPT JNH	2	---	0.0017

Annual Average Helicopters 2013.txt

0.0000	0.0002								
SA365N	DEP	USER	1	HELI 2	DPT10HE	0	---		0.0048
0.0000	0.0004								
SA365N	DEP	USER	1	HELI 2	DPT10HE	1	---		0.0011
0.0000	0.0001								
SA365N	DEP	USER	1	HELI 2	DPT10HE	2	---		0.0011
0.0000	0.0001								
SA365N	DEP	USER	1	HELI 2	DPT28HE	0	---		0.0048
0.0000	0.0004								
SA365N	DEP	USER	1	HELI 2	DPT28HE	1	---		0.0011
0.0000	0.0001								
SA365N	DEP	USER	1	HELI 2	DPT28HE	2	---		0.0011
0.0000	0.0001								
SA365N	DEP	USER	1	HELI 2	GEORG	0	---		0.0211
0.0000	0.0019								

CASE RUNUP OPERATIONS - [2013 Annual]

SCENARIO RUN OPTIONS

```

Run Type       : Single-Metric
NoiseMetric    : DNL
Do Terrain     : No Terrain
Do Contour     : Recursive Grid
Refinement     : 11
Tolerance      : 0.10
Low Cutoff     : 45.0
High Cutoff    : 85.0
Ground Type    : All-Soft-Ground
Do Population  : No
Do Locations   : No
Do Standard    : No
Do Detailed    : No
Compute System Metrics:
DNL            : No
CNEL           : No
LAEQ          : No
LAEQD         : No
LAEQN         : No
SEL           : No
LAMAX         : No
TALA          : No
NEF           : No
WECPNL        : No
EPNL          : No
PNLTM         : No
TAPNL         : No
CEXP          : No
LCMAX         : No
TALC          : No
    
```

SCENARIO GRID DEFINITIONS

Name	Type	X(nmi)	Y(nmi)	Ang(deg)	Di sI (nmi)	Di sJ (nmi)	NI	NJ	Thresh
dAmb (hr)									
CONTOUR	Contour	-10.0000	-10.0000	0.0	20.0000	20.0000	2	2	85.0
0.0 0.00									
DTL WH!	Detailed	-10.0000	-10.0000	0.0	20.0000	20.0000	105	105	
85.0 0.0	0.00								
POPULATN	Popul atn	0.0000	0.0000	0.0	0.0000	0.0001	1	1	85.0
0.0 0.00									
STD WH1	Standard	-10.0000	-10.0000	0.0	20.0000	20.0000	105	105	
85.0 0.0	0.00								

