HARD CASES

MADE IN ITALY

www.explorercases.com

EXPLORER CASES

CERTIFIED IP67 - STANAG 4280 ed 2 DEF STAN 81-41 Level J

BUILT STRONGER

www.explore

1908	1913	2209	2214	2712	2712HL
					HL
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
190x125x85 mm	190x125x135 mm	220x160x95 mm	220x160x145 mm	276x200x120 mm	276x200x120 mm
7 1/2 x 4 15/16 x 3 3/8 in	7 1/2 x 4 15/16 x 5 5/16 in	8 11/16 x 6 5/16 x 3 3/4 in	8 11/16 x 6 5/16 x 5 11/16 in	10 7/8 x 7 7/8 x 4 3/4 in	10 7/8 x 7 7/8 x 4 3/4 in

2717	2717HL	3005	3110HL	3317	3317HL
	HL	HL	HL		HL
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
276x200x170 mm	276x200x170 mm	300x210x58 mm	310x100x108 mm	330x234x170 mm	330x234x170 mm
10 7/8 x 7 7/8 x 6 11/16 in	10 7/8 x 7 7/8 x 6 11/16 in	11 13/16 x 8 1/4 x 2 5/16 in	12 3/16 x 3 15/16 x 4 1/4 in	13 x 9 3/16 x 6 11/16 in	13 x 9 3/16 x 6 11/16 in

3317W	3815HL	3818	3818HL	3823HL	4209HL
	HL		HL	HL	HL
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
330x350x170 mm	380x270x155 mm	380x270x180 mm	380x270x180 mm	380x270x230 mm	420x300x95 mm
13 x 13 3/4 x 6 11/16 in	14 15/16 x 10 5/8 x 6 1/8 in	14 15/16 x 10 5/8 x 7 1/16 in	14 15/16 x 10 5/8 x 7 1/16 in	14 15/16 x 10 5/8 x 9 1/16 in	16 9/16 x 11 13/16 x 3 3/4 in

4216HL	4412	4412HL	4419	4419HL	4820
HL		HL		HL	
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
420x300x160 mm	445x345x125 mm	445x345x125 mm	445x345x190 mm	445x345x190 mm	480x370x205 mm
16 9/16 x 11 13/16 x 6 5/16 in	17 1/2 x 13 9/16 x 4 15/16 in	17 1/2 x 13 9/16 x 4 15/16 in	17 1/2 x 13 9/16 x 7 1/2 in	17 1/2 x 13 9/16 x 7 1/2 in	18 7/8 x 14 9/16 x 8 1/16 in

4820HL	4825HL	5116	5117	5122	5131
HL	HL				
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
480x370x205 mm	480x370x255 mm	516x296x160 mm	517x277x173 mm	517x277x217 mm	516x296x310 mm
18 7/8 x 14 9/16 x 8 1/16 in	18 7/8 x 14 9/16 x 10 1/16 in	20 5/16 x 11 5/8 x 6 5/16 in	20 3/8 x 10 7/8 x 6 13/16 in	20 3/8 x 10 7/8 x 8 9/16 in	20 5/16 x 11 5/8 x 12 3/16 in

5140	5212HL	5215HL	5218HL	5221HL	5325
	HL	HL	HL	HL	
EXTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
581x381x455 mm	520x285x125 mm	520x285x150 mm	520x285x180 mm	520x285x205 mm	538x405x250 mm
22 7/8 x 15 x 17 15/16 in	20 1/2 x 11 1/4 x 4 15/16 in	20 1/2 x 11 1/4 x 5 7/8 in	20 1/2 x 11 1/4 x 7 1/16 in	20 1/2 x 11 1/4 x 8 1/16 in	21 3/16 x 15 15/16 x 9 13/16 in

HARD CASES
MADE IN ITALY

EXPLORER CASES

5326	5822	5823	5833	7626HL	7630
				HL	
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
538x405x250 mm	580x440x220 mm	580x440x220 mm	580x440x330 mm	763x399x260 mm	765x485x305 mm
21 3/16 x 15 15/16 x 9 13/16 in	22 13/16 x 17 5/16 x 8 11/16 in	22 13/16 x 17 5/16 x 8 11/16 in	22 13/16 x 17 5/16 x 13 in	30 1/16 x 15 11/16 x 10 1/4 in	30 1/8 x 19 1/8 x 12 in

7635HL	7641	7726	7745	7814HL	9413
HL		HL	HL	HL	
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
763x399x350 mm	765x485x415 mm	770x580x265 mm	770x580x450 mm	780x350x145 mm	936x350x135 mm
30 1/16 x 15 11/16 x 13 3/4 in	30 1/8 x 19 1/8 x 16 5/16 in	30 5/16 x 22 13/16 x 10 7/16 in	30 5/16 x 22 13/16 x 17 11/16 in	30 11/16 x 13 3/4 x 5 11/16 in	36 7/8 x 13 3/4 x 5 5/16 in

9433	11413	13513	13527	15416	10826
INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS	INTERNAL DIMENSIONS
936x350x330 mm	1136x350x135 mm	1350x350x135 mm	1350x350x272 mm	1540x377x160 mm	1080x620x260 mm
36 7/8 x 13 3/4 x 13 in	44 3/4 x 13 3/4 x 5 5/16 in	53 1/8 x 13 3/4 x 5 5/16 in	53 1/8 x 13 3/4 x 10 11/16 in	60 5/8 x 14 13/16 x 6 5//16 in	42 1/2 x 24 7/16 x 10 1/4 in

10840
INTERNAL DIMENSIONS
1080x620x400 mm
42 1/2 x 24 7/16 x 15 3/4 in

CUSTOM UV PRINTINGS AVAILABLE

CUSTOM FOAM FOR ALL SIZES

HL SERIES

The new standard for lightweight cases with no compromise on durability and reliability.
Featuring an improved strength and over 30% less weight.

OPTIONAL HEAVY DUTY PADDED GUNBAGS

OPTIONAL BACKPACK HARNESS TURNS THE CASE INTO A BACKPACK (certain models)

OPTIONAL DIVIDER BAGS AND ORGANIZED POUCHES

ARMORY CONFIGURATIONS

OPTIONAL DIVIDERS WITH ADJUSTABLE PARTITIONS

FEATURES

1. REINFORCED CORNERS
2. SINGLE BLOCK O-RING SEAL
3. REMOVABLE LID (on certain mod.)
4. CORROSION PROOF METAL PINS
5. COPOLYMER PP INJECTION MOLDED BODY
6. SELF OILING WHEELS (on certain mod.)
7. ERGONOMIC HANDLE
8. PRESSURE RELEASE VALVE
9. CUSTOMIZABLE NAME TAG
10. PRECUBED FOAM LAYERS
11. CONVOLUTED FOAM IN THE LID
12. METAL PADLOCKABLE POINTS (on certain mod.)
13. SECURE EASY TO OPEN LATCHES
14. POSITIVE STACKING LOCATION

OPTIONAL KEY LATCH KIN.1490

INTERNAL SLOTS FOR PLASTIC OR METAL BRACKETS

OPTIONAL TSA APPROVED COMBI PADLOCK

USER FRIENDLY PANEL FRAMES

TECHNICAL SPECIFICATIONS

HL SERIES	CASE MODEL	COLORS: BLACK	ORANGE	M.GREEN	D.SAND	BLUE N.	YELLOW	REMOV. LID	WHEELS	INTERNAL CONFIG.	WEIGHT KG	BUOYANCY KG MAX *	VOLUME LITRES	INT. DIM. (mm) L	W	D	LID	BASE	EXT. DIM. (mm) L	W	D
	1908	BE	OE	GE						EMPTY	0,7	1,4	2	190	125	85	20	65	216	180	102
		B	O	G						W/FOAM	0,8										
	1913	BE	OE	GE						EMPTY	0,85	2,4	3,2	190	125	135	20	115	216	180	152
		B	O	G						W/FOAM	0,92										
	2209	BE	OE	GE						EMPTY	0,88	2,3	3,3	220	160	95	20	75	246	215	112
		B	O	G						W/FOAM	0,99										
	2214	BE	OE	GE						EMPTY	1,16	3,9	5,1	220	160	145	20	125	246	215	162
		B	O	G						W/FOAM	1,29										
	2712	BE	OE	GE				✓		EMPTY	1,62	4,2	6,6	276	200	120	35	85	305	270	144
		B	O	G						W/FOAM	1,83										
HL SERIES	2712HL	BE	OE	GE	DE	NE	YE	✓		EMPTY	1,32	4,2	6,6	276	200	120	35	85	316	270	143
		B	O	G	D	N	Y			W/FOAM	1,46										
	2717	BE	OE	GE				✓		EMPTY	1,93	6,7	9,3	276	200	170	35	135	305	270	194
		B	O	G						W/FOAM	2,12										
HL SERIES	2717HL	BE	OE	GE	DE	NE	YE	✓		EMPTY	1,54	6,7	9,4	276	200	170	35	135	316	270	192
		B	O	G	D	N	Y			W/FOAM	1,75										
HL SERIES	3005	BE	OE	GE	DE					EMPTY	1,1	2,1	4	300	210	58	20	38	326	269	75
		B	O	G	D					W/FOAM	1,2										
HL SERIES	3110HL	BE	OE	GE	DE			✓		EMPTY	0,95	2,5	3,4	310	100	108	20	88	336	159	127
		B	O	G	D					W/FOAM	1,05										
	3317	BE	OE	GE				✓		EMPTY	2,29	7	13,1	330	234	170	68	102	360	304	194
		B	O	G						W/FOAM	2,51										
HL SERIES	3317HL	BE	OE	GE	DE	NE	YE	✓		EMPTY	1,78	7,1	13,1	330	234	170	68	102	360	304	192
		B	O	G	D	N	Y			W/FOAM	2,02										
	3317W	BE						✓		EMPTY	2,92	10,6	19,6	330	350	170	68	102	360	420	194
		B								W/FOAM	3,3										
HL SERIES	3815HL	BE	OE	GE	DE	NE	YE	✓		EMPTY	2,2	10	15,9	380	270	155	47	108	420	340	177
		B	O	G	D	N	Y			W/FOAM	2,53										
	3818	BE	OE	GE						EMPTY	3,14	12,4	18,4	380	270	180	47	133	410	340	205
		B	O	G						W/FOAM	3,58										
HL SERIES	3818HL	BE	OE	GE	DE	NE	YE	✓		EMPTY	2,26	12,3	18,5	380	270	180	47	133	420	340	202
		B	O	G	D	N	Y			W/FOAM	2,66										
HL SERIES	3823HL	BE	OE	GE	DE	NE	YE	✓		EMPTY	2,59	16	23,6	380	270	230	57	173	420	340	252
		B	O	G	D	N	Y			W/FOAM	3,09										
HL SERIES	4209HL	BE	OE	GE	DE			✓		EMPTY	2,2	6,8	12	420	300	95	35	60	457	366	118
		B	O	G	D					W/FOAM	2,6										
		BC								W/PC BAG	2,8										
HL SERIES	4216HL	BE	OE	GE	DE			✓		EMPTY	2,6	14,2	20,6	420	300	160	35	125	457	366	183
		B	O	G	D					W/FOAM	3,2										
	4412	BE	OE	GE				✓		EMPTY	3,4	10,7	19,2	445	345	125	47	78	474	415	149
		B	O	G						W/FOAM	3,9										
HL SERIES	4412HL	BE	OE	GE	DE	NE	YE	✓		EMPTY	2,5	10,8	19,2	445	345	125	47	78	485	414	149
		B	O	G	D	N	Y			W/FOAM	2,92										
		BC		GC						W/PC BAG	3,22										
	4419	BE	OE	GE				✓		EMPTY	4	19,7	29,2	445	345	190	47	143	474	415	214
		B	O	G						W/FOAM	4,7										
HL SERIES	4419HL	BE	OE	GE	DE	NE	YE	✓		EMPTY	2,91	19,8	29,2	445	345	190	47	143	485	414	212
		B	O	G	D	N	Y			W/FOAM	3,58										
	4820	BE	OE	GE						EMPTY	4,64	24,7	35,5	480	370	205	50	155	520	435	230
		B	O	G						W/FOAM	5,4										
HL SERIES	4820HL	BE	OE	GE	DE	NE	YE			EMPTY	3,41	24,8	36,4	480	370	205	50	155	520	440	230
		B	O	G	D	N	Y			W/FOAM	4,17										
HL SERIES	4825HL	BE	OE	GE	DE	NE	YE		✓	EMPTY	4,5	28,2	39	480	370	255	50	205	520	440	276
		B	O	G	D	N	Y			W/FOAM	5,3										
	5116	BE						✓		EMPTY	3,5	15,1	24,4	516	296	160	50	110	585	368	198
		B								W/FOAM	4										
	5117	BE	OE	GE				✓		EMPTY	3,8	15,8	24,7	517	277	173	50	123	546	347	197
		B	O	G						W/FOAM	4,5										
	5122	BE	OE	GE				✓	✓	EMPTY	6	21,5	31	517	277	217	50	167	546	347	247
		B	O	G						W/FOAM	7										
	5131	BE						✓		EMPTY	5	34,4	47,3	516	296	310	60	250	585	368	348
		B								W/FOAM	5,5										
	5140	BKT01.AH						✓	✓	W/FOAM FILLED DRAWERS	13								581	381	455
		BKT02.AH								W/EMPTY DRAWERS	13,8										
		BKT03.AH								W/EMPTY DRAWERS	13,8										
		BKTE.AH								AIDRAW READY	9,75										
		BE.AH								COMPLETELY EMPTY	7,52										
		X.B								AIBOX READY	9,75										
HL SERIES	5212HL	BE	OE	GE	DE			✓		EMPTY	2,35	12,7	18,5	520	285	125	30	95	550	350	145
		B	O	G	D					W/FOAM	2,85										
HL SERIES	5215HL	BE	OE	GE	DE			✓		EMPTY	2,55	12,7	22,2	520	285	150	55	95	550	350	170
		B	O	G	D					W/FOAM	3,05										
HL SERIES	5218HL	BE		GE	DE			✓	✓	EMPTY	3,75	20	26	520	285	180	30	150	550	350	200
		B		G	D					W/FOAM	4,3										
HL SERIES	5221HL	BE		GE	DE			✓	✓	EMPTY	3,9	20	30,3	520	285	205	55	150	550	350	225
		B		G	D					W/FOAM	4,5										
	5325	BE	OE	GE				✓		EMPTY	7	37,2	53	538	405	250	60	190	607	475	275
		B	O	G						W/FOAM	8,25										
	5326	BE	OE	GE				✓	✓	EMPTY	10	37,2	53	538	405	250	60	190	627	475	292
		B	O	G						W/FOAM	11,25										
	5822	BE	OE	GE						EMPTY	7,16	36,7	56,1	580	440	220	60	160	650	510	245
		B	O	G						W/FOAM	8,39										
	5823	BE	OE	GE					✓	EMPTY	9,17	36,7	56,1	580	440	220	60	160	670	510	262
		B	O	G						W/FOAM	10,4										
	5833	BE	OE	GE					✓	EMPTY	10,54	62	84,2	580	440	330	60	270	670	510	372
		B	O	G						W/FOAM	12,65										
HL SERIES	7626HL	BE	OE	GE	DE				✓	EMPTY	7,7	57,5	79,2	763	399	260	50	210	832	466	279
		B	O	G	D					W/FOAM	9,5										
	7630	BE	OE	GE					✓	EMPTY	13,56	81,8	113,1	765	485	305	60	245	860	560	355
		B	O	G						W/FOAM	16,39										
HL SERIES	7635HL	BE	OE	GE	DE				✓	EMPTY	9,4	82,2	106,6	763	399	350	50	300	832	466	369
		B	O	G	D					W/FOAM	11,8										
	7641	BE	OE	GE					✓	EMPTY	15,02	118,5	153,9	765	485	415	60	355	860	560	460
		B	O	G						W/FOAM	18,87										
HL SERIES	7726	BE	OE	GE					✓	EMPTY	10,3	70	118	770	580	265	90	175	836	641	304
		B	O	G						W/FOAM	12,6										
HL SERIES	7745	BE	OE	GE					✓	EMPTY	15,5	144	200	770	580	450	90	360	836	641	489
		B	O	G						W/FOAM	19,8										
HL SERIES	7814HL	BE		GE	DE					EMPTY	5,5	25,3	39,6	780	350	145	42	103	846	427	167
		B		G	D					W/FOAM	6,4										
	9413	BE		GE	DE				✓	EMPTY	6,7	27,9	45,3	936	350	135	42	93	987	414	158
		B		G	D					W/FOAM	7,7										
	9433	BE	OE	GE	DE				✓	EMPTY	10,2	84,9	108	936	350	330	42	288	1009	412	354
		B	O	G	D					W/FOAM	12,7										
	11413	BE		GE	DE				✓	EMPTY	7,8	33,3	53,7	1136	350	135	42	93	1189	415	159
		B		G	D					W/FOAM	8,8										
	13513	BE		GE	DE				✓	EMPTY	8,7	39,5	63,7	1350	350	135	42	93	1430	415	159
		B		G	D					W/FOAM	9,95										
	13527	BE		GE	DE				✓	EMPTY	11,7	97,5	128,5	1350	350	272	42	230	1430	415	296
		B		G	D					W/FOAM	14,9										
	15416	BE		GE	DE				✓	EMPTY	11,3	61,6	92,9	1540	377	160	42	118	1629	456	183
		B		G	D					W/FOAM	13,4										
	10826	BE							✓	EMPTY	17	120,6	174	1080	620	260	60	200	1178	725	287
		B								W/FOAM	20,4										
	10840	BE		GE				✓	✓	EMPTY	19,8	120,6	260	1080	620	400	200	200	1178	718	427
		B		G						W/FOAM	26,3										

Nato Stock Numbers (NSN) available on demand.

Dimensional tolerance: +/- 1.5%

* Maximum load capacity when content is evenly distributed while maintaining buoyancy level just below the lid closure line.

** For models 4825HL, 5122, 5822, 5823 and 5833 the internal dimensions given are calculated on the deepest bottom area.

Distributed by

EXPLORER CASES

GT LINE srl a socio unico
Via del Lavoro, 9 - Loc. Crespellano
40053 Valsamoggia (Bo) - Italy
Tel. +39 051 65041 - Fax +39 051 734925
www.explorercases.com - sales@explorercases.com

REG. N. 1594-A
UNI EN ISO 9001:2015

Content is not included. The information contained in this catalogue are indicative only. GT Line reserves the right at all times to incorporate modifications in the models described, in accordance with technical or commercial requirements.
All product names, logos and brands are property of their respective owners.

FLYER EXPLORER EN 24-2 - 10/2024 - MP 0520 - 2.000