



" Architectural Decorative Elements "

# *The MODERN Moldings Collection*



**Dallas Design Community**

**214.613.2285 | [ArchitecturalBling.com](http://ArchitecturalBling.com)**

\* RESIDENTIAL \* COMMERCIAL \* HOSPITALITY \* RETAIL \*

# Technical

**Architectural Bling** strives to produce the highest quality products for its customers and provides any information needed for a smooth installation. Technical drawings can be downloaded by visiting [ArchitecturalBling.com](http://ArchitecturalBling.com), where you can also find videos that show various methods of installation for the complete **Architectural Bling** line of products.

## Available In



# Materials



**Architectural Bling** has introduced synthetic technology for the production of their decorative elements. Synthetic materials have more advantages than traditional plaster, wood or MDF solutions.

Our synthetic materials are not only lightweight, easy to handle, sturdy and durable but also completely recyclable. Boasting product quality that is second-to-none, our decorative moldings and ornaments are primed and ready for painting/finishing.

## LUXXUS PUROTOUCH®

**Architectural Bling's** exclusive Purotouch® is a polyurethane blend that ensures the best results during the manufacturing process and provides realistic detailing, and deep reliefs in each piece of moulding. This lightweight material is strong, and offers extremely consistent, high quality products.

## AXXENT DUROPOLYMER®

The Duropolymer® line is an impact-resistant polymer blend similar to the impact strength of Red Oak. The Duropolymer® line is perfectly suited for high impact areas and includes a selection of Baseboard, Panel, and Chair moldings.

## FLEX

The latest Flex material offers all of the defined details and consistent qualities of the Purotouch® and Duropolymer® with the added benefit of its flexibility. This one-of-a-kind line is the only in the world to match to more than 90% of the rigid profiles and is available for immediate delivery.





# Steel Molds

the benefits of


**Architectural Bling** has become a leader in the industry through innovation and creative design. Part of what makes us so unique is the use of steel molds to produce the high level of defined, rich detail that we is known for. The use of steel molds also enhances all of our exclusive materials, formulated specifically to create long lasting, beautiful products.

This process provides crisp, sharp details and unlike rubber molds, steel molds do not warp or degrade during production ensuring that each and every **Architectural Bling** molding is identical.



## Build Up

Architectural Bling's standard moldings and our new MODERN Collection feature large, one-piece profiles that provide an effortless installation. These moldings feature one-piece construction, and eliminate the need for build-up and the possibility of post construction separation or cracks. Architectural Bling's moldings are incredibly lightweight, easy to work with, and can be installed with everyday woodworking tools. The large profiles are more cost effective than traditional build-ups, saving time and labor during installation and will enhance any pre-existing architecture with ease.



VS.

**Architectural Bling's  
ONE Piece Profile**








C393

pg. 34



Purotouch®  
 H: 5-7/8" | 15cm  
 P: 8-1/4" | 21cm  
 F: 9-3/4" | 24,7cm  
 L: 6'6" | 200cm

*Designed By  
 Orio Tonini*



C392

pg. 32



Purotouch®  
 H: 7-1/2" | 19cm  
 P: 3-15/16" | 10cm  
 F: 7-13/16" | 19,8cm  
 L: 6'6" | 200cm

*Designed By  
 Orio Tonini*




C391

pg. 30



Purotouch®  
 H: 2-3/8" | 6cm  
 P: 6-15/16" | 16cm  
 F: 5-13/16" | 14,8cm  
 L: 6'6" | 200cm

*Designed By  
 Orio Tonini*





C390

pg. 28



Purotouch®  
 H: 2-3/8" | 6cm  
 P: 3-15/16" | 10cm  
 F: 4-1/8" | 10,5cm  
 L: 6'6" | 200cm






*Designed By  
 Orio Tonini*



# Steps

by Architectural Bling

Linear Movement





# Cornice Moldings


A cornice creates a visually attractive transition from wall to ceiling. From sleek to baroque, from decorative to functional- we offer a quality solution for every budget. The profiles are easy to install and a large number of designs are available in flexible versions.





# Cornice Moldings


by Architectural Bling



**C250 | FC250 (flexible)** LUXXUS


  
 Purotouch®  
 H: 5/8" | 1,6cm  
 P: 5/8" | 1,6cm  
 F: 7/8" | 2,2cm  
 L: 6'6" | 200cm

**CX133** AXXENT


  
 Duropolymer®  
 H: 13/16" | 2cm  
 P: 13/16" | 2cm  
 F: 1-1/16" | 2,7cm  
 L: 6'6" | 200cm


**CX111** AXXENT


  
 Duropolymer®  
 H: 1" | 2,6cm  
 P: 9/16" | 1,5cm  
 F: 1-1/8" | 2,8cm  
 L: 8' | 244cm

**CX132 | CX132F (flexible)** AXXENT


  
 Duropolymer®  
 H: 13/16" | 2cm  
 P: 13/16" | 2cm  
 F: 1-1/8" | 2,8cm  
 L: 8' | 244cm


**PX164** AXXENT


  
 Duropolymer®  
 H: 15/16" | 2,4cm  
 P: 1-3/16" | 3cm  
 F: 1-9/16" | 3,9cm  
 L: 6'6" | 200cm

**CX115** AXXENT


  
 Duropolymer®  
 H: 1-3/16" | 3cm  
 P: 1-1/8" | 2,9cm  
 F: 1-1/2" | 3,9cm  
 L: 8' | 244cm


**C230 | FC230 (flexible)** LUXXUS


  
 Purotouch®  
 H: 1-1/8" | 2,9cm  
 P: 1-1/8" | 2,9cm  
 F: 1-9/16" | 4cm  
 L: 6'6" | 200cm

**CX154** AXXENT


  
 Duropolymer®  
 H: 1-3/16" | 3cm  
 P: 1-3/16" | 3cm  
 F: 1-5/8" | 4,1cm  
 L: 6'6" | 200cm

**CX151** AXXENT


  
 Duropolymer®  
 H: 1-9/16" | 4cm  
 P: 7/8" | 2,3cm  
 F: 1-13/16" | 4,6cm  
 L: 6'6" | 200cm

Luxxus: Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

— ≡ Collections ≡ —

Axxent: Duropolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Cornice Moldings

by Architectural Bling



CX152



CX153



CX148 | CX148F



CX149




CX150



CX110 | CX110F



C360



C260 | FC260



CX109 | CX109F

**CX152** Axxent



**Duopolymer®**  
 H: 1-9/16" | 4cm  
 P: 7/8" | 2,3cm  
 F: 1-13/16" | 4,6cm  
 L: 6'6" | 200cm

**CX153** Axxent



**Duopolymer®**  
 H: 1-9/16" | 4cm  
 P: 7/8" | 2,3cm  
 F: 1-13/16" | 4,6cm  
 L: 6'6" | 200cm

**CX148 | CX148F (flexible)** Axxent



**Duopolymer®**  
 H: 1-11/16" | 4,3cm  
 P: 1-1/8" | 2,9cm  
 F: 2" | 5,1cm  
 L: 6'6" | 200cm

**CX149** Axxent



**Duopolymer®**  
 H: 1-11/16" | 4,3cm  
 P: 1-1/8" | 2,9cm  
 F: 2" | 5,1cm  
 L: 6'6" | 200cm

**CX150** Axxent



**Duopolymer®**  
 H: 1-11/16" | 4,3cm  
 P: 1-1/8" | 2,9cm  
 F: 2" | 5,1cm  
 L: 6'6" | 200cm

**CX110 | CX110F (flexible)** Axxent



**Duopolymer®**  
 H: 1-3/4" | 4,5cm  
 P: 1-5/8" | 4,1cm  
 F: 2-1/4" | 5,8cm  
 L: 8' | 244cm

**C360** Luxxus



**Purotouch®**  
 H: 13/16" | 2,1cm  
 P: 2-3/8" | 6cm  
 F: 2-3/8" | 6cm  
 L: 6'6" | 200cm

*Designed By  
 Jacques Vergracht*

**C260 | FC260 (flexible)** Luxxus



**Purotouch®**  
 H: 1-5/8" | 4,1cm  
 P: 1-7/8" | 4,8cm  
 F: 2-3/8" | 6cm  
 L: 6'6" | 200cm

**CX109 | CX109F (flexible)** Axxent



**Duopolymer®**  
 H: 1-3/4" | 4,4cm  
 P: 1-3/4" | 4,4cm  
 F: 2-7/16" | 6,1cm  
 L: 6'6" | 200cm

**Luxxus:** Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

— ≡ Collections ≡ —

**Axxent:** Duopolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Cornice Moldings

by Architectural Bling



**C322 | FC322** (flexible)

LUXXUS



Purotouch®

H: 1-15/16" | 5cm  
P: 1-5/8" | 4,2cm  
F: 2-1/2" | 6,3cm  
L: 6'6" | 200cm

**C215 | FC215** (flexible)

LUXXUS



Purotouch®

H: 1-7/8" | 4,7cm  
P: 1-7/8" | 4,7cm  
F: 2-5/8" | 6,6cm  
L: 6'6" | 200cm

**CX112**

AXXENT



Duopolymer®

H: 2-1/8" | 5,4cm  
P: 1-1/2" | 3,8cm  
F: 2-5/8" | 6,6cm  
L: 8' | 244cm

**CX141**

AXXENT



Duopolymer®

H: 2-5/16" | 5,9cm  
P: 1-1/4" | 3,1cm  
F: 2-5/8" | 6,7cm  
L: 6'6" | 200cm

**CX142**

AXXENT



Duopolymer®

H: 2-5/16" | 5,9cm  
P: 1-1/4" | 3,1cm  
F: 2-5/8" | 6,7cm  
L: 6'6" | 200cm

**CX143**

AXXENT



Duopolymer®

H: 2-5/16" | 5,9cm  
P: 1-1/4" | 3,1cm  
F: 2-5/8" | 6,7cm  
L: 6'6" | 200cm

**CX124 | CX124F** (flexible)

AXXENT



Duopolymer®

H: 1-15/16" | 4,9cm  
P: 1-15/16" | 4,9cm  
F: 2-11/16" | 6,8cm  
L: 6'6" | 200cm

**C602 | FC602** (flexible)

LUXXUS



Purotouch®

H: 2-1/16" | 5,3cm  
P: 1-15/16" | 5cm  
F: 2-13/16" | 7,2cm  
L: 6'6" | 200cm

**C214 | FC214** (flexible)

LUXXUS



Purotouch®

H: 2-5/8" | 6,6cm  
P: 1-1/4" | 3,1cm  
F: 2-7/8" | 7,3cm  
L: 6'6" | 200cm

**Luxxus:** Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.


—||— Collections —||—

**Axxent:** Duopolymer® high impact resin blend. Ideally suited for baseboards and chair rails.



# Cornice Moldings

by Architectural Bling



CX108



C200 | FC200



C212 | FC212



CX100 | CX100F



CX101



CX136



C356



C390



C321 | FC321

**CX108** AXXENT



**Duopolymer®**  
 H: 2-1/8" | 5,4cm  
 P: 2-1/8" | 5,4cm  
 F: 3" | 7,6cm  
 L: 8' | 244cm

**C200 | FC200 (flexible)** LUXXUS



**Purotouch®**  
 H: 2-9/16" | 6,5cm  
 P: 2-1/4" | 5,7cm  
 F: 3-3/8" | 8,5cm  
 L: 6'6" | 200cm

**C212 | FC212 (flexible)** LUXXUS



**Purotouch®**  
 H: 2-7/8" | 7,3cm  
 P: 1-3/4" | 4,5cm  
 F: 3-3/8" | 8,5cm  
 L: 6'6" | 200cm

**CX100 | CX100F (flexible)** AXXENT



**Duopolymer®**  
 H: 2-11/16" | 6,9cm  
 P: 2-3/4" | 7,1cm  
 F: 3-13/16" | 9,7cm  
 L: 8' | 244cm

**CX101** AXXENT



**Duopolymer®**  
 H: 2-11/16" | 6,9cm  
 P: 2-3/4" | 7,1cm  
 F: 3-13/16" | 9,7cm  
 L: 8' | 244cm

**CX136** AXXENT



**Duopolymer®**  
 H: 2-11/16" | 6,9cm  
 P: 2-3/4" | 7,1cm  
 F: 3-13/16" | 9,7cm  
 L: 8' | 244cm

**C356** LUXXUS



**Purotouch®**  
 H: 13/16" | 2cm  
 P: 3-15/16" | 10cm  
 F: 3-15/16" | 10cm  
 L: 6'6" | 200cm

*Designed By  
 Jacques Vergracht*


**C390** LUXXUS



**Purotouch®**  
 H: 2-3/8" | 6cm  
 P: 3-15/16" | 10cm  
 F: 4-1/8" | 10,5cm  
 L: 6'6" | 200cm

*Designed By  
 Orio Tonini*

**C321 | FC321 (flexible)** LUXXUS



**Purotouch®**  
 H: 3-7/8" | 9,9cm  
 P: 1-15/16" | 5cm  
 F: 4-1/4" | 10,8cm  
 L: 6'6" | 200cm

**Luxxus:** Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.



**Collections**

**Axxent:** Duopolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Cornice Moldings


by Architectural Bling



CX123




C355




C240 | FC240



C213 | FC213



C400



CX126



C201 | FC201



CX127 | CX127F



CX128

**CX123** AXXENT



**Duropolym<sup>®</sup>**  
 H: 3-1/8" | 8cm  
 P: 3-1/8" | 8cm  
 F: 4-5/16" | 11cm  
 L: 8' | 244cm

**C355** LUXXUS



**Purotouch<sup>®</sup>**  
 H: 1-3/8" | 3,5cm  
 P: 4-1/4" | 11,1cm  
 F: 4-1/4" | 11,1cm  
 L: 6'6" | 200cm

*Designed By  
 Jacques Verbrucht*

**C240 | FC240 (flexible)** LUXXUS



**Purotouch<sup>®</sup>**  
 H: 3-1/8" | 8cm  
 P: 3-1/8" | 8cm  
 F: 4-7/16" | 11,3cm  
 L: 6'6" | 200cm

**C213 | FC213 (flexible)** LUXXUS



**Purotouch<sup>®</sup>**  
 H: 3-1/8" | 8cm  
 P: 3-1/8" | 8cm  
 F: 4-1/2" | 11,4cm  
 L: 6'6" | 200cm

**C400** LUXXUS



**Purotouch<sup>®</sup>**  
 H: 2-3/8" | 6cm  
 P: 3-15/16" | 10cm  
 F: 4-5/8" | 11,7cm  
 L: 6'6" | 200cm

**CX126** AXXENT



**Duropolym<sup>®</sup>**  
 H: 3-7/16" | 8,7cm  
 P: 3-7/16" | 8,7cm  
 F: 4-13/16" | 12,2cm  
 L: 6'6" | 200cm

**C201 | FC201 (flexible)** LUXXUS



**Purotouch<sup>®</sup>**  
 H: 4-9/16" | 11,6cm  
 P: 1-7/8" | 4,8cm  
 F: 4-15/16" | 12,5cm  
 L: 6'6" | 200cm

**CX127 | CX127F (flexible)** AXXENT



**Duropolym<sup>®</sup>**  
 H: 3-11/16" | 9,4cm  
 P: 3-11/16" | 9,4cm  
 F: 5-1/8" | 13cm  
 L: 6'6" | 200cm

**CX128** AXXENT



**Duropolym<sup>®</sup>**  
 H: 3-11/16" | 9,4cm  
 P: 3-11/16" | 9,4cm  
 F: 5-1/8" | 13cm  
 L: 8' | 244cm

**Luxxus:** Purotouch<sup>®</sup> a proprietary polymer blend formulated to create deep reliefs and crisp details.




**Axxent:** Duropolym<sup>®</sup> high impact resin blend. Ideally suited for baseboards and chair rails.

# Cornice Moldings


by Architectural Bling



CX129



C220 | FC220



C402 | FC402



C304 | FC304



C902 | FC902




C331 | FC331



C391



C302 | FC302




C341 | FC341

**CX129** AXXENT




**Duopolymer®**  
 H: 3-11/16" | 9,4cm  
 P: 3-11/16" | 9,4cm  
 F: 5-1/8" | 13cm  
 L: 8' | 244cm

**C220 | FC220 (flexible)** LUXXUS



**Purotouch®**  
 H: 3" | 7,6cm  
 P: 4-9/16" | 11,6cm  
 F: 5-3/8" | 13,6cm  
 L: 6'6" | 200cm

**C402 | FC402 (flexible)** LUXXUS



**Purotouch®**  
 H: 4-3/16" | 10,7cm  
 P: 3-11/16" | 9,4cm  
 F: 5-1/2" | 13,9cm  
 L: 6'6" | 200cm

**C304 | FC304 (flexible)** LUXXUS




**Purotouch®**  
 H: 4-13/16" | 12,2cm  
 P: 2-13/16" | 7,2cm  
 F: 5-1/2" | 13,9cm  
 L: 6'6" | 200cm

**C902 | FC902 (flexible)** LUXXUS




**Purotouch®**  
 H: 4-1/16" | 10,3cm  
 P: 4-1/16" | 10,3cm  
 F: 5-9/16" | 14,2cm  
 L: 6'6" | 200cm

**C331 | FC331 (flexible)** LUXXUS



**Purotouch®**  
 H: 2-1/2" | 6,4cm  
 P: 5-5/16" | 13,5cm  
 F: 5-11/16" | 14,5cm  
 L: 6'6" | 200cm

**C391** LUXXUS



**Purotouch®**  
 H: 2-3/8" | 6cm  
 P: 6-15/16" | 16cm  
 F: 5-13/16" | 14,8cm  
 L: 6'6" | 200cm


*Designed By  
 Orio Tonini*

**C302 | FC302 (flexible)** LUXXUS



**Purotouch®**  
 H: 5-1/16" | 12,8cm  
 P: 3-3/8" | 8,5cm  
 F: 5-7/8" | 15cm  
 L: 6'6" | 200cm

**C341 | FC341 (flexible)** LUXXUS



**Purotouch®**  
 H: 3-7/16" | 8,8cm  
 P: 4-13/16" | 12,2cm  
 F: 5-7/8" | 15cm  
 L: 6'6" | 200cm

**Luxxus:** Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.


— Collections —

**Axxent:** Duopolymer® high impact resin blend. Ideally suited for baseboards and chair rails.



# Cornice Moldings

by Architectural Bling



C339 | FC339



C303 | FC303



C211 | FC211



C305



C333 | FC333



CX106



CX107



C353



C216 | FC216

**C339 | FC339 (flexible)**

LUXXUS



Purotouch®

H: 5-9/16" | 14,1cm  
P: 2-1/2" | 6,4cm  
F: 6" | 15,2cm  
L: 6'6" | 200cm

**C303 | FC303 (flexible)**

LUXXUS




Purotouch®

H: 5-11/16" | 14,4cm  
P: 2-9/16" | 6,5cm  
F: 6" | 15,3cm  
L: 6'6" | 200cm

**C211 | FC211 (flexible)**

LUXXUS



Purotouch®

H: 4-9/16" | 11,6cm  
P: 4-7/16" | 11,2cm  
F: 6-1/4" | 15,8cm  
L: 6'6" | 200cm

**C305**

LUXXUS




Purotouch®

H: 1-7/8" | 4,7cm  
P: 6-1/8" | 15,5cm  
F: 6-1/4" | 15,9cm  
L: 6'6" | 200cm

**C333 | FC333 (flexible)**

LUXXUS




Purotouch®

H: 4-13/16" | 12,2cm  
P: 4-3/8" | 11,1cm  
F: 6-3/8" | 16,2cm  
L: 6'6" | 200cm

**CX106**

AXXENT




Duopolymer®

H: 4-5/8" | 11,8cm  
P: 4-5/8" | 11,7cm  
F: 6-7/16" | 16,3cm  
L: 6'6" | 200cm

**CX107**

AXXENT



Duopolymer®

H: 4-5/8" | 11,8cm  
P: 4-5/8" | 11,7cm  
F: 6-7/16" | 16,3cm  
L: 8' | 244cm

**C353**

LUXXUS




Purotouch®

H: 1-3/16" | 3cm  
P: 6-1/2" | 16,5cm  
F: 6-1/2" | 16,5cm  
L: 6'6" | 200cm

Designed By  
Jacques Vergracht

**C216 | FC216 (flexible)**

LUXXUS



Purotouch®

H: 4-9/16" | 11,6cm  
P: 5-1/4" | 13,3cm  
F: 6-13/16" | 17,3cm  
L: 6'6" | 200cm


Luxxus: Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

— Collections —


Axxent: Duopolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Cornice Moldings

by Architectural Bling




**C991** LUXXUS



**Purotouch®**  
 H: 5-1/2" | 14cm  
 P: 4-5/16" | 11cm  
 F: 7" | 17,8cm  
 L: 6'6" | 200cm

*Designed By Ulf Moritz*


**C991** LUXXUS



**Purotouch®**  
 H: 4-5/16" | 11cm  
 P: 5-1/2" | 14cm  
 F: 7" | 17,8cm  
 L: 6'6" | 200cm


*Designed By Ulf Moritz*

**C217 | FC217 (flexible)** LUXXUS




**Purotouch®**  
 H: 4-1/16" | 10,3cm  
 P: 6-1/8" | 15,6cm  
 F: 7-3/16" | 18,3cm  
 L: 6'6" | 200cm

**C217 | FC217 (flexible)** LUXXUS




**Purotouch®**  
 H: 6-1/8" | 15,6cm  
 P: 4-1/16" | 10,3cm  
 F: 7-3/16" | 18,3cm  
 L: 6'6" | 200cm

**C218 | FC218 (flexible)** LUXXUS




**Purotouch®**  
 H: 5-7/8" | 15cm  
 P: 4-3/4" | 12cm  
 F: 7-1/2" | 19,1cm  
 L: 6'6" | 200cm

**C901 | FC901 (flexible)** LUXXUS




**Purotouch®**  
 H: 5-13/16" | 14,8cm  
 P: 4-7/8" | 12,4cm  
 F: 7-9/16" | 19,2cm  
 L: 6'6" | 200cm

**C305 + C213** LUXXUS



**Purotouch®**  
 H: 5" | 12,7cm  
 P: 6-1/8" | 15,5cm  
 F: 7-5/8" | 19,3cm  
 L: 6'6" | 200cm


**C392** LUXXUS



**Purotouch®**  
 H: 7-1/2" | 19cm  
 P: 3-15/16" | 10cm  
 F: 7-13/16" | 19,8cm  
 L: 6'6" | 200cm

*Designed By Orio Tonini*

**C300** LUXXUS



**Purotouch®**  
 H: 6-1/2" | 16,5cm  
 P: 5-1/8" | 13cm  
 F: 8-3/8" | 21,2cm  
 L: 6'6" | 200cm


**Luxxus:** Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

≡ Collections ≡


**Axxent:** Duropolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Cornice Moldings


by Architectural Bling




C354



C305 + C211




C900



C219




C301 | FC301



C991 + P9900



C991 + P9900



C342



C334 | FC334

**C354** LUXXUS



**Purotouch®**  
 H: 1-9/16" | 4cm  
 P: 8-7/16" | 21,5cm  
 F: 8-7/16" | 21,5cm  
 L: 6'6" | 200cm


*Designed By  
 Jacques Vergracht*

**C219** LUXXUS



**Purotouch®**  
 H: 6-15/16" | 17,6cm  
 P: 5-1/8" | 13cm  
 F: 8-9/16" | 21,8cm  
 L: 6'6" | 200cm

**C991 + P9900** LUXXUS



**Purotouch®**  
 H: 4-3/4" | 12cm  
 P: 7-7/8" | 20cm  
 F: 9-3/16" | 23,3cm  
 L: 6'6" | 200cm


*Designed By  
 Ulf Moritz*

**C305 + C211** LUXXUS




**Purotouch®**  
 H: 6-7/16" | 16,3cm  
 P: 6-1/8" | 15,5cm  
 F: 8-7/16" | 21,5cm  
 L: 6'6" | 200cm

**C301 | FC301 (flexible)** LUXXUS




**Purotouch®**  
 H: 6-11/16" | 17cm  
 P: 5-11/16" | 14,4cm  
 F: 8-11/16" | 22cm  
 L: 6'6" | 200cm

**C342** LUXXUS




**Purotouch®**  
 H: 5-1/2" | 14cm  
 P: 7-1/2" | 19cm  
 F: 9-5/16" | 23,6cm  
 L: 6'6" | 200cm

**C900** LUXXUS



**Purotouch®**  
 H: 6-3/4" | 17,1cm  
 P: 5-3/4" | 14,6cm  
 F: 8-1/2" | 21,8cm  
 L: 6'6" | 200cm


**C991 + P9900** LUXXUS



**Purotouch®**  
 H: 5-7/8" | 15cm  
 P: 6-11/16" | 17cm  
 F: 8-7/8" | 22,6cm  
 L: 6'6" | 200cm

*Designed By  
 Ulf Moritz*

**C334 | FC334 (flexible)** LUXXUS



**Purotouch®**  
 H: 5-7/8" | 15cm  
 P: 7-11/16" | 19,6cm  
 F: 9-1/2" | 24,1cm  
 L: 6'6" | 200cm

**Luxxus:** Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

— Collections —

**Axxent:** Duropolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Cornice Moldings

by Architectural Bling



C393




C332



C332



C308 | FC308



C422




C338



C338A




C338B



C370

**C393** LUXXUS




Purotouch®

H: 5-7/8" | 15cm  
P: 8-1/4" | 21cm  
F: 9-3/4" | 24,7cm  
L: 6'6" | 200cm

Designed By  
Oriò Tonini

**C332** LUXXUS



Purotouch®

H: 4-1/2" | 11,4cm  
P: 9-1/16" | 23cm  
F: 9-13/16" | 25cm  
L: 6'6" | 200cm


**C332** LUXXUS



Purotouch®

H: 9-1/16" | 23cm  
P: 4-1/2" | 11,4cm  
F: 9-13/16" | 25cm  
L: 6'6" | 200cm


**C308 | FC308 (flexible)** LUXXUS



Purotouch®

H: 9-3/4" | 24,8cm  
P: 2-1/2" | 6,3cm  
F: 9-13/16" | 25cm  
L: 6'6" | 200cm


**C422** LUXXUS



Purotouch®

H: 6-7/16" | 16,4cm  
P: 7-5/8" | 19,4cm  
F: 10" | 25,4cm  
L: 6'6" | 200cm


**C338** LUXXUS



Purotouch®

H: 7-1/4" | 18,4cm  
P: 7-1/4" | 18,4cm  
F: 10-1/16" | 25,5cm  
L: 6'6" | 200cm


**C338A** LUXXUS



Purotouch®

H: 7-1/4" | 18,4cm  
P: 7-1/4" | 18,4cm  
F: 10-1/16" | 25,5cm  
L: 6'6" | 200cm


**C338B** LUXXUS



Purotouch®

H: 7-1/4" | 18,4cm  
P: 7-1/4" | 18,4cm  
F: 10-1/16" | 25,5cm  
L: 6'6" | 200cm

**C370** LUXXUS



Purotouch®

H: 7-7/8" | 20cm  
P: 6-5/16" | 16cm  
F: 10-1/16" | 25,6cm  
L: 6'6" | 200cm

Designed By  
Ulf Moritz

Luxxus: Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

≡ Collections ≡

Axxent: Duropolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Cornice Moldings


by Architectural Bling



C307




C307 + C-307A



C990



C990 + P9901




C990



C990 + P9901



C991 + 2x P9900




C991 + 2x P9900



C340


**C307** LUXXUS



Purotouch®

H: 7-11/16" | 19,5cm  
P: 7-11/16" | 19,5cm  
F: 10-7/16" | 26,5cm  
L: 6'6" | 200cm

**C990 + P9901** LUXXUS




Purotouch®

H: 6-1/4" | 15,9cm  
P: 12-5/8" | 32cm  
F: 10-9/16" | 26,8cm  
L: 6'6" | 200cm

Designed By  
Xavier Donck

**C991 + 2x P9900** LUXXUS




Purotouch®

H: 7-1/16" | 18cm  
P: 8-1/4" | 21cm  
F: 10-7/8" | 27,6cm  
L: 6'6" | 200cm

Designed By  
Ulf Moritz


**C307 + C-307A** LUXXUS



Purotouch®

H: 7-11/16" | 19,5cm  
P: 7-11/16" | 19,5cm  
F: 10-7/16" | 26,5cm  
L: 6'6" | 200cm

**C990** LUXXUS




Purotouch®

H: 8-1/2" | 21,6cm  
P: 6-1/4" | 15,9cm  
F: 10-9/16" | 26,8cm  
L: 6'6" | 200cm

Designed By  
Xavier Donck

**C991 + 2x P9900** LUXXUS




Purotouch®

H: 8-1/4" | 21cm  
P: 7-1/16" | 18cm  
F: 10-7/8" | 27,6cm  
L: 6'6" | 200cm

Designed By  
Ulf Moritz

**C990** LUXXUS




Purotouch®

H: 6-1/4" | 15,9cm  
P: 8-1/2" | 21,6cm  
F: 10-9/16" | 26,8cm  
L: 6'6" | 200cm

Designed By  
Xavier Donck

**C990 + P9901** LUXXUS




Purotouch®

H: 8-1/2" | 21,6cm  
P: 10-13/16" | 27,5cm  
F: 10-9/16" | 26,8cm  
L: 6'6" | 200cm

Designed By  
Xavier Donck

**C340** LUXXUS



Purotouch®

H: 5-5/16" | 13,5cm  
P: 10-1/16" | 25,6cm  
F: 11-1/4" | 28,6cm  
L: 6'6" | 200cm

Luxxus: Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

≡≡≡ Collections ≡≡≡

Axxent: Duropolymer® high impact resin blend. Ideally suited for baseboards and chair rails.



# Cornice Moldings

by Architectural Bling



C340



C335



C335



C337



C343



C990 + P9900



C990 + P9900




C990 + 2x P9900




C990 + 2x P9900

**C340** LUXXUS



**Purotouch®**  
 H: 10-1/16" | 25,6cm  
 P: 5-5/16" | 13,5cm  
 F: 11-1/4" | 28,6cm  
 L: 6'6" | 200cm


**C335** LUXXUS



**Purotouch®**  
 H: 8-3/4" | 22,2cm  
 P: 7-15/16" | 20,2cm  
 F: 11-9/16" | 29,3cm  
 L: 6'6" | 200cm

*Designed By  
Xavier Donck*


**C335** LUXXUS



**Purotouch®**  
 H: 7-15/16" | 20,2cm  
 P: 8-3/4" | 22,2cm  
 F: 11-9/16" | 29,3cm  
 L: 6'6" | 200cm


*Designed By  
Xavier Donck*

**C337** LUXXUS




**Purotouch®**  
 H: 6-3/4" | 17,2cm  
 P: 10-1/16" | 25,6cm  
 F: 11-13/16" | 30cm  
 L: 6'6" | 200cm

**C343** LUXXUS



**Purotouch®**  
 H: 7-1/2" | 19cm  
 P: 9-13/16" | 25cm  
 F: 12-3/8" | 31,4cm  
 L: 6'6" | 200cm


**C990 + P9900** LUXXUS



**Purotouch®**  
 H: 8-5/8" | 21,9cm  
 P: 8-7/8" | 22,6cm  
 F: 12-3/8" | 31,5cm  
 L: 6'6" | 200cm

*Designed By  
Xavier Donck*


**C990 + P9900** LUXXUS



**Purotouch®**  
 H: 8-7/8" | 22,6cm  
 P: 8-5/8" | 21,9cm  
 F: 12-3/8" | 31,5cm  
 L: 6'6" | 200cm

*Designed By  
Xavier Donck*


**C990 + 2x P9900** LUXXUS



**Purotouch®**  
 H: 9" | 22,9cm  
 P: 11-1/4" | 28,6cm  
 F: 14-7/16" | 36,6cm  
 L: 6'6" | 200cm

*Designed By  
Xavier Donck*

**C990 + 2x P9900** LUXXUS



**Purotouch®**  
 H: 11-1/4" | 28,6cm  
 P: 9" | 22,9cm  
 F: 14-7/16" | 36,6cm  
 L: 6'6" | 200cm

*Designed By  
Xavier Donck*

Luxxus: Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.



Axxent: Duropolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Cornice Moldings

by Architectural Bling



C336



C344



DX162-2300



DX159-2300



CX160



DX157-2300 | DX157F



CX161




DX163-2300



DX168-2300

**C336** LUXXUS



Purotouch®

H: 10-11/16" | 27,1cm  
P: 10-1/2" | 26,6cm  
F: 14-3/4" | 37,5cm  
L: 6'6" | 200cm

**DX159-2300** AXXENT



Duopolymer®

H: 1/2" | 1,2cm  
P: 2-3/8" | 6cm  
L: 7'6" | 230cm


**CX161** AXXENT



Duopolymer®

H: 1/2" | 1,3cm  
P: 2-11/16" | 6,9cm  
L: 6'6" | 200cm

**C344** LUXXUS



Purotouch®

H: 10-3/4" | 27,3cm  
P: 13-3/4" | 35cm  
F: 17-1/2" | 44,4cm  
L: 6'6" | 200cm

**CX160** AXXENT



Duopolymer®

H: 1/2" | 1,3cm  
P: 1-9/16" | 3,9cm  
L: 6'6" | 200cm

**DX163-2300** AXXENT



Duopolymer®

H: 1/2" | 1,3cm  
P: 4" | 10,2cm  
L: 7'6" | 230cm

**DX162-2300** AXXENT



Duopolymer®

H: 3/8" | 1cm  
P: 1-9/16" | 4cm  
L: 7'6" | 230cm

**DX157-2300 | DX157F (flexible)** AXXENT



Duopolymer®

H: 1/2" | 1,3cm  
P: 2-9/16" | 6,6cm  
L: 7'6" | 230cm (DX157-2300)  
L: 6'6" | 200cm (DX157F)

**DX168-2300** AXXENT



Duopolymer®

H: 9/16" | 1,4cm  
P: 5-15/16" | 15,1cm  
L: 7'6" | 230cm

Luxxus: Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

— Collections —

Axxent: Duopolymer® high impact resin blend. Ideally suited for baseboards and chair rails.



# Indirect Lighting

Indirect lighting imparts a warm atmosphere and creates an extra spatial effect. Whether tightly linear or diffused, as uplight or downlight, one thing is certain: it enhances the architecture. What's more, the compact LED lighting ensures an energy-efficient and durable solution.




# Lighting Combinations


by *Architectural Bling*

Endless Possibilities


C380




C382 + C380




C382 + C382 + C380




C382 + C382 + C381




C381




C383 + C381




C383 + C383 + C381




C383 + C382 + C381




C382 + C383




C381 + C382




C382 + C382



C382 + C382 + C382









# L 3

Linear LED Lighting


① C382 + C382 + C380



② C382 + C382 + C382



C383





# Indirect Lighting


by Architectural Bling




C380



C361




C362



C381



C373 | FC373



C374 + C373



C390



C357

**C380** LUXXUS



Purotouch®

H: 2" | 5cm  
P: 2" | 5cm  
F: 2-1/2" | 6,3cm  
L: 6'6" | 200cm

Designed By  
Oriò Tonini

**C361** LUXXUS



Purotouch®

H: 1-15/16" | 5cm  
P: 1-15/16" | 5cm  
F: 2-3/4" | 7cm  
L: 6'6" | 200cm

Designed By  
Pierre Daems

**C362** LUXXUS



Purotouch®

H: 1-15/16" | 5cm  
P: 1-15/16" | 5cm  
F: 2-3/4" | 7cm  
L: 6'6" | 200cm

Designed By  
Pierre Daems

**C381** LUXXUS



Purotouch®

H: 3-3/4" | 9,5cm  
P: 2" | 5cm  
F: 3-3/4" | 9,5cm  
L: 6'6" | 200cm

Designed By  
Oriò Tonini

**C373 | FC373 (flexible)** LUXXUS



Purotouch®

H: 3-1/8" | 8cm  
P: 1-15/16" | 5cm  
F: 3-3/4" | 9,5cm  
L: 6'6" | 200cm

Designed By  
Ulf Moritz

**C374 + C373** LUXXUS



Purotouch®

H: 3-1/8" | 8cm  
P: 1-15/16" | 5cm  
F: 3-3/4" | 9,5cm  
L: 6'6" | 200cm

Designed By  
Ulf Moritz

**C390** LUXXUS




Purotouch®

H: 2-3/8" | 6cm  
P: 3-15/16" | 10cm  
F: 4-1/8" | 10,5cm  
L: 6'6" | 200cm

Designed By  
Oriò Tonini

**C357** LUXXUS



Purotouch®

H: 2-13/16" | 7,1cm  
P: 4-5/16" | 11cm  
F: 4-15/16" | 12,6cm  
L: 6'6" | 200cm

Designed By  
Jacques Vergracht






Luxxus: Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

≡ Collections ≡


Axxent: Duropolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Indirect Lighting

by Architectural Bling




**C382** LUXXUS




**Purotouch®**  
 H: 5-1/2" | 14cm  
 P: 2" | 5cm  
 F: 5" | 12,7cm  
 L: 6'6" | 200cm  
 Designed By  
 Orio Tonini

**C383** LUXXUS




**Purotouch®**  
 H: 5-1/2" | 14cm  
 P: 2" | 5cm  
 F: 5" | 12,7cm  
 L: 6'6" | 200cm  
 Designed By  
 Orio Tonini

**C364** LUXXUS




**Purotouch®**  
 H: 5-1/2" | 14cm  
 P: 3-1/8" | 8cm  
 F: 5-9/16" | 14,2cm  
 L: 6'6" | 200cm  
 Designed By Pierre Daems  
 Red Dot Design Award 2014

**C902** LUXXUS



**Purotouch®**  
 H: 4-1/16" | 10,3cm  
 P: 4-1/16" | 10,3cm  
 F: 5-9/16" | 14,2cm  
 L: 6'6" | 200cm

**C391** LUXXUS




**Purotouch®**  
 H: 2-3/8" | 6cm  
 P: 6-15/16" | 16cm  
 F: 5-13/16" | 14,8cm  
 L: 6'6" | 200cm  
 Designed By  
 Orio Tonini

**C358** LUXXUS




**Purotouch®**  
 H: 2-7/8" | 7,3cm  
 P: 5-1/2" | 14cm  
 F: 6" | 15,3cm  
 L: 6'6" | 200cm  
 Designed By  
 Jacques Vergracht

**C991**



**Purotouch®**  
 H: 4-5/16" | 11cm  
 P: 5-1/2" | 14cm  
 F: 7" | 17,8cm  
 L: 6'6" | 200cm  
 Designed By  
 Ulf Moritz

**C991**



**Purotouch®**  
 H: 5-1/2" | 14cm  
 P: 4-5/16" | 11cm  
 F: 7" | 17,8cm  
 L: 6'6" | 200cm  
 Designed By  
 Ulf Moritz




Luxxus: Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

≡ Collections ≡


Axxent: Duropolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Indirect Lighting

by Architectural Bling



**C352** LUXXUS




Purotouch®

H: 3" | 7,6cm  
P: 6-3/4" | 17,1cm  
F: 7-1/8" | 18,1cm  
L: 6'6" | 200cm

Designed By  
Jacques Vergracht

**C371** LUXXUS




Purotouch®

H: 7-5/16" | 18,5cm  
P: 2-5/16" | 5,8cm  
F: 7-1/2" | 19cm  
L: 6'6" | 200cm

Designed By  
Ulf Moritz

**C372** LUXXUS




Purotouch®

H: 11" | 28cm  
P: 2-3/4" | 7cm  
F: 11-3/16" | 28,4cm  
L: 6'6" | 200cm

Designed By  
Ulf Moritz

**C374 | FC374 (flexible)** LUXXUS




Purotouch®

H: 7-1/16" | 18cm  
P: 1-15/16" | 5cm  
F: 7-5/16" | 18,6cm  
L: 6'6" | 200cm

Designed By  
Ulf Moritz


**C901** LUXXUS



Purotouch®

H: 5-13/16" | 14,8cm  
P: 4-7/8" | 12,4cm  
F: 7-9/16" | 19,2cm  
L: 6'6" | 200cm

**C351** LUXXUS




Purotouch®

H: 2-15/16" | 7,4cm  
P: 6-13/16" | 17,3cm  
F: 7-1/2" | 19cm  
L: 6'6" | 200cm

Designed By  
Jacques Vergracht


**C900** LUXXUS



Purotouch®

H: 6-3/4" | 17,1cm  
P: 5-3/4" | 14,6cm  
F: 8-1/2" | 21,8cm  
L: 6'6" | 200cm

**SX179 | SX179 (flexible)** AXSENT



Duopolymer®


H: 3-13/16" | 9,7cm  
P: 1-1/8" | 2,9cm  
F: 3-7/8" | 9,8cm  
L: 6'6" | 200cm

Designed By  
Orio Tonini

Luxxus: Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

≡ Collections ≡



Axxent: Duopolymer® high impact resin blend. Ideally suited for baseboards and chair rails.



Light  
**Diagonal**

Line

DESIGN BY ORIO TONINI



SX179 | SX179F (*flexible*)

pg. 53



Duopolymer®

H: 3-13/16" | 9,7cm

P: 1-1/8" | 2,9cm

F: 3-7/8" | 9,8cm


L: 6'6" | 200cm

*Designed By*  
Orio Tonini



C393

pg. 34



Purotouch®  
 H: 5-7/8" | 15cm  
 P: 8-1/4" | 21cm  
 F: 9-3/4" | 24,7cm  
 L: 6'6" | 200cm

Designed By  
 Orio Tonini



C392

pg. 32



Purotouch®  
 H: 7-1/2" | 19cm  
 P: 3-15/16" | 10cm  
 F: 7-13/16" | 19,8cm  
 L: 6'6" | 200cm

Designed By  
 Orio Tonini




C391

pg. 30



Purotouch®  
 H: 2-3/8" | 6cm  
 P: 6-15/16" | 16cm  
 F: 5-13/16" | 14,8cm  
 L: 6'6" | 200cm

Designed By  
 Orio Tonini



C390

pg. 28



Purotouch®  
 H: 2-3/8" | 6cm  
 P: 3-15/16" | 10cm  
 F: 4-1/8" | 10,5cm  
 L: 6'6" | 200cm

Designed By  
 Orio Tonini







C380

pg. 19



Purotouch®  
 H: 2" | 5cm  
 P: 2" | 5cm  
 F: 2-1/2" | 6,3cm  
 L: 6'6" | 200cm

*Designed By  
 Orio Tonini*

C381

pg. 19



Purotouch®  
 H: 3-3/4" | 9,5cm  
 P: 2" | 5cm  
 F: 3-3/4" | 9,5cm  
 L: 6'6" | 200cm

*Designed By  
 Orio Tonini*

C382

pg. 20



Purotouch®  
 H: 5-1/2" | 14cm  
 P: 2" | 5cm  
 F: 5" | 12,7cm  
 L: 6'6" | 200cm

*Designed By  
 Orio Tonini*


C383

pg. 20



Purotouch®  
 H: 5-1/2" | 14cm  
 P: 2" | 5cm  
 F: 5" | 12,7cm  
 L: 6'6" | 200cm


*Designed By  
 Orio Tonini*





# Curtain Moldings

The innovative, new curtain moldings featured in the MODERN Collection are the perfect addition to your space. These state-of-the-art moldings were designed to be attached to the ceiling and allows adjustable space for curtain rods and drapes to be hidden behind. It is also possible to use these new curtain moldings to hide lighting and other hardware. When installed these moldings also offer an uninterrupted perimeter around the room and are a beautiful transition from wall to ceiling. These moldings can also be used with other product from the line for a seamless, modern design.



# Curtain Moldings


by Architectural Bling



C390



C391



C341 | FC341



C991




C392



C342



C393



C343



C344

**C390** LUXXUS




Purotouch®

H: 2-3/8" | 6cm  
P: 3-15/16" | 10cm  
F: 4-1/8" | 10,5cm  
L: 6'6" | 200cm

Designed By  
Oriò Tonini

**C991: Curtain**




Purotouch®

H: 4-5/16" | 11cm  
P: 5-1/2" | 14cm  
F: 7" | 17,8cm  
L: 6'6" | 200cm

Designed By  
Ulf Moritz

**C393** LUXXUS




Purotouch®

H: 5-7/8" | 15cm  
P: 8-1/4" | 21cm  
F: 9-3/4" | 24,7cm  
L: 6'6" | 200cm

Designed By  
Oriò Tonini

**C391** LUXXUS




Purotouch®

H: 2-3/8" | 6cm  
P: 6-15/16" | 16cm  
F: 5-13/16" | 14,8cm  
L: 6'6" | 200cm

Designed By  
Oriò Tonini

**C392** LUXXUS




Purotouch®

H: 7-1/2" | 19cm  
P: 3-15/16" | 10cm  
F: 7-13/16" | 19,8cm  
L: 6'6" | 200cm

Designed By  
Oriò Tonini


**C343** LUXXUS



Purotouch®

H: 7-1/2" | 19cm  
P: 9-13/16" | 25cm  
F: 12-3/8" | 31,4cm  
L: 6'6" | 200cm


**C341 | FC341 (flexible): Curtain** LUXXUS



Purotouch®

H: 3-7/16" | 8,8cm  
P: 4-13/16" | 12,2cm  
F: 5-7/8" | 15cm  
L: 6'6" | 200cm


**C342: Curtain** LUXXUS



Purotouch®

H: 5-1/2" | 14cm  
P: 7-1/2" | 19cm  
F: 9-5/16" | 23,6cm  
L: 6'6" | 200cm

**C344** LUXXUS



Purotouch®

H: 10-3/4" | 27,3cm  
P: 13-3/4" | 35cm  
F: 17-1/2" | 44,4cm  
L: 6'6" | 200cm

Luxxus: Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

≡ Collections ≡

Axxent: Duropolymer® high impact resin blend. Ideally suited for baseboards and chair rails.



# Flexible Cornice Moldings

by *Architectural Bling*




## LUXXUS

| Part # | R min     |       |
|--------|-----------|-------|
| FC200  | 63"       | 160cm |
| FC201  | 78-3/4"   | 200cm |
| FC211  | 98-7/16"  | 250cm |
| FC212  | 47-1/4"   | 120cm |
| FC213  | 110-1/4"  | 280cm |
| FC214  | 55-1/8"   | 140cm |
| FC215  | 63"       | 160cm |
| FC216  | 133-7/8"  | 340cm |
| FC217  | 149-5/8"  | 380cm |
| FC218  | 141-3/4"  | 360cm |
| FC220  | 157-1/2"  | 400cm |
| FC230  | 59-1/16"  | 150cm |
| FC240  | 106-5/16" | 270cm |
| FC250  | 27-9/16"  | 70cm  |
| FC260  | 51-3/16"  | 130cm |
| FC301  | 126"      | 320cm |
| FC302  | 98-7/16"  | 250cm |
| FC303  | 70-7/8"   | 180cm |
| FC304  | 98-7/16"  | 250cm |
| FC308  | 47-1/4"   | 120cm |
| FC321  | 55-1/8"   | 140cm |
| FC322  | 63"       | 160cm |
| FC331  | 165-3/8"  | 420cm |
| FC333  | 118-1/8"  | 300cm |
| FC334  | 149-5/8"  | 380cm |
| FC339  | 149-5/8"  | 380cm |
| FC341  | 157-1/2"  | 400cm |
| FC373  | 39-3/8"   | 100cm |
| FC374  | 51-3/16"  | 130cm |
| FC402  | 118-1/8"  | 300cm |
| FC602  | 39-3/8"   | 100cm |
| FC901  | 236-1/16" | 600cm |
| FC902  | 236-1/16" | 600cm |

## AXXENT

| Part # | R min    |       |
|--------|----------|-------|
| CX100F | 78-3/4"  | 200cm |
| CX109F | 63"      | 160cm |
| CX110F | 70-7/8"  | 180cm |
| CX124F | 63"      | 160cm |
| CX127F | 94-1/2"  | 240cm |
| CX132F | 27-9/16" | 70cm  |
| CX148F | 70-7/8"  | 180cm |



**Luxxus:** Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.


—≡≡ **Collections** ≡≡—

**Axxent:** Duropolymer® high impact resin blend. Ideally suited for baseboards and chair rails.



# Panel Mouldings










Make flat walls come to life using “wallscaping” with our extensive range of panel mouldings. Create attractive paneling or frames on walls and ceilings in a jiffy. All designs are easy to install and many are available in a flexible format for use on curved walls and ceilings.





# Panel Moldings

by Architectural Bling



**P9050 | FP9050 (flexible)** LUXXUS



Purotouch®  
H: 1" | 2,5cm  
P: 1/2" | 1,3cm  
L: 6'6" | 200cm

**P5021 | FP5021 (flexible)** LUXXUS



Purotouch®  
H: 1-1/4" | 3,1cm  
P: 3/8" | 0,9cm  
L: 6'6" | 200cm

**P8030 | FP8030 (flexible)** LUXXUS



Purotouch®  
H: 1-5/8" | 4,1cm  
P: 11/16" | 1,7cm  
L: 6'6" | 200cm

**P2020 | FP2020 (flexible)** LUXXUS



Purotouch®  
H: 1-3/4" | 4,4cm  
P: 1" | 2,6cm  
L: 6'6" | 200cm

**P1020 | FP1020 (flexible)** LUXXUS



Purotouch®  
H: 1-15/16" | 4,9cm  
P: 15/16" | 2,4cm  
L: 6'6" | 200cm

**P9040 | FP9040 (flexible)** LUXXUS



Purotouch®  
H: 1-15/16" | 5cm  
P: 1" | 2,5cm  
L: 6'6" | 200cm

**P4020 | FP4020 (flexible)** LUXXUS



Purotouch®  
H: 1-15/16" | 5cm  
P: 1-1/8" | 2,9cm  
L: 6'6" | 200cm

**P8060 | FP8060 (flexible)** LUXXUS



Purotouch®  
H: 1-15/16" | 5cm  
P: 1-3/8" | 3,5cm  
L: 6'6" | 200cm

**P8020 | FP8020 (flexible)** LUXXUS



Purotouch®  
H: 2-3/8" | 6cm  
P: 1" | 2,6cm  
L: 6'6" | 200cm






Luxxus: Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

— Collections —

Axxent: Duropolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Panel Moldings

by Architectural Bling



**P3020 | FP3020 (flexible)** LUXXUS



Purotouch®

H: 2-3/8" | 6,1cm  
P: 1-1/4" | 3,2cm  
L: 6'6" | 200cm

**P6020 | FP6020 (flexible)** LUXXUS



Purotouch®

H: 2-1/2" | 6,4cm  
P: 1-1/8" | 2,8cm  
L: 6'6" | 200cm

**P9901 | FP9901 (flexible)** LUXXUS



Purotouch®

H: 2-3/4" | 7cm  
P: 9/16" | 1,4cm  
L: 6'6" | 200cm

**P7070 | FP7070 (flexible)** LUXXUS



Purotouch®

H: 2-15/16" | 7,4cm  
P: 7/8" | 2,2cm  
L: 6'6" | 200cm

**P7040 | FP7040 (flexible)** LUXXUS



Purotouch®

H: 3-1/8" | 7,9cm  
P: 1" | 2,6cm  
L: 6'6" | 200cm

**P9900 | FP9900 (flexible)** LUXXUS



Purotouch®

H: 3-1/8" | 8cm  
P: 3/8" | 1cm  
L: 6'6" | 200cm

**P5051** LUXXUS



Purotouch®

H: 3-5/16" | 8,4cm  
P: 9/16" | 1,5cm  
L: 6'6" | 200cm

Designed By  
Jacques Vergracht

**P7030 | FP7030 (flexible)** LUXXUS



Purotouch®

H: 3-3/8" | 8,5cm  
P: 11/16" | 1,7cm  
L: 6'6" | 200cm

**P5020 | FP5020 (flexible)** LUXXUS



Purotouch®

H: 3-9/16" | 9,1cm  
P: 1/2" | 1,3cm  
L: 6'6" | 200cm


Luxxus: Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

— Collections —


Axxent: Duropolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Panel Moldings


by Architectural Bling




P9010 | FP9010




DX119



DX121



P9020 | FP9020



P8040 | FP8040




P7010 | FP7010



P7020 | FP7020



DX170-2300



P8050 | FP8050

**P9010 | FP9010 (flexible)** LUXXUS



Purotouch®

H: 3-9/16" | 9,1cm  
P: 1-3/16" | 3cm  
L: 6'6" | 200cm



**DX119** AXXENT



Duopolymer®

H: 3-5/8" | 9,2cm  
P: 7/8" | 2,2cm  
L: 8' | 244cm



**DX121** AXXENT



Duopolymer®

H: 3-11/16" | 9,4cm  
P: 7/8" | 2,3cm  
L: 8' | 244cm



**P9020 | FP9020 (flexible)** LUXXUS



Purotouch®

H: 3-3/4" | 9,6cm  
P: 13/16" | 2,1cm  
L: 6'6" | 200cm

**P8040 | FP8040 (flexible)** LUXXUS



Purotouch®

H: 4" | 10,1cm  
P: 7/8" | 2,2cm  
L: 6'6" | 200cm

**P7010 | FP7010 (flexible)** LUXXUS



Purotouch®

H: 4-1/8" | 10,5cm  
P: 13/16" | 2cm  
L: 6'6" | 200cm

**P7020 | FP7020 (flexible)** LUXXUS



Purotouch®

H: 4-1/4" | 11,1cm  
P: 3/4" | 1,9cm  
L: 6'6" | 200cm

**DX170-2300** AXXENT



Duopolymer®

H: 4-11/16" | 11,9cm  
P: 1-1/4" | 3,2cm  
L: 7'6" | 230cm



**P8050 | FP8050 (flexible)** LUXXUS



Purotouch®

H: 4-3/4" | 12cm  
P: 1-3/16" | 3cm  
L: 6'6" | 200cm


Luxxus: Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

— Collections —


Axxent: Duopolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Panel Moldings

by Architectural Bling




P3070




P3071



PX117



P5050




PX103 | PX103F




DX162-2300



P7080



PX116



PX120 | PX120F

P3070

LUXXUS




Purotouch®

H: 4-15/16" | 12,5cm  
P: 1-1/4" | 3,2cm  
L: 6'6" | 200cm

Designed By  
Ulf Moritz

P3071

Purotouch®



H: 14-5/8" | 37,2cm  
P: 3" | 7,6cm  
L: 6'6" | 200cm

Designed By  
Ulf Moritz

PX117

AXXENT



Duopolymer®

H: 1-3/8" | 3,5cm  
P: 9/16" | 1,5cm  
L: 6'6" | 200cm

P5050

LUXXUS



Purotouch®

H: 7-7/8" | 20cm  
P: 9/16" | 1,5cm  
L: 6'6" | 200cm

Designed By  
Jacques Vergracht

PX103 | PX103F (flexible)

AXXENT



Duopolymer®

H: 1" | 2,5cm  
P: 1/2" | 1,2cm  
L: 6'6" | 200cm

DX162-2300

AXXENT



Duopolymer®

H: 1-9/16" | 4cm  
P: 3/8" | 1cm  
L: 7'6" | 230cm



P7080

LUXXUS



Purotouch®

H: 8-1/2" | 21,8cm  
P: 1-1/8" | 2,9cm  
L: 6'6" | 200cm

PX116

AXXENT



Duopolymer®

H: 1-3/16" | 3,1cm  
P: 3/8" | 1cm  
L: 8' | 244cm

PX120 | PX120F (flexible)

AXXENT



Duopolymer®

H: 1-9/16" | 4cm  
P: 3/4" | 1,9cm  
L: 6'6" | 200cm


Luxxus: Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

— Collections —


Axxent: Duopolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Panel Mouldings


by Architectural Bling




PX131




PX144 | PX144F



PX145



PX146




PX113



PX114



DX159-2300



DX157-2300 | DX157F



PX102

**PX131** AXXENT



Duopolymer®  
H: 1-9/16" | 4cm  
P: 3/4" | 1,9cm  
L: 6'6" | 200cm

**PX144 | PX144F (flexible)** AXXENT



Duopolymer®  
H: 1-13/16" | 4,7cm  
P: 5/16" | 0,8cm  
L: 6'6" | 200cm

**PX145** AXXENT



Duopolymer®  
H: 1-13/16" | 4,7cm  
P: 5/16" | 0,8cm  
L: 6'6" | 200cm

**PX146** AXXENT



Duopolymer®  
H: 1-13/16" | 4,7cm  
P: 5/16" | 0,8cm  
L: 6'6" | 200cm

**PX113** AXXENT



Duopolymer®  
H: 2-5/16" | 6cm  
P: 1-1/16" | 2,7cm  
L: 8' | 244cm

**PX114** AXXENT



Duopolymer®  
H: 2-5/16" | 6cm  
P: 1-1/16" | 2,7cm  
L: 8' | 244cm

**DX159-2300** AXXENT



Duopolymer®  
H: 2-3/8" | 6cm  
P: 1/2" | 1,2cm  
L: 7'6" | 230cm



**DX157-2300 | DX157F (flexible)** AXXENT



Duopolymer®  
H: 2-9/16" | 6,6cm  
P: 1/2" | 1,3cm  
L: 7'6" | 230cm (DX157-2300)  
L: 6'6" | 200cm (DX157F)



**PX102** AXXENT



Duopolymer®  
H: 3-1/16" | 7,9cm  
P: 5/8" | 1,6cm  
L: 8' | 244cm

**Luxus:** Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.


— Collections —

**Axxent:** Duopolymer® high impact resin blend. Ideally suited for baseboards and chair rails.



# Panel Moldings

by Architectural Bling




DX163-2300




PX147




CX134



DX168-2300



PX169



P-8030C + P8030



PX164



PX147 + PX169



P8030D

**DX163-2300**

AXXENT



Duopolymer®

H: 4" | 10,2cm  
P: 1/2" | 1,3cm  
L: 7'6" | 230cm



**DX168-2300**

AXXENT



Duopolymer®

H: 5-15/16" | 15,1cm  
P: 9/16" | 1,4cm  
L: 7'6" | 230cm



**PX164**

AXXENT



Duopolymer®

H: 15/16" | 2,4cm  
P: 1-3/16" | 3cm  
L: 6'6" | 200cm

**PX147 + PX169**

AXXENT



Duopolymer®

**PX147**

AXXENT



Duopolymer®

H: 6-11/16" | 16,9cm  
P: 3/8" | 0,9cm  
L: 6'6" | 200cm

**PX169**

AXXENT



Duopolymer®

H: 2-3/16" | 5,5cm  
P: 1-5/16" | 3,4cm  
L: 6'6" | 200cm

**① P-8030C + P8030 ②**

AXXENT

Duopolymer®

H: 3-3/8" | 8,6cm  
P: 11/16" | 1,7cm  
L: 7-1/2" | 19cm

**P8030D**

AXXENT

Duopolymer®

H: 5-3/16" | 13,2cm  
P: 11/16" | 1,7cm  
L: 5-3/16" | 13,2cm

**CX134**

AXXENT



Duopolymer®

H: 1-3/16" | 3cm  
P: 1-3/16" | 3cm  
L: 8' | 244cm







**Luxus:** Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

— Collections —

**Axxent:** Duopolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Panel Moldings

by Architectural Bling



① P-801C + P8020 ② LUXXUS

Purotouch®

H: 4-5/16" | 11cm  
P: 1" | 2,6cm  
L: 7-13/16" | 19,8cm

① P-4020A + P4020 ② LUXXUS

Purotouch®

H: 3-9/16" | 9,1cm  
P: 1-1/8" | 2,9cm  
L: 6-7/16" | 16,4cm

① P-5020B + P5020 ② LUXXUS

Purotouch®

H: 3-9/16" | 9cm  
P: 1/2" | 1,3cm  
L: 3-9/16" | 9cm



① P-21 + ② P-201A + ③ P2020 LUXXUS

Purotouch®

**P-21**  
H: 2-5/8" | 6,7cm  
P: 3/8" | 0,9cm  
L: 2-5/8" | 6,7cm

**P-201A**  
H: 7-11/16" | 19,5cm  
P: 1" | 2,6cm  
L: 7-11/16" | 19,5cm

① P-20 + ② P-101A + ③ P1020 LUXXUS

**P-20** Duropolymer®

H: 2-3/8" | 6,1cm  
P: 5/16" | 0,8cm  
L: 2-3/8" | 6,1cm

**P-101A** Purotouch®

H: 9-5/8" | 24,5cm  
P: 15/16" | 2,4cm  
L: 9-5/8" | 24,5cm

① P3020A + P3020 ② LUXXUS

Purotouch®

H: 16-3/4" | 42,5cm  
P: 1-9/16" | 4cm  
L: 16-3/4" | 42,5cm

① PX120A + PX120 ② AXXENT

Duropolymer®

H: 3-7/16" | 8,8cm  
P: 13/16" | 2cm  
L: 7-1/2" | 19cm

① PX103A + PX103 ② AXXENT

Duropolymer®

H: 1-3/8" | 3,5cm  
P: 1/2" | 1,2cm  
L: 7-1/2" | 19cm

Luxxus: Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

— Collections —

Axxent: Duropolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Flex Panel Moldings

by Architectural Bling




## LUXXUS

| Part # | R min            | R* min            |
|--------|------------------|-------------------|
| FP1020 | 11-13/16"   30cm | 31-1/2"   80cm    |
| FP2020 | 11-13/16"   30cm | 31-1/2"   80cm    |
| FP3020 | 19-11/16"   50cm | 70-7/8"   180cm   |
| FP4020 | 15-3/4"   40cm   | 78-3/4"   200cm   |
| FP5020 | 11-13/16"   30cm |                   |
| FP5021 | 7-7/8"   20cm    | 27-9/16"   70cm   |
| FP6020 | 11-13/16"   30cm | 98-7/16"   250cm  |
| FP7010 | 7-7/8"   20cm    |                   |
| FP7020 | 11-13/16"   30cm |                   |
| FP7030 | 11-13/16"   30cm | 98-7/16"   250cm  |
| FP7040 | 15-3/4"   40cm   | 126"   320cm      |
| FP7070 | 11-13/16"   30cm | 90-9/16"   230cm  |
| FP8020 | 15-3/4"   40cm   | 51-3/16"   130cm  |
| FP8030 | 7-7/8"   20cm    | 27-9/16"   70cm   |
| FP8040 | 11-13/16"   30cm |                   |
| FP8050 | 31-1/2"   80cm   | 78-3/4"   200cm   |
| FP8060 | 31-1/2"   80cm   | 78-3/4"   200cm   |
| FP9010 | 15-3/4"   40cm   | 122-1/16"   310cm |
| FP9020 | 11-13/16"   30cm |                   |
| FP9040 | 11-13/16"   30cm | 31-1/2"   80cm    |
| FP9050 | 7-7/8"   20cm    | 23-5/8"   60cm    |
| FP9900 | 7-7/8"   20cm    | 98-7/16"   250cm  |
| FP9901 | 7-7/8"   20cm    | 70-7/8"   180cm   |

## AXXENT

| Part # | R min            | R* min           |
|--------|------------------|------------------|
| DX157F | 13-3/4"   35cm   | 102-3/8"   260cm |
| PX103F | 7-7/8"   20cm    | 31-1/2"   80cm   |
| PX120F | 11-13/16"   30cm | 43-5/16"   110cm |
| PX144F | 7-7/8"   20cm    | 85-5/8"   220cm  |



**Luxxus:** Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

—||— **Collections** —||—

**Axxent:** Duropolymer® high impact resin blend. Ideally suited for baseboards and chair rails.



# Baseboard Moldings

All baseboards are made from Duropolymer®, an impact and water resistant polymer mix that is fully recyclable. Cables can be hidden easily and the flexible versions allow curved walls to be finished elegantly. The baseboards are pre-primed for easy painting.





**SX180 | SX180F (flexible)**

pg. 53



Duopolymer®  
 H: 4-3/4" | 12cm  
 P: 5/8" | 1,6cm  
 L: 6'6" | 200cm

*Designed By  
 Pierre Daems*



**SX181**

pg. 54




Duopolymer®  
 H: 7-7/8" | 20cm  
 P: 7/8" | 2,2cm  
 L: 6'6" | 200cm

*Designed By  
 Pierre Daems*



# Baseboard Moldings

by Architectural Bling



**CX132 | CX132F (flexible)** AXXENT



Duopolymer®  
H: 13/16" | 2cm  
P: 13/16" | 2cm  
L: 8' | 244cm

**CX133** AXXENT



Duopolymer®  
H: 13/16" | 2cm  
P: 13/16" | 2cm  
L: 6'6" | 200cm

**DX162-2300** AXXENT



Duopolymer®  
H: 1-9/16" | 4cm  
P: 3/8" | 1cm  
L: 7'6" | 230cm

**DX159-2300** AXXENT



Duopolymer®  
H: 2-3/8" | 6cm  
P: 1/2" | 1,2cm  
L: 7'6" | 230cm

**DX157-2300 | DX157F (flexible)** AXXENT



Duopolymer®  
H: 2-9/16" | 6,6cm  
P: 1/2" | 1,3cm  
L: 7'6" | 230cm (DX157-2300)  
L: 6'6" | 200cm (DX157F)

**SX165 | SX165F (flexible)** AXXENT



Duopolymer®  
H: 2-3/4" | 6,9cm  
P: 7/16" | 1,1cm  
L: 6'6" | 200cm

**SX125** AXXENT



Duopolymer®  
H: 2-3/4" | 6,9cm  
P: 9/16" | 1,4cm  
L: 6'6" | 200cm

**SX122** AXXENT



Duopolymer®  
H: 3-1/8" | 7,9cm  
P: 7/8" | 2,2cm  
L: 8' | 244cm

**C373 | FC373 (flexible)** LUXXUS



Purotouch®  
H: 3-1/8" | 8cm  
P: 1-15/16" | 5cm  
F: 3-3/4" | 9,5cm  
L: 6'6" | 200cm

Designed By  
Ulf Moritz


**Luxxus:** Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

— Collections —

**Axxent:** Duopolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Baseboard Moldings


by Architectural Bling



SX179 | SX179F



SX137



SX171



DX163-2300



SX105 | SX105F



SX155 | SX155F



SX180 | SX180F



SX138



SX118 | SX118F

## SX179 | SX179F (flexible)

AXXENT



Duopolymer®

H: 3-13/16" | 9,7cm  
P: 1-1/8" | 2,9cm  
F: 3-7/8" | 9,8cm  
L: 6'6" | 200cm

Designed By  
Oriò Tonini

## SX137

AXXENT



Duopolymer®

H: 3-7/8" | 9,9cm  
P: 9/16" | 1,5cm  
L: 8' | 244cm

## SX171

AXXENT



Duopolymer®

H: 3-15/16" | 10cm  
P: 7/8" | 2,2cm  
L: 6'6" | 200cm

## DX163-2300

AXXENT



Duopolymer®

H: 4" | 10,2cm  
P: 1/2" | 1,3cm  
L: 7'6" | 230cm

## SX105 | SX105F (flexible)

AXXENT



Duopolymer®

H: 4-1/4" | 10,8cm  
P: 1/2" | 1,3cm  
L: 6'6" | 200cm

## SX155 | SX155F (flexible)

AXXENT



Duopolymer®

H: 4-1/4" | 10,8cm  
P: 1" | 2,5cm  
L: 8' | 244cm

## SX180 | SX180F (flexible)

AXXENT



Duopolymer®

H: 4-3/4" | 12cm  
P: 5/8" | 1,6cm  
L: 6'6" | 200cm

Designed By  
Pierre Daems

## SX138

AXXENT



Duopolymer®

H: 5-7/16" | 13,8cm  
P: 9/16" | 1,5cm  
L: 8' | 244cm

## SX118 | SX118F (flexible)

AXXENT



Duopolymer®

H: 5-7/16" | 13,8cm  
P: 11/16" | 1,8cm  
L: 6'6" | 200cm

**Luxus:** Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

— ≡ Collections ≡ —


**Axxent:** Duopolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# Baseboard Moldings


by Architectural Bling




SX104




DX168-2300




SX167




C374 | FC374




C371



SX181



SX156



C372

**SX104** AXXENT



**Duopolymer®**  
 H: 5-13/16" | 14,8cm  
 P: 11/16" | 1,7cm  
 L: 6'6" | 200cm

**DX168-2300** AXXENT



**Duopolymer®**  
 H: 5-15/16" | 15,1cm  
 P: 9/16" | 1,4cm  
 L: 7'6" | 230cm

**SX167** AXXENT



**Duopolymer®**  
 H: 6-13/16" | 17,3cm  
 P: 1-11/16" | 4,3cm  
 L: 6'6" | 200cm

*Designed By  
 Ulf Moritz*

**C374 | FC374 (flexible)** LUXXUS



**Purotouch®**  
 H: 7-1/16" | 18cm  
 P: 1-15/16" | 5cm  
 F: 7-5/16" | 18,6cm  
 L: 6'6" | 200cm

*Designed By  
 Ulf Moritz*

**C371** LUXXUS



**Purotouch®**  
 H: 7-5/16" | 18,5cm  
 P: 2-5/16" | 5,8cm  
 F: 7-1/2" | 19cm  
 L: 6'6" | 200cm

*Designed By  
 Ulf Moritz*

**SX181** AXXENT



**Duopolymer®**  
 H: 7-7/8" | 20cm  
 P: 7/8" | 2,2cm  
 L: 6'6" | 200cm

*Designed By  
 Pierre Daems*

**SX156** AXXENT



**Duopolymer®**  
 H: 7-7/8" | 20cm  
 P: 5/8" | 1,6cm  
 L: 6'6" | 200cm

*Designed By  
 Xavier Donck*

**C372** LUXXUS



**Purotouch®**  
 H: 11" | 28cm  
 P: 2-3/4" | 7cm  
 F: 11-3/16" | 28,4cm  
 L: 6'6" | 200cm

*Designed By  
 Ulf Moritz*

**Luxxus:** Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.




**Axxent:** Duopolymer® high impact resin blend. Ideally suited for baseboards and chair rails.



# Flex Baseboard Moldings

by Architectural Bling




## LUXXUS

| Part # | R min            |
|--------|------------------|
| FC373  | 39-3/8"   100cm  |
| FC374  | 51-3/16"   130cm |

## AXXENT

| Part # | R min            | R* min           |
|--------|------------------|------------------|
| CX132F | 27-9/16"   70cm  |                  |
| DX157F | 13-3/4"   35cm   | 102-3/8"   260cm |
| SX105F | 11-13/16"   30cm |                  |
| SX118F | 15-3/4"   40cm   |                  |
| SX155F | 11-13/16"   30cm |                  |
| SX165F | 15-3/4"   40cm   |                  |
| SX179F | 13-3/4"   35cm   |                  |
| SX181F | 17-3/4"   45cm   |                  |



**Luxxus:** Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.

—≡≡ Collections ≡≡—

**Axxent:** Duropolymer® high impact resin blend. Ideally suited for baseboards and chair rails.



# 3D

# Wallscape

Follow your imagination. The sleek, modern designs suit contemporary homes by adding a dramatic 3D form. The elements of these ornaments allow considerable opportunities to personalize any room.






# Rompus

W100

pg. 62



Purotouch®  
H: 5-7/8" | 15cm  
W: 10-3/16" | 25,8cm  
P: 1-1/8" | 2,9cm







# Trapezius



W101

pg. 62


Purotouch®

H: 5-7/8" | 15cm

W: 13-9/16" | 34,5cm


P: 1-1/8" | 2,9cm





W103

pg. 62



Purotouch®

H: 13-1/8" | 33,3cm


W: 13-1/8" | 33,3cm

P: 1" | 2,5cm

# Qubi

W102

pg. 62



Purotouch®

H: 13-1/8" | 33,3cm

W: 13-1/8" | 33,3cm

P: 1" | 2,5cm







# Kilt

DESIGNED BY ORIO TONINI

W104

pg. 62




Purotouch®

H: 17-3/4" | 45cm


W: 17-3/4" | 45cm

P: 1-7/16" | 3,6cm


Designed By  
Orio Tonini



# 3D Wallscape



W100




W101




W102



W103




W104




G71



G75



G76



R70

W100 LUXXUS



Purotouch®

H: 5-7/8" | 15cm  
W: 10-3/16" | 25,8cm  
P: 1-1/8" | 2,9cm


W101 LUXXUS



Purotouch®

H: 5-7/8" | 15cm  
W: 13-9/16" | 34,5cm  
P: 1-1/8" | 2,9cm


W102 LUXXUS



Purotouch®

H: 13-1/8" | 33,3cm  
W: 13-1/8" | 33,3cm  
P: 1" | 2,5cm


W103 LUXXUS



Purotouch®

H: 13-1/8" | 33,3cm  
W: 13-1/8" | 33,3cm  
P: 1" | 2,5cm

W104 LUXXUS




Purotouch®

H: 17-3/4" | 45cm  
W: 17-3/4" | 45cm  
P: 1-7/16" | 3,6cm

Designed By  
Orio Tonini

G71 LUXXUS



Purotouch®

H: 13-3/4" | 35cm  
W: 16-3/4" | 42,2cm  
P: 9/16" | 1,5cm

Designed By  
Ulf Moritz

G75 LUXXUS



Purotouch®

H: 8-1/4" | 21cm  
W: 10-5/8" | 27cm  
P: 9/16" | 1,4cm

Designed By  
Ulf Moritz

G76 LUXXUS



Purotouch®

H: 3-1/8" | 8cm  
W: 7" | 17,8cm  
P: 9/16" | 1,5cm

Designed By  
Ulf Moritz

R70 LUXXUS



Purotouch®

P: 3-1/16" | 7,7cm  
Dia. : ø 23-5/8" | 60cm

Designed By  
Ulf Moritz


Luxxus: Purotouch® a proprietary polymer blend formulated to create deep reliefs and crisp details.



Axxent: Duropolymer® high impact resin blend. Ideally suited for baseboards and chair rails.

# 3D Wallscape


by Architectural Bling



G70




G72




G78



G77



G73L



G73R



G74L



G74R

**G70** AXXENT



**Duropolym<sup>er</sup>**  
 H: 3-9/16" | 9cm  
 W: 7-7/8" | 20cm  
 P: 1-1/16" | 2,7cm  
*Designed By Ulf Moritz*

**G72** AXXENT



**Duropolym<sup>er</sup>**  
 H: 2-11/16" | 6,8cm  
 W: 16-3/4" | 42,5cm  
 P: 3/8" | 1cm  
*Designed By Ulf Moritz*

**G78** AXXENT



**Duropolym<sup>er</sup>**  
 H: 1-3/4" | 4,4cm  
 W: 3-7/16" | 8,8cm  
 P: 3/4" | 1,9cm  
*Designed By Ulf Moritz*

**G77** AXXENT



**Duropolym<sup>er</sup>**  
 H: 3-7/16" | 8,8cm  
 W: 7-5/8" | 19,4cm  
 P: 11/16" | 1,8cm  
*Designed By Ulf Moritz*

**G73L** LUXXUS




**Purotouch<sup>®</sup>**  
 H: 7-1/8" | 18,1cm  
 W: 7-15/16" | 20,1cm  
 P: 3/8" | 1cm  
*Designed By Ulf Moritz*

**G73R** LUXXUS




**Purotouch<sup>®</sup>**  
 H: 7-1/8" | 18,1cm  
 W: 7-15/16" | 20,1cm  
 P: 3/8" | 1cm  
*Designed By Ulf Moritz*

**G74L** LUXXUS



**Purotouch<sup>®</sup>**  
 H: 9-5/8" | 24,4cm  
 W: 10" | 25,4cm  
 P: 7/16" | 1,1cm  
*Designed By Ulf Moritz*

**G74R** LUXXUS



**Purotouch<sup>®</sup>**  
 H: 9-5/8" | 24,4cm  
 W: 10" | 25,4cm  
 P: 7/16" | 1,1cm  
*Designed By Ulf Moritz*

**Luxxus:** Purotouch<sup>®</sup> a proprietary polymer blend formulated to create deep reliefs and crisp details.



≡≡≡ **Collections** ≡≡≡

**Axxent:** Duropolym<sup>er</sup> high impact resin blend. Ideally suited for baseboards and chair rails.

# Adhesive

by Architectural Bling

## Adhesive & Joint Compound Creates a Seamless Connection



### DecoFix Pro

DecoFix Pro was engineered for mounting all products from the Duropolymer® and Purotouch® collections. This adhesive provides a strong bond between the moldings and mounting surfaces.

#### FDP-500

310ml  
> 7 - 8m

#### FDP-600

4200ml  
> 65 - 110m



**Extra strong installation adhesive for porous surfaces and interior applications**

- Strong, water based acrylic glue
- Long-lasting seal between moldings and the wall and/or ceiling
- Remove with humid sponge or cloth
- Should be kept frost free
- Paintable after hardening (min. 24 hours)



Gluing on wall and ceiling



Interior, porous and dry surface



### DecoFix Hydro

DecoFix Hydro was manufactured for use with both the Duropolymer® and Purotouch® lines when installed in particularly damp or humid environments. DecoFix Hydro can be used in bathrooms, kitchens, outdoor environments, or anywhere else where there is a consistent change in humidity.

#### FDP-700

290ml  
> 7 - 8m



**Extra strong MS polymer glue for exterior applications, non-porous (tiles, glass, ...) surfaces and damp environments**

- Remove with soap solution
- Paintable after hardening (min. 24 hours)



Gluing on wall and ceiling



Exterior, non-porous and humid surface



### DecoFix Extra

The final adhesive created specifically for is the DecoFix Extra which is used for seaming joints between moldings. DecoFix Extra provides a tight bond and nearly seamless look that keeps that joints from separating over time.

#### FX-200

310ml  
> 80m

#### FX-210

80ml  
> 20m



**Polyurethane-based glue to seam joints between moldings**

- Remove excess glue before hardening (max. 1 hour and repeat after 2-3 hours)
- Clean with acetone or Synth Thinner
- Can be painted after 24 hrs.
- The more humidity, the faster the drying time



Joints



Interior, porous and dry surface



Exterior, non-porous and humid surface





" Architectural Decorative Elements "

**Dallas Design Community**

**214.613.2285**

**ArchitecturalBling.com**