





Exposed beams are a great way to give your space distinctive rustic elegance. At a fraction of the cost of real wood, faux beams give you an authentic, attractive look. Increase the value of your residential or commercial property and do it faster and easier than before, with our stunning faux wood beams that install in just minutes.

TEXTURES



40+ FINISHES



CUSTOM & STANDARD SIZES





Molded from actual wood beams, our award-winning faux wood beams weigh next to nothing and install within minutes. Hand-painted designer finishes match any project and add tremendous value.



TEXTURE HAND HEWN

Standard Colors

GOLDEN HONEY MAHOGANY **PINE** MOCHA **PECAN** CEDAR **ROSEWOOD** OAK DEW OLLECTIONS **VINTAGE AGED NATURAL BURNISHED**





AGED



RUSSET



UMBER



HICKORY



MOCHA



MAHOGANY





CHERRY



WALNUT



WALNUT

ESPRESSO



ASH

EBONY

Other Colors



FACTORY PREPPED



WHITE **WASHED**



TEXTURE | KNOTTY PINE

Standard Colors



Premium Colors



AGED

RUSSET













WALNUT





ESPRESSO

EBONY

Other Colors



PREPPED







TEXTURE

PECKY CYPRESS

Standard Colors



Premium Colors



AGED RUSSET



UMBER

HICKORY





MAHOGANY



CHERRY



WALNUT



ESPRESSO



EBONY

Other Colors



PREPPED

FACTORY

WHITE **WASHED**



TEXTURE RIVERWOOD

Standard Colors



Premium Colors



AGED

RUSSET













WALNUT





ESPRESSO

EBONY

Other Colors







WASHED

ARCHITECTURAL

TEXTURE ROUGH SAWN

Standard Colors



Premium Colors



AGED

RUSSET



UMBER











WALNUT





ESPRESSO

EBONY

Other Colors





FACTORY PREPPED

WHITE **WASHED**



TEXTURE SANDBLASTED

Standard Colors



Premium Colors



AGED

RUSSET



UMBER







MAHOGANY





WALNUT





ESPRESSO

EBONY

Other Colors



PREPPED



WASHED



MSDS Polyurethane

Chemical Name



Section 1	General Product & Company Information
Address	Architectural Bling, Inc. Dallas Design Community 4020 N MacArthur Blvd - Suite 122-270 Irving, TX 75062
Telephone	214.613.2285

Section 2 Hazardous Ingredients

Hazards None Known

Section 3 Physical / Chemical Characteristics

MSDS Polyurethane

Density 5 - 42 lbs per cubic foot
Boiling Point Vapor N/A Material is Solid
Pressure Melting N/A Material is Solid

Point Vapor Density N/A
Evaporation Rate N/A
Appearance N/A

Exterior - White, Off-White, or

Odor Yellow Interior - White or Yellow

None

Section 4 Fire & Explosion Hazard Data

Flash Point in EXCESS of 750 degrees F
Extinguishing Method Dry Chemical, CO2, Foam, or Water

Special Fire ighting Procedures Wear approved self-contained breathing apparatus

Unusual Fire & Explosion Hazard N/A zero VOC

Section 5 Reactivity Data

Stability Stable - Yes

Unstable - No

Conditions to Avoid Avoid Avoid an open flame in Excess of 750 degrees F

Hazardous Decomposition Products Combustion may form CO, CO2, Benzene, Nitrogen Oxides,

and/or Hydrogen Cyanide.

Hazardous Polymerization None will occur

MSDS Polyurethane



Section 6	Health Hazard Data
Acute	Cutting, Grinding, or Sanding polyurethane foam can generate dust. This dust may cause respiratory irritation if inhaled.
Routes of Entry	
Skin	Possible
Ingestion	Possible
Threshold Limit Value (TLV)	None Established
Chronic	None Known

Emergency/First Aid

Signs/Symptoms of Exposure Eye and/or respiratory tract irritation. Redness and/or swelling on areas of contact.

Remove from area if dust is inhaled. Consult physician if irritation continues. Inhalation

Eye Contact Flush eyes with water. Consult physician if irritation continues.

Section 7 Precautions for Safe Handling and Disposal:

Waste Disposal Method: Disposal in accordance with local, state, and federal regulations for disposal of solid

waste.

N/A **Special Precautions:**

N/A

Steps to be taken if material is released or

spilled

Section 8 Control Measures

Respiratory Protection: No Respirator necessary.

Ventilation: Adequate ventilation when cutting or sanding is required.

Protective Gloves: Not necessary, but suggested.

Safety glasses with eye shields when cutting or moving. Eye Protection:

Other Protective Clothing or

Eye wash station should be available.

Equipment:

NOTE: All information is this document is believe to be accurate as of 8/1/2015



The Architectural Bling Collections

3D Wall Panels

Crown Moulding

Crown Moulding Sytems Moulding Blocks

Panel Moulding

Panel Moudling Systems

Casing

Baseboard

Rosettes

Appliques & On lays

Drops & Swags

Stair Brackets

Sconces & Shelves

Brackets

Corbels

Niches

Ceilding Medallions

Ceiling Rings

Ceiling Domes

Ceiling Tiles

Plinths & Bases

Capitals

Surrounds

Balustrade

Rustic Timber Brackets

Rustic Timber Corbels

Rustic Timber Raftertails

Rustic Timber Outlookers

Rustic Timber Gable Brackets

Rustic Timber Gable Vents

PVC Gable Vents

Urethane Gable Vents

Steel Brackets

Iron Brackets

Wood Ceiling Medallions

Wood Crown Moulding

Wood Brackets

Wood Corbels

Wood Capitals & Bases

Wood Cabinet Columns

214.613.2285

Sales@ArchitecturalBling.com



ARCHITECTURAL BLING Inc. Phone 214.613.2285 4020 N MacArthur Blvd Suite 122-270 IPVING Ty 75038

www.ArchitecturalBling com