

ARCHITECTURAL *Bling*®

"Architectural Decorative Elements"

* Commercial
* Residential



* Hospitality
* Senior Living

R U S T I C T I M B E R C R A F T



Dallas Design Community

4020 N MacArthur Blvd #122-270, Irving, TX 75038 | 214.613.2285 | ArchitecturalBling.com



RUSTIC

rustic timbercraft

Our Rustic Timber Collection is an instant classic. This millwork line utilizes the technologies of today to build the 'log and timber' wood products that have been in architecture for centuries. Because our products are not kiln dried, each item in our Rustic Collection is 100% unique and will contain the natural variations that the wood species offers. Each piece contains unique colors, grains, textures, knots, sapwood and heartwood content; and with unlimited custom options, you can create a truly one of a kind piece. Our Rustic Collection truly stands out from the rest.



- AUTHENTIC CRAFTSMANSHIP
- CRAFTED FROM AMERICAN WOODS
- MADE IN THE USA

Our exclusive online design tool allows you to create endless product options. If you can dream it, we can make it. Add your personality with a limitless range of shapes, sizes, and thicknesses. When off-the-shelf products just won't do, our leading product line is the perfect solution. Project-perfect products at off-the-shelf pricing.



- MADE TO YOUR SPECIFICATIONS
- ADDS INSTANT CURB APPEAL VALUE
- MADE WITH DURABLE WOODS
- VARIETY OF STYLES AVAILABLE

Advanced woodworking techniques allow us to create one-of-a-kind products that would be difficult for traditional carpenters to build. Our timber collection offers timeless character fulfilling your desire for beauty and longevity for your home. Improve curb appeal, as our wood is truly distinctive and can be ordered in any style to compliment every home.





BRACKETS

Rustic timber brackets are ideal for adding visual appeal to the exterior style of your house. Architects, contractors, remodelers, and homeowners choose rustic timber for its distinctive qualities that give structures a special, signature look.




- 1 CHOOSE A STYLE:

- 2 ENTER MEASUREMENTS:
H: ____ W: ____ D: ____
- 3 CUSTOMIZE STYLE:
End Profile, Brace

TOP & BACK CHORD

Depth from 18" to 48"
Height from 18" to 48"
Width from 4" to 6"




END PROFILE

There are various styles to choose from:



TRADITIONAL



ARTS & CRAFTS




CRAFTSMAN

BRACE


Choose from various styles:




OLYMPIC



TRADITIONAL



THORTON



FUNSTON

AND
MORE...



OUTLOOKERS

Rustic wood brackets and outlookers are architectural details that offer strength and support under eaves and exposed beams. Each product offering is custom made to fit your individual requirements and style needs. Make a grand statement inside or out with our rustic line.




- 1 CHOOSE A STYLE:

- 2 ENTER MEASUREMENTS:
H: _____ W: _____ D: _____
- 3 CUSTOMIZE STYLE:
End Profile, Brace

TOP & BACK CHORD

Depth from 18" to 48"
Height from 18" to 48"
Width from 6" to 8"




END PROFILE

There are various styles to choose from:



TRADITIONAL



ARTS & CRAFTS




CRAFTSMAN

BRACE


Choose from various styles:



OLYMPIC



TRADITIONAL



THORTON




FUNSTON

AND
MORE...



BRACES

The versatility of braces enables you to achieve greater scale and grand designs. Make an impactful and beautiful statement on porches, overhangs and entryways; or use inside for a natural rustic feel under cabinets, countertops or doorways.




- 1 CHOOSE A STYLE:

- 2 ENTER MEASUREMENTS:
H: _____ W: _____ D: _____
- 3 INSTALL

DIMENSIONS

Depth from 10" to 36"
Height from 10" to 36"
Width from 4" to 6"



BRACE STYLES

There are various styles to choose from, including:




IMPERIAL



BALBOA



OLYMPIC



WESTLAKE



THORTON

AND
MORE...

Wood braces offer a high-end impressive architectural solution for commercial, multi-family, and residential projects. With such a wide variety of styles and sizes, they have become a favorite among building features for their immediate improvement and ease.



CORBELS

Perfect for indoor and outdoor applications without sacrificing design and functionality. Our rustic corbels compliment countertops, mantels, porches, bay windows and entryways with skillfully designed style options.




- 1 CHOOSE A STYLE:

- 2 ENTER MEASUREMENTS:
H: _____ W: _____ D: _____
- 3 INSTALL

DIMENSIONS

Depth from 6" to 12"
Height from 6" to 28"
Width from 4" to 6"



BACK PLATE

Add a back plate to any style.




WITHOUT




WITH

CORBEL STYLES


There are various styles to choose from, including:



MONTEREY




HUNTINGTON



MEDITERRANEAN



NEWPORT




NEW BRIGHTON

AND
MORE...



RAFTER TAILS

Rustic wood rafter tails are the perfect addition to enhance common breezeways, verandas, porches, eaves and gutter systems. The beautiful rough wood accentuates the architecture of the home for a standout style and they look great with all exterior surfaces.




- 1 CHOOSE A STYLE:

- 2 ENTER MEASUREMENTS:
H: _____ W: _____ L: _____
- 3 INSTALL

DIMENSIONS

Height from 6" to 12"
Length from 12" to 48"
Width from 4" to 6"



RAFTER TAIL STYLES

There are various styles to choose from, including:




HUNTINGTON




NEWPORT



PESCADERO



RIDGEWOOD




YORKTOWN

AND MORE...



GABLE BRACKETS

Gable brackets are an excellent addition to homes or in large venues to add architectural interest and detail. These handcrafted pieces look great in gazebos and pergolas and are a perfect way to dress up porches and entrances.




- 1 CHOOSE A STYLE:

- 2 ENTER MEASUREMENTS:
H: _____ W: _____ P: _____
- 3 CHOOSE OPTIONS:
Vertical Webs, Post, Frame

DIMENSIONS

Height from 12" to 72"
Width from 36" to 144"
Depth from 2" to 6"
Face from 4" to 6"




BRACKET STYLES

There are various styles to choose from, including:




KENNEWICK



PORTLAND



ALBERTA



BELLINGHAM



SARATOGA


AND
MORE...

CUSTOMIZATION OPTIONS

Various options are available for all styles.



DIAGONAL
WEB



VERTICAL WEB



KING POST
END



FRAME



GABLE VENTS

Rustic wood gable vents provide the finishing touch that create a home of distinction. They compliment any architectural style and are made to last. Increase the value and aesthetic of your home with our authentic functional or decorative gable vents.



- 1 CHOOSE A STYLE:

- 2 ENTER MEASUREMENTS:
H: _____ W: _____
- 3 CHOOSE AIR FLOW
Decorative, Functional

DECORATIVE NON-FUNCTIONAL



FLAT TRIM FUNCTIONAL



BRICK MOULD FUNCTIONAL



DIMENSIONS

Overall Height from 17" to 41"
Overall Width from 17" to 41"
Rough Opening 5" less than Overall



STYLES

Choose from various styles or custom styles.



TRIANGLE



ROUND



ARCH TOP


CUSTOM
STYLES

OPTIONS & FUNCTIONALITY


All of our vents are available as either a fully functional air flow vent, or as a surface-mounted non-functional decorative vent. Functional vents have a galvanized metal screen on the back to protect from insects. Available in the 3 wood species below, primed or unfinished.



PINE
(SMOOTH)



WESTERN RED
CEDAR (ROUGH)




WESTERN RED
CEDAR (SMOOTH)

AND
PRIMED



WINDOW SHUTTERS

Shutters boost the overall value and look of your exterior. With our rustic wood shutters, your home will surely stand out from the rest while carrying your personal style outdoors. Choose just the right design to enhance your windows and create lasting, dramatic curb appeal.



- 1 CHOOSE A STYLE:

- 2 ENTER MEASUREMENTS:
H: _____ W: _____ D: _____
- 3 CUSTOMIZE STYLE:
Joined, Spaced


DIMENSIONS

Depth from $\frac{3}{8}$ " to 1"
Height from 18" to 96"
Width from 8" to 44"
Board Width from 4" to 6"



STYLES

There are various styles to choose from, including:



MORE OPTIONS FOR JOINED BOARD & BATTEN



FRAMED



Z BAR



Z BAR FRAMED





A Braces
B Brackets

C Gable Brackets
D Shutters

E Gable Vents
F Rafter Rails

G Outlookers





A Brackets
B Rafter Tails

C Gable Brackets
D Corbels

timbercraft.

any
way
you

want it.









timbercraft.

all you need to know

GENERAL KNOWLEDGE


Aesthetically, there is no substitute for the natural beauty of real wood. Comprised of crisp rich tones, wood evokes an organic, natural feel while embodying strength and longevity. Wood has long served as a traditional building material because it provides a rich warmth and sophistication that other materials just can't achieve. Wood cuts easily and all the products can be installed using standard woodworking tools. Our solid wood construction is extremely durable, offering a valuable life-long accent to your home. We handpick premium quality timber and have unparalleled woodwork expertise and technology for precision manufacturing and quality craftsmanship.

TEXTURE

Our Rustic Timber line consists of smooth and rough sawn textured surfaces. They both bear an authentic rustic look with signature sawmill character. Because our products are not kiln dried, each item in our Rustic Timber Collection is 100% unique and will contain the natural variations that the wood species offers. Your wood will contain unique colors, grains, textures, knots, sapwood & heartwood content and even natural checking, splitting & cracks. These natural variations are what make our Rustic Collection stand out from the rest.

WHY WOOD?

- Wood is the only 100% renewable resource in the manufacturing of building materials.
- Wood is the only naturally recyclable and biodegradable building material.
- Wood has the lowest environmental impact compared to other building products such as steel, concrete, tile, vinyl siding, fiber cement siding, and stucco.
- Wood products produce less solid waste – both in manufacturing of the products and at construction sites. There is virtually no waste in manufacturing wood products.
- Wood is a versatile raw material
- Wood can be used to substitute for materials that require larger amounts of fossil fuels to be produced.
- Wood can be used to substitute for materials that require larger amounts of fossil fuels to be produced.



installation tips

MOISTURE

The large timber your items are made from have been air dried for the past 6-12 months depending on the overall thickness of the timber. Air dried timber products need special care during initial storage and installation. Rapid climate changes such as a dramatic change in temperature or humidity can lead to the wood checking or splitting. Also, because all timber products are made to order, they are cut and milled 24-48 hours before being shipped to you. When timber is cut, it is critical to allow the inner wood to adjust as slow as possible to avoid unnecessary checking, cracking & splitting.

Therefore, we recommend your timber product be acclimated slowly into its new climate and home by following these directions. The thicker the timber, the greater the time we recommend allowing it to acclimate.

1. Keep your product inside the box and bag it arrived in and place it in a dry storage area (garage/shop) for 24-48 hours.
2. Remove product from the box and cut 2-3, 1" holes into the plastic. Allow bagged product to acclimate in this state for 48-72 hours.
3. If you are going to be installing your product in a climate controlled environment (AC/Furnace) then we recommend repeating steps 1 & 2, this time in the controlled environment the product will be installed in.

NOTE: Subsequent dimensional changes are, and always have been, an inherent natural property of softwood timber. Expansion and contraction is natural.

FINISHING

Softwood species have outstanding dimensional stability and fine texture, allowing them to accept and retain many different types of finishes. The choice of an exterior wood finish for real wood depends upon the desired appearance and the degree of protection required. However, wood's finishing characteristics cannot compensate for products that are unsuitable, of inferior quality, or improperly applied. Finishes perform best when the coating is applied to all surfaces prior to installation.

We recommend finishing our rustic timber with deep penetrating premium oil-based stains that are water repellent and mildew resistant. Semi-transparent, semisolid and bleaching oils are recommended depending on the customer's preference. Latex, acrylic and oil-based paints can also be applied to the timber. Paint provides protection and color but will conceal some of the wood's characteristics.

THOUSANDS OF OPTIONS

- BRACKETS
- OUTLOOKERS
- BRACES
- CORBELS
- RAFTER TAILS
- GINGERBREADS
- COLUMNS
- PILASTERS
- PEDIMENTS
- WINDOW PANELS
- FLAT TRIM & ARCH TRIM
- GABLE VENTS
- WAINSCOT PANELING
- AND CUSTOM!



Architectural Bling, Inc.

Dallas Design Community
4020 N MacArthur Blvd
Suite 122-270
Irving, TX 75038

214.613.2285
info@ArchitecturalBling.com
www.ArchitecturalBling.com

