



Fluxxo™ | Flexible Tambour Panels

Technical Sheet

Contents

General Information

Page 2

Dimensions

Page 3-7

Installation Guide

Page 8

Contact us

214.613.2285

Sales@ArchitecturalBling.com

ArchitecturalBling.com

Fluxxo™ | Flexible Tambour Panels

Fluxxo™ range draws from classic inspiration, providing a way to elevating your interiors with an on-trend looks and an enduring design.

Suitable for any renovation project, Fluxxo™ has a high-end wood-effect panel finish, creating truly affordable, refined interiors. Its flexibility makes it ideal for a huge range of projects, while also being easy to install, ensuring fitting into your unique space is hassle-free.



Flexible panels

Enhance the features of your space, with flexible panels creating and enhancing curves, providing elegance in simplicity.



Fire rating

The Fluxxo™ Flexible Tambour Panels have no fire rating.



Care and maintenance

You can wipe the Fluxxo™ Flexible Tambour Panels clean with a dry cloth.



Finishes

The Fluxxo™ Flexible Tambour Panels have a real wood veneer finish.



No Acoustic Properties


The Fluxxo™ Flexible Tambour Panels are purely for decoration and offer no sound absorption.

Dimensions

Surface	Material	Dimensions per panel (in.)	Dimensions per pack (in.)	SQ FT per panel	SQ FT per pack	Weight per panel (lbs)
Fluxxo™ Ridge Oak Flexible Tambour Panels	Real Wood Veneer Finish	94.49" x 11.81"	94.49" x 23.62"	7.75 sq. ft.	15.50 sq. ft.	15.43 lbs
		47.24" x 11.81"	47.24" x 23.62"	3.87 sq. ft.	7.75 sq. ft.	7.72 lbs
Fluxxo™ Ridge Oak Flexible Tambour Panels	Real Wood Veneer Finish	94.49" x 11.81"	94.49" x 23.62"	7.75 sq. ft.	15.50 sq. ft.	15.43 lbs
		47.24" x 11.81"	47.24" x 23.62"	3.87 sq. ft.	7.75 sq. ft.	7.72 lbs
Fluxxo™ Zigzag Oak Flexible Tambour Panels	Real Wood Veneer Finish	94.49" x 11.81"	94.49" x 23.62"	7.75 sq. ft.	15.50 sq. ft.	15.43 lbs
		47.24" x 11.81"	47.24" x 23.62"	3.87 sq. ft.	7.75 sq. ft.	7.72 lbs
Fluxxo™ Zigzag Walnut Flexible Tambour Panels	Real Wood Veneer Finish	94.49" x 11.81"	94.49" x 23.62"	7.75 sq. ft.	15.50 sq. ft.	15.43 lbs
		47.24" x 11.81"	47.24" x 23.62"	3.87 sq. ft.	7.75 sq. ft.	7.72 lbs
Fluxxo™ Slat Oak Flexible Tambour Panels	Real Wood Veneer Finish	94.49" x 11.81"	94.49" x 23.62"	7.75 sq. ft.	15.50 sq. ft.	15.43 lbs
		47.24" x 11.81"	47.24" x 23.62"	3.87 sq. ft.	7.75 sq. ft.	7.72 lbs
Fluxxo™ Slat Walnut Flexible Tambour Panels	Real Wood Veneer Finish	94.49" x 11.81"	94.49" x 23.62"	7.75 sq. ft.	15.50 sq. ft.	15.43 lbs
		47.24" x 11.81"	47.24" x 23.62"	3.87 sq. ft.	7.75 sq. ft.	7.72 lbs
Fluxxo™ Mini-Ridge Oak Flexible Tambour Panels	Real Wood Veneer Finish	94.49" x 11.81"	94.49" x 11.81"	7.75 sq. ft.	15.50 sq. ft.	15.43 lbs
		47.24" x 11.81"	47.24" x 23.62"	3.87 sq. ft.	7.75 sq. ft.	7.72 lbs
Fluxxo™ Mini-Ridge Walnut Flexible Tambour Panels	Real Wood Veneer Finish	94.49" x 11.81"	94.49" x 23.62"	7.75 sq. ft.	15.50 sq. ft.	15.43 lbs
		47.24" x 11.81"	47.24" x 23.62"	3.87 sq. ft.	7.75 sq. ft.	7.72 lbs


Dimensions

Ridge




Dimensions

Slat




Dimensions

Zigzag



Dimensions

Mini Ridge




Installation Instructions


How to Cut Fluxxo™ Flexible Tambour Panels


To cut the Fluxxo™ Flexible Tambour Panels, a sharp, fine saw will need to be used to cut width ways and length ways.


Tools needed

 Measuring tape

 Fine tooth or sharp saw

 Masking tape

 Level

 Adhesive glue

How to Install Fluxxo™ Flexible Tambour Panels

The Fluxxo™ range has been designed to be installed with ease. Follow these quick and easy steps to fit your new panels, and redefine your space.

1. Ensure your surface is smooth, clean and dust-free before installing for the best adhesion.
2. Measure your space, and cut the panels as required - we recommend using a sharp, fine-tooth saw for a clean cut, and sanding off the excess.
3. Use a grab adhesive on the back of the panel, and press the panel to the surface.

For panel dimensions and technical drawings, please see [page 3-7](#).



Need help? Contact us:



Call customer service:
214.613.2285

Monday – Friday
10am to 5pm CST



Email customer service:
CS@ArchitecturalBling.com

Dallas Design Community
4020 N MacArthur Blvd
Suite 122
Irving, TX 75038

