

Accreditations:



Note : The colours shown are provided as a guide only, due to the limitations of the printing process. Please request a sample colour swatch comparison.

Cubicle Systems operates a policy of continual development.
The company reserves the right to change specification and design at any time without notice.

Product Ranges:

Budget (MFC)	1 - 2
Executive (MFC)	3 - 4
Director (HPL/MFC)	5 - 6
Director Bespoke (HPL)	7 - 8
Director Full Height (HPL)	9 - 10
Modular (HPL/MFC)	11 - 12
Prime (CDF)	13 - 14
Premier One (SGL)	15 - 16
Premier Plus (SGL)	17 - 18
Premier Full Height (SGL)	19 - 20
Stature (HPL)	21 - 22
Tiny Tots (MFC)	23 - 24
Tiny Tots (SGL)	25 - 26
Kaleidoscope (MFC)	27 - 28
Kaleidoscope (SGL)	29 - 30
Tiny Tots & Kaleidoscope Decals	31 - 32
Tutti Frutti (SGL)	33 - 34
Benching	35 - 36
Lockers	37 - 38
Vanity Units	39 - 40





Budget (MFC)

Designed specifically to be size adjustable on site the Budget range is competitively priced and available in packs for fast delivery. Using Nylon hardware all cut edges are hidden within full length channels. Suitable for any standard WC or Disabled cubicle.

Melamine Face Chipboard (MFC)

Nylon Fittings

One-Size-Fits-All

Dry Application



Hinge



Adjustable Leg



Angle Headrail




Pilaster Lock



Budget (MFC)

Specification

- Doors: 18mm Melamine Faced Chipboard (MFC) with 2mm ABS edging
- Partitions: 18mm Melamine Faced Chipboard (MFC) with 2mm ABS edging
- Pilasters: 18mm Melamine Faced Chipboard (MFC) with 2mm ABS edging
- Hardware: Nylon hardware fittings – wall channels, hinge channels, H-sections, adjustable leg, Pilaster lock and hinges.
- Overall Cubicle Height - 2000mm including 150mm adjustable leg clearance



Colour Options

Doors:





Partitions / Pilasters:



K101 (White)	*LRV – 85.5
U112 (Grey)	*LRV – 72.9
U2509 (Green)	*LRV – 68.1
D495 (Dark Pattern)	*LRV – 19.3
D494 (Light Pattern)	*LRV – 51.6
U4815 (Blue)	*LRV – 41.2
D4822 (Woodgrain)	*LRV – 3.0

Size Guide

- Overall Height: 2000mm (150mm from floor)
- Partition Square Height: 1800mm (2 pieces)
- Partition Depth: 1800mm maximum
- Pilaster Height: 1850mm
- End/Wall Pilaster Width: 120mm
- Centre Pilaster Width: 200mm & 300mm
- Door Width: 900mm maximum
- Door Height: 1800mm



*LRV – Light Reflectance Value, a measure of visible and usable light that is reflected from a surface when illuminated by a light source.





Executive (MFC)

A classic cubicle with a wide variety of colour options to suit everyone. Moisture and impact resistant 18mm panels create a sturdy cubicle design suitable for any dry environment. Contrasting Graphite edging on all panels.

[MR Melamine Face Chipboard \(MFC\)](#)

[Heavy-duty Fittings \(SAA\)](#)

[Made-To-Measure](#)

[Dry Application](#)



Hinge



Adjustable Leg



Curved Headrail



Indicator Lock



Executive (MFC)

Specification

- Doors:** 18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
- Partitions:** 18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
- Pilasters:** 18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
- Hardware:** Satin Anodised Aluminium (SAA) fittings - Headrail, pilaster brackets, wall brackets, adjustable leg, Pilaster lock and hinges.
- Overall Cubicle Height - 2000mm including 150mm adjustable leg clearance**

Colour Options




Doors / Partitions / Pilasters M2440, M3817, M4394, L2446, F917, F918, F939, L2206, L2207, L3572, L2446, L002, L4115, L167

Edging: Graphite 2mm PVC

Executive (MFC) is also available in others colours upon request

Size Guide

Overall Height:	2000mm (150mm from floor)
Partition Square Height:	1800mm
Partition Depth:	Made to depth required
Pilaster Height:	1850mm
End/Wall Pilaster Width:	115mm
Centre Pilaster Width:	230mm
Door Width:	Made to measure
Door Height:	1800mm





Director (HPL/MFC)


Perfect style for any commercial sector washrooms. Subtle and elegant finishes imitating real wood give a contemporary and upmarket feel. Produced using a combination of MFC partitions and doors with HPL post formed pilasters.

[Post Formed Pilasters \(HPL\)](#)

[Heavy-duty Fittings \(SAA\)](#)

[Made-To-Measure](#)

[Dry Application](#)



Hinge



Adjustable Leg



Curved Headrail



Indicator Lock



Director (HPL/MFC)

Specification

- Doors:** 18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
- Partitions:** 18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
- Pilasters:** 18mm Moisture resistant high density particle board core faced with 0.8mm HPL, radius post formed vertical profile with 2mm high impact ABS edging
- Hardware:** Satin Anodised Aluminium (SAA) fittings - Headrail, pilaster brackets, wall brackets, adjustable leg, Pilaster lock and hinges.
- Overall Cubicle Height - 2000mm including 150mm adjustable leg clearance**




Colour Options

- Doors / Partitions / Pilasters** F4159, N056, N026, B101, B100, L4060, M2440, M3817, M439, G029, B070, L4087, G003, L2206, L2207, L212, B118, B001, P092

Director (HPL/MFC) is also available in others colours upon request

Size Guide

- Overall Height:** 2000mm (150mm from floor)
- Partition Square Height:** 1800mm
- Partition Depth:** Made to depth required
- Pilaster Height:** 1850mm
- End/Wall Pilaster Width:** 115mm
- Centre Pilaster Width:** 230mm
- Door Width:** Made to measure
- Door Height:** 1800mm





Director Bespoke (HPL)


Perfect style for any commercial sector washrooms. Subtle and elegant finishes imitating real wood give a contemporary and upmarket feel. Produced using HPL doors, partitions and post formed pilasters.

[Post Formed Pilasters \(HPL\)](#)

[Heavy-duty Fittings \(SSS\)](#)

[Made-To-Measure](#)

[Dry Application](#)



Hinge



Adjustable Leg



Headrail



Indicator Lock



Director Bespoke (HPL)

Specification

- Doors:** 18mm Moisture resistant high density particle board core faced with 0.8mm HPL and 2mm high impact ABS edging
- Partitions:** 18mm Moisture resistant high density particle board core faced with 0.8mm HPL and 2mm high impact ABS edging
- Pilasters:** 18mm Moisture resistant high density particle board core faced with 0.8mm HPL, radius post formed vertical profile with 2mm high impact ABS edging
- Hardware:** Satin Stainless Steel (SSS) fittings - Headrail, pilaster brackets, wall brackets, adjustable leg, Pilaster lock and hinges.
- Overall Cubicle Height -** 2000mm including 150mm adjustable leg clearance




Colour Options


- Doors / Partitions / Pilasters** B100, B101, E028, H025, M6047, F5374, B070, B118, B048, B116, P092, C017, G059, G029, F4159, B001, N026, N057

Director Bespoke (HPL) is also available in others colours upon request

Size Guide

- Overall Height:** 2000mm (150mm from floor)
- Partition Square Height:** 1800mm
- Partition Depth:** Made to depth required
- Pilaster Height:** 1850mm
- End/Wall Pilaster Width:** 115/128mm
- Centre Pilaster Width:** 230mm
- Door Width:** Made to measure
- Door Height:** 1800mm





Director Full Height

(HPL)

Director Full Height is a HPL cubicle with post-formed pilasters that run floor to ceiling to a maximum height of 2.6m. Support legs offer 20mm clearance from the floor and over panels complete the best look for any washroom.

[Post Formed Pilasters \(HPL\)](#)

[Heavy-duty Fittings \(SSS\)](#)

[Made-To-Measure](#)

[Dry Application](#)



Hinge



Leg



Overpanel



Indicator Lock



Director Full Height

(HPL)

Specification

- Doors:** 18mm moisture resistant high density particle board core faced with 0.8mm HPL
- Partitions:** 18mm moisture resistant high density particle board core faced with 0.8mm HPL
- Pilasters:** 18mm moisture resistant high density particle board core faced with 0.8mm HPL
- Hardware:** Satin Stainless Steel (SSS) fittings - Pilaster brackets, wall brackets, leg, lock and hinges.

Overall Cubicle Height - 2800mm max including 20mm support leg




Colour Options

Doors / Partitions / Pilasters P112, V011, A014, B048, B116, R036, B070, G029, B012, B116, G003, S018, M047, G059, N026, N056

Director Full Height (HPL) is also available in others colours upon request

Size Guide

Overall Height: 2600mm max (20mm from floor)
 Partition Square Height: 2560mm max
 Partition Depth: 1600mm max
 Pilaster Height: 2760mm max
 End/Wall Pilaster Width: 115/123mm
 Centre Pilaster Width: 230mm
 Door Width: Made to measure
 Door Height: 1900mm





Modular (HPL/MFC)


A choice of natural wood finishes offered with either grey mist or graphite pilasters which create a beautifully balanced and aesthetic washroom suitable for any commercial environment.

[Heavy-duty Fittings \(SSS\)](#)

[Natural Wood Finishes](#)

[Heavy Duty Aluminium Pilasters](#)

[Dry Application](#)




Hinge



Adjustable Leg



Headrail



Indicator Lock



Modular (HPL/MFC)

Specification

- Doors:** 18mm moisture resistant high density particle board core faced with 0.8mm HPL or 18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
- Partitions:** 18mm moisture resistant high density particle board core faced with 0.8mm HPL or 18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
- Pilasters:** Powder coated Aluminium
- Hardware:** Satin Stainless Steel (SSS) fittings - pilaster brackets, wall brackets, adjustable leg, lock and hinges.
- Overall Cubicle Height -** 2030mm including 150mm adjustable leg clearance




Colour Options

- Doors / Partitions /** N056, C011, G027, M3817, M760, E028, M003, M001, L167, L002
- Pilasters :** Graphite or Grey Mist

Modular (HPL/MFC) is also available in others colours upon request

Size Guide

- Overall Height:** 2030mm (150mm from floor)
- Partition Height:** 1800mm
- Partition Depth:** Made to depth required
- Pilaster Height:** 1880mm
- Door Width:** Made to measure
- Door Height:** 1800mm





Prime (CDF)

Designed to be produced using Compact Density Fibreboard and bolt through fixing system. Premier Prime has excellent visual impact and is available in a wide variety of colours.

[Compact Density Fibreboard \(CDF\)](#)

[Heavy-duty Fittings \(SAA\)](#)

[Made-To-Measure](#)

[Dry Application](#)



Hinge



Adjustable Leg



Curved Headrail



Indicator Lock

Prime (CDF)

Specification

- Doors:** 12.8mm Compact Density Fibreboard (CDF) with routed edges and black core
- Partitions:** 12.8mm Compact Density Fibreboard (CDF) with routed edges and black core
- Pilasters:** 12.8mm Compact Density Fibreboard (CDF) with routed edges and black core
- Hardware:** Satin Anodised Aluminium (SAA) fittings
- Headrail, pilaster brackets, wall brackets, adjustable leg, Pilaster lock and hinges.
- Overall Cubicle Height - 1975mm including 150mm adjustable leg clearance**




Colour Options

- Doors / Partitions / Pilasters** K101, U520, U131, D375, U136, U148, U1253, D381, U2504, U2510, U125, D8425, D494, D495, U164, U112, U171

Prime (cdf) is also available in others colours upon request

Size Guide

- Overall Height:** 1975mm (150mm from floor)
- Partition Square Height:** 1806mm
- Partition Depth:** Made to depth required
- Pilaster Height:** 1825mm
- End/Wall Pilaster Width:** 115mm
- Centre Pilaster Width:** 230mm
- Door Width:** Made to measure
- Inward Door Height:** 1806mm
- Outward Door Height:** 1775mm





Premier One (SGL)

Designed specifically to be produced using compact laminate and bolt through fixing system, robust construction and quality at a competitive price. Hardwearing and water resistant materials.

[Solid Grade Laminate \(SGL\)](#)

[Heavy-duty Fittings \(SAA\)](#)

[Made-To-Measure](#)

[Wet & Dry Application](#)



Hinge



Adjustable Leg



Curved Headrail



Indicator Lock

Premier One (SGL)

Specification

- Doors:** 13mm Solid Grade Compact (SGL) with routed edges and black core
- Partitions:** 13mm Solid Grade Compact (SGL) with routed edges and black core
- Pilasters:** 13mm Solid Grade Compact (SGL) with routed edges and black core
- Hardware:** Satin Anodised Aluminium (SAA) fittings - Headrail, pilaster brackets, wall brackets, adjustable leg, Pilaster lock and hinges.
- Overall Cubicle Height - 1975mm including 150mm adjustable leg clearance**




Colour Options

- Doors / Partitions / Pilasters** L10051, L2446, S018, N026, N056, B100, B101, B4062, L06002, L002, L4060, 923, L212, M047, L3572

Premier One (SGL) is also available in others colours upon request

Size Guide

- Overall Height:** 1975mm (150mm from floor)
- Partition Square Height:** 1806mm
- Partition Depth:** Made to depth required
- Pilaster Height:** 1825mm
- End/Wall Pilaster Width:** 115mm
- Centre Pilaster Width:** 230mm
- Door Width:** Made to measure
- Inward Door Height:** 1806mm
- Outward Door Height:** 1775mm





Premier Plus (SGL)


Designed to be produced using compact laminate and stainless steel hardware. Premier Plus brings a robust sleek design that sits perfectly in any sector.

[Solid Grade Laminate \(SGL\)](#)

[Stainless Steel Fittings \(SSS\)](#)

[Made-To-Measure](#)


[Wet & Dry Application](#)



Hinge



Adjustable Leg



Channel Headrail



Indicator Lock



Premier Plus (SGL)

Specification

- Doors:** 13mm Solid Grade Compact (SGL) with routed edges and black core
- Partitions:** 13mm Solid Grade Compact (SGL) with routed edges and black core
- Pilasters:** 13mm Solid Grade Compact (SGL) with routed edges and black core
- Hardware:** Satin Stainless Steel (SSS) fittings - Headrail, pilaster brackets, wall brackets, adjustable leg, door lock and hinges.

Overall Cubicle Height - 1975mm including 150mm adjustable leg clearance




Colour Options


- Doors / Partitions / Pilasters** M3817, N026, N056, B100, B101, B118, S018, B048, L212, L167, G029, B116, L016, L018, L4060, B070

Premier Plus (SGL) is also available in others colours upon request

Size Guide

- Overall Height:** 1975mm (150mm from floor)
- Partition Square Height:** 1806mm
- Partition Depth:** Made to depth required
- Pilaster Height:** 1825mm
- End/Wall Pilaster Width:** 115/123mm
- Centre Pilaster Width:** 230mm
- Door Width:** Made to measure
- Inward Door Height:** 1806mm
- Outward Door Height:** 1775mm





Premier Full Height (SGL)


Designed using compact laminate and bolt through fixings. Premier Full Height is a robust construction using quality materials. Hardwearing and water resistant provides a floor to ceiling cubicle for any environment.

[Solid Grade Laminate \(SGL\)](#)


[Heavy-duty Fittings \(SSS\)](#)

[Made-To-Measure](#)

[Pre-drilled Panels](#)



Hinge



Leg



Over panel



Indicator Lock



Premier Full Height (SGL)

Specification

- Doors:** 13mm Solid Grade Compact (SGL) with routed edges and black core
- Overpanel:** 13mm Solid Grade Compact (SGL) with routed edges and black core
- Partitions:** 13mm Solid Grade Compact (SGL) with routed edges and black core
- Pilasters:** 13mm Solid Grade Compact (SGL) with routed edges and black core
- Hardware:** Satin Stainless Steel (SSS) fittings - Pilaster brackets, wall brackets, leg, lock and hinges.
- Overall Cubicle Height -** Made to measure
Max Floor to Ceiling Height - 2600mm




Colour Options

- Doors / Partitions / Pilasters** B100, B101, N026, N056, C011, B118, M047, B070, G059, L4060, C017, C018, B048, V011, A014

Premier Full Height (SGL) is also available in others colours upon request

Size Guide

- Max Overall Height:** 2600mm (20mm from floor)
- Max Partition Height:** 2560mm (20mm from ceiling)
- Partition Depth:** 1600mm max
- Max Pilaster Height:** 2560mm
- End/Wall Pilaster Width:** 115/123mm
- Centre Pilaster Width:** 230mm
- Door Width:** Made to measure
- Inward Door Height:** 1900mm





Stature (HPL)

Flush fronted floor to ceiling washroom system, Stature doors and pilaster are formed from a high quality 38mm chipboard core and hardwood edge for a luxurious appearance. To complete the quality aesthetics, the aluminium extruded wall channels are colour coded to complement the pilaster and partition.

[High Pressure Laminate \(HPL\)](#)

[Heavy-duty Fittings \(SSS\)](#)

[Made-To-Measure](#)



Hinge



Stainless Leg



Outward Handle



Inward Handle



Stature (HPL)

Specification

- Doors:** 38mm moisture resistant chipboard core with HPL face
- Partitions:** 24mm moisture resistant chipboard core with HPL face
- Pilasters:** 38mm moisture resistant chipboard core with HPL face and light Oak hardwood edges as standard
- Hardware:** Satin Stainless Steel (SSS) fittings - Leg, lock and hinges.

Overall Cubicle Height - Maximum height of 2.8m




Colour Options

- Doors / Partitions / Pilasters** N056, N057, E028, B100, B101, F5374, B116, C017, B070, G029, B015, F5374, B118

Stature (HPL) is also available in others colours upon request

Size Guide

- | | |
|--------------------------|------------------------|
| Overall Height: | Maximum height of 2.8m |
| Partition Square Height: | Maximum height of 2.8m |
| Partition Depth: | Maximum depth of 1.6m |
| Pilaster Height: | Maximum height of 2.8m |
| End/Wall Pilaster Width: | Made to measure |
| Centre Pilaster Width: | Made to measure |
| Door Width: | Made to measure |
| Door Height: | Maximum height of 2.8m |





Tiny Tots (MFC)

A bright, colourful and robust design produced specifically for young children. Manufactured using 18mm moisture and impact resistant panels create sturdy cubicles for any dry environment.

MR Melamine Face Chipboard (MFC)

Heavy-duty fittings (SAA)

Made-To-Measure

Dry Application




Hinge



Adjustable Leg



Channel Bracket



Indicator Lock



Tiny Tots (MFC)

Specification

- Doors:** 18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
- Partitions:** 18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
- Pilasters:** 18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
- Hardware:** Satin Anodised Aluminium (SAA) fittings - Headrail, pilaster brackets, wall brackets, adjustable leg, Pilaster lock and hinges.
- Overall Cubicle Height - 1450mm including 150mm adjustable leg clearance**




Colour Options


- Doors / Partitions / Pilasters** L4136, L4116, L2446, L2207, L2206, L1828, L122, L6063, L2208, L2069

Tiny Tots (MFC) is also available in others colours upon request

Size Guide

- Overall Height:** 1450mm (150mm from floor)
- Partition Height:** 1150mm
- Partition Depth:** Made to depth required
- Pilaster Height:** 1300mm
- End/Wall Pilaster Width:** 150mm
- Centre Pilaster Width:** 300mm
- Door Width:** Made to measure
- Door Height:** 1150mm





Tiny Tots (SGL)

Designed for young children to be fun but private to use with self-supporting panels and doors that bring a bright and spacious feeling to your washroom.

[Solid Grade Laminate \(SGL\)](#)

[Heavy-duty fittings \(SAA\)](#)

[Made-To-Measure](#)

[Wet & Dry Application](#)




Hinge



Adjustable Leg



Channel Bracket



Indicator Lock



Tiny Tots (SGL)

Specification

- Doors: 13mm Solid Grade Compact (SGL) with routed edges and black core
- Partitions: 13mm Solid Grade Compact (SGL) with routed edges and black core
- Pilasters: 13mm Solid Grade Compact (SGL) with routed edges and black core
- Hardware: Satin Anodised Aluminium (SAA) fittings - Headrail, pilaster brackets, wall brackets, adjustable leg, Pilaster lock and hinges.
- Overall Cubicle Height - 1450mm including 150mm adjustable leg clearance




Colour Options

- Doors / Partitions / Pilasters G031, C062, P092, R021, Y022, B001, L212, L6063, L2208, L2069

Tiny Tots (SGL) is also available in others colours upon request

Size Guide

- Overall Height: 1450mm (150mm from floor)
- Partition Height: 1150mm
- Partition Depth: Made to depth required
- Pilaster Height: 1300mm
- End/Wall Pilaster Width: 150mm
- Centre Pilaster Width: 300mm
- Door Width: Made to measure
- Door Height: 1150mm





Kaleidoscope (MFC)

A bright, colourful and robust design produced specifically for children of all ages. Manufactured using 18mm moisture and impact resistant panels create sturdy cubicles for any dry environment.

MR Melamine Face Chipboard (MFC)

Heavy-duty fittings (SAA)

Made-To-Measure

Dry Application




Hinge



Adjustable Leg



Tube Headrail



Indicator Lock



Kaleidoscope (MFC)

Specification

- Doors:** 18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
- Partitions:** 18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
- Pilasters:** 18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
- Hardware:** Satin Anodised Aluminium (SAA) fittings - Headrail, pilaster brackets, wall brackets, adjustable leg, Pilaster lock and hinges.
- Overall Cubicle Height - 2100mm including 150mm adjustable leg clearance**




Colour Options

- Doors / Partitions / Pilasters** L4136, L4116, L2446, L2207, L2206, L1828, L122, L6063, L2208, L2069

Kaleidoscope (MFC) is also available in others colours upon request

Size Guide

- Overall Height:** 2100mm (150mm from floor)
- Partition Shaped Height:** 1800mm
- Partition Depth:** Made to depth required
- Pilaster Height:** 1950mm
- End/Wall Pilaster Width:** 115/128mm
- Centre Pilaster Width:** 230mm
- Door Width:** Made to measure
- Door Height:** 1150/1500/1800mm





Kaleidoscope (SGL)

A bright, colourful and robust design produced for children of all ages. Designed specifically for wet and dry areas or areas of high humidity and fluctuating temperatures.

[Solid Grade Laminate \(SGL\)](#)

[Heavy-duty fittings \(SAA\)](#)

[Made-To-Measure](#)

[Wet & Dry Application](#)



Hinge



Adjustable Leg



Tube Headrail



Indicator Lock



Kaleidoscope (SGL)

Specification

- Doors:** 13mm Solid Grade Compact (SGL) with routed edges and black core
- Partitions:** 13mm Solid Grade Compact (SGL) with routed edges and black core
- Pilasters:** 13mm Solid Grade Compact (SGL) with routed edges and black core
- Hardware:** Satin Anodised Aluminium (SAA) fittings - Headrail, pilaster brackets, wall brackets, adjustable leg, Pilaster lock and hinges.

Overall Cubicle Height - 2100mm including 150mm adjustable leg clearance




Colour Options

- Doors / Partitions / Pilasters** G031, C062, P092, R021, Y022, B001, L212, L6063, L2208, L2069

Kaleidoscope (SGL) is also available in others colours upon request

Size Guide

- Overall Height:** 2100mm (150mm from floor)
- Partition Shaped Height:** 1800mm
- Partition Depth:** Made to depth required
- Pilaster Height:** 1950mm
- End/Wall Pilaster Width:** 115/128mm
- Centre Pilaster Width:** 230mm
- Door Width:** Made to measure
- Door Height:** 1150/1500/1800mm



Tiny Tots & Kaleidoscope Decals (SGL & MFC)


A bright and colourful option to your washroom design. Available for doors, pilasters or vanity access panels.



Dinosaur
Pilasters



Unicorn
Doors



Monster
Doors



Monster
Pilasters



Backpack
Pilasters



Fruit
Doors



Fruit
Pilasters



Drawing
Pilasters



Drawing
Doors



Animal
Pilasters




Alternative Sticker Packs

A low-cost option to revive existing cubicles or as an addition to your new washroom. Providing an opportunity for children to learn whilst creating a fun and colourful environment.



Alphabet Pack
(26no)



Numbers Pack
(13no)



Shapes Pack
(20no)

Specification

Doors: (MFC) 18mm Moisture Resistant Melamine faced chip board with 2mm high impact ABS edging
Face with Mactac matt soft calendared PVC film. UV overlam Protected.

(SGL) 13mm Solid Grade Compact with routed edges and black core
Face with Mactac matt soft calendared PVC film. UV overlam Protected.

Pilasters: (MFC) 18mm Moisture Resistant Melamine faced chip board with 2mm high impact ABS edging
Face with Mactac matt soft calendared PVC film. UV overlam Protected.

(SGL) 13mm Solid Grade Compact with routed edges and black core
Face with Mactac matt soft calendared PVC film. UV overlam Protected.

Tiny Tots Overall Cubicle Height - 1450mm including 150mm adjustable leg clearance
Kaleidoscope Overall Cubicle Height - 2100mm including 150mm adjustable leg clearance

Design Options

Doors / Pilasters: Dinosaurs, Unicorns, Monsters, Backpacks, Fruits, Drawings, Animals
Stickers Packs: Alphabet, Numbers, Shapes

Decal Size Guide

Door Height: 1800mm max height
Door Width: 700mm max width
Pilaster Height: Standard range height
Pilaster Width: 300mm max width
Sticker Packs: 150mm x 150mm (Squares)

Tiny Tots & Kaleidoscope decals are also available in different designs on request.



Tutti Frutti (SGL)

Designed to provide an attractive and durable solution for all school washrooms. Tutti Frutti cubicles are vandal resistant and completely waterproof.

[Solid Grade Laminate \(SGL\)](#)

[Heavy-duty Fittings \(SAA\)](#)

[Size Adjustable on site](#)

[Fast Delivery](#)



Gore Road Industrial Estate | New Milton | Hampshire | BH25 6SA
 T: 01425 615585 | F: 01425 628144 | www.cubiclesystems.co.uk



Hinge



Adjustable Leg



Curved Headrail



Indicator Lock

Tutti Frutti (SGL)

Specification

Doors:	13mm Solid Grade Compact (SGL) with routed edges and black core
Partitions:	13mm Solid Grade Compact (SGL) with routed edges and black core
Pilasters:	13mm Solid Grade Compact (SGL) with routed edges and black core
Hardware:	Satin Anodised Aluminium (SAA) fittings - Headrail, pilaster brackets, wall channels, adjustable leg, Rotary lock, Hinge

Overall Cubicle Height - 1950mm including 150mm adjustable leg clearance

Colour Options




Doors: Blueberry, Lemon, Raspberry, Lime and Orange available from stock

Partitions / Pilasters: Brushed Aluminium

Tutti Frutti (SGL) is also available in others colours upon request

Size Guide

Overall Height:	1950mm
Partition Shaped Height:	1800mm (standard)
Partition Square Height:	1800mm (standard)
Partition Depth:	1500mm (standard)
Pilaster Height:	1800mm
End/Wall Pilaster Width:	100mm
Centre Pilaster Width:	250mm / 300mm
Door Width:	700mm (standard)
Infant Door Height:	1100mm (magnetic catch)
Junior Door Height:	1500mm (indicator lock)
Senior Door Height:	1750mm (indicator lock)





Benching

Cubicle Systems benches have been designed to provide long lasting strength, safety and flexibility.

They feature Solid Grade Laminate slats available in a wide variety of colours or Ash Hardwood slats, each with complementary framework in a Light Grey or Black powder coated finish.

Ideal for any washroom or cubicle system in both wet and dry environments.

[Solid Grade Laminate Slats \(SGL\)](#)

[Made-To-Measure](#)

[Wet & Dry Application](#)



Benching

Specification

- Frame: 40 x 40 x 2.0mm Box section mild steel.
Zinc plated. Powder coated
- Slats: 13mm Solid Grade Compact (SGL) with
routed edges and black core
- Ash Hardwood Slats – 75mm Wide,
25mm Thickness

Colour Options

- Slats: Cubicle Systems standard range (SGL)
Ash Hardwood
- Frame: RAL 9006 Light Grey
RAL 9005 Black

Bench frames are available in other RAL colours upon request

Size Guide

- Single Island Height: 1700mm
Double Island Height: 1700mm
Locker Height: 1850mm
Single Height: 450mm
Wall Mount Height: 450mm
Cantilever Height: 450mm (Recommended)



Double Island



Single Island



Cantilever




Wall Mount



Adjustable Feet & Secure Fixings



Single



Locker



Lockers

Cubicle Systems lockers have been designed to complement any washroom and are robust and hardwearing.

Lockers feature Solid Grade Laminate doors and shelves available in a wide variety of colours each with complementary framework in aluminium.

Ideal for any washroom or cubicle system in both wet and dry environments.

Solid Grade Laminate Doors (SGL)

300mm or 400mm wide

Wet & Dry Application



Lock



Fixings



Hinge



Shelves




Lockers

Specification

- Frame: Aluminium
- Optional Plinth: Aluminium box section
- Doors: 13mm Solid Grade Compact (SGL) with routed edges and black core
- Shelves: 13mm Solid Grade Compact (SGL) with routed front edge and black core



Colour Options

- Doors & Shelves: Cubicle Systems standard range (SGL)
- Frame: Light Grey Aluminium



Size Guide

- Locker Height: 1800mm
- Locker Depth: 450mm
- Locker Width: 300mm & 400mm
- Optional Mounting Plinth: 150mm





Vanity Units

A necessity in any washroom that often complements chosen cubicle finishes and creates a lasting statement. Cubicle Systems manufacture a wide range of vanity units, each made unique with various choices regarding basins, taps and finishes.

[Solid Grade Laminate \(SGL\)](#)

[High Pressure Laminate \(HPL\)](#)

[Melamine Face Chipboard \(MFC\)](#)

[Glass Effect](#)

[Solid Surface](#)

[Wall Hung](#)



Solid Surface



Inset



Sit On



Glass Effect



Semi Recessed



Wall Hung



Vanity Units

Specification

Top: (HPL) 0.8mm High pressure Laminate with 18mm moisture resistant high density particle board core

(SGL) 13mm Solid Grade Compact with routed edges and black core

(Glass Effect) 0.8mm High pressure Gloss Laminate with 16mm moisture resistant high density particle board core with Rehau edging

(Solid Surface) 12mm Acrylic Solid Surface resin, non-porous, NSF-51 certified

Frame: (HPL) 0.8mm High pressure Laminate with 18mm moisture resistant high density particle board core

(SGL) 13mm Solid Grade Compact with routed edges and black core

(MFC) 18mm Moisture resistant Melamine face chip board with 2mm high impact ABS edging

Access Panels: (HPL) 0.8mm High pressure Laminate with 18mm moisture resistant high density particle board core. Radius post formed vertical profile with 2mm high impact ABS edging

(SGL) 13mm Solid Grade Compact with routed edges and black core










(MFC) 18mm Moisture resistant Melamine face chip board with 2mm high impact ABS edging

Overall Deck Height - Made to measure
Standard Deck Height - 800mm

Colour Options

Top / Frame / Access Panels Colour chart available on request

Vanity Units are also available in others colours upon request



The background of the page is a blue geometric pattern consisting of overlapping squares and diamonds in various shades of blue, creating a dynamic, crystalline effect.

Cubicle Systems
Gore Road Industrial Estate
New Milton
Hampshire
BH25 6SA

Tel: 01425 615 585
Fax: 01425 628 144

Email: sales@cubiclesystems.co.uk
www.cubiclesystems.co.uk