

TOXINS & THE LYMPHATIC SYSTEM

What Are We Really Clearing?




By Laine Miller, PTA, LMT, CLT

The word toxin is used frequently in conversations about health, wellness, massage, and the lymphatic system. We hear phrases such as releasing toxins, flushing toxins, and lymphatic detoxification. But what are these “toxins,” exactly?

In science and medicine, a toxin is a poisonous substance produced by a living organism. Certain bacteria, plants, fungi, and animals can produce true toxins. Substances such as pollutants, pesticides, heavy metals, and industrial chemicals are more accurately described as toxicants because they come from environmental or manufactured sources.

In a broader sense, any substance can be harmful to the body when consumed or used in excess, including sugar, caffeine, alcohol, medications, and supplements. Foods may also be harmful to someone with a food sensitivity or allergy.



When people talk about “toxins” in relation to lymphatic health, they are often referring to a much broader collection of substances, including:

- Cellular debris
- Metabolic byproducts
- Excess proteins
- Inflammatory mediators
- Bacteria and foreign particles
- Damaged cells
- Medications and their metabolites
- Environmental chemicals

These substances are not all toxins, and they are not all removed from the body in the same way.

What Is Actually Found in Lymph?

Lymph begins as fluid within the spaces surrounding our cells. As blood delivers oxygen and nutrients to the tissues, some fluid and larger molecules remain in the interstitial environment. Initial lymphatic vessels collect this excess fluid along with proteins, immune cells, cellular debris, foreign material, and other substances present within the tissue space.

The lymphatic system then transports this material through lymphatic vessels and lymph nodes before returning the fluid to the bloodstream.

Transport Is Not the Same as Detoxification

The lymphatic system is an essential collection and transportation network, but it does not independently neutralize every harmful substance or eliminate it from the body.

The lymphatic system helps collect and transport fluid, proteins, cells, antigens, cellular debris, and other material from the tissues. Along the way, material may be examined by the immune system, processed or recycled, returned to the circulation, or ultimately handled by organs responsible for metabolism and elimination.



The lymphatic system helps collect and transport material from the tissues so it can be examined, processed, recycled, or eliminated through the appropriate body systems.

Technically, detoxification does not take place in the lymphatic system. The lymphatic system is responsible for getting the lymph through the lymph nodes and ultimately to the bloodstream. Then the real detox work begins.

Why Language Matters

Using the word toxins as a catch-all term can make normal physiology sound mysterious.

It can also support misleading claims that a treatment, supplement, tea, sweat session, or massage can “flush” unidentified toxins from the body.

Manual Lymphatic Drainage may support fluid movement and lymphatic transport when appropriately applied.

However, it does not replace the liver, kidneys, lungs, gastrointestinal tract, or immune system.


Before accepting a detoxification claim, we should ask:



If the “toxin” cannot be identified, measured, or connected to a recognized physiological pathway, the claim deserves closer examination.

- Which specific substance is being discussed?
- How is it measured?
- Which organ normally processes or eliminates it?
- Is there evidence that the proposed treatment changes that process?

What Does Lymph Actually Contain?



Lymph is sometimes described as a fluid filled with “toxins,” but its actual composition is much more complex—and far more interesting.

Lymph begins as interstitial fluid, the fluid surrounding and bathing nearly every cell in the body. As blood travels through the smallest blood vessels, water and dissolved substances move into the tissues.

Most of that fluid returns directly to the bloodstream, while the remaining fluid enters the initial lymphatic vessels and becomes lymph.

The contents of lymph vary depending on the tissue it drains, current immune activity, digestion, injury, inflammation, infection, and overall health.

Lymphatic return also varies, as newer estimates may exceed the traditionally cited 3–4 liters per day.

How Fluid Returns to the Bloodstream


For many years, capillary exchange was described as a nearly balanced process:

- Fluid was filtered from the arterial side of the blood capillary.
- Most was believed to be reabsorbed at the venous side.
- The remaining 10–20%, approximately 3–4 liters daily, entered the lymphatic system.


This traditional explanation is still commonly found in anatomy texts.

However, the revised Starling principle suggests that, under normal steady-state conditions, sustained reabsorption at the venous end of most capillary beds is much less significant than previously believed.

Instead, much of the fluid filtered into the tissues is collected through the lymphatic system. Contemporary estimates suggest that approximately 8–12 liters of interstitial fluid may enter the lymphatic circulation each day, although estimates vary according to the method used and physiological conditions.



Some Water Returns to the Blood Within the Lymph Nodes




Not all fluid entering the lymphatic system necessarily travels the entire distance to the thoracic duct or right lymphatic duct.

As lymph passes through a lymph node, some of its water can move into the node's blood circulation through the specialized microvasculature, particularly the high endothelial venules.

This transfer concentrates the lymph, increasing the relative concentration of proteins and other substances in the efferent lymph leaving the node.

HEVs are also important pathways through which lymphocytes leave the bloodstream and enter the lymph node. Therefore, lymph nodes are not merely passive filters. They are active sites of:

- Fluid exchange
- Immune-cell trafficking
- Antigen surveillance
- Immune communication
- Modification of lymph composition



Every day, several liters of interstitial fluid enter the lymphatic system. Some water may return to the bloodstream through the blood vessels within lymph nodes, while the remaining lymph continues through progressively larger vessels and ultimately rejoins the venous circulation through the major lymphatic ducts.

What Lymph Nodes Really Do

Lymph nodes are often described as tiny filters that remove “toxins” from lymph. While filtration is part of their function, this description greatly oversimplifies what occurs inside them.

Lymph nodes are living, highly organized immune organs. They provide a meeting place where fluid, immune cells, antigens, signaling molecules, and material collected from the tissues can interact.

Lymph Enters for Examination

Lymph arrives through multiple afferent lymphatic vessels located around the outer surface of a node. It first enters the subcapsular sinus and then travels through a branching network of cortical and medullary sinuses.

This slower, carefully directed movement gives immune cells time to examine what the lymph has carried from the tissues.

Depending on the region being drained, lymph may contain:

- Proteins
- Immune cells
- Cellular debris
- Inflammatory signals
- Antigens
- Bacteria or other microorganisms
- Foreign particles
- Abnormal or damaged cells

Not every lymph node receives the same material. Each node monitors lymph coming from a particular drainage territory.

More Than a Physical Filter

Lymph nodes do not function like strainers that simply trap anything considered harmful. They support an active process called immune surveillance.

Within the node:

- Macrophages may capture and ingest cellular debris, microorganisms, and particles.
- Dendritic cells present antigens to lymphocytes.
- B cells may recognize antigens and develop into antibody-producing cells.
- T cells may become activated and coordinate or carry out an immune response.
- Chemical signals help immune cells communicate and travel to where they are needed.

Material entering a lymph node may be captured, examined, processed, retained, or allowed to continue with the lymph. A lymph node does not necessarily remove every particle during a single passage.


Immune Cells Enter Through the Blood

Lymph nodes receive immune cells from two directions.

Some immune cells and antigens arrive through the afferent lymphatic vessels. Many circulating lymphocytes enter from the bloodstream through specialized blood vessels called high endothelial venules, or HEVs.

The unique endothelial cells lining HEVs help circulating lymphocytes slow down, attach to the vessel wall, cross into the node, and search for the antigens they are designed to recognize.

This continual movement allows large numbers of immune cells to circulate between the blood, lymph nodes, lymphatic vessels, and tissues.



High endothelial venules, commonly called HEVs, are specialized small blood vessels located within lymph nodes and other secondary lymphoid tissues.

Unlike ordinary venules, which are lined by thin, flattened endothelial cells, HEVs contain plump, almost cuboidal endothelial cells—giving them their “high” appearance under a microscope.

A Doorway for Immune Cells

Large numbers of lymphocytes continually circulate through the blood, lymphatic system, and lymphoid organs. HEVs provide a controlled entry point through which these immune cells can leave the bloodstream and enter the lymph node.

This process is carefully regulated:

- Circulating lymphocytes begin to slow as they contact the HEV wall.
- Specialized adhesion molecules allow them to roll along the endothelial surface.
- Chemical signals activate the appropriate lymphocytes.
- The cells attach firmly to the HEV.
- They migrate across the endothelial wall and enter the lymph-node tissue.

Once inside, lymphocytes move through the node searching for an antigen they are equipped to recognize.

If no matching antigen is found, many lymphocytes leave through the efferent lymphatic vessel and continue circulating.

If an antigen is recognized, selected lymphocytes may become activated, multiply, and participate in an immune response.

HEVs Help Bring the Two Circulations Together


Afferent lymphatic vessels bring antigens, inflammatory signals, dendritic cells, and other material from the tissues into the lymph node. At the same time, HEVs deliver circulating lymphocytes from the blood.

This creates an efficient meeting place.

Water Can Move into the Blood

HEVs also participate in fluid exchange within the node. As lymph passes through the lymphatic sinuses, some of its water may transfer into the nodal blood circulation.

This removal of water helps explain why efferent lymph leaving a node may have a higher concentration of proteins than the afferent lymph that entered it.



The movement is selective and regulated. It does not mean that all lymph enters the HEVs or that everything carried in lymph moves directly into the blood.

Much of the lymph continues through the node and exits through the efferent lymphatic vessel.

Proteins, cells, and larger particles generally remain within the lymphatic or lymph-node compartments unless transported through specific biological mechanisms.

HEVs Respond to Immune Activity

During infection or inflammation, signaling molecules can alter the activity of HEVs. This may increase the recruitment of immune cells into a responding lymph node.

The increased arrival and multiplication of immune cells are among the reasons a reactive lymph node may become enlarged. It is not simply swelling because the node is “filled with toxins.”

High endothelial venules are much more than ordinary blood vessels.

HEVs are specialized gateways that deliver circulating lymphocytes into lymph nodes and participate in the exchange of fluid between lymph and blood.

They help connect the blood circulation, lymphatic circulation, and immune system—bringing immune cells and tissue-derived information together in one highly organized environment.

Why Does This Matter When Talking About “Toxins”?

Understanding fluid exchange within the lymph node helps correct the common idea that lymph nodes are containers where toxins accumulate until they are “flushed out.”

That is not how the system works.

Lymph nodes are active points of communication between the lymphatic circulation, blood circulation, and immune system.

As lymph passes through a node, its fluid and contents do not all follow the same pathway.

Water Transfer Is Not Detoxification


When water moves from lymph-node fluid into the blood, this is an important part of fluid balance. It also concentrates the lymph leaving the node.

However, water entering the blood does not mean that the node has chemically neutralized every substance carried by the lymph. It also does not mean that all foreign material, proteins, or cellular debris cross directly into the bloodstream.

Different substances are handled according to their:

- Size
- Chemical properties
- Concentration
- Binding to proteins
- Interaction with immune cells
- Ability to cross vascular barriers

Lymph Nodes Provide Surveillance—not Complete Elimination



Lymph nodes can recognize and respond to pathogens, antigens, damaged cells, and foreign material. But they are not responsible for chemically detoxifying the entire body.

The lymphatic system may transport a substance back toward the blood, but other organs determine what happens next:

Proteins, cells, and larger particles generally remain within the lymphatic or lymph-node compartments unless transported through specific biological mechanisms.

HEVs Respond to Immune Activity

During infection or inflammation, signaling molecules can alter the activity of HEVs. This may increase the recruitment of immune cells into a responding lymph node.

The increased arrival and multiplication of immune cells are among the reasons a reactive lymph node may become enlarged. It is not simply swelling because the node is “filled with toxins.”

High endothelial venules are much more than ordinary blood vessels.

HEVs are specialized gateways that deliver circulating lymphocytes into lymph nodes and participate in the exchange of fluid between lymph and blood.

They help connect the blood circulation, lymphatic circulation, and immune system—bringing immune cells and tissue-derived information together in one highly organized environment.

Why Does This Matter When Talking About “Toxins”?

Understanding fluid exchange within the lymph node helps correct the common idea that lymph nodes are containers where toxins accumulate until they are “flushed out.”

That is not how the system works.

Lymph nodes are active points of communication between the lymphatic circulation, blood circulation, and immune system.

As lymph passes through a node, its fluid and contents do not all follow the same pathway.

Lymph Nodes Provide Surveillance—not Complete Elimination

Lymph nodes can recognize and respond to pathogens, antigens, damaged cells, and foreign material. But they are not responsible for chemically detoxifying the entire body.

The lymphatic system may transport a substance back toward the blood, but other organs determine what happens next:

- The liver chemically modifies and processes many compounds.
- The kidneys filter the blood and eliminate many water-soluble substances.
- The intestines remove material through bile and stool.
- The lungs eliminate carbon dioxide and certain volatile substances.
- The immune system recognizes and responds to biological threats.

Why “Flushing the Lymph Nodes” Is Misleading

Lymph nodes are not storage tanks that need to be squeezed or emptied. More pressure does not necessarily produce better lymphatic function, and aggressive treatment cannot force the nodes to release unidentified toxins.

Manual Lymphatic Drainage may support fluid movement toward functioning lymphatic pathways, but it does not:

The language of “detox” has become deeply intertwined with lymphatic massage. A quick look through social media, wellness advertising, and spa services reveals phrases such as detox massage, lymphatic cleanse, flush your lymph nodes, remove toxins, and clean out your lymphatic system.

Lymphatic drainage is frequently marketed as though the lymphatic system were a waste-disposal network that accumulates harmful substances and requires periodic assistance to empty them.

The imagery is compelling. If lymphatic vessels are described as the body's drainage system, it seems reasonable to imagine lymph nodes as filters, toxins as waste, and manual lymphatic drainage as the process that flushes everything away.



But that analogy is incomplete—and it has created considerable confusion about what the lymphatic system actually does.

Even mainstream medical discussions now address detoxification as one of the popular claims surrounding lymphatic massage while noting the lack of substantial evidence that MLD provides a generalized “detox” benefit in otherwise healthy people. Advertising regulators have likewise challenged unsupported claims that lymphatic treatments remove toxins from the body.

The Lymphatic System Transports. That Is Not the Same as Detoxifying.

The lymphatic system performs an essential transport function.

Fluid filtered from the blood enters the interstitial environment surrounding our cells. Proteins, cellular debris, immune cells, antigens, inflammatory mediators, microorganisms, and numerous dissolved substances may be present within this environment. The lymphatic capillaries collect fluid and material from the tissues and transport it into progressively larger lymphatic vessels.

Modern understanding of microvascular fluid exchange actually emphasizes the importance of lymphatic drainage more than the traditional Starling model did. In most tissues under steady-state conditions, sustained venous-end capillary reabsorption is far less important than was historically taught; lymphatic drainage is therefore fundamental to maintaining interstitial fluid balance and returning filtered fluid toward the circulation.

That is an enormous physiological responsibility. But transport is not synonymous with detoxification.

Moving a substance from the interstitial space into a lymphatic vessel does not mean that substance has been chemically transformed, neutralized, destroyed, or eliminated from the body. It has changed compartments.

And its journey may be far from over.

Lymph Nodes Are Not Toxin Storage Tanks



This is where the phrase “flushing the lymph nodes” becomes particularly misleading.

Lymph nodes are not containers that gradually fill with toxins until lymphatic massage empties them.

They are highly organized immune organs. As lymph passes through a node, material arriving from the tissues encounters macrophages, dendritic cells, B lymphocytes, T lymphocytes, and other components of the immune system. Antigens can be captured and presented.

Immune cells communicate. Lymphocytes may become activated and proliferate.

At the same time, circulating lymphocytes are continually entering lymph nodes from the bloodstream through specialized vessels called high endothelial venules (HEVs).

Fluid exchange also occurs within the node.

The lymph node is therefore better understood as an active site of surveillance, exchange, processing, and immune communication rather than a passive filter waiting to be flushed.

Even enlargement of a lymph node during an immune response should not automatically be interpreted as a node “filled with toxins.”

Recruitment, activation, and proliferation of immune cells are among the reasons a responding node can enlarge.

Remaining lymph continues through efferent lymphatic vessels, trunks, and ultimately the major lymphatic ducts, returning lymph to the venous circulation.

From there, different substances follow different pathways.

The liver metabolizes and chemically modifies many compounds.


The kidneys filter the blood and excrete selected substances into urine.

The lungs eliminate carbon dioxide and certain volatile compounds.

The gastrointestinal system participates in metabolism and elimination through feces and biliary pathways.

Other tissues and systems contribute as well. There isn't one universal route called “detox.”

SO DOES THE LYMPHATIC SYSTEM HAVE ANYTHING TO DO WITH DETOXIFICATION?



The lymphatic system is part of a team. It helps deliver what the body needs to process, transform, recycle, and eliminate—nothing works in isolation, everything works in combination.



LYMPHATIC
RESTORATION
THERAPY®


There is an interconnected physiology of transport, immune surveillance, metabolism, transformation, recycling, and elimination

“Detox Massage” Creates Another Misconception

The terminology can also unintentionally suggest that toxins remain trapped in the body unless someone manually moves the lymphatic system.

That is not how normal physiology works. A functioning lymphatic system continuously collects and transports interstitial fluid.

Skeletal-muscle activity, respiration, intrinsic contractions of collecting lymphatic vessels, changes in tissue pressure, and other physiological mechanisms contribute to lymph transport.



So Does the Lymphatic System Have Anything to Do With Detoxification?

Absolutely—but this requires an important distinction.

The lymphatic system participates in the journey of substances that may ultimately be processed or eliminated elsewhere.

It collects material from the interstitial environment.

It transports that material.

Lymph nodes provide immune surveillance and biological processing.

Some water can exchange with the nodal blood circulation.

Manual lymphatic drainage is a specialized intervention intended to influence lymphatic fluid movement. It has legitimate clinical applications, particularly within lymphedema management, although research regarding its additional effects and effectiveness varies by population and outcome.

We do not need to call MLD a “detox treatment” to make lymphatic therapy valuable.

In fact, describing it accurately makes the therapy more credible.

Perhaps We Need Better Language

Instead of saying:
“We’re flushing toxins from your lymph nodes.”

A more physiologically accurate explanation might be:

“We’re supporting lymphatic transport and helping move interstitial fluid toward functioning lymphatic pathways.”

Remaining lymph continues through efferent lymphatic vessels, trunks, and ultimately the major lymphatic ducts, returning lymph to the venous circulation.

From there, different substances follow different pathways.

The liver metabolizes and chemically modifies many compounds.

The kidneys filter the blood and excrete selected substances into urine.

The lungs eliminate carbon dioxide and certain volatile compounds.

The gastrointestinal system participates in metabolism and elimination through feces and biliary pathways.

Other tissues and systems contribute as well. There isn’t one universal route called “detox.”

There is an interconnected physiology of transport, immune surveillance, metabolism, transformation, recycling, and elimination

So, What Actually Detoxifies the Body?

If the lymphatic system collects and transports material but does not independently detoxify the body, an obvious question remains: What does?

The answer is not one organ.

Detoxification is the combined work of multiple organs, tissues, enzymes, transporters, immune mechanisms, and routes of elimination. Even the word detoxification can be misleading because different substances require very different handling.

Some compounds are chemically transformed before they can be eliminated. Some can be excreted relatively unchanged. Some materials are recycled.

Some are broken down or handled by immune cells. Some leave through urine, some through bile and feces, and gaseous products can leave through the lungs.


The lymphatic system participates by helping collect and deliver material from the tissues into this larger network.

The Liver: The Major Chemical Processing Center

When most people think about detoxification, the liver deserves a central place in the discussion.

The liver receives an enormous variety of endogenous and foreign compounds and contains enzyme systems capable of chemically transforming many of them.

For many xenobiotics—including medications and environmental chemicals—this may involve what are traditionally described as Phase I and Phase II metabolism.



Phase I reactions can chemically modify a compound, often through enzymes such as the cytochrome P450 family.


Phase II reactions can then conjugate compounds or their metabolites with other molecules, frequently making them more water-soluble and easier to eliminate. These pathways do not simply “neutralize toxins”; metabolism can sometimes produce active or even more reactive intermediates, which is another reason the popular concept of detoxification is too simplistic.

The liver can then direct substances or their metabolites toward the blood for eventual renal elimination or into bile, where they can enter the intestinal tract. Hepatobiliary transport is an important route for eliminating certain endogenous compounds, drugs, and xenobiotics.

In simple terms:

The liver transforms and redirects.

The Kidneys: Filtration, Secretion, and Excretion



The kidneys provide one of the body's major routes of actual elimination.

Blood continuously passes through the kidneys, where substances can be handled through three major processes:

- glomerular filtration
- tubular secretion
- tubular reabsorption.

Some metabolic waste products, medications, Transport is not elimination.

Metabolites, electrolytes, and foreign compounds ultimately enter the urine and leave the body.

The kidneys therefore do something fundamentally different from the lymphatic system.

Moving a substance from tissue into lymph relocates it within the body.

Excreting a substance into urine can actually remove it from the body.

This distinction is essential when discussing “detox.”

The Lungs: Elimination With Every Breath

The respiratory system is another route of elimination, although we rarely describe breathing as detoxification.


Every time we exhale, the lungs remove carbon dioxide, a major metabolic waste product produced by cellular metabolism.

Certain volatile substances can also be eliminated through exhaled air.

The lungs are therefore another reminder that there is no single detoxification pathway.

The body is continuously processing and exchanging substances through multiple systems.

The Gastrointestinal and Biliary Pathways



The gastrointestinal tract also participates in elimination, particularly in partnership with the liver.

The liver can secrete certain compounds and metabolites into bile. Bile then enters the intestine, where some substances ultimately leave the body in feces.

But even this pathway is not simply one-way. Some compounds secreted into bile can be modified in the intestine and subsequently reabsorbed, returning to the liver through enterohepatic circulation.

Again, physiology is more complicated than the word detox suggests.

The GI tract provides an important route of elimination, particularly for substances delivered through bile and material that remains within the intestinal lumen.

What About the Skin?

The skin is often included on lists of “detox organs,” largely because we sweat.

Sweat does contain water, electrolytes, and small quantities of various metabolic or environmental substances. However, sweating should not be portrayed as one of the body's primary detoxification mechanisms.

The skin's major responsibilities include barrier protection, temperature regulation, sensory function, and immune defense.

This distinction becomes particularly important when claims are made that sweating, saunas, wraps, or massage somehow “pull toxins through the skin.”

That is not an accurate description of normal detoxification physiology.

And the Immune System?

There is another participant that does not fit neatly into the traditional detox-organ diagram: the immune system.

Macrophages, neutrophils, dendritic cells, lymphocytes, and other immune cells recognize, engulf, process, destroy, or coordinate responses to microorganisms, damaged cells, foreign material, and antigens.

This is especially relevant to the lymphatic system because lymph nodes provide organized environments where material arriving from the tissues encounters immune cells arriving both through lymph and from the bloodstream.

This is not necessarily detoxification in the biochemical sense.

It is immune surveillance and biological processing.

But it is another important part of how the body handles material that does not belong—or material that requires further attention.

Where Does the Lymphatic System Fit?

Now we can put the entire journey together.

A substance or piece of cellular material may begin in the interstitial environment surrounding the cells.

The lymphatic capillaries can collect fluid and material from that environment.

The lymphatic vessels transport it.

The lymph nodes provide opportunities for immune surveillance, cellular interaction, processing, and fluid exchange.

Remaining lymph continues through the lymphatic circulation and ultimately reconnects with the venous bloodstream.

From there, depending upon what the substance actually is, it may be:

- metabolized by the liver
- filtered or secreted by the kidneys
- eliminated through the lungs
- secreted into bile
- excreted through the gastrointestinal tract
- recycled, stored, used by the body, or handled through another biological pathway.

There is no universal bag of “toxins” traveling through the lymphatic system waiting to be flushed out.

There is a remarkably sophisticated network of collection, transport, surveillance, transformation, recycling, and elimination.

The lymphatic system plays an important role in detoxification by collecting and transporting materials from tissues, supporting communication and immune surveillance, and connecting tissues with the organs that process and eliminate what the body no longer needs.

It does not detoxify the body on its own; rather, it works as part of an interconnected detoxification network alongside the liver, kidneys, lungs, skin, gastrointestinal system, and immune system. Nothing works in isolation—everything works in combination.

About the Author



Laine Miller, PTA, LMT, CLT, C-MLD

With more than 35 years of experience in physical therapy and bodywork, Laine is passionate about helping people understand the intricate connections within the body—especially the vital role of the lymphatic system in health, healing, and longevity.

Laine is a Certified Lymphedema Therapist, Certified Manual Lymph Drainage Therapist, Licensed Massage Therapist, and Physical Therapist Assistant.

She is the founder and developer of Lymphatic Restoration Therapy® (LRT) and the Systemic Flow™ series, and the author of *The Lymph Connection*.

Her mission is simple:
to educate, empower, and inspire through knowledge, connection, and hands-on care.

*Nothing works in isolation.
Everything works in combination.*

Resources

- Levick JR, Michel CC. Microvascular fluid exchange and the revised Starling principle. *Cardiovascular Research*. 2010;87(2):198–210. doi:10.1093/cvr/cvq062.
- Important support for our discussion of interstitial fluid formation and why the lymphatic system has a much larger role in returning filtered fluid than suggested by the traditional Starling model.
- Baluk P, Fuxe J, Hashizume H, et al. Functionally specialized junctions between endothelial cells of lymphatic vessels. *Journal of Experimental Medicine*. 2007;204(10):2349–2362. doi:10.1084/jem.20062596.
- Excellent source for the structure of initial lymphatic capillaries and the specialized endothelial junctions that permit entry of interstitial fluid and material.
- Zawieja DC. Contractile physiology of lymphatics. *Lymphatic Research and Biology*. 2009;7(2):87–96. doi:10.1089/lrb.2009.0007.
- Supports our explanation that lymph is actively transported through intrinsic lymphatic contractions as well as external forces—not simply “flushed” through passive tubes.
- Breslin JW. Lymphatic clearance and pump function. *Cold Spring Harbor Perspectives in Medicine*. 2023;13(2):a041187. doi:10.1101/cshperspect.a041187.
- A more recent review of lymphatic clearance, interstitial-fluid drainage, immune-cell trafficking and the intrinsic/extrinsic mechanisms responsible for lymph propulsion.
- Girard JP, Moussion C, Förster R. HEVs, lymphatics and homeostatic immune cell trafficking in lymph nodes. *Nature Reviews Immunology*. 2012;12(11):762–773. doi:10.1038/nri3298.
- One of our key references for the sections on high endothelial venules (HEVs), lymphocyte entry from the bloodstream, immune surveillance, and the concept of the lymph node as an active meeting place between blood, lymph and immune cells.
- Girard JP, Amann K, Chyou S, et al. High endothelial venules (HEVs) in immunity, inflammation and cancer. *Angiogenesis*. 2021;24:719–753. doi:10.1007/s10456-021-09792-8.
- Provides updated information about HEV structure and function, lymphocyte trafficking, immune surveillance and changes in HEVs during inflammation.
- Jafarnejad M, Woodruff MC, Zawieja DC, Carroll MC, Moore JE Jr. Modeling lymph flow and fluid exchange with blood vessels in lymph nodes. *Lymphatic Research and Biology*. 2015;13(4):234–247.
- Particularly relevant to our discussion that some lymph-node fluid can exchange with the nodal blood circulation, meaning not all water entering the lymphatic system necessarily travels unchanged all the way to the major lymphatic ducts.
- PubMed
- Thompson B, Gaitatzis K, Janse de Jonge X, Blackwell R, Koelmeyer LA. Manual lymphatic drainage treatment for lymphedema: a systematic review of the literature. *Journal of Cancer Survivorship*. 2021;15:244–258. doi:10.1007/s11764-020-00928-1.
- Useful for keeping our discussion of MLD evidence-based. The review found mixed results depending on population and outcome, which supports describing MLD as a lymphatic intervention rather than making generalized “detox” claims.
- Almazroo OA, Miah MK, Venkataramanan R. Drug metabolism in the liver. *Clinics in Liver Disease*. 2017;21(1):1–20.
- Supports our section describing hepatic biotransformation, including Phase I functionalization, Phase II conjugation and transporter-mediated disposition/elimination.
- Masereeuw R, Russel FGM. Mechanisms and clinical implications of renal drug excretion. *Drug Metabolism Reviews*. 2001;33(3–4):299–351. doi:10.1081/DMR-120000654.
- Supports the kidney section and our distinction between merely transporting material within the body and actually excreting substances from the body through urine via filtration, secretion and reabsorption mechanisms.
- Levine WG. Biliary excretion of drugs and other xenobiotics. *Annual Review of Pharmacology and Toxicology*. 1978;18:81–96. doi:10.1146/annurev.pa.18.040178.000501.
- Supports our discussion of biliary elimination and the important point that some substances entering bile are eliminated while others may participate in enterohepatic circulation and be reabsorbed.
- Peng Y, Cui X, Liu Y, Li Y, Liu J, Cheng B. Systematic review focusing on the excretion and protection roles of sweat in the skin. *Dermatology*. 2014;228(2):115–120. doi:10.1159/000357524.
- Useful for our more nuanced discussion of the skin: substances can appear in sweat, but sweating should not simply be equated with whole-body “detoxification.”