# LYMPHATIC ANATOMY AND PHYSIOLOGY



## A BASIC INTRODUCTION TO THE LYMPHATIC SYSTEM

*The lymphatic system is an extensive network of vessels, tissues, organs, and immune structures found throughout most of the body. Although it is sometimes described as the body's "drainage system," its responsibilities extend far beyond fluid removal.*

AUTHOR

**LAINE KRISTIN MILLER, PTA, LMT, CLT**

**LYMPHATIC RESTORATION THERAPY**

The lymphatic system helps maintain tissue-fluid balance, supports immune surveillance, transports certain nutrients from the digestive tract, and participates in the body's response to injury, inflammation, and infection.

It works continuously alongside the cardiovascular and immune systems to support the internal environment surrounding every cell.

Unlike the cardiovascular system, the lymphatic system does not have one central pump. Instead, it relies on a coordinated network of vessels, valves, muscular contractions, breathing, body movement, and pressure changes to move lymph through the body.

This article provides a basic overview of lymphatic anatomy and function.

The detailed process of how fluid becomes lymph, travels through the lymphatic network, and ultimately returns to the bloodstream is explored separately in The Journey of Lymph.

Whether you have a basic understanding of anatomy, professional training, or are exploring the lymphatic system for the first time, this article provides a foundational overview. It serves as a practical starting point for building or reviewing your knowledge and establishes a strong basis for the articles that follow.

## THE PRIMARY FUNCTIONS OF THE LYMPHATIC SYSTEM

The lymphatic system has three major responsibilities:

1. **Maintaining fluid balance**

Fluid continually moves between the blood and the tissues. The lymphatic system collects fluid and other substances that remain within the interstitial spaces surrounding the cells.

Without adequate lymphatic drainage, fluid and proteins can accumulate in the tissues. Persistent accumulation may contribute to swelling, inflammation, tissue congestion, and eventually fibrosis.

**2. Supporting immune surveillance**

The lymphatic system transports immune cells and carries information from the tissues to regional lymph nodes. Within the nodes, immune cells monitor lymph for foreign material, abnormal cells, microorganisms, and signs of tissue injury.

This surveillance helps the immune system recognize potential threats and coordinate an appropriate response.

**3. Transporting dietary fats**

Specialized lymphatic capillaries called lacteals are located within the villi of the small intestine. They absorb dietary fats and fat-soluble vitamins that cannot enter the blood capillaries in the same way as many other nutrients.

These substances travel through the intestinal lymphatic system before eventually entering the bloodstream.

# LYMPHATIC ANATOMY AND PHYSIOLOGY

## THE LYMPHATIC VESSEL NETWORK

The lymphatic system begins with extremely small, blind-ended vessels called initial lymphatic capillaries. These delicate vessels are located within the tissues and are designed to collect fluid, proteins, cells, and other substances from the interstitial space.

Initial lymphatics connect with progressively larger vessels:


- Lymphatic capillaries
- Precollecting vessels
- Collecting lymphatic vessels
- Lymphatic trunks
- Lymphatic ducts

This arrangement creates a branching network that begins microscopically within the tissues and gradually joins larger pathways.



Collecting lymphatic vessels contain valves that help maintain one-way movement. Sections of the vessels between successive valves are called lymphangions. Their muscular walls can contract rhythmically, helping propel lymph forward.

The condition and function of these vessels influence how effectively a region of the body can manage its lymphatic load.



## SUPERFICIAL AND DEEP LYMPHATICS

Lymphatic vessels are generally described as belonging to either the superficial or deep lymphatic system.

Superficial lymphatic vessels are located within the skin and subcutaneous tissues. They drain areas close to the body's surface and are especially relevant when addressing swelling involving the skin, fatty tissue, and superficial fascia.

Deep lymphatic vessels accompany deeper blood vessels and drain structures such as muscles, joints, nerves, and internal organs.

Although these systems are described separately, they are interconnected.

Fluid may be redirected between neighboring regions and between superficial and deeper pathways when normal drainage routes become challenged.

The lymphatic system, when healthy, has an amazing ability to adapt and even regenerate when optimal conditions are present.


## LYMPHATIC TERRITORIES

The body's superficial tissues are organized into lymphatic territories. Each territory generally drains toward a particular regional group of lymph nodes.

The boundaries between these territories are sometimes called watersheds. These boundaries are not rigid walls. Connections may exist across them, and alternative pathways can sometimes become more active when a primary drainage route is impaired.


Understanding lymphatic territories is important when planning manual lymphatic drainage, compression, exercise, and other lymphatic interventions.

Treatment should respect the individual's anatomy, medical history, available drainage pathways, and areas of congestion.



# LYMPHATIC ANATOMY AND PHYSIOLOGY

## LYMPH NODES




Lymph nodes are small, specialized immune structures positioned along lymphatic vessels. They are commonly grouped in regions such as the:

- Head and neck
- Armpits
- Chest
- Abdomen
- Pelvis
- Groin
- Elbows
- Knees

However, lymph nodes are also located more deeply throughout the body.

As lymph passes through a node, it is exposed to immune cells that help identify and respond to foreign material and signs of tissue disturbance. Lymph nodes are active sites of immune communication—not passive filters or storage containers for "toxins." Nodes also influence the concentration and composition of lymph as it moves through the system.

Removal, radiation, scarring, infection, or damage involving lymph nodes and vessels may reduce the transport capacity of a particular region. The effects vary considerably between individuals.

## LYMPHOID ORGANS AND TISSUES

The lymphatic and immune systems include more than vessels and nodes. Several organs and tissues contribute to immune development, monitoring, and response.

### Bone marrow

Bone marrow produces blood cells, including many of the cells involved in immune defense. B lymphocytes mature within the bone marrow.

### Thymus

The thymus is located in the upper chest behind the sternum. It is most active earlier in life and plays an essential role in the development and maturation of T lymphocytes.


### Spleen

The spleen is located in the upper-left abdomen. Unlike lymph nodes, which monitor lymph, the spleen primarily monitors blood. It helps remove aging blood cells, stores certain blood components, and participates in immune responses.

### Tonsils and other mucosal lymphoid tissues

The tonsils and lymphoid tissues associated with the respiratory and digestive tracts help monitor substances entering through the mouth, nose, lungs, and intestines.

Together, these structures create an extensive system of immune surveillance throughout the body.





## LYMPHATIC TRUNKS AND DUCTS

As lymphatic vessels become larger, they form major lymphatic trunks that drain broad regions of the body. These eventually connect with one of two primary ducts.

The right lymphatic duct drains lymph from the right side of the head and neck, the right side of the chest, and the right upper extremity.

The thoracic duct drains the remainder of the body, including both lower extremities, the abdomen, the left side of the chest, the left upper extremity, and the left side of the head and neck.

These ducts return lymph to the venous circulation near the junctions of the internal jugular and subclavian veins. These venous angles are often referred to clinically as the lymphatic termini.



# LYMPHATIC ANATOMY AND PHYSIOLOGY

## WHAT HELPS LYMPH MOVE?

The lymphatic system does not depend on a single central pump. Lymph movement is supported by several interacting mechanisms, including:

- Contraction of the lymphatic vessels
- One-way lymphatic valves
- Skeletal muscle activity
- Breathing and changes in internal pressure
- Arterial pulsation
- Movement of the skin and surrounding tissues
- Intestinal activity
- Changes in body position
- External compression

This is one reason regular movement, breathing, appropriately prescribed exercise, and compression can be valuable components of lymphatic care.


However, more pressure or more vigorous movement is not automatically better.

Lymphatic interventions must be matched to the condition of the tissues, the integrity of the vessels, the person's medical status, and the ability of the system to receive and transport the mobilized fluid.

## REGIONAL AND SYSTEMIC FUNCTION

It is tempting to view swelling as a problem involving only the visibly affected arm, leg, face, or abdomen. In reality, lymphatic function is influenced by the entire connected system.

Restrictions involving the trunk, scars, fascia, breathing mechanics, posture, muscle activity, or central drainage regions may affect how efficiently lymph can leave a congested area.




Likewise, surgery, radiation, injury, infection, inflammation, or reduced mobility can alter both local and regional lymphatic function.

For this reason, lymphatic assessment should look beyond the location of visible swelling. The involved region must be considered in relationship to the pathways above it, the surrounding territories, the trunk, and the person as a whole.

## WHEN LYMPHATIC DEMAND EXCEEDS CAPACITY

The lymphatic system has a remarkable ability to adapt. It may increase its activity, recruit additional pathways, or redirect fluid through available connections when the tissues are under temporary stress.
Problems arise when the amount of fluid and other material requiring transport exceeds the system's available capacity—or when the lymphatic system itself has been damaged, obstructed, malformed, or overwhelmed. This imbalance may contribute to:

- Persistent swelling
- Heaviness or tightness
- Tissue tenderness
- Reduced mobility
- Increased inflammatory activity
- Changes in tissue texture
- Fibrosis

# LYMPHATIC ANATOMY AND PHYSIOLOGY

Swelling is therefore not simply “extra water.” It reflects an alteration in the relationship between tissue-fluid production, lymphatic uptake, transport capacity, inflammation, and the condition of the surrounding tissues.

## UNDERSTANDING THE WHOLE SYSTEM

The lymphatic system does not function in isolation. It works in continuous relationship with the cardiovascular, immune, digestive, nervous, musculoskeletal, and fascial systems.

Its vessels reach from the superficial tissues to the deepest cavities of the body.

Its nodes coordinate immune surveillance. Its intestinal vessels transport absorbed fats. Its larger trunks and ducts return collected fluid to the bloodstream.

Learning the basic anatomy provides a map. Learning the physiology explains how that map functions as a living, responsive network.

This foundation makes it easier to understand why lymphatic drainage may become impaired, why swelling can appear far from the original source of disruption, and why effective lymphatic care often requires more than treating the place where fluid is visibly accumulating.

For a closer look at how fluid enters the lymphatic system and travels step by step from the tissues back to the bloodstream, continue to The Journey of Lymph.




***Nothing in the body works in isolation; everything works in combination. The lymphatic system is a powerful example of this interconnectedness because it literally communicates with every tissue and every major body system. It continuously interacts with the cardiovascular, immune, digestive, nervous, musculoskeletal, endocrine, and fascial systems to help maintain balance, support healing, and respond to change. When we begin to understand these relationships, we can look beyond isolated symptoms and appreciate the body as the integrated, adaptable system it truly is. Continue reading to discover more about this remarkable and often overlooked system—and the many ways it influences health throughout the body.***