



smartEV
c h a r g e r s

TECHNICAL DATASHEET

PROJECT EV EVA-07-S- Pro Earth

CONTACT INFORMATION

 +44 (0) 1242 323646

 www.smartevchargers.co.uk

 7 Gabwell Business Centre, Quadrant Way Hardwicke, Gloucester, GL2 2JH

PROJECT EV EVA-07-S- Pro Earth



5 YEAR
WARRANTY



ON-BOARD
RCD ISOLATION



OFF PEAK
TIME SHIFTING



NO EARTHING
REQUIRED



FLOOR STAND
OPTION

FEATURES

- Next Generation EV Charge Point
- Built in earthing means no costly groundwork, holes in driveways or costly inspection chambers
- Market leading price
- IP65 protection grade suitable for harsh environmental conditions
- Intelligent power adjustment, emergency stop, WiFi/APP/ethernet monitoring
- Time Shifting - utilises off peak energy tariffs to save you money

TECHNICAL SPECIFICATION

Input & Output

Input voltage	230V AC
Input frequency	50/60HZ
Output voltage	230V AC
Max. output power	7.3KW
Max. output current	32A
Charging interface type	IEC 62196-2,Type 2

Protection

Over voltage protection	Yes
Under voltage protection	Yes
Over load protection	Yes
Short circuit protection	Yes
Earth leakage protection	Yes
Over-temp protection	Yes
Lightning protection	Yes

Function and Accessory

Ethernet/WIFI/4G	Yes/Yes/Opt
Connector	Socket/Plug
LCD	Opt
RCD	Type A +6mA DC fault current p (Equivalent to Type B)
LED Indicator light	
Emergency stop button	Yes
Intelligent power adjustment	Opt
RFID	Opt

Working environment

Protection degree	IP65
Environment temperature	-25°C~+50°C
Relative humidity	0-95%non-condensing
Maximum altitude	<2000m
Cooling	Natural air cooling
Standby power consumption	<8W

Mechanical

Dimension (W/H/D)	240/380/145mm
Weight	<7KG

Mounting Accessories

Wall-mounting	Yes
Ground-mounting pole	Opt

Certification

Certificate	CE
-------------	----