




**ROTATING BEACON ACCESSORIES
DIN POLE
MOUNTING BRACKETS
CATALOGUE 2020**







PART NUMBER	DESCRIPTION	IMAGE
<p>973000001</p>	<p>STRAIGHT SOCKET PIPE FOR WELDING. 100MM LENGTH; FITTED WITH RUBBER STOPPER AND SOCKET. MILD STEEL - ZINC PLATED</p>	
<p>973000002</p>	<p>STRAIGHT SOCKET PIPE FOR WELDING. 260MM LENGTH; FITTED WITH RUBBER STOPPER AND SOCKET. MILD STEEL - ZINC PLATED.</p>	
<p>973000003</p>	<p>SOCKET PIPE WITH SCREW ATTACHMENT. FITTED WITH RUBBER STOPPER AND ALUMINIUM OR BRASS SOCKET. MILD STEEL - ZINC PLATED.</p>	

<p>973000004</p>	<p>SOCKET PIPE WITH BASE ATTACHMENT. FITTED WITH RUBBER STOPPER AND ALUMINIUM OR BRASS SOCKET. MILD STEEL - ZINC PLATED.</p>	
<p>973000005</p>	<p>SOCKET PIPE</p>	
<p>973000006</p>	<p>SOCKET PIPE</p>	
<p>973000007</p>	<p>SOCKET PIPE</p>	

<p>973000008</p>	<p>Angled Socket Pipe with T-type base attachment. Fitted with rubber stopper and aluminium or brass socket. Mild Steel - Zinc Plated.</p>	
<p>973000009</p>	<p>SOCKET PIPE WITH ROUND BASE. FITTED WITH RUBBER STOPPER AND ALUMINIUM OR BRASS SOCKET. MILD STEEL - ZINC PLATED.</p>	
<p>973000010</p>	<p>STAINLESS STEEL SOCKET PIPE WITH ROUND BASE ATTACHMENT. FITTED WITH RUBBER STOPPER AND ALUMINIUM OR BRASS SOCKET. STAINLESS STEEL - POLISHED</p>	
<p>973000011</p>	<p>SOCKET PIPE WITH L-TYPE BASE ATTACHMENT. FITTED WITH RUBBER STOPPER AND ALUMINIUM OR BRASS SOCKET. MILD STEEL - ZINC PLATED.</p>	

<p>973000012</p>	<p>SOCKET PIPE WITH FLEXIBLE EPDM RUBBER AND SCREW ATTACHMENT. FITTED WITH RUBBER STOPPER AND ALUMINIUM OR BRASS SOCKET. MILD STEEL - ZINC PLATED</p>	
<p>973000013</p>	<p>SOCKET PIPE WITH BASE AND 360-DEGREE MOVEMENT. FITTED WITH RUBBER STOPPER AND ALUMINIUM OR BRASS SOCKET. MILD STEEL - ZINC PLATED</p>	
<p>973000014</p>	<p>SOCKET PIPE</p>	
<p>973000015</p>	<p>SOCKET PIPE WITH ANGLED BASE AND 360-DEGREE MOVEMENT. FITTED WITH RUBBER STOPPER AND ALUMINIUM OR BRASS SOCKET. MILD STEEL - ZINC PLATED</p>	

<p>973000016</p>	<p>SOCKET PIPE WITH BASE ATTACHMENT AND 360-DEGREE MOVEMENT. FITTED WITH RUBBER STOPPER AND ALUMINIUM OR BRASS SOCKET. MILD STEEL - BLACK PAINTED</p>	
<p>973000017</p>	<p>TELESCOPIC SOCKET PIPE FITTED WITH RUBBER STOPPER AND ALUMINIUM OR BRASS SOCKET.</p>	
<p>973000018</p>	<p>SOCKET PIPE</p>	
<p>973000019</p>	<p>SOCKET PIPE WITH Z-TYPE BASE ATTACHMENT AND FITTED WITH RUBBER STOPPER AND ALUMINIUM OR BRASS SOCKET. MILD STEEL - ZINC PLATED.</p>	

<p>973000020</p>	<p>SOCKET PIPE WITH FOLDABLE BASE ATTACHMENT AND FITTED WITH RUBBER STOPPER AND ALUMINIUM OR BRASS SOCKET. MILD STEEL – ZINC PLATED.</p>	
<p>973000021</p>	<p>SPARE PART : RUBBER HANGER</p>	
<p>973000022</p>	<p>SPARE PART: ALUMINIUM SOCKET.</p>	
<p>973000023</p>	<p>SPARE PART : BRASS SOCKET</p>	

CONTACT INFORMATION

Invicta India Pvt. Ltd.
N-258/B GK-1
New Delhi
India

REX Consolidated
80 DLF Industrial Area Phase I
Faridabad Haryana-121003
India

© Copyright 2020 Invicta India Pvt. Ltd.

All information and data stated in this Product Range document has been compiled with utmost care. Nevertheless, Invicta accepts no liability for any errors, omissions or other inaccuracies contained herein. Subject to change without notice. Reprinting or reproduction, in whole or in part, including of photographs, illustrations or graphics, is not permitted without the prior written consent of Invicta India Pvt. Ltd.. We reserve all rights in connection with this document.

Any similarity or resemblance is unintended and is merely a coincidence.

The vehicle applications cited in this Product Range document may possibly be valid only up to the date printed on the last page of the document. All references made in this Product Range document to the item numbers of vehicle manufacturers and/or competitors are provided for the purpose of comparison only. Such information is not allowed to be used in invoices issued to vehicle owners.

For enquiries, please email us : rahul@invictaindia.com