



ROTATING BEACON DIN POLE ACCESSORIES



ABOUT US

Ensure the reliability and efficiency of your rotating beacon systems with our premium DIN Pole Spare Parts and Accessories. Designed for durability and seamless compatibility, our selection includes high-quality mounting poles, connectors, and essential components that keep your warning lights functioning at their best.

At Rex Consolidated, we understand the importance of maintaining visibility and safety in demanding environments. Our expertly crafted spare parts and accessories provide long-lasting performance, ensuring your rotating beacon system operates flawlessly when you need it most. Upgrade with confidence and keep your safety lighting in top condition.

Our range of DIN pole spare parts and accessories ensures hassle-free installation and maintenance of your rotating beacons. With precision engineering and high-quality materials, our products enhance durability and performance. Keep your warning systems running smoothly with trusted solutions from Rex Consolidated.




PART NUMBER
973000001



DESCRIPTION

**STRAIGHT SOCKET PIPE FOR
WELDING. 100MM LENGTH; FITTED
WITH RUBBER STOPPER AND
SOCKET. MILD STEEL - ZINC PLATED**

PART NUMBER
973000002



DESCRIPTION

**STRAIGHT SOCKET PIPE FOR
WELDING. 260MM LENGTH; FITTED
WITH RUBBER STOPPER AND
SOCKET. MILD STEEL - ZINC PLATED.**

PART NUMBER
973000003



DESCRIPTION

**SOCKET PIPE WITH SCREW
ATTACHMENT. FITTED WITH
RUBBER STOPPER AND
ALUMINIUM OR BRASS SOCKET.
MILD STEEL - ZINC PLATED.**

PART NUMBER
973000004



DESCRIPTION

**SOCKET PIPE WITH BASE
ATTACHMENT. FITTED WITH
RUBBER STOPPER AND
ALUMINIUM OR BRASS SOCKET.
MILD STEEL - ZINC PLATED.**

PART NUMBER
973000005



DESCRIPTION

SOCKET PIPE

PART NUMBER
973000006



DESCRIPTION

SOCKET PIPE

PART NUMBER
973000007



DESCRIPTION

SOCKET PIPE

PART NUMBER
973000008



DESCRIPTION

Angled Socket Pipe with T-type base attachment. Fitted with rubber stopper and aluminium or brass socket. Mild Steel - Zinc Plated.

PART NUMBER
973000009



DESCRIPTION

**SOCKET PIPE WITH ROUND BASE.
FITTED WITH RUBBER STOPPER AND
ALUMINIUM OR BRASS SOCKET.
MILD STEEL – ZINC PLATED.**

PART NUMBER
9730000010



DESCRIPTION

**STAINLESS STEEL SOCKET PIPE WITH
ROUND BASE ATTACHMENT. FITTED
WITH RUBBER STOPPER AND
ALUMINIUM OR BRASS SOCKET.
STAINLESS STEEL - POLISHED**

PART NUMBER
9730000011



DESCRIPTION

SOCKET PIPE WITH L-TYPE BASE ATTACHMENT. FITTED WITH RUBBER STOPPER AND ALUMINIUM OR BRASS SOCKET. MILD STEEL – ZINC PLATED.

PART NUMBER
9730000012



DESCRIPTION

**SOCKET PIPE WITH FLEXIBLE EPDM
RUBBER AND SCREW ATTACHMENT.
FITTED WITH RUBBER STOPPER AND
ALUMINIUM OR BRASS SOCKET.
MILD STEEL – ZINC PLATED**

PART NUMBER
973000013



DESCRIPTION

**SOCKET PIPE WITH BASE AND 360
DEGREE MOVEMENT. FITTED WITH
RUBBER STOPPER AND
ALUMINIUM OR BRASS SOCKET.
MILD STEEL – ZINC PLATED**


PART NUMBER
973000014



DESCRIPTION

SOCKET PIPE

PART NUMBER
973000015



DESCRIPTION

**SOCKET PIPE WITH ANGLED BASE
AND 360-DEGREE MOVEMENT.
FITTED WITH RUBBER STOPPER AND
ALUMINIUM OR BRASS SOCKET.
MILD STEEL – ZINC PLATED**

PART NUMBER
973000016



DESCRIPTION

**SOCKET PIPE WITH BASE ATTACHMENT
AND 360-DEGREE MOVEMENT. FITTED
WITH RUBBER STOPPER AND
ALUMINIUM OR BRASS SOCKET.
MILD STEEL – BLACK PAINTED**

PART NUMBER
973000017



DESCRIPTION

**TELESCOPIC SOCKET PIPE FITTED
WITH RUBBER STOPPER AND
ALUMINIUM OR BRASS SOCKET.**


PART NUMBER
973000018



DESCRIPTION

SOCKET PIPE

PART NUMBER
973000019



DESCRIPTION

**SOCKET PIPE WITH Z-TYPE BASE
ATTACHMENT AND FITTED WITH
RUBBER STOPPER AND
ALUMINIUM OR BRASS SOCKET.
MILD STEEL – ZINC PLATED.**

PART NUMBER
973000020



DESCRIPTION

**SOCKET PIPE WITH FOLDABLE
BASE ATTACHMENT AND FITTED
WITH RUBBER STOPPER AND
ALUMINIUM OR BRASS SOCKET.
MILD STEEL – ZINC PLATED.**

PART NUMBER
973000021



DESCRIPTION

SPARE PART : RUBBER HANGER

PART NUMBER
973000022



DESCRIPTION

SPARE PART: ALUMINIUM SOCKET.


PART NUMBER
973000023



DESCRIPTION

SPARE PART : BRASS SOCKET

PART NUMBER
973000024



DESCRIPTION

- Power: 15 Watt
- LEDs: 30pcs LEDs (3030 LEDs)
- Lamp Diameter: 1316199mm
- Operating Volt: 10-110Volt DC
- Flash Beam: 4 flash mode options
 1. Fast double flash
 2. Slow double flash
 3. Single flash
 4. Rotation



- Operation Temperature: -40°C~80°C
- Waterproof rate: IP65
- Material: PC Cover + ABS base.
- Mounting way: Bolts
- Life time: About 50000 hours

Dimensions shown in diagram:

- Height: 131mm
- Width: 61mm
- Base width: 99mm



PART NUMBER
973000025



DESCRIPTION

- Power: 15 Watt
- LEDs: 5pcs LEDs (Epistar LEDs)
- Lamp Diameter: 90/128/95mm
- Operating Volt: 10-110Volt DC
- Flash Beam: 4 flash mode options
 1. Fast double flash
 2. Slow double flash
 3. Single flash
 4. Rotation

- Operation Temperature: -40°C~80°C
- Waterproof rate: IP65
- Material: PC Cover + ABS base.
- Mounting way: Bolts
- Life time: About 50000 hours

Dimensions shown in diagram:

- $\Phi 128$ mm
- 95 mm
- 3- $\Phi 5$
- $\Phi 115$

CONTACT US

REX Consolidated
80 DLF Industrial Area Phase 1
Faridabad Haryana-121003
India

© Copyright 2022 Invicta India Pvt. Ltd.



All information and data stated in this Product Range document has been compiled with utmost care. Nevertheless, Invicta accepts no liability for any errors, omissions or other inaccuracies contained herein. Subject to change without notice. Reprinting or reproduction, in whole or in part, including of photographs, illustrations or graphics, is not permitted without the prior written consent of Invicta India Pvt. Ltd.. We reserve all rights in connection with this document.

Any similarity or resemblance is unintended and is merely a coincidence. The vehicle applications cited in this Product Range document may possibly be valid only up to the date printed on the last of the document. All references made in this Product Range document to the item numbers of vehicle manufacturers and/or competitors are provided for the purpose of comparison only. Such information is not allowed to be used in invoices issued to vehicle owners.

For enquiries, please email us : rahul@invictaindia.com

All drawings & illustrations are the property right of INVICTA and cannot be copied, duplicated or re-printed in any form without the prior written consent from INVICTA

Invicta Copyright @ 2022

All Right Reserved