REX CONSOLIDATED

HARDWARE & BRACKETS

DIVISION



Latches • Brackets • Hooks • Rings • Chain Assemblies

PRODUCT CATALOGUE | NOVEMBER 2026

A coordinated range of latches, mounting hardware, hooks, rings and connection components.

Explore the product families and share your specifications for a tailored quotation.

RANGE GUIDE

Find your product family

Hardware, connection fittings and brackets - organised by function.

Latches & bolts	03
Handles & mounting hardware	04
Rings & connection fittings	05
Cable & retaining fittings	06
Hooks & pulley hardware	07
Slide locks & hinges	08
Beam & timber supports	09
Plates & flat connectors	10
Corner connection systems	11
Adjustable & perforated corners	12
Swing & multifunction fittings	13
Angles, rafters & hooks	14
About us & manufacturing	15
Quality & markets	17
Enquiries & contact	19

PRODUCT RANGE

Latches & bolts



Flat sliding bolt

Sliding bolt with a flat mounting plate and separate keeper.



Padlock slide latch

Flat sliding latch with provision for a padlock.



Offset sliding bolt

Offset bolt profile for applications with a stepped mounting surface.



Heavy plate latch

Plate-mounted sliding latch with a separate keeper.



Ground bolt

Long drop-bolt format with mounting guides and bent operating handle.



Toggle latch

Lever-operated latch with a separate catch plate.



Furniture edge bolt

Sliding bolt for securing furniture doors or panels into a separate keeper.



Spring loaded barrel bolt latches

Spring-assisted bolt mechanism with grip handle and mounting plate.

PRODUCT RANGE

Handles & mounting hardware



Gate handle

Round-ended pull handle on a mounting plate.



Slotted mounting plate

Slotted mounting plate for bolted attachment and positional adjustment in assemblies.



Door hardware

Lever handles and associated fittings for opening, closing and operating doors.



Window hardware

Operating handles for opening, closing and securing compatible window mechanisms.

PRODUCT RANGE

Rings & connection fittings



Quick links

Threaded closure links for connecting compatible components.



Industrial rings

Closed circular rings for assembly and connection requirements.



Pad eyes & eye nuts

Plate-mounted eyes and threaded eye nuts.



Ring with threaded rod

Ring assembly with a threaded shank and nut.



Ring with screw

Ring fitting with a screw-thread mounting shank.



D-rings

D-shaped rings for straps and component connections.



Link chains with snap hooks

Oval-link chain assembly with a snap hook connection.

PRODUCT RANGE

Cable & retaining fittings



Wire rope thimbles

Formed thimbles for wire rope eye terminations.



Turnbuckles

Adjustable threaded fittings in eye and hook configurations.



Cable ferrules

Ferrules for compatible cable and wire rope terminations.



Trailer breakaway cable

Connects a trailer brake mechanism to the towing vehicle to activate the brakes if the trailer becomes detached.



Cotter pins

Split-pin retaining components for suitable pin and shaft assemblies.

PRODUCT RANGE

Hooks & pulley hardware



Roof hooks

Threaded hook for securing roofing sheets to supporting members.



S-hooks

S-shaped hooks for general connection requirements.



Cast iron pulley wheel

Grooved wheel for guiding a compatible rope or cable and changing its direction of travel.

CONNECTION RANGE / 01

Slide locks & hinges

Secure panels. Connect moving parts.



Decorative bayonet slide locks

Surface-mounted sliding locks with a separate keeper. Multiple plate sizes; yellow-zinc finish specified in the range.



Narrow bayonet slide bolts

Slim slide-bolt format for compact mounting positions, with bolt guides and a separate keeper.



Narrow & spring hinges

Narrow hinge leaves for doors and panels. Plain and spring variants available to agreed requirements.



Standard butt hinges

Compact rectangular hinges in a selection of leaf sizes for general door and panel assemblies.

Representative images. Sizes, hole patterns, material, finish and performance requirements are confirmed against the agreed drawing or quotation. No load rating is implied.

CONNECTION RANGE / 02

Beam & timber supports

Connections for structural assemblies.



Internal beam supports

Joist-hanger style supports with inward mounting flanges. Multiple beam widths and heights.



External beam supports

Supports with outward mounting flanges, offered in a selection of widths and plate thicknesses.



Universal beam supports - left

Handed support brackets for offset connection arrangements. Left-hand configuration.



Universal beam supports - right

Companion right-hand configuration for handed assemblies. Image illustrates the product family.

Representative images. Sizes, hole patterns, material, finish and performance requirements are confirmed against the agreed drawing or quotation. No load rating is implied.

CONNECTION RANGE / 03

Plates & flat connectors

Flat and angled connections in one range.



Concrete-steel plate connectors

Long formed plate connectors with perforated fixing faces for connection assemblies.



135-degree connecting plates

Angled connecting plates with perforated fixing faces. Different leg lengths and widths.



Flat & heavy connecting plates

Straight connecting strips, including standard flat plates and heavy narrow variants. Zinc and black finishes by specification.



Perforated connecting plates

Multi-hole flat plates in short and extended formats, with a range of widths and lengths.

Representative images. Sizes, hole patterns, material, finish and performance requirements are confirmed against the agreed drawing or quotation. No load rating is implied.

CONNECTION RANGE / 04

Corner connection systems

Choose the geometry to suit the joint.



Standard corner connectors

Right-angle connectors with perforated legs for general connection requirements.



Reinforced corner connectors

Formed corner brackets with reinforcing features, including unequal-leg and extended formats.



Black-finish corner connectors

Standard and reinforced corner families with a black finish, subject to the agreed specification.



Light-gauge reinforced corners

Reinforced corner variants in lighter-gauge material. Dimensions and thickness agreed for the application.

Representative images. Sizes, hole patterns, material, finish and performance requirements are confirmed against the agreed drawing or quotation. No load rating is implied.

CONNECTION RANGE / 05

Adjustable & perforated corners

Flexible fixing positions and bracket formats.



Adjustable reinforced corners

Reinforced corner brackets with slotted adjustment features for assembly positioning.



Double-adjustable corners

Corner connectors with adjustment features on both fixing faces.



Wide reinforced corners

Broad fixing-face corner connectors with reinforcing features.



Perforated corner connectors

Multi-hole angle brackets in standard and light-gauge reinforced variants. Multiple leg and width combinations.

Representative images. Sizes, hole patterns, material, finish and performance requirements are confirmed against the agreed drawing or quotation. No load rating is implied.

CONNECTION RANGE / 06

Swing & multifunction fittings

Purpose-specific connections and mounting.



Clamp-mounted swing fittings

Swing fittings with carabiner connections and square or round clamp configurations.



Plain-bearing swing fittings

Threaded swing fittings with a plain-bearing connection, including detachable variants.



Detachable carabiner swing joints

Threaded swing-joint arrangements with a detachable carabiner connection.



Multifunction connecting plates

Formed multi-face connectors for different joint configurations. Select the geometry for the intended assembly.

Representative images. Sizes, hole patterns, material, finish and performance requirements are confirmed against the agreed drawing or quotation. No load rating is implied.

CONNECTION RANGE / 07

Angles, rafters & hooks

Complete the connection range.



Compact adjustable connectors

Small slotted corner connectors for adjustable mounting positions; white-finish variant included.



Adjustable angle brackets

Adjustable angle families, including slotted Type III formats. Several leg lengths and widths.



Purlin-rafter connectors

Left- and right-hand timber connection fittings in several lengths.



Extended S-hooks

Long S-hook format for general connection requirements. Galvanized finish; dimensions confirmed with the quotation.

Representative images. Sizes, hole patterns, material, finish and performance requirements are confirmed against the agreed drawing or quotation. No load rating is implied.

About us

Nearly five decades of manufacturing

Established in 1978, Rex Consolidated is an Indian manufacturer and exporter of automotive, commercial vehicle and industrial components. Our heritage brings together product development, tooling, manufacturing, inspection and delivery under one organisation.

Today, our team supports customers from drawings, samples, OEM references and application requirements through to production, assembly, packaging and shipment. This continuity helps translate individual component requirements into repeat supply programmes.

1978	~500	~5,000 m²	70+
Established	Employees	Facility area	Export countries

Hardware & Brackets Division

Our division combines latches, sliding bolts, handles, mounting hardware, hooks, rings, cable fittings and chain assemblies. We support component manufacturers, distributors and industrial buyers with standard configurations and development against agreed specifications.

Rex Consolidated’s broader product portfolio includes clamps, exhaust components, rubber products, flexible tubes, gaskets, fasteners and precision components.

ENGINEERING & PRODUCTION

In-house manufacturing

From requirement to finished component

Integrated in-house capabilities support product development and production for domestic and export customers.

Tooling & development

Tool and die development, jigs, fixtures and sample preparation against drawings or agreed requirements.

Presswork & forming

Cutting, blanking, stamping, bending and forming of component profiles and mounting features.

Machining

Turning, milling, drilling and threading for machined parts and assembly interfaces.

Welding & fabrication

Welded components and fabricated assemblies with application-specific fixtures and controls.

Rubber moulding

Moulded rubber components, inserts and related parts within the wider Rex portfolio.

Plating & surface finishing

In-house plating and surface finishing to the agreed material, coating and appearance requirements.

Assembly & packing

Component assembly, identification, packaging and labelling to agreed order requirements.

Inspection & testing

In-house quality inspection and testing against applicable drawings and control plans.

Process routes and acceptance requirements are agreed for each product and order.

CONTROLLED PROCESSES | TRACEABLE RECORDS

Quality & documentation

ISO 9001 certified - Quality management
ISO 14001 certified - Environmental management

Inspection throughout the production cycle

Incoming verification

Material identification, certificate review, dimensions, surface condition and batch or heat traceability.

First-off & in-process control

Setup approval, first-article inspection, drawing checks and recorded patrol inspection to the control plan.

Final & dispatch release

Dimensional, visual and functional checks; verification of packing, labels, traceability and release records.

Measurement & testing

Calibrated dimensional inspection, coating-thickness checks and salt-spray testing; other functional, hardness or load tests where specified.

Traceability & corrective action

Lot identification, inspection records, nonconforming-product control, containment and corrective-action follow-up.

Customer documentation support

Material certificates, inspection reports, process flows, control plans, PPAP / ISIR and IMDS support can be coordinated according to the agreed product and customer requirements.

Inspection scope, test methods and submission requirements are defined for each programme.

INDIA & INTERNATIONAL SALES

Industries & markets

Serving India. Open to worldwide enquiries.

Rex Consolidated serves customers in more than 70 countries and welcomes enquiries from all export markets alongside domestic sales across India.

Customer sectors

Automotive and commercial vehicles; truck and trailer components; industrial equipment and fabrication; door, gate and window hardware; OEM manufacturing, aftermarket distribution and maintenance supply.

International reach

Our established market footprint includes Europe, North America, Asia, the Middle East and Africa. We welcome new partnerships with importers, distributors and manufacturers worldwide.

Support for domestic & export programmes

Drawing and specification review, sample development, product documentation, packing and labelling requirements, and shipment planning can be coordinated with our team. Share your destination and preferred delivery terms with your enquiry.

Customers can source individual hardware components or discuss repeat supply programmes and assemblies tailored to an agreed specification.

ENQUIRIES & ORDERING

Specify your requirement

Help us identify the right component

Please include the following information with your enquiry:

01 Product

Product name, drawing, sample photograph or your reference number.

02 Dimensions

Key dimensions, hole spacing, thread sizes and required tolerances.

03 Material & finish

Required material grade, coating, colour and corrosion requirements.

04 Quantity

Order quantity, expected annual demand and delivery schedule.

05 Application

Operating conditions and any functional or performance requirements.

06 Packing & delivery

Packing, labelling, destination and preferred shipping method.

Rex Consolidated
Hardware & Brackets Division
India

This catalogue presents the division range. Dimensions, material grades, finishes, availability and performance are subject to confirmation in the agreed quotation or drawing. Product images are illustrative; no load rating is implied.

HARDWARE & BRACKETS DIVISION

Contact us

Rahul Chadha | Chief Executive Officer

For product enquiries, quotations and drawings, contact our team using the details below.

EMAIL

info@rexconsolidated.com

PHONE / WHATSAPP

+91-8810213270
+91-9810614124

WEBSITE

www.rexconsolidated.com

OFFICE / FACTORY

Rex Consolidated
80 DLF Industrial Area Phase 1
Faridabad, Haryana 121003
India

GSTIN: 06AABHG2137D1ZX

For a prompt quotation, include the product name or drawing, key dimensions, material and finish, quantity and delivery destination.