





PRICE
LIST SM-40521

Effective April 5, 2021



WHITE METAL PRODUCTS

PLUMBING & HEATING
Standard Sheet Metal Products

PLUMBING & HEATING

Standard Sheet Metal Products

TABLE OF CONTENTS


B-W Accessories	14
Copper Caps	9
Copper Flashings	9
Econo Caps	11
Elbows - Adj. 90°	15
Flashings - Aluminum	8
Flashings - Heater	4 - 6
Flashings - Oval	6
Flashings - Plumbing & Electrical	3 - 4
Flashings - Tee Tops	13
Flashings - 12/12 Pitch	7

Increasesers/Reducers	15
Plumbers Tape	15
Safety Plates	13
Storm Collars - Round & Oval	10
Vent Collars	12
Vent & Conductor Pipe	14
Vent Pipe Hanger	12
Wall Thimbles	12
White Bucket - Flat	11
White Bucket & Hanger Set	11
White Caps - Round & Oval	10


Flashing Selection Guide

IMPORTANT: Before placing your order, read this flashing installation guide carefully. There may be times you have difficulty choosing the correct flashing to use,


because of conflicting or overlapping codes. The following information will help you select the right flashing for specific installations.



STANDARD FLASHING




FHA FLASHING



FHA SHAKE-ROOF FLASHING

1. The dimensions shown are measured from base of riser to edge of skit or base.
2. The Standard Flashing is generally acceptable for composition or shingle roofs unless pitch of roof, roofing material or shingle exposure is unusual. Always check your codes before proceeding.
3. FHA Standards require either of the FHA flashings shown above, depending on the roof covering or other factors. Both FHA flashings are made of bonderized steel.



Flashings

Round All-Pitch

Plumbing & Electrical Flashings

Flashings are 26 Gauge Galvanized Steel (All-Pitch = flat-to- ⁵ / ₁₂)						
DESCRIPTION	CODE	FOR USE WITH	RISER OPENING	PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
¹ / ₂ " Standard Flashing	1/2F	¹ / ₂ " Steel Pipe	⁷ / ₈ "	8.02	25	21
¹ / ₂ " FHA Flashing	1/2FF			10.86	25	39
¹ / ₂ " FHA Bonderized Flashing	1/2FFP			12.67	25	41
¹ / ₂ " Shake Flashing	1/2FSH			16.81	25	41
¹ / ₂ " FHA Bonderized Flashing	1/2FFPE	¹ / ₂ " EMT & DWV	¹³ / ₁₆ "	12.67	25	39
³ / ₄ " Standard Flashing	3/4F	³ / ₄ " Steel Pipe	1 ⁵ / ₆₄ "	8.02	25	22
³ / ₄ " FHA Flashing	3/4FF			10.86	25	39
³ / ₄ " FHA Bonderized Flashing	3/4FFP			12.67	25	39
³ / ₄ " Shake Flashing	3/4FSH			16.81	25	41
³ / ₄ " Standard Flashing	3/4FE	³ / ₄ " EMT & DWV	¹³ / ₁₆ "	8.02	25	21
³ / ₄ " FHA Bonderized Flashing	3/4FFPE			12.67	25	39
1" Standard Flashing	1F	1" Steel Pipe & ¹ / ₄ " DWV	1 ⁵ / ₁₆ "	8.02	25	22
1" FHA Flashing	1FF			10.86	25	39
1" FHA Bonderized Flashing	1FFP			12.67	25	39
1" Shake Flashing	1FSH			16.81	25	41
1" Standard Flashing	1FE	1" EMT & DWV	1 ³ / ₁₆ "	8.02	25	21
1" FHA Bonderized Flashing	1FFPE			12.67	25	39
1 ¹ / ₄ " Standard Flashing	11/4F	1 ¹ / ₄ " Steel Pipe & ¹ / ₂ " DWV	1 ¹¹ / ₁₆ "	6.41	25	21
1 ¹ / ₄ " FHA Flashing	11/4FF			9.37	25	39
1 ¹ / ₄ " FHA Bonderized Flashing	11/4FFP			10.96	25	39
1 ¹ / ₄ " Shake Flashing	11/4FSH			15.55	25	41
1 ¹ / ₄ " FHA Bonderized Flashing	11/4FFPE	1 ¹ / ₄ " EMP	1 ⁹ / ₁₆ "	12.67	25	39
1 ¹ / ₂ " Standard Flashing	11/2F	1 ¹ / ₂ " Steel Pipe	1 ¹⁵ / ₁₆ "	6.41	25	24
1 ¹ / ₂ " FHA Flashing	11/2FF			9.37	25	39
1 ¹ / ₂ " FHA Bonderized Flashing	11/2FFP			10.96	25	39
1 ¹ / ₂ " Shake Flashing	11/2FSH			15.55	25	41
1 ¹ / ₂ " FHA Bonderized Flashing	11/2FFPE	1 ¹ / ₂ " EMT	1 ¹³ / ₁₆ "	12.67	25	39
2" Standard Flashing	2F	2" Steel Pipe	2 ³ / ₈ "	6.41	25	24
2" FHA Bonderized Flashing	2FF			9.37	25	39
2" Shake Flashing	2FFP			10.96	25	41
2" Bonderized Shake Flashing	2FSH			15.55	25	41
2" Standard Flashing	2F	2" EMT & DWV	2 ³ / ₁₆ "	6.41	25	24
2" FHA Bonderized Flashing	2FFPE			10.96	25	41

Flashings (cont'd)

Round All-Pitch

Plumbing & Electrical Flashings

Flashings are 26 Gauge Galvanized Steel (All-Pitch = flat-to- $\frac{5}{12}$)						
DESCRIPTION	CODE	FOR USE WITH	RISER OPENING	PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
3" Standard Flashing	3SF	Soil Pipe	3 $\frac{3}{8}$ "	9.49	25	31
3" FHA Flashing	3SFF			13.06	12	27
3" FHA Bonderized Flashing	3SFFP			15.25	12	27
3" Standard Flashing	3FA	3" ABS	3 $\frac{1}{2}$ "	9.49	25	31
3" FHA Flashing	3FFA			13.06	12	27
3" FHA Bonderized Flashing	3FFPA			15.25	12	27
4" Standard Flashing	4SF	Soil Pipe	4 $\frac{3}{8}$ "	10.59	12	21
4" FHA Flashing	4SFF			15.33	12	32
4" FHA Bonderized Flashing	4SFFP			17.80	12	32
4" Shake Flashing	4SFSH			22.92	12	39
4" Standard Flashing	4FA	4" ABS	4 $\frac{1}{2}$ "	10.59	12	21
4" FHA Flashing	4FFA			15.33	12	32
4" FHA Bonderized Flashing	4FFPA			17.80	12	32
4" Shake Flashing	4FSHA			22.92	12	39

Flashings

Round All-Pitch

Heater Vent Flashings

Flashings are 26 Gauge Galvanized Steel (All-Pitch = flat-to- $\frac{5}{12}$)						
DESCRIPTION	CODE	FOR USE WITH	RISER OPENING	PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
3" Standard Flashing	3RF	Twinstack	3 $\frac{1}{2}$ "	9.49	25	31
3" FHA Flashing	3RFF			13.06	12	27
3" FHA Bonderized Flashing	3RFFP			15.25	12	27
3" Standard Flashing	3TF	Transite	3 $\frac{3}{8}$ "	9.49	25	31
3" FHA Flashing	3TFF			13.06	12	27
3" FHA Bonderized Flashing	3TFFP			15.25	12	27
3" Shake Flashing	3TFSH			19.17	12	36

Flashings

Round All-Pitch Heater Flashings

Flashings are 26 Gauge Galvanized Steel (All-Pitch = flat-to- $5/12$)

DESCRIPTION	CODE	FOR USE WITH	RISER OPENING	PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
3" Standard Flashing	3DF	Double Wall	3 $\frac{3}{4}$ "	9.76	25	31
3" FHA Flashing	3DFF			13.32	12	27
3" Standard Flashing	3CF	Conductor	3"	9.49	25	31
3" FHA Flashing	3CFF			13.06	12	27
3" FHA Bonderized Flashing	3CFFP			15.25	12	27
3" Shake Flashing	3CFSH			19.17	12	36
4" Standard Flashing	4RF	Twinstack	4 $\frac{1}{2}$ "	10.59	12	21
4" FHA Flashing	4RFF			15.33	12	32
4" FHA Bonderized Flashing	4RFFP			17.80	12	32
4" Shake Flashing	4RFSH			22.92	12	39
4" Standard Flashing	4TF	Transite	4 $\frac{7}{8}$ "	10.59	12	21
4" FHA Flashing	4TFF			15.33	12	32
4" FHA Bonderized Flashing	4TFFP			17.80	12	32
4" Shake Flashing	4TFSH			22.92	12	39
4" Standard Flashing	4DF	Double Wall	4 $\frac{3}{4}$ "	10.83	12	21
4" FHA Flashing	4DFF			15.57	12	32
4" Standard Flashing	4CF	Conductor	4"	10.59	12	21
4" FHA Flashing	4CFF			15.33	12	32
4" FHA Bonderized Flashing	4CFFP			17.80	12	32
4" Shake Flashing	4CFSH			22.92	12	39
5" Standard Flashing	5RF	Twinstack	5 $\frac{1}{2}$ "	17.29	12	21
5" FHA Flashing	5RFF			22.92	12	35
5" FHA Bonderized Flashing	5RFFP			26.32	12	35
5" Shake Flashing	5RFSH			30.41	12	39
5" Standard Flashing	5DF	Double Wall	5 $\frac{3}{4}$ "	17.54	12	21
5" FHA Flashing	5DFF			23.16	12	35
5" Standard Flashing	5TF	Transite	5 $\frac{7}{8}$ "	17.29	12	21
5" FHA Flashing	5TFF			22.92	12	35
5" FHA Bonderized Flashing	5TFFP			26.32	12	35
5" Shake Flashing	5TFSH			30.41	12	39
5" Standard Flashing	5CF	Conductor	5"	14.93	12	21
5" FHA Flashing	5CFF			18.09	12	35
5" FHA Bonderized Flashing	5CFFP			20.86	12	35
6" Standard Flashing	6RF	Twinstack	6 $\frac{1}{2}$ "	24.78	12	21
6" FHA Flashing	6RFF			31.92	12	35
6" FHA Bonderized Flashing	6RFFP			36.66	12	35
6" Shake Flashing	6RFSH			38.00	12	42

Flashings

Round All-Pitch Heater Flashings


Flashings are 26 Gauge Galvanized Steel (All-Pitch = flat-to- $\frac{5}{12}$)

DESCRIPTION	CODE	FOR USE WITH	RISER OPENING	PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
6" Standard Flashing	6DF	Double Wall	6 $\frac{3}{4}$ "	25.02	12	21
6" FHA Flashing	6DFF			32.21	12	35
6" Standard Flashing	6TF	Transite	6 $\frac{7}{8}$ "	25.02	12	21
6" FHA Flashing	6TFF			31.98	12	35
6" FHA Bonderized Flashing	6TFFP			36.66	12	35
6" Shake Flashing	6TFSH			39.26	12	42
6" Standard Flashing	6CF	Conductor	6"	23.39	12	21
6" FHA Flashing	6CFF			27.28	12	35
6" FHA Bonderized Flashing	6CFFP			31.11	12	35
7" Standard Flashing	7CF	Conductor	7"	29.65	12	21
7" FHA Flashing	7CFF			35.77	12	35
8" Standard Flashing	8CF	8" Conductor	8"	32.21	12	22
8" FHA Flashing	7RFF	7" Twinstack 7" Transite	8"	38.87	12	35
9" Standard Flashing	6WF	6" Tristack	9"	39.58	*	2 $\frac{1}{4}$ ea.
9" FHA Flashing	8RFF	8" Twinstack		48.12	*	4 ea.
10" FHA Flashing	9RFF	9" Double Wall	10"	56.11	12	4 ea.
11" Standard Flashing	8WF	8" Tristack	11"	53.76	*	3 $\frac{1}{2}$ ea.
11" FHA Flashing	8WFF	10" Double Wall		63.38	*	4 $\frac{1}{2}$ ea.
12" Standard Flashing	12CF	12" Conductor	12"	58.79	*	4 ea.
12" FHA Flashing	12CFF	12" Conductor	12"	62.97	*	5 $\frac{1}{2}$ ea.
13" FHA Flashing	12RFF	12" Double Wall	13"	71.27	*	5 $\frac{1}{2}$ ea.
13" Standard Flashing	10WF	10" Tristack	13"	60.85	*	4 ea.
13 $\frac{1}{2}$ " Standard Flashing	131/2F	Triple Wall	13 $\frac{1}{2}$ "	66.16	*	4 ea.
13 $\frac{1}{2}$ " FHA Flashing	131/2FF			67.39	*	5 $\frac{1}{2}$ ea.
14" FHA Flashing	14CFF	Conductor	14"	111.80	*	6 ea.
14" FHA Flashing	14RFF	Double Wall	15"	111.80	*	6 ea.
16" FHA Flashing	16CFF	Conductor	16"	150.57	*	6 ea.
16" FHA Flashing	16RFF	Double Wall	17"	150.57	*	7 ea.
18" FHA Flashing	18CFF	Conductor	18"	199.13	*	7 ea.
18" FHA Flashing	18RFF	Double Wall	19"	199.13	*	7 ea.
20" FHA Flashing	20CFF	20" Conductor	20"	199.13	*	7 ea.

NOTES: All Shake Roof Flashings are Non-Returnable – Non-Stocking Items
Prices on Shake Roof Flashings over 8" on Request.

*Cartoned as ordered.

Oval Flashings



Oval All-Pitch Flashings - Fit All Oval Gas Vents


DESCRIPTION	CODE	PCS. PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
4" Standard Oval Flashing	40VF	14.93	12	21
4" FHA Oval Flashing	40VFF	20.48	12	32
4" FHA Bonderized Flashing	40VFFP	23.39	12	32
5" Standard Oval Flashing	50VF	48.59	12	24
5" FHA Oval Flashing	50VFF	53.45	12	38

Flashings

Galvanized Steel $6/12$ to $12/12$ Pitch

DESCRIPTION	CODE	FOR USE WITH	PRICE EACH	LBS. EACH
$1/2$ " 12/12 Pitch Flashing	$1/2$ FF12	Steel Pipe & DWV	35.72	$1\frac{3}{4}$
$3/4$ " 12/12 Pitch Flashing	$3/4$ FF12		35.72	$1\frac{3}{4}$
1" 12/12 Pitch Flashing	1FF12		35.72	$1\frac{3}{4}$
$1\frac{1}{4}$ " 12/12 Pitch Flashing	$1\frac{1}{4}$ FF12		35.72	$1\frac{3}{4}$
$1\frac{1}{2}$ " 12/12 Pitch Flashing	$1\frac{1}{2}$ FF12		31.35	$1\frac{3}{4}$
2" 12/12 Pitch Flashing	2FF12		31.35	$1\frac{3}{4}$
3" 12/12 Pitch Flashing	3CFF12	Conductor	38.71	$2\frac{1}{2}$
3" 12/12 Pitch Flashing	3RFF12	Twinstack	38.71	$2\frac{1}{2}$
3" 12/12 Pitch Flashing	3SFF12	Soil	38.71	$2\frac{1}{2}$
3" 12/12 Pitch Flashing	3TFF12	Transite	38.71	$2\frac{1}{2}$
3" 12/12 Pitch Flashing	3AFF12	ABS	38.71	$2\frac{1}{2}$
4" 12/12 Pitch Flashing	4CFF12	Conductor	42.17	3
4" 12/12 Pitch Flashing	4RFF12	Twinstack	42.17	3
4" 12/12 Pitch Flashing	4TFF12	Transite	42.17	3
5" 12/12 Pitch Flashing	5RFF12	Twinstack	46.35	3
5" 12/12 Pitch Flashing	5TFF12	Transite	46.35	3
6" 12/12 Pitch Flashing	6RFF12	Twinstack	50.61	3
8" 12/12 Pitch Flashing	7RFF12	Twinstack	58.54	4
9" 12/12 Pitch Flashing	6WRFF12	6" Tristack	84.78	6
11" 12/12 Pitch Flashing	8WRFF12	8" Tristack	113.84	8
13" 12/12 Pitch Flashing	10WRFF12	10" Tristack	148.04	10
4" Oval 12/12 Pitch Flashing Horiz.	40VFF12H	Twinstack	50.61	3
4" Oval 12/12 Pitch Flashing Vert.	40VFF12V	Twinstack	58.54	3

Cartoned as ordered • Non-refundable




Aluminum Flashings


Dead Soft Base

Standard $1/2$ Hard Aluminum Riser $6/12$ to $12/12$ Pitch

DESCRIPTION	CODE	FOR USE WITH	PRICE EACH	LBS. EACH
$1/2$ " Dead Soft Flashing	$1/2$ DSAF12	Steel Pipe & DWV	91.41	1
$3/4$ " Dead Soft Flashing	$3/4$ DSAF12		91.41	1
1" Dead Soft Flashing	1DSAF12		91.41	1
$1\frac{1}{4}$ " Dead Soft Flashing	$1\frac{1}{4}$ DSAF12		91.41	1
$1\frac{1}{2}$ " Dead Soft Flashing	$1\frac{1}{2}$ DSAF12		81.79	1
2" Dead Soft Flashing	2DSAF12		81.79	1
3" Dead Soft Flashing	3RDSAF12	Twinstack	108.25	$1\frac{1}{4}$
3" Dead Soft Flashing	3TDSAF12	Transite	108.25	$1\frac{1}{4}$
3" Dead Soft Flashing	3ADSAF12	ABS	108.25	$1\frac{1}{4}$
4" Dead Soft Flashing	4RDSAF12	Twinstack	125.09	$1\frac{1}{2}$
5" Dead Soft Flashing	5RDSAF12	Twinstack	125.09	$1\frac{1}{2}$
6" Dead Soft Flashing	6RDSAF12	Twinstack	125.09	$1\frac{1}{2}$
7" Dead Soft Flashing	7RDSAF12	Twinstack	202.06	$1\frac{1}{2}$
8" Dead Soft Flashing	8RDSAF12	Twinstack	242.95	2
10" Dead Soft Flashing	10RDSAF12	Double Wall	264.59	3
4" Oval Dead Soft Flashing 12/12 Horiz.	40VDSAF12H	Twinstack	132.29	$1\frac{1}{2}$
4" Oval Dead Soft Flashing 12/12 Vert.	40VDSAF12V	Twinstack	132.29	$1\frac{1}{2}$

Cartoned as ordered • Larger sizes available • Non-refundable





Aluminum Flashings

Dead Soft Base

Standard 1/2 Hard Aluminum Riser						
DESCRIPTION	CODE	FOR USE WITH	PCS. PER CTN.	BASE	PRICE EACH	LBS. PER CTN.
1/2" Dead Soft Aluminum Flashing	1/2DSAF	1/2" Steel Pipe	25	22 1/2 X 22 1/2	38.20	27
3/4" Dead Soft Aluminum Flashing	3/4DSAF	3/4" Steel Pipe	25	22 1/2 X 22 1/2	38.20	27
1" Dead Soft Aluminum Flashing	1DSAF	1" Steel Pipe & 1 1/4" DWV	25	22 1/2 X 22 1/2	38.20	27
1 1/4" Dead Soft Aluminum Flashing	1 1/4DSAF	1 1/4" Steel Pipe & 1 1/2" DWV	25	22 1/2 X 22 1/2	33.55	27
1 1/2" Dead Soft Aluminum Flashing	1 1/2DSAF	1 1/2" Steel Pipe	25	21 X 24	33.55	27
2" Dead Soft Aluminum Flashing	2DSAF	2" Steel Pipe	25	21 X 24	33.55	27
3" Dead Soft Aluminum Flashing	3SDSAF	Soil Pipe	12	22 1/2 X 25	41.16	17
3" Dead Soft Aluminum Flashing	3RDSAFA	Twinstack				
3" Dead Soft Aluminum Flashing	3TDSAFA	Transite				
3" Dead Soft Aluminum Flashing	3CDSAFA	Conductor				
3" Dead Soft Aluminum Flashing	3DDSAF	Double Wall				
4" Dead Soft Aluminum Flashing	4CDSAFA	Conductor	12	24 X 27	46.08	18
4" Dead Soft Aluminum Flashing	4DSAFA	ABS				
4" Dead Soft Aluminum Flashing	4RDSAFA	Twinstack				
4" Dead Soft Aluminum Flashing	4TDSAFA	Transite				
4" Dead Soft Aluminum Flashing	4SDSAFA	Soil				
4" Dead Soft Aluminum Flashing	4DDSAF	Double Wall				
5" Dead Soft Aluminum Flashing	5CDSAFA	Conductor	12	24 X 28	59.03	18
5" Dead Soft Aluminum Flashing	5RDSAFA	Twinstack				
5" Dead Soft Aluminum Flashing	5TDSAFA	Transite				
5" Dead Soft Aluminum Flashing	5DDSAF	Double Wall				
6" Dead Soft Aluminum Flashing	6CDSAFA	Conductor	12	24 X 28	62.47	18
6" Dead Soft Aluminum Flashing	6RDSAFA	Twinstack				
6" Dead Soft Aluminum Flashing	6TDSAFA	Transite				
6" Dead Soft Aluminum Flashing	6DDSAF	Double Wall				
7" Dead Soft Aluminum Flashing	7CDSAFA	Conductor	12	28 X 28	74.27	18
7" Dead Soft Aluminum Flashing	7DSAFA	7" Twinstack 7" Transite 8" Conductor	*	28 X 28	74.27	1 1/2 ea.
8" Dead Soft Aluminum Flashing	8DSAFA	8" Twinstack 8" Transite 9" Conductor 6" Tristack	*	31 X 31	79.91	1 1/2 ea.
9" Dead Soft Aluminum Flashing	9DSAFA	9" Double Wall 9" Transite 10" Conductor	*	31 X 31	90.22	3 ea.
10" Dead Soft Aluminum Flashing	10DSAFA	10" Double Wall 10" Transite 8" Tristack	*	34 X 34	104.99	3 ea.
12" Dead Soft Aluminum Flashing	12CDSAFA	12" Conductor	*	34 X 34	166.51	4 ea.
12" Dead Soft Aluminum Flashing	12RDSAFA	12" Double Wall 12" Transite 10" Tristack	*	34 X 34	190.84	4 ea.
13 1/2" Dead Soft Aluminum Flashing	13 1/2DSAF	13 1/2" OD	*	34 X 34	230.14	4 ea.
14" Dead Soft Aluminum Flashing	14DSAFA	14" Conductor	*	36 X 36	231.00	5 ea.
16" Dead Soft Aluminum Flashing	16DSAFA	16" Conductor	*	36 X 36	271.96	5 ea.
4" Dead Soft Aluminum Flashing	40VDSAFA	4" Oval Twinstack	*	24 X 28	59.57	18
5" Dead Soft Aluminum Flashing	50VDSAFA	5" Oval Twinstack	12	24 X 33	93.31	20

NOTE: Steel Pipe Flashing also fit same size ABS and PVC Plastic Pipe.

DWV: "Drainage Waste Vent"
EMT: "Electrical Metal Tubing"

Copper Flashings

Copper			
DESCRIPTION / SIZE	FF-C FHA BASE	FF12-C 12/12 PITCH	DSCF DEAD SOFT BASE
	PRICE EACH	PRICE EACH	PRICE EACH
1/2"	119.97	297.06	222.17
3/4"	119.97		222.17
1"	119.97	297.06	222.17
1 1/4"	115.98	289.93	191.37
1 1/2"	115.98	289.93	191.37
2"	115.98	289.93	191.37
3C Conductor	147.11	342.77	209.94
3S Soil Pipe	147.11		
3R B-Vent Pipe	147.11		209.94
4C Conductor	185.67	395.61	257.50
4S Soil Pipe	185.67		
4R B-Vent Pipe	185.67	395.61	257.50
4T Trans	185.67		
5C Conductor	214.25	395.61	274.22
5R B-Vent Pipe	214.25		274.22
6C Conductor	229.95	395.61	287.94
6R B-Vent Pipe	229.95	395.61	287.97
7C Conductor	229.95	639.85	302.80
8C Conductor	229.95	839.80	
8R B-Vent Pipe	229.95		399.90
10C Conductor	371.35		
12C Conductor	851.21		1242.55
40V Oval Pipe	221.38	639.85	302.80
50V Oval Pipe	299.92		

All Purpose Caps Copper

CODE	PRICE EACH	LBS. EACH
3RAC-C	113.98	1
4RAC-C	117.98	1 1/8
5RAC-C	131.96	1 1/2
6RAC-C	183.95	2
40VAC-C	149.97	1 1/2






White Caps

All Purpose Round White Caps

Aluminum				
DESCRIPTION	CODE	PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
3" White-Cap for All Purpose	3RAC	18.72	24	12
4" White-Cap for All Purpose	4RAC	20.32	24	12
5" White-Cap for All Purpose	5RAC	27.45	24	15
6" White-Cap for All Purpose	6RAC	35.72	12	8.4
7" White-Cap for All Purpose	7RAC	49.96	2	3
8" White-Cap for All Purpose	8RAC	63.62	2	3




White Caps

All Purpose Oval White Caps

Aluminum				
DESCRIPTION	CODE	PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
4" Oval All Purpose White-Cap	40VAC	29.35	24	15
5" Oval All Purpose White-Cap	50VAC	42.62	12	15


Storm Collars

Round Storm Collars




Sizes 3"-8" are 28 Gauge Galvanized Steel					
DESCRIPTION	CODE	FOR USE WITH	PRICE EACH	PCS. PER PKG. OR CARTON	LBS. PER CTN.
3" Adjustable Storm Collar	3RSC	Twinstack	2.90	25	3
4" Adjustable Storm Collar	4RSC	Twinstack	2.90	24	4
5" Adjustable Storm Collar	5RSC	Twinstack	7.11	24	4
6" Adjustable Storm Collar	6RSC	Twinstack	7.71	24	5
7" Adjustable Storm Collar	7RSC	7" Twinstack & 8" Conductor	8.02	Loose	1/4 ea.
8" Adjustable Storm Collar	8RSC	8" Twinstack & 9" Conductor	9.45	Loose	1/4 ea.
11" Adjustable Storm Collar	8WSC	8" Tristack	10.99	Loose	1/4 ea.
13" Adjustable Storm Collar	10WSC	10" Tristack	11.56	Loose	1/4 ea.
13 1/2" Adjustable Storm Collar	13 1/2 SC	13 1/2" OD Pipe	19.32	Loose	1/4 ea.
15" Adjustable Storm Collar	14RSC	14" Double Wall	22.44	Loose	1/4 ea.
17" Adjustable Storm Collar	16RSC	16" Double Wall	28.62	Loose	1/4 ea.

Oval Storm Collars




Galvanized Steel				
DESCRIPTION	CODE	PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
4" Non-Adjustable Oval Storm Collar	40VSC	7.50	24	6
5" Non-Adjustable Oval Storm Collar	50VSC	12.72	*	1/2 ea.

White Buckets




DESCRIPTION	CODE	PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
5" White Bucket Tube	5B	9.79	20	17
6" White Bucket Tube	6B	12.62	15	15
7" White Bucket Tube	7B	28.12	*	2 1/2 ea.
8" White Bucket Tube	8B	33.73	*	3 ea.

Flat Bucket




DESCRIPTION	CODE	PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
3 - 4" White Bucket Flat	4B	7.67	50	32

White Bucket & Hanger Sets



DESCRIPTION	CODE	PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
3 - 4" White Bucket Sets	4BH	16.09	24	32
5" White Bucket Sets	5BH	21.09	24	58
6" White Bucket Sets	6BH	24.28	16	28
7" White Bucket Sets	7BH	43.00	*	2 ea.
8" White Bucket Sets	8BH	49.28	*	2 ea.


Econo Caps



Galvanized Steel For Use With Conductor Pipe Only

DESCRIPTION	CODE	PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
3" Chimney Cap	3EC	7.08	40	30
4" Chimney Cap	4EC	7.50	30	30
5" Chimney Cap	5EC	9.74	30	30
6" Chimney Cap	6EC	12.41	25	30
7" Chimney Cap	7EC	14.93	18	18
8" Chimney Cap	8EC	20.70	15	23


Wall Thimbles



For Use With Type B Gas Vent

DESCRIPTION	CODE	PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
3" Round Wall Thimbles	3RWT	16.46	12	16
4" Round Wall Thimbles	4RWT	16.93	12	16
5" Round Wall Thimbles	5RWT	17.96	12	18
6" Round Wall Thimbles	6RWT	19.27	12	20
7" Round Wall Thimbles	7RWT	27.14	*	2 ea.
8" Round Wall Thimbles	8RWT	33.72	*	2 ea.


Vent Pipe Hangers



DESCRIPTION	CODE	FOR USE WITH	PRICE EACH	LBS. PER CTN.
3" Vent Pipe Hanger	3VPH		7.53	15
4" Vent Pipe Hanger	4VPH	Transite	7.57	15
5" Vent Pipe Hanger	5VPH	and	13.03	15
6" Vent Pipe Hanger	6VPH	Twinstack	16.86	15
7" Vent Pipe Hanger	7VPH		19.19	18
8" Vent Pipe Hanger	8VPH		22.66	25
11" Vent Pipe Hanger	8W-WB	8" Tristack	41.99	*
13" Vent Pipe Hanger	10W-WB	10" Tristack	55.61	*


Vent Collars

Sizes 3" - 10" are 28 Gauge Galvanized Steel



DESCRIPTION	CODE	PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
3" Round Vent Collar	3RVC	4.29	12	4 1/2
4" Round Vent Collar	4RVC	4.29	12	4 1/2
5" Round Vent Collar	5RVC	4.29	12	6
6" Round Vent Collar	6RVC	4.29	12	6
7" Round Vent Collar	7RVC	5.73	*	3/4 ea.
8" Round Vent Collar	8RVC	10.59	*	3/4 ea.
9" Round Vent Collar	9RVC	16.93	*	1 1/4 ea.
10" Round Vent Collar	10RVC	17.91	*	1 1/4 ea.

Tee-Top Flashings




DESCRIPTION	CODE	PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
4" Tee Top Reg. Base, Galvanized (Assembled)	4TT	20.85	*	2 ea.
3" Dead Soft Aluminum Tee Top (Assembled)	3DSATT	47.90	*	2 ea.
4" Dead Soft Aluminum Tee Top (Assembled)	4DSATT	54.46	*	2 ea.
5" Dead Soft Aluminum Tee Top (Assembled)	5DSATT	68.99	*	2 ea.
6" Dead Soft Aluminum Tee Top (Assembled)	6DSATT	72.55	*	2 ea.

NOTES: Larger sizes and quotations upon request. *Cartoned as Ordered.


Tee-Top Flashings

DESCRIPTION	CODE	PRICE EACH		PCS. PER CTN.	LBS. PER CTN.
7" Roof Jack, Reg. Base	7RJ	28.60	Assem.	*	2 ea.
7" Roof Jack, FHA Base	7FFTT	35.79	Assem.	*	3 ea.
8" Roof Jack, Reg. Base	8RJ	49.91	Assem.	*	3 ea.
8" Roof Jack, FHA Base	8FFTT	51.74	Assem.	*	3 ea.
9" Roof Jack, Reg. Base	9RJ	56.86	Assem.	*	3 ea.
10" Roof Jack, Reg. Base	10RJ	71.54	Assem.	*	3 ea.
12" Roof Jack, Reg. Base	12RJ	84.38	Assem.	*	3 ea.
7" Dead Soft. Alum. Roof Jack	7DSARJ	65.25	Assem.	4	8
8" Dead Soft. Alum. Roof Jack	8DSARJ	91.38	Assem.	*	2
9" Dead Soft. Alum. Roof Jack	9DSARJ	116.01	Assem.	*	3 ea.
10" Dead Soft. Alum. Roof Jack	10DSARJ	130.49	Assem.	*	3 ea.



Safety Plates

16 Gauge - required by National Electric Code



DESCRIPTION	CODE	PRICE PER 100	PCS. PER CTN.	LBS. PER CTN.
16" Gauge 2" x 5"	16SN	57.16	100	16
16" Gauge 3" x 5"	16SN3	79.30	100	23
18" Gauge 2" x 5"	18SN	47.09	100	12 1/2
18" Gauge 3" x 5"	18SN3	66.15	100	20

Vent & Conductor Pipe




30" Length and 10' Length					
DESCRIPTION	CODE	GA.	PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
3" x 30" Vent Pipe	3VP	28	7.82	36	51
4" x 30" Vent Pipe	4VP	28	9.89	20	34
5" x 30" Vent Pipe	5VP	28	10.72	14	27
6" x 30" Vent Pipe	6VP	28	11.56	9	23
7" x 30" Vent Pipe	7VP	28	14.04	8	23 1/2
8" x 30" Vent Pipe	8VP	28	17.87	8	24
9" x 30" Vent Pipe	9VP	28	22.26	*	4 ea.
10" x 30" Vent Pipe	10VP	28	24.53	*	5 ea.
12" x 30" Vent Pipe	12VP	28	29.33	*	5 1/2 ea.
14" x 30" Vent Pipe	14VP	28	36.35	*	6 ea.
3" x 10' Cond. Pipe	3CP	28	26.38	*	5.2 ea.
4" x 10' Cond. Pipe	4CP	28	31.95	*	6.8 ea.

NOTE: Cartoned as Ordered.

Type B-W Accessories

Type B-W Attic Shield


Required by Los Angeles Code and UMC				
DESCRIPTION	CODE	PRICE EACH		LBS. PER EACH
Type B-W Attic Shield	40VATS	20.28	Assembled	3 1/2"



Type B-W Stud Sheeting Required by Los Angeles Code and UMC

28 Gauge Galvanized 16" Wide				
DESCRIPTION	CODE	LENGTH	PRICE EACH	LBS. PER EACH
Type B-W Stud Sheeting	16BWS	96"	33.64	3


Adj. 90° Elbows



DESCRIPTION	CODE	PRICE EACH	PCS. PER CTN.	LBS. PER CTN.
3" 90° Gal Adj. Ell	3VL	4.43	48	15.4
4" 90° Gal Adj. Ell	4VL	5.36	48	27
5" 90° Gal Adj. Ell	5VL	6.82	30	24
6" 90° Gal Adj. Ell	6VL	8.05	12	11.6
7" 90° Gal Adj. Ell	7VL	8.56	8	10
8" 90° Gal Adj. Ell	8VL	12.40	8	11.6
9" 90° Gal Adj. Ell	9VL	14.30	*	2 1/4 ea.
10" 90° Gal Adj. Ell	10VL	16.62	*	2 1/2 ea.
12" 90° Gal Adj. Ell	12VL	21.79	*	3 1/2 ea.
14" 90° Gal Adj. Ell	14VL	28.66	*	4 1/2 ea.


NOTE: Cartoned as Ordered.

Plumber's Tape



DESCRIPTION	CODE	PRICE EACH	GA.	PCS. PER CTN.	LBS. PER CTN.
3/4" x 10' Plumber's Tape	28PT	262.20	28	100	36
3/4" x 10' Plumber's Tape	26PT	286.35	26	100	49
3/4" x 10' Plumber's Tape	22PT	424.35	22	100	70


Reducers



Bell Type				
DESCRIPTION	CODE	PRICE EACH	QTY.	LBS. PER CTN.
4" X 3" Bell Type Reducer	4BTR	7.79	100	30
5" X 3" Bell Type Reducer	5X3BTR	10.11	*	1/2 ea.
5" X 4" Bell Type Reducer	5X4BTR	10.71	*	1/2 ea.
6" X 4" Bell Type Reducer	6X4BTR	16.78	*	1/2 ea.

The smaller end of the two sizes is always crimped on the above reducers.

Increasesers



Bell Type				
DESCRIPTION	CODE	PRICE EACH	QTY.	LBS. PER CTN.
3" X 4" Bell Type Increaser	3BTI	7.79	100	30
3" X 5" Bell Type Increaser	3X5BTI	10.11	*	1/2 ea.
4" X 5" Bell Type Increaser	4X5BTI	10.71	*	1/2 ea.
4" X 6" Bell Type Increaser	4X6BTI	16.78	*	1/2 ea.

The larger end of the two sizes is always crimped on the above increasers.

PLUMBING & HEATING

Standard Sheet Metal Products




Also manufacturers of quality
TRISTACK™


All Fuel Chimney Pipe & Accessories




ROUND TRISTACK
CHIMNEY SECTION



CHIMNEY TEE
WITH CAP



CEILING SUPPORT



ROUND CAP WITH
SPARK ARRESTER

WHITE METAL PRODUCTS

10520 Sessler Street
South Gate, CA 90280
(562) 923-7706
FAX (562) 923-9549
whitemetalproducts@hotmail.com

Prices subject to change without notice.