

STANTON SPC

Product Specifications

Product Collections	Core Construction	Dimensions	Total Thickness	Locking System	Edge	Texture	Colors	Pattern Repeat	Pieces Per Box	Sq. Ft. Per Box	Box/Carton Weight (LBS)	Cartons Per Pallet	Sq. Ft. Per Pallet	Trim Available	Wear Layer	Warranty
Natural Beauty Herringbone	SPC	4.8" W x 24" L	5 mm 4 mm + 1 mm IXPE Pad	i4F	varies by style	All-Over Emboss	4	28	32	26.05	45.73	48	1,250.9	Slim Trim, Slim Cap, Stairnose	22 mil	Limited Lifetime Residential 15-Year Medium Commercial
Natural Beauty 4	SPC	4" W x 48" L	5 mm 4 mm + 1 mm IXPE Pad	i4F	Micro Bevel	All-Over Emboss	9	16	18	25.84	45.26	48	1,240.53	Slim Trim, Slim Cap, Stairnose	22 mil	Limited Lifetime Residential 15-Year Medium Commercial
Natural Beauty 7	SPC	7" W x 48" L	5 mm 4 mm + 1 mm IXPE Pad	i4F	varies by style	All-Over Emboss	37	10	11	26.03	45.05	45	1,171.23	Slim Trim, Slim Cap, Stairnose	22 mil	Limited Lifetime Residential 15-Year Medium Commercial
Natural Beauty 9	SPC	9" W x 60" L	5 mm 4 mm + 1 mm IXPE Pad	i4F	Micro Bevel	All-Over Emboss	16	10	6	22.96	18.23	52	1,193.9	Slim Trim, Slim Cap, Stairnose	22 mil	Limited Lifetime Residential 15-Year Medium Commercial
Natural Beauty 9XL	SPC	9" W x 72" L	6 mm 5 mm + 1 mm IXPE Pad	i4F	Micro Bevel	EIR	6	10	6	27.36	57.33	32	875.6	Slim Trim, Slim Cap, Stairnose	22 mil	Limited Lifetime Residential 15-Year Medium Commercial
Natural Beauty Stone 16	SPC	16" x 32" Large Format Tile	6 mm 5 mm + 1 mm IXPE Pad	i4F	Enhanced Bevel	Stone Emboss	12	6 or 9 (Varies)	5 6	17.65 21.18	36.99 44.39	42	953.26	Slim Trim Slim Cap	22 mil	Limited Lifetime Residential 15-Year Medium Commercial
Floors 2000 Addiction	SPC	9" x 60"	5.5 mm 4 mm + 1 mm Pad	Välinge 2G	Painted Bevel	EIR	17	4	6	22.53	40	60	1351.8	T-Mold, End Cap, Reducer, Flush Stairnose	20 mil	30-Year Residential Wear 10-Year Light Commercial Wear
Floors 2000 Exotica	SPC	9" x 60"	5.5 mm 4 mm + 1 mm Pad	Välinge 2G	Painted Bevel	Wood Texture	17	4	6	22.53	40	60	1351.8	T-Mold, End Cap, Reducer, Flush Stairnose	20 mil	30-Year Residential Wear 10-Year Light Commercial Wear
Floors 2000 Restoration	SPC	7" x 48"	5.5 mm 4 mm + 1 mm Pad	Välinge 2G	Painted Bevel	Wood Texture	17	5	10	24.03	43	60	1,441.8	T-Mold, End Cap, Reducer, Flush Stairnose	20 mil	30-Year Residential Wear 10-Year Light Commercial Wear
Floors 2000 Rejuvenation	SPC	12" x 24" Large Format Tile	6 mm 4.5 mm + 1.5 mm Pad	Välinge 2G	Painted Bevel	Stone Texture	17	6	10	20.03	37	66	1,322	T-Mold, End Cap, Reducer	20 mil	30-Year Residential Wear 10-Year Light Commercial Wear
Utra Fit Loose Lay Series	SPC	7" x 60"	5 mm	Float/ Glue-Down	Painted Bevel	All-Over Emboss	12	5	8	24.14	47.85	65	1,569.32	T-Mold, End Cap, Reducer, Flush Stairnose, Stair Tread + Returns	20 mil	Lifetime Waterproof Limited Lifetime Residential 15-Year Medium Commercial
Stanton Flex	SPC	7.25" x 48"	2.5 mm	Glue-Down Installation	Micro Bevel	All-Over Emboss	8		17	41.1	40	55	2,260.5	Overlapping Stairnose	20 mil	Lifetime Waterproof Lifetime Residential Wear 25-Year Commercial Wear
Stanton Flex II	SPC	7" x 48"	2.5 mm	Glue-Down Installation	Micro Bevel	All-Over Emboss	4	10	18	42	37.63	60	2,520.0	Overlapping Stairnose	20 mil	Lifetime Waterproof Lifetime Residential Wear 25-Year Commercial Wear

STANTON WPC

Product Specifications

Product Collections	Core Construction	Dimensions	Total Thickness	Locking System	Edge	Texture	Colors	Pattern Repeat	Pieces Per Box	Sq. Ft. Per Box	Box/Carton Weight (LBS)	Cartons Per Pallet	Sq. Ft. Per Pallet	Trim Available	Wear Layer	Warranty
Natural Beauty Lux 7 Series	WPC	7" x 60"	10 mm = 2 mm + 6 mm + 2 mm IXPE Pad	Uniclic	Pressed Bevel	EIR	12	5	8	23.43	46.2	55	1,288.6	T-Mold, End Cap, Reducer, Flush Stairnose, Stair Tread + Returns	22 mil	Lifetime Surface Waterproof Limited Lifetime Residential 10-Year Medium Commercial
Natural Beauty Lux 9XL Series	WPC	9" x 72"	10 mm = 2 mm + 6 mm + 2 mm IXPE Pad	Uniclic	Pressed Bevel	EIR	12	4	7	31.00	61.6	44	1,288.6	T-Mold, End Cap, Reducer, Flush Stairnose, Stair Tread + Returns	22 mil	Lifetime Surface Waterproof Limited Lifetime Residential 10-Year Medium Commercial
Natural Beauty Max 4 Series	WPC	4" x 60"	8 mm = 1.5 mm + 5 mm + 1.5 mm IXPE Pad	Uniclic	Pressed Bevel	EIR	4	9	14	23.36	38.14	72	1,682.20	T-Mold, End Cap, Reducer, Flush Stairnose, Stair Tread + Returns	22 mil	Lifetime Surface Waterproof Limited Lifetime Residential 10-Year Medium Commercial
Natural Beauty Max 5 Series	WPC	5" x 60"	8 mm = 1.5 mm + 5 mm + 1.5 mm IXPE Pad	Uniclic	Pressed Bevel	EIR	2	7	12	24.93	40.79	63	1,570.88	T-Mold, End Cap, Reducer, Flush Stairnose, Stair Tread + Returns	22 mil	Lifetime Surface Waterproof Limited Lifetime Residential 10-Year Medium Commercial
Natural Beauty Max 7 Series	WPC	7" x 60"	8 mm = 1.5 mm + 5 mm + 1.5 mm IXPE Pad	Uniclic	Pressed Bevel	EIR	12	5	8	23.43	37.4	60	1,405.76	T-Mold, End Cap, Reducer, Flush Stairnose, Stair Tread + Returns	22 mil	Lifetime Surface Waterproof Limited Lifetime Residential 10-Year Medium Commercial
Natural Beauty Max 9 Series	WPC	9" x 60"	8 mm = 1.5 mm + 5 mm + 1.5 mm IXPE Pad	Uniclic	Pressed Bevel	EIR	12	4	8	29.90	46.2	52	1,554.90	T-Mold, End Cap, Reducer, Flush Stairnose, Stair Tread + Returns	22 mil	Lifetime Surface Waterproof Limited Lifetime Residential 10-Year Medium Commercial
Natural Beauty Max 9XL Series	WPC	9" x 72"	8 mm = 1.5 mm + 5 mm + 1.5 mm IXPE Pad	Uniclic	Pressed Bevel	EIR	6	4	6	26.95	43.87	72	1,554.90	T-Mold, End Cap, Reducer, Flush Stairnose, Stair Tread + Returns	22 mil	Lifetime Surface Waterproof Limited Lifetime Residential 10-Year Medium Commercial
Natural Beauty Summit 5 Series	WPC	5" x 60"	12 mm = 2 mm + 8 mm + 2 mm IXPE Pad	Uniclic	Painted Micro Bevel	EIR	4	7 or 14	7	14.18	33.29	56	794.06	T-Mold, End Cap, Reducer, Flush Stairnose, Stair Tread + Returns	22 mil	Lifetime Surface Waterproof Limited Lifetime Residential 10-Year Medium Commercial
Natural Beauty Summit 7 Series	WPC	7" x 60"	12 mm = 2 mm + 8 mm + 2 mm IXPE Pad	Uniclic	Painted Micro Bevel	EIR	5	5 or 10	6	17.59	41.73	45	791.49	T-Mold, End Cap, Reducer, Flush Stairnose, Stair Tread + Returns	22 mil	Lifetime Surface Waterproof Limited Lifetime Residential 10-Year Medium Commercial
Natural Beauty Summit 7XL Series	WPC	7" x 72"	12 mm = 2 mm + 8 mm + 2 mm IXPE Pad	Uniclic	Painted Micro Bevel	EIR	3	10	6	21.04	49.65	45	946.68	T-Mold, End Cap, Reducer, Flush Stairnose, Stair Tread + Returns	22 mil	Lifetime Surface Waterproof Limited Lifetime Residential 10-Year Medium Commercial
Natural Beauty Summit 10 Series	WPC	10" x 82"	12 mm = 2 mm + 8 mm + 2 mm IXPE Pad	Uniclic	Painted Bevel	All-Over Emboss	6	4	5	28.47	66.47	40	1,138.89	T-Mold, End Cap, Reducer, Flush Stairnose, Stair Tread + Returns	22 mil	Lifetime Surface Waterproof Limited Lifetime Residential 10-Year Medium Commercial
Natural Beauty Summit 12 Series	WPC	10" x 86"	12 mm = 2 mm + 8 mm + 2 mm IXPE Pad	Uniclic	Painted Bevel	All-Over Emboss	6	4	4	28.22	67.02	33	946	T-Mold, End Cap, Reducer, Flush Stairnose, Stair Tread + Returns	22 mil	Lifetime Surface Waterproof Limited Lifetime Residential 10-Year Medium Commercial
Natural Beauty Basics	WPC	7" x 60"	6.5 mm = 1.5 mm + 4 mm + 1 mm IXPE Pad	Uniclic	Micro Bevel	All-Over Emboss	12	5	8	23.72	32.19	60	1,422.90	T-Mold, End Cap, Reducer, Flush Stairnose, Stair Tread + Returns	20 mil	Lifetime Surface Waterproof Limited Lifetime Residential 10-Year Medium Commercial

STANTON LAMINATE & FINE HARDWOOD

Product Specifications

	Product Collections	Core Construction	Dimensions	Total Thickness	Locking System	Edge	Finish	Grade	Colors	Pieces Per Box	Sq. Ft. Per Box	Box/Carton Weight (LBS)	Cartons Per Pallet	Sq. Ft. Per Pallet	Trim Available	Wear Layer	Warranty
	NuvoLux Laminate (AC4)	High Density Fiber Board (HDF)	7.7" W x 48" L 7.7" W x 60" L	12 mm = 10 mm + 2 mm IXPE Pad	i4F	Pressed Bevel	EIR & Emboss	12	6	6 6	15.11 18.99	29.02 36.47	65 65	982.3 1234.2	T-Mold, End Cap, Reducer, Flush Stairnose	AC5	Lifetime Surface Waterproof Limited Lifetime Residential 20-Year Medium Commercial
	NuvoMax Laminate (AC4)	High Density Fiber Board (HDF)	7.7" W x 48" L	12 mm = 10 mm + 2 mm IXPE Pad	Välinge 2G	Pressed Bevel	EIR	12	6	6	15.3	26.87	65	994.6	T-Mold, End Cap, Reducer, Flush Stairnose	AC4	Lifetime Surface Waterproof Limited Lifetime Residential 15-Year Medium Commercial
NEW	NuvoGrand Laminate (AC4)	High Density Fiber Board (HDF)	5" W x 48" L 7.7" W x 60" L	14 mm = 12 mm + 2 mm IXPE Pad	Välinge 2G	Painted Micro Bevel	All-Over Emboss	12	18 6	10 6	16.52 19.11	35.92 41.57	42 55	693.8 1051.27	T-Mold, End Cap, Reducer, Flush Stairnose	AC4	Lifetime Surface Waterproof Limited Lifetime Residential 15-Year Medium Commercial
	SoHo Fine Hardwood 6" White Oak Plank	Engineered Wood	6" W x 23.625", 35.5", 47.5", 71" L	9/16" (includes 3 mm Top Layer)	Tongue & Groove	4-Side Bevel	Nano Carbide Technology	Country	4	8	23.25	40.94	48	1,116.0	T-Mold, End Cap, Reducer, Qtr Round, Flush Stairnose, + Custom Available	3 mm	25 Years Residential Wear 5 Years Commercial Wear Compliance: GreenGuard
	SoHo Peak Fine Hardwood White Oak Herringbone	Engineered Wood	4.75" W x 23.625" L	9/16" (includes 3 mm Top Layer)	Tongue & Groove	4-Side Bevel	Nano Carbide Technology	Classic	4	14	10.85	22.1	72	781.20	T-Mold, End Cap, Reducer, Qtr Round, Flush Stairnose, + Custom Available	3 mm	25 Years Residential Wear 5 Years Commercial Wear Compliance: GreenGuard
	Uptown Fine Hardwood 7.5" White Oak Plank	Engineered Wood	7.5" W x 23.625", 35.5", 59", 82.75" L	5/8" (includes 4 mm Top Layer)	Tongue & Groove	4-Side Bevel	Nano Carbide Technology	Country	12	6	25.85	42.0	55	1,421.75	T-Mold, End Cap, Reducer, Qtr Round, Flush Stairnose, + Custom Available	4 mm	25 Years Residential Wear 5 Years Commercial Wear Compliance: GreenGuard Gold
	Hudson Fine Hardwood 7.5" White Oak Prime	Engineered Wood	7.5" W x 23.64", 37.43", 51.22", 74.875" L	5/8" (includes 4 mm Top Layer)	Tongue & Groove	4-Side Bevel	Nano Carbide Technology	Prime	6	6	23.32	38.0	55	1,282.60	T-Mold, End Cap, Reducer, Qtr Round, Flush Stairnose, + Custom Available	4 mm	25 Years Residential Wear 5 Years Commercial Wear Compliance: GreenGuard Gold
	Seaport Fine Hardwood 9.5" Baltic Ash	Engineered Wood	9.5" W x 23.625", 35.5", 59", 82.625" L	5/8" (includes 4 mm Top Layer)	Tongue & Groove	4-Side Bevel	Nano Carbide Technology	Country	4	6	32.55	53.0	44	1432.20	T-Mold, End Cap, Reducer, Qtr Round, Flush Stairnose, + Custom Available	4 mm	50 Years Residential Wear 10 Years Commercial Wear Compliance: GreenGuard Gold
	Lexington Fine Hardwood 11.25" European White Oak	Engineered Wood	11.25" W x 23.6", 39.4", 47.2", 82.625" L	3/4" (includes 5 mm Top Layer)	Tongue & Groove	4-Side Bevel	UV-Cures Aluminum Oxide Poly-urethane	Country	6	4	27.00	74.64	36	971.85	T-Mold, End Cap, Reducer, Qtr Round, Flush Stairnose, + Custom Available	5 mm	50 Years Residential Wear 10 Years Commercial Wear Compliance: FloorScore