

PATRIOT® 11 Ton, Scissor Action

Copper and Aluminum up to 4.00" O.D.
Hydraulic Self-Contained, 18V Lithium-Ion

Tool Series: PATCUT4

- Extra wide jaw opening
- Scissor action cutting jaws
- 355° head rotation
- Multi-position assist handle
- Includes 2 batteries, charger, lanyard, polymer carrying case
- **EP Enhanced Power** — tools accept 2.0, 3.0, 4.0, 5.0, and 6.0Ah Makita batteries



For Use On:

Maximum Cutting Capacity:

Copper and Aluminum: up to 4.00" O.D.

Models:

PATCUT4CUALLI with 3.0Ah battery
PATCUT4L5 with 5.0Ah battery

Specifications:

Output Force:	11 Tons
Tool Weight:	20.3 lbs
Size:	24.31" X 3.26" X 15.33"
Operating Voltage:	18 V-DC Lithium-Ion
Recharge Time:	30 minutes (3.0Ah) 45 minutes (5.0Ah)
Warranty:	5 year limited warranty (excludes blades) Lifetime warranty on INFINITY DRIVE® 3 year on batteries and charger

Accessories:

BAT18VLI:	3.0Ah Li-Ion battery
BAT18V5AHLI:	5.0Ah Li-Ion battery
PATCHGRLI:	120V-AC Charger
PATCHGRLIDC:	12/24V-DC Charger
PT208620:	Tool Retention Lanyard

PATCUT4CUAL
with multi-position assist
handle



See Important Notes page at start of Tooling Section.

PATRIOT® 10 Ton, Latch Head

ACSR up to 2156 kcmil

Hydraulic Self-Contained, 18V Lithium-Ion

Tool Series: PATCUT2156

- 180° head rotation
- Durable hardened steel blades
- Specialized latch head for mid-span cuts
- Mechanical ram release with no power consumption
- Includes 2 batteries, charger, and carrying case
- **EP Enhanced Power** — tools accept 2.0, 3.0, 4.0, 5.0, and 6.0Ah Makita batteries

For Use On:

Copper/Aluminum Cable: up to 2"

ACSR: up to 2156 kcmil

Ground Rod: up to 3/4"

Rebar: up to 5/8"

Soft Steel Bolts: up to 3/4"

Standard Guy: up to 9/16"

EHS Guy: up to 9/16"

Models:

PATCUT2156LI with 3.0Ah battery, hard case
PATCUT2156L5 with 5.0Ah battery, hard case

PATCUT2156LIPB with 3.0Ah battery, pro bag
PATCUT2156L5PB with 5.0Ah battery, pro bag



Specifications:

Output Force: 10 Tons
Tool Weight: 15.5 lbs
Size: 16.50" x 13.50" x 3.38"
Operating Voltage: 18 V-DC Lithium-Ion
Recharge Time: 30 minutes (3.0Ah)
45 minutes (5.0Ah)
Warranty: 5 year limited warranty (excluding blades)
Lifetime warranty on INFINITY DRIVE®
3 year on batteries and charger

Accessories:

BAT18VLI: 3.0Ah Li-Ion battery
BAT18V5AHLI: 5.0Ah Li-Ion battery
PATCHGRLLI: 120V-AC Charger
PATCHGRLLIDC: 12/24V-DC Charger
PT208620: Lanyard
CUT200BLMVBL: Replacement Moving Blade
CUT200BLSTA: Replacement Fixed (Stationary) Blade

See Important Notes page at start of Tooling Section.

PATRIOT® 7 Ton, Latch Head

Copper/Aluminum up to 1.29" O.D.

Hydraulic Self-Contained, 18V Lithium-Ion

Tool Series: PATCUT129

- 180° head rotation
- Overmolded handle and ergonomic design
- One-handed operation for advance, retract and hold
- Latch head design for interference free closure for mid-span cuts
- Includes 2 batteries, charger, and carrying case
- **EP Enhanced Power** — tools accept 2.0, 3.0, 4.0, 5.0, and 6.0Ah Makita batteries

For Use On:

Copper/Aluminum Cable: up to 1.29"

ACSR: up to 1113 kcmil

Ground Rod: up to 5/8"

Rebar: up to 1/2"

Soft Steel Bolts: up to 5/8"

Standard Guy: up to 1/2"

EHS Guy Strand: up to 3/8"

Models:

PATCUT129LI with 3.0Ah battery, hard case
PATCUT129L5 with 5.0Ah battery, hard case

PATCUT129LIPB with 3.0Ah battery, pro bag
PATCUT129L5PB with 5.0Ah battery, pro bag



Specifications:

Output Force:	7 Tons
Tool Weight:	10.2 lbs
Size:	14.50" x 13.50" x 3.50"
Operating Voltage:	18 V-DC Lithium-Ion
Recharge Time:	30 minutes (3.0Ah) 45 minutes (5.0Ah)
Warranty:	5 year limited warranty (excluding blades) Lifetime warranty on INFINITY DRIVE® 3 year on batteries and charger

Accessories:

BAT18VLI:	3.0Ah Li-Ion battery
BAT18V5AHLI:	5.0Ah Li-Ion battery
PATCHGRLI:	120V-AC Charger
PATCHGRLIDC:	12/24V-DC Charger
PT208620:	Lanyard
PT10037388:	Replacement Moving Blade
PT10037384:	Replacement Fixed Blade

See Important Notes page at start of Tooling Section.

PATRIOT® 6 Ton, Latch Head

Copper/Aluminum up to 2.45" O.D.
Hydraulic Self-Contained, 18V Lithium-Ion

Tool Series: PATCUT245

- 180° head rotation
- Cuts up to 2.45" diameter copper/aluminum cable
- Specialized latch style cutting head for interference-free closure for mid-span work
- Ergonomic design, overmolded handle
- Includes 2 batteries, charger, and carrying case
- **EP Enhanced Power** — tools accept 2.0, 3.0, 4.0, 5.0, and 6.0Ah Makita batteries

For Use On:

Copper/Aluminum Cable: Up to 2.45" O.D.

For Copper and Aluminum cable only. Do not cut steel, ground rod, rebar or guy wire.

Models:

PATCUT245LI with 3.0Ah battery, hard case
PATCUT245L5 with 5.0Ah battery, hard case

PATCUT245LIPB with 3.0Ah battery, pro bag
PATCUT245L5PB with 5.0Ah battery, pro bag



Specifications:

Output Force:	6 Tons
Tool Weight:	13.7 lbs
Size:	18.13" x 13.50" x 3.50"
Operating Voltage:	18 V-DC Lithium-Ion
Recharge Time:	30 minutes (3.0Ah) 45 minutes (5.0Ah)
Warranty:	5 year limited warranty (excluding blades) Lifetime warranty on INFINITY DRIVE® 3 year on batteries and charger

Accessories:

BAT18VLI:	3.0Ah Li-Ion battery
BAT18V5AHLI:	5.0Ah Li-Ion battery
PATCHGRLLI:	120V-AC Charger
PATCHGRLLDC:	12/24V-DC Charger
PT208620:	Lanyard
PT10038657:	Replacement Moving Blade
PT10040663:	Replacement Fixed Blade

See Important Notes page at start of Tooling Section.

PATRIOT® 6 Ton, Scissor Action

Hydraulic Self-Contained, 18V Lithium-Ion

Tool Series: PAT500SJCUT

- Interchangeable scissor action crimping and cutting jaws
- 180° head rotation
- Uses W and X style dies with available crimping jaws
- Ergonomically balanced tool design
- Includes 2 batteries, charger, and polymer carrying case
- **EP Enhanced Power** — tools accept 2.0, 3.0, 4.0, 5.0, and 6.0Ah Makita batteries



For Use On:

Maximum Cutting Capacity:

ACSR:	556.5 kcmil (26/7 Dove)
AAC:	636 kcmil
Copper:	350 kcmil soft drawn copper

Models:

PAT500SJCUTLI	with 3.0Ah battery
PAT500SJCUTL5	with 5.0Ah battery

Interchangeable Jaw Assemblies:

PATMD6LWJAW	Crimp jaw with BG and D3 grooves
PATMD68LWJAW	Crimp jaw with O and D3 grooves
PATMD66LWJAW	Crimp jaw with D3 groove only
PATMDXPJLWJAW	Crimp jaw with X, P, & J grooves
**PATMD430LWJAW	**Crimp jaw, Dieless for #4-3/0 AWG
PATMDCUTLWJAW	Cutting jaw with ACSR blades
PATMDCUTCLWJAW	Cutting jaw with CU/AL blades
PATMDCUTGLWJAW	Cutting jaw with GUY blades

****Dieless Jaw only for use on #4-3/0 AWG BURNDY® Overhead Distribution Families: YDS-RL, YDSR-RL, YDS-RLY, YDR-RL, YDRR-RL, YCS-RL, YCA-RL and YSS-R**

Specifications:

Output Force:	6 Tons
Tool Weight:	11.5 lbs
Size:	17.00" X 14.25" X 3.00"
Die Style:	W and X (with crimping jaws)
Operating Voltage:	18 V-DC Lithium-Ion
Recharge Time:	30 minutes (3.0Ah) 45 minutes (5.0Ah)
Warranty:	5 year limited warranty Lifetime warranty on INFINITY DRIVE® 3 year on batteries and charger

Accessories:

BAT18VLI:	3.0Ah Li-Ion battery
BAT18V5AHLI:	5.0Ah Li-Ion battery
PATCHGRLI:	120V-AC Charger
PATCHGRLIDC:	12/24V-DC Charger
PATMD6LWJWCVR:	Jaw covers for PATMD6 and PATMD68 versions
PATMD66LWJWCVR:	Jaw covers for PATMD66 snub-nose versions
PT10074020:	Wrist strap
W28K:	Cutter Dies (cuts 4-4/0 Cu, Al, ACSR)
WDIETREE:	W-die holder for 6 die sets

Crimp/Cut Kits:

PAT500SJ6LICUTKIT1	Kit includes crimp head with BG & D3 grooves, cutter jaw with ACSR blades, 120V charger and 2 batteries (3.0Ah)
PAT500SJ68LICUTKIT1	Kit includes crimp head with O & D3 grooves, cutter jaw with ACSR blades, 120V charger and 2 batteries (3.0Ah)

See Important Notes page at start of Tooling Section.

PATRIOT® IN-LINE® 6 Ton, Scissor Action
Hydraulic Self-Contained, 18V Lithium-Ion

Tool Series: PATMDCUTLW

- Light weight, compact and ergonomic design
- Interchangeable scissor action crimping and cutting jaws
- Safety trigger lock and locking jaw tabs
- LED Worklight
- **EP Enhanced Power** — tools accept 2.0, 3.0, 4.0, 5.0, and 6.0Ah Makita batteries

Cutting Capacities	ACSR (26/7)	Aluminum (AAC)	Copper (soft drawn)	Guy Wire (EHS)
ACSR Blade	556.5 kcmil	636 kcmil	350 kcmil	-
CU/AL Blade	-	636 kcmil	600 kcmil	-
GUY Blade	-	-	-	3/8"

Models:

- PATMDCUTLW:** ACSR Cutting Jaw, 3.0Ah batteries, AC charger
PATMDCUTLW5: ACSR Cutting Jaw, 5.0Ah batteries, AC charger
- PATMDCUTCLW:** CU/AL Cutting Jaw, 3.0Ah batteries, AC charger
PATMDCUTCLW5: CU/AL Cutting Jaw, 5.0Ah batteries, AC charger
- PATMD60003A1:** GUY Cutting Jaw, 3.0Ah batteries, AC charger
PATMD60005A1: GUY Cutting Jaw, 5.0Ah batteries, AC charger

Standard Crimp/Cut Kits are available supplied with both crimping and cutting jaws. (See separate pages in Crimpers Section.)

Customize a tool kit with up to 3 jaws and optional accessories.

Contact Customer Service at 1-800-346-4175.

Interchangeable Jaw Assemblies:

- PATMD6LWJAW** Crimp jaw with BG and D3 grooves
PATMD68LWJAW Crimp jaw with O and D3 grooves
PATMD66LWJAW Crimp jaw with D3 groove only
PATMDXPJLWJAW Crimp jaw with X, P & J grooves
PATMD430LWJAW Crimp jaw, Dieless, #4 AWG - 3/0 AWG
PATMDCUTLWJAW Cutting jaw with ACSR blades
PATMDCUTCLWJAW Cutting jaw with CU/AL blades
PATMDCUTGLWJAW Cutting jaw with GUY blades

Shown with
ACSR
Cutting Jaw



Interchangeable Jaws



Specifications:

- Output Force:** 6 Tons
Tool Weight: 7.2 lbs
Length: 19.25"
Operating Voltage: 18 V-DC Lithium-Ion
Recharge Time:
 3.0Ah 30 minutes
 5.0Ah 45 minutes
Warranty: 5 year limited warranty
Lifetime warranty on INFINITY DRIVE®
3 years on batteries and charger

Accessories:

- PATMDCUTACSRKIT:** ACSR Replacement Blades (2 per kit)
PATMDCUTCUALKIT: CU/AL Replacement Blades (2 per kit)
PATMDCUTGUYKIT: GUY Replacement Blades (2 per kit)
BAT18VLI: Hi-capacity LI Makita battery (3.0Ah)
BAT18V5AHLI: Hi-capacity LI Makita battery (5.0Ah)
PATCHGRLI: 120V-AC Makita charger
PATCHGRLIDC: 12/24V-DC Makita charger
W28K: Cutter Dies (cuts 4-4/0 CU, AL, ACSR)
WDIETREE: W-die holder for 6 die sets
CASEWDIES: W-die case holder for 12 die sets
TOOLBAGMDLI: Tool bag (included with tool)

See Important Notes page at start of Tooling Section.

PATRIOT® 6 Ton, Scissor Action

Hydraulic Self-Contained, 18V Lithium-Ion

Tool Series: PATMD-LW ACSR Kits

- Light weight, compact and ergonomic design
- Interchangeable scissor action crimping and cutting jaws
- Safety trigger lock and locking jaw tabs
- LED Worklight
- **EP Enhanced Power** — tools accept 2.0, 3.0, 4.0, 5.0, and 6.0Ah Makita batteries

Crimp Capacity		
Connector Type	Conductor Type	Range
Terminals & Splices	Copper	#8 AWG - 500 kcmil
Terminals & Splices	Flex Copper	#8 AWG - 350 kcmil
Terminals & Splices	Aluminum (AAC)	#8 AWG - 350 kcmil
Full-Tension	ACSR	#10 - 4/0 AWG
Taps	Copper	#10 - 2/0 AWG
Taps	AAC or ACSR	#14 - 4/0 AWG
Stirrups	ACSR	#6 - 4/0 AWG

ACSR Blade Cutting Capacity	
Conductor Type	Maximum Size
ACSR (26/7)	556.5 kcmil
Aluminum (AAC)	636 kcmil
Copper	350 kcmil

Models*: all listed include AC Charger

PATMD6LWWCJ: BG & D3, ACSR Cutter, 3.0Ah batteries

PATMD68LWWCJ: O & D3, ACSR Cutter, 3.0Ah batteries

PATMD66LWWCJ: D3 only, ACSR Cutter, 3.0Ah batteries

PATMD6LW5WCJ: BG & D3, ACSR Cutter, 5.0Ah batteries

PATMD68LW5WCJ: O & D3, ACSR Cutter, 5.0Ah batteries

PATMD66LW5WCJ: D3 only, ACSR Cutter, 5.0Ah batteries

*Add DC suffix to catalog numbers for DC charger in place of AC charger.

Interchangeable Jaw Assemblies:

PATMD6LWJAW Crimp jaw with BG and D3 grooves

PATMD68LWJAW Crimp jaw with O and D3 grooves

PATMD66LWJAW Crimp jaw with D3 groove only

PATMDCUTLWJAW Cutting jaw with ACSR blades



Specifications:

Output Force: 6 Tons

Tool Weight: 6.7 lbs (crimper) & 7.2 lbs (cutter)

Length:

PATMD6LW 18.73"

PATMD68LW 18.73"

PATMD66LW 17.85"

PATMDCUTLW 19.25"

Die Style: W and X (with crimping jaws)

Operating Voltage: 18 V-DC Lithium-Ion

Recharge Time:

3.0Ah 30 minutes

5.0Ah 45 minutes

Warranty: 5 year limited warranty

Lifetime warranty on INFINITY DRIVE®

3 years on batteries and charger

Accessories:

PATMDCUTACSRKIT: ACSR Replacement Blades (2 per kit)

BAT18VLI: Hi-capacity LI Makita battery (3.0Ah)

BAT18V5AHLI: Hi-capacity LI Makita battery (5.0Ah)

PATCHGRLI: 120V-AC Makita charger

PATCHGRLIDC: 12/24V-DC Makita charger

W28K: Cutter Dies (cuts 4-4/0 CU, AL, ACSR)

WDIETREE: W-die holder for 6 die sets

CASEWDIES: W-die case holder for 12 die sets

TOOLBAGMDLI: Tool bag (included with tool)

See Important Notes page at start of Tooling Section.

PATRIOT® IN-LINE® 6 Ton, Scissor Action
Hydraulic Self-Contained, 18V Lithium-Ion

Tool Series: PATMD-LW CU/AL Kits

- Light weight, compact and ergonomic design
- Interchangeable scissor action crimping and cutting jaws
- Safety trigger lock and locking jaw tabs
- LED Worklight
- **EP Enhanced Power** — tools accept 2.0, 3.0, 4.0, 5.0, and 6.0Ah Makita batteries

Crimp Capacity		
Connector Type	Conductor Type	Range
Terminals & Splices	Copper	#8 AWG - 500 kcmil
Terminals & Splices	Flex Copper	#8 AWG - 350 kcmil
Terminals & Splices	Aluminum (AAC)	#8 AWG - 350 kcmil
Full-Tension	ACSR	#10 - 4/0 AWG
Taps	Copper	#10 - 2/0 AWG
Taps	AAC or ACSR	#14 - 4/0 AWG
Stirrups	ACSR	#6 - 4/0 AWG

CU/AL Blade Cutting Capacity	
Conductor Type	Maximum Size
Copper - Soft Drawn	600 kcmil
Aluminum (AAC)	636 kcmil

Models*: all listed include AC Charger

- PATMD6LWWCCJ:** BG & D3, CU/AL Cutter, 3.0Ah batteries
PATMD68LWWCCJ: O & D3, CU/AL Cutter, 3.0Ah batteries
PATMD66LWWCCJ: D3 only, CU/AL Cutter, 3.0Ah batteries
- PATMD6LW5WCCJ:** BG & D3, CU/AL Cutter, 5.0Ah batteries
PATMD68LW5WCCJ: O & D3, CU/AL Cutter, 5.0Ah batteries
PATMD66LW5WCCJ: D3 only, CU/AL Cutter, 5.0Ah batteries

*Add DC suffix to catalog numbers for DC charger in place of AC charger.

Interchangeable Jaw Assemblies:

- PATMD6LWJAW** Crimp jaw with BG and D3 grooves
PATMD68LWJAW Crimp jaw with O and D3 grooves
PATMD66LWJAW Crimp jaw with D3 groove only
PATMDCUTCLWJAW Cutting jaw with CU/AL blades



Specifications:

- Output Force:** 6 Tons
Tool Weight: 6.7 lbs (crimper) & 7.2 lbs (cutter)
Length:
 PATMD6LW 18.73"
 PATMD68LW 18.73"
 PATMD66LW 17.85"
 PATMDCUTCLW 19.25"
Die Style: W and X (with crimping jaws)
Operating Voltage: 18 V-DC Lithium-Ion
Recharge Time:
 3.0Ah 30 minutes
 5.0Ah 45 minutes
Warranty: 5 year limited warranty
 Lifetime warranty on INFINITY DRIVE®
 3 years on batteries and charger

Accessories:

- PATMDCUTCUALKIT:** CU/AL Replacement Blades (2 per kit)
BAT18VL: Hi-capacity LI Makita battery (3.0Ah)
BAT18V5AHLI: Hi-capacity LI Makita battery (5.0Ah)
PATCHGRLL: 120V-AC Makita charger
PATCHGRLLDC: 12/24V-DC Makita charger
W28K: Cutter Dies (cuts 4-4/0 CU, AL, ACSR)
WDIETREE: W-die holder for 6 die sets
CASEWDIES: W-die case holder for 12 die sets
TOOLBAGMDLI: Tool bag (included with tool)

See Important Notes page at start of Tooling Section.

PATRIOT® 6 Ton, Scissor Action

Hydraulic Self-Contained, 18V Lithium-Ion

Tool Series: PATMD-LW GUY Kits

- Light weight, compact and ergonomic design
- Interchangeable scissor action crimping and cutting jaws
- Safety trigger lock and locking jaw tabs
- LED Worklight
- **EP Enhanced Power** — tools accept 2.0, 3.0, 4.0, 5.0, and 6.0Ah Makita batteries

Crimp Capacity		
Connector Type	Conductor Type	Range
Terminals & Splices	Copper	#8 AWG - 500 kcmil
Terminals & Splices	Flex Copper	#8 AWG - 350 kcmil
Terminals & Splices	Aluminum (AAC)	#8 AWG - 350 kcmil
Full-Tension	ACSR	#10 - 4/0 AWG
Taps	Copper	#10 - 2/0 AWG
Taps	AAC or ACSR	#14 - 4/0 AWG
Stirrups	ACSR	#6 - 4/0 AWG

GUY Blade Cutting Capacity	
Conductor Type	Maximum Size
Guy Wire (EHS)	3/8"

Models*: all listed include AC Charger

PATMD16003A1: BG & D3, GUY Cutter, 3.0Ah batteries
PATMD36003A1: O & D3, GUY Cutter, 3.0Ah batteries
PATMD26003A1: D3 only, GUY Cutter, 3.0Ah batteries

PATMD16005A1: BG & D3, GUY Cutter, 5.0Ah batteries
PATMD36005A1: O & D3, GUY Cutter, 5.0Ah batteries
PATMD26005A1: D3 only, GUY Cutter, 5.0Ah batteries

*Change A to D in catalog numbers for DC charger in place of AC charger.

Interchangeable Jaw Assemblies:

PATMD6LWJAW Crimp jaw with BG and D3 grooves
PATMD68LWJAW Crimp jaw with O and D3 grooves
PATMD66LWJAW Crimp jaw with D3 groove only
PATMDCUTGLWJAW Cutting jaw with GUY blades



Specifications:

Output Force: 6 Tons
Tool Weight: 6.7 lbs (crimper) & 7.2 lbs (cutter)
Length:
PATMD6LW 18.73"
PATMD68LW 18.73"
PATMD66LW 17.85"
PATMD60003A1 19.25"
Die Style: W and X (with crimping jaws)
Operating Voltage: 18 V-DC Lithium-Ion
Recharge Time:
3.0Ah 30 minutes
5.0Ah 45 minutes
Warranty: 5 year limited warranty
 Lifetime warranty on INFINITY DRIVE®
 3 years on batteries and charger

Accessories:

PATMDCUTGUYKIT: GUY Replacement Blades (2 per kit)
BAT18VLI: Hi-capacity LI Makita battery (3.0Ah)
BAT18V5AHLI: Hi-capacity LI Makita battery (5.0Ah)
PATCHGRLI: 120V-AC Makita charger
PATCHGRLIDC: 12/24V-DC Makita charger
W28K: Cutter Dies (cuts 4-4/0 CU, AL, ACSR)
WDIETREE: W-die holder for 6 die sets
CASEWDIES: W-die case holder for 12 die sets
TOOLBAGMDLI: Tool bag (included with tool)

See Important Notes page at start of Tooling Section.

PATRIOT® 7.7 Ton, C-Head

Live Line, Hot Stick Cable Cutter

Hydraulic Self-Contained, 18V Lithium-Ion



Tool Series: PATCUT954HS

- New C-Head design
- Durable cutting blades
- Assist handle to aid maneuvering the cutting head
- Pistol-style grip
- ASTM F711 Rated Pole for live line use
- Offered in two lengths: 94" and 82"
- Includes 2 batteries, charger, and case
- **EP Enhanced Power** — tools accept 2.0, 3.0, 4.0, 5.0, and 6.0Ah Makita batteries

For Use On:

Maximum Cutting Capacity:

- ACSR:** up to 954 kcmil
- Aluminum (AAC):** up to 795 kcmil
- Copper (soft drawn):** up to 795 kcmil

Models:

- PATCUT954HS82LI** 82" pole, 3.0Ah 18V LI, AC charger
- PATCUT954HS82L5** 82" pole, 5.0Ah 18V LI, AC charger
- PATCUT954HS82LCB** 82" pole, no batteries or charger

- PATCUT954HS94LI** 94" pole, 3.0Ah 18V LI, AC charger
- PATCUT954HS94L5** 94" pole, 5.0Ah 18V LI, AC charger
- PATCUT954HS94LCB** 94" pole, no batteries or charger

Specifications:

Output Force:	7.7 Tons
Tool Weight:	19 lbs
Size:	95.5" x 16.7" x 3.5"
Operating Voltage:	18 V-DC Lithium-Ion
Recharge Time:	
3.0Ah	30 minutes
5.0Ah	45 minutes
Warranty:	5 year limited warranty (excluding blades) Lifetime warranty on INFINITY DRIVE® 3 years on batteries and charger

Accessories:

- BAT18VLI:** Hi-capacity LI Makita battery (3.0Ah)
- BAT18V5AHLI:** Hi-capacity LI Makita battery (5.0Ah)
- PATCHGRLLI:** 120V-AC Makita charger
- PATCHGRLLDC:** 12/24V-DC Makita charger
- BLMVBLL954KIT:** Replacement Moving Blade with hardware
- BLFIXED954KIT:** Replacement Fixed Blade with hardware



See Important Notes page at start of Tooling Section.

PATRIOT® IN-LINE® Angle Pole Cutter/Crimper
Hydraulic Self-Contained, 18V Lithium-Ion, 82"

Tool Series: PATMDCUT82ALLIF

- Adjustable Angular Head
- ASTM F711 Rated Pole for live line use
- Rocker trigger design for controlled actuation of the tool
- Safety lock to prevent accidental operation
- Includes 2 batteries and charger
- **EP Enhanced Power** — tools accept 2.0, 3.0, 4.0, 5.0, and 6.0Ah Makita batteries

For Use On:

Maximum Cutting Capacity:


- ACSR (26/7):** 556.5 kcmil
- Aluminum (AAC):** up to 636 kcmil
- Copper (soft drawn):** up to 350 kcmil

Models:

- PATMDCUT82ALLIF** Cutter jaw; 82" F711 Pole
- PATMD682ALLIF** Crimp Jaws (BG & D3); 82" F711 Pole
- PATMD6882ALLIF** Crimp Jaws (O & D3); 82" F711 Pole
- PATMD6682ALLIF** Crimp Jaws (D3 only); 82" F711 Pole

Kits with Tool, Crimping and Cutting Jaws, Pole:

- PATMD682ALLIFWCJ** Kit includes crimp head with BG & D3 grooves, cutter jaw, 120V charger and 2 batteries
- PATMD6882ALLIFWCJ** Kit includes crimp head with O & D3 grooves, cutter jaw, 120V charger and 2 batteries
- PATMD6682ALLIFWCJ** Kit includes crimp head with D3 groove, cutter jaw, 120V charger and 2 batteries



Specifications:

- Output Force:** 6 Tons
- Operating Voltage:** 18 V-DC Lithium-Ion
- Recharge Time:** 30 minutes
- Warranty:** 5 year limited warranty (excludes blades and pole)
Lifetime warranty on INFINITY DRIVE®
3 year on batteries and charger

Accessories:

- BAT18VLI:** Hi-capacity LI battery (3.0 AH)
- PATCHGRLI:** 120V-AC Charger
- PATCHGRLIDC:** 12/24V-DC Charger
- WDIETREE:** W-die holder for 6 die sets

Interchangeable Jaw Assemblies:

- PATMD6LWJAW** Crimp jaw with BG and D3 grooves
- PATMD68LWJAW** Crimp jaw with O and D3 grooves
- PATMD66LWJAW** Crimp jaw with D3 groove only
- PATMDCUTLWJAW** Cutting jaw with ACSR blades
- PATMDCUTCLWJAW** Cutting jaw with CU/AL blades
- PATMDCUTGLWJAW** Cutting jaw with GUY blades

See Important Notes page at start of Tooling Section.

**PATRIOT® Battery Actuated
Cable Cutter for Copper & Aluminum**

Mechanically Driven, 18V Lithium-Ion

Tool Series: PATCUT1500

- Variable speed trigger
- Forward/Reverse switch features a locking position
- Large, strategically placed, non-skid bumper
- LED Worklight
- Large, new cutting blade design
- Includes 1 battery, charger, and case
- **EP Enhanced Power** — tools accept 2.0, 3.0, 4.0, 5.0, and 6.0Ah Makita batteries

For Use On:

Aluminum: up to 1500 kcmil

Copper Flex: up to 1250 kcmil

Copper (soft drawn): up to 1000 kcmil

Copper (hard drawn): up to 750 kcmil

Do Not Cut Steel or ACSR

Models:

PATCUT1500LI with 3.0Ah Li-Ion battery, hard case
PATCUT1500L5 with 5.0Ah Li-Ion battery, hard case

PATCUT1500LIPB with 3.0Ah Li-Ion battery, pro bag
PATCUT1500L5PB with 5.0Ah Li-Ion battery, pro bag



Specifications:

Tool Weight:	8.1 lbs with battery
Size:	15.5" x 6.0" x 4.38"
Operating Voltage:	18 V-DC Lithium-Ion
Recharge Time:	
3.0Ah	30 minutes
5.0Ah	45 minutes
Warranty:	3 year limited warranty (excluding blades) 3 years on battery and charger

Accessories:

BAT18VLI:	Hi-capacity LI Makita battery (3.0Ah)
BAT18V5AHLI:	Hi-capacity LI Makita battery (5.0Ah)
PATCHGRLI:	120V-AC Makita charger
PATCHGRLIDC:	12/24V-DC Makita charger
CASEPATCUT1500:	Polymer carrying case
PT208620:	Lanyard

See Important Notes page at start of Tooling Section.