

Electric Hydraulic Pump, 10,000 PSI Light Weight, Space Saving Design

Pump Series: Y10AC9

- Easy to carry and transport
- Factory set relief valve
- 100,000+ life cycles
- Sealed electric pendant switch with 10-foot cord

For Use With:

Y10AC9: 10,000 PSI electric pump
Used with: Y34BH, Y35BH, Y35BH4, Y750BHXT,
Y750CBHXT, Y45, Y46LWSBH,
Y46LWBH, Y60LW, Y4PC834MBH, Y444SBH,
Y81KFTMBH, RHCC Series Cutters



Models:

Y10AC9 Electric hydraulic pump
Y10AC9OEM Electric hydraulic pump with foot switch; pump features "Jog & Hold"

Examples of some of the remote crimping and cutting heads for use with Y10AC9 pump



Y60LW



RHCC129ACSR



Y81KFTMBH

Specifications:

Weight:	28.0 lbs (including oil)
Motor:	115V-AC 50/60 Hz 5/8 HP, 10,000 RPM
Height:	14.38"
Base:	8.25" x 6.50"
Max. Current Draw:	11 amp
Reservoir Volume:	1.61 quarts
Warranty:	5 year limited warranty

Accessories:

YACCASE: Steel carrying case with handle and locking latch
YACFC: Foot control switch

See Hydraulic Hoses; Pump Accessories for Hose options

Electric Hydraulic Pump, 10,000 PSI
Light Weight, Long Service Life

Pump: EPP10

- Lightweight, small size
- 100,000+ life cycles
- Durable remote pendant switch

For Use With:

EPP10: 10,000 PSI electric pump
Used with: Y34BH, Y35BH, Y35BH4, Y750BHXT,
Y750CBHXT, Y45, Y46LWSBH,
Y46LWBH, Y60LW, Y4PC834MBH, Y444SBH,
Y81KFTMBH, RHCC Series Cutters



Examples of some of the remote crimping and cutting heads for use with EPP10 pump



Specifications:

Motor:	115V-AC/60 Hz 1/2 HP @ 3450 RPM
Max. Current Draw:	12.5 amperes
Weight:	30.0 lbs
Base:	18.00" x 8.00" x 6.00"
Height:	16.00"
Reservoir Volume:	2 quarts
Warranty:	5 year limited warranty

Accessories:

EPPCASE1: Steel carrying case with handle, locking latch
PT9711: Pendant switch

**See Hydraulic Hoses; Pump Accessories
for Hose options**

Electric Hydraulic Pump, 10,000 PSI Dual Voltage/Hertz, Large Reservoir

Pump Series: EP10

- Dual voltage / hertz
- Oil level window
- 8 quart reservoir

Models / For Use With:

EP10:	10,000 PSI electric pump; 1/2 HP 115/230 V-AC; 60 cycle
Used with:	Y34BH, Y35BH, Y35BH4, Y750BHXT, Y750CBHXT, Y45, Y46LWSBH, Y46LWBH, Y60LW, Y4PC834MBH, Y444SBH, Y81KFTMBH, RHCC Series Cutters
EP102:	10,000 PSI electric pump; 1/2 HP 220/230 V-AC; 50/60 cycle
Used with:	Y34BH, Y35BH, Y35BH4, Y750BHXT, Y750CBHXT, Y45, Y46LWSBH, Y46LWBH, Y60LW, Y4PC834MBH, Y444SBH, Y81KFTMBH, RHCC Series Cutters
EP101HP:	10,000 PSI electric pump; 1 HP 115/230 V-AC; 60 cycle
Used with:	Y34BH, Y35BH, Y35BH4, Y750BHXT, Y750CBHXT, Y45, Y46LWSBH, Y46LWBH, Y60LW, Y4PC834MBH, Y444SBH, Y81KFTMBH, RHCC Series Cutters
EP101HP2:	10,000 PSI electric pump; 1 HP 220/230 V-AC; 50/60 cycle
Used with:	Y34BH, Y35BH, Y35BH4, Y750BHXT, Y750CBHXT, Y45, Y46LWSBH, Y46LWBH, Y60LW, Y4PC834MBH, Y444SBH, Y81KFTMBH, RHCC Series Cutters



Specifications:

Motor:	1/2 HP 115/230V-AC, 60 Cycle; 1/2 HP @ 3450 RPM
Max. Current Draw:	10 amperes
Reservoir Volume:	8 quarts max; 2 quarts min.
Height:	17.50"
Base:	11.75" x 18.50"
Dry Weight:	68.0 lbs (86.0 lbs with max. fluid)
Warranty:	5 year limited warranty

Accessories:

*See Hydraulic Hoses; Pump Accessories for
Hose options*

Electric Hydraulic Pump, 10,000 PSI
Large 8 Quart Reservoir, Roll Cage

Pump: EPAC10

- Roll cage
- 3 position switch and control box
- Full automatic or manual "Jog and Hold" cycles
- Windows allow easy inspection of proper oil level

For Use With:

EPAC10: 10,000 PSI electric pump
Used with: Y34BH, Y35BH, Y35BH4, Y750BHXT,
Y750CBHXT, Y45, Y46LWSBH,
Y46LWBH, Y60LW, Y4PC834MBH, Y444SBH,
Y81KFTMBH, RHCC Series Cutters

*Examples of some of the remote
crimping and cutting heads for use
with EPAC10 pump*



Specifications:

Motor: 1/2 HP 115/230V-AC,
60 Cycle; 1/2 HP @ 3450 RPM
Max. Current Draw: 10 amperes
Reservoir Volume: 8 quarts max; 2 quarts min.
Height: 17.50"
Base: 11.75" x 18.50"
Dry Weight: 68.0 lbs (82.0 lbs with max. fluid)
Warranty: 5 year limited warranty

Accessories:

*See Hydraulic Hoses; Pump Accessories for
Hose options*