

**PVC COATED CONDUIT HUBS**


ST							
Item Number	Trade Size	Weight Per 100 (lbs)	A	B	C	Max Wall Thickness	Aluminum Item Number
PV0500ST1	1/2"	20	1.84	2.00	1.31	0.125	PA0500STA1
PV0700ST2	3/4"	30	2.22	2.25	1.66	0.125	PA0700STA2
PV1000ST3	1"	40	2.66	2.50	2.03	0.125	PA1000STA3
PV1200ST4	1-1/4"	40	2.94	3.25	2.28	0.125	PA1200STA4
PV1500ST5	1-1/2"	60	3.19	3.50	2.53	0.125	PA1500STA5
PV2000ST6	2"	120	3.75	4.25	3.09	0.125	PA2000STA6
PV2500ST7	2-1/2"	150	4.22	4.75	3.28	0.125	PA2500STA7
PV3000ST8	3"	210	4.31	5.25	3.38	0.125	PA3000STA8
PV3500ST9	3-1/2"	300	4.38	5.50	3.44	0.125	PA3500STA9
PV4000ST10	4"	350	4.44	6.25	3.50	0.125	PA4000STA10
PV5000ST11	5"	540	4.94	7.50	4.00	0.125	PA5000STA11
PV6000ST12	6"	690	5.00	8.50	4.00	0.125	PA6000STA12



STG Grounding							
Item Number	Trade Size	Weight Per 100 (lbs)	A	B	C	Max Wall Thickness	Aluminum Item Number
PV0500STG1	1/2"	20	1.84	2.00	1.31	0.125	PA0500STAG1
PV0700STG2	3/4"	30	2.22	2.25	1.66	0.125	PA0700STAG2
PV1000STG3	1"	40	2.66	2.50	2.03	0.125	PA1000STAG3
PV1200STG4	1-1/4"	40	2.94	3.25	2.28	0.125	PA1200STAG4
PV1500STG5	1-1/2"	60	3.19	3.50	2.53	0.125	PA1500STAG5
PV2000STG6	2"	120	3.75	4.25	3.09	0.125	PA2000STAG6
PV2500STG7	2-1/2"	150	4.22	4.75	3.28	0.125	PA2500STAG7
PV3000STG8	3"	210	4.31	5.25	3.38	0.125	PA3000STAG8
PV3500STG9	3-1/2"	300	4.38	5.50	3.44	0.125	PA3500STAG9
PV4000STG10	4"	350	4.44	6.25	3.50	0.125	PA4000STAG10
PV5000STG11	5"	540	4.94	7.50	4.00	0.125	PA5000STAG11
PV6000STG12	6"	690	5.00	8.50	4.00	0.125	PA6000STAG12



STTB			
Item Number	Trade Size	Weight Per 100 (lbs)	Aluminum Item Number
PV0500STTB1	1/2"	50	PA0500STTB1
PV0700STTB2	3/4"	50	PA0700STTB2
PV1000STTB3	1"	70	PA1000STTB3
PV1200STTB4	1-1/4"	100	PA1200STTB4
PV1500STTB5	1-1/2"	120	PA1500STTB5
PV2000STTB6	2"	170	PA2000STTB6
PV2500STTB7	2-1/2"	250	PA2500STTB7
PV3000STTB8	3"	300	PA3000STTB8
PV3500STTB9	3-1/2"	420	
PV4000STTB10	4"	590	




STTB*			
Item Number	Trade Size	Weight Per 100 (lbs)	Aluminum Item Number
PV0500STTB1	1/2"	100	PA0500STTB1
PV0700STTB2	3/4"	100	PA0700STTB2
PV1000STTB3	1"	140	PA1000STTB3
PV1200STTB4	1-1/4"	200	PA1200STTB4
PV1500STTB5	1-1/2"	240	PA1500STTB5
PV2000STTB6	2"	340	PA2000STTB6

\* Unlimited Wall thickness - determined by nipple used

**PVC COATED LIQUIDTIGHT CONNECTORS**


**Straight**

Item Number	Trade Size	A	B	C	Weight Per 100 (lbs)	Aluminum Item Number
PV0300LT38	3/8"	1.24	1.88	0.56	20	
PV0500LT50	1/2"	1.46	2.06	0.56	20	PA0500LT50SA
PV0700LT75	3/4"	1.74	2.38	0.56	30	PA0700LT75SA
PV1000LT100	1"	1.96	3.06	0.75	40	PA1000LT100SA
PV1200LT125	1-1/4"	2.36	3.75	0.81	80	PA1200LT125SA
PV1500LT150	1-1/2"	2.80	4.19	0.81	90	PA1500LT150SA
PV2000LT200	2"	3.33	5.06	0.88	170	PA2000LT200SA
PV2500LT250	2-1/2"	3.83	6.13	1.00	300	PA2500LT250SA
PV3000LT300	3"	4.58	6.25	1.00	420	PA3000LT300SA
PV4000LT400	4"	5.58	6.50	1.13	620	PA4000LT400SA




**Straight w/ Ground**

Item Number	Trade Size	A	B	C	Weight Per 100 (lbs)	Ground Wire	Aluminum Item Number
PV0300LT38G	3/8"	1.24	1.88	0.56	20	14-8	
PV0500LT50G	1/2"	1.46	2.06	0.56	20	14-8	PA0500LT50GSA
PV0700LT75G	3/4"	1.74	2.38	0.56	30	14-4	PA0700LT75GSA
PV1000LT100G	1"	1.96	3.06	0.75	40	14-4	PA1000LT100GSA
PV1200LT125G	1-1/4"	2.33	3.75	0.81	80	14-4	PA1200LT125GSA
PV1500LT150G	1-1/2"	3.33	4.19	0.81	90	14-4	PA1500LT150GSA
PV2000LT200G	2"	3.89	5.06	0.88	170	14-4	PA2000LT200GSA
PV2500LT250G	2-1/2"	4.52	6.13	1.00	300	1/0-8	PA2500LT250GSA
PV3000LT300G	3"	5.27	6.25	1.00	420	1/0-8	PA3000LT300GSA
PV4000LT400G	4"	6.21	6.50	1.13	620	3/0-6	PA4000LT400GSA



**45°**


Item Number	Trade Size	A	B	C	Weight Per 100 (lbs)
PV0300LT3845	3/8"	1.24	1.94	0.56	30
PV0500LT5045	1/2"	1.46	2.38	0.56	30
PV0700LT7545	3/4"	1.74	2.88	0.56	40
PV1000LT10045	1"	1.96	3.25	0.75	50
PV1200LT12545	1-1/4"	2.36	4.00	0.81	150
PV1500LT15045	1-1/2"	2.80	4.88	0.81	120
PV2000LT20045	2"	3.33	5.88	0.88	200
PV2500LT25045	2-1/2"	3.83	6.25	1.00	300
PV3000LT30045	3"	4.58	6.25	1.00	420
PV4000LT40045	4"	5.58	6.63	1.13	620



### PVC COATED LIQUIDTIGHT CONNECTORS


#### 45° w/ Ground

Item Number	Trade Size	A	B	C	Ground Wire	Weight Per 100 (lbs)
PV0300LT3845G	3/8"	1.24	1.94	0.56	14-8	30
PV0500LT5045G	1/2"	1.46	2.38	0.56	14-8	30
PV0700LT7545G	3/4"	1.74	2.88	0.56	14-4	40
PV1000LT10045G	1"	1.96	3.25	0.75	14-4	50
PV1200LT12545G	1-1/4"	3.33	4.63	0.81	14-4	150
PV1500LT15045G	1-1/2"	3.33	4.88	0.81	14-4	120
PV2000LT20045G	2"	3.89	5.88	0.88	14-4	200
PV2500LT25045G	2-1/2"	4.52	6.25	1.00	1/0-8	300
PV3000LT30045G	3"	5.27	6.25	1.00	1/0-8	420
PV4000LT40045G	4"	6.21	6.63	1.13	3/0-6	620




#### 90°

Item Number	Trade Size	A	B	C	Weight Per 100 (lbs)	Aluminum Item Number
PV0300LT3890	3/8"	1.24	1.80	0.56	30	
PV0500LT5090	1/2"	1.46	2.10	0.56	30	PA0500LT5090SA
PV0700LT7590	3/4"	1.74	2.54	0.56	40	PA0700LT7590SA
PV1000LT10090	1"	1.96	3.23	0.75	60	PA1000LT10090SA
PV1200LT12590	1-1/4"	2.36	4.04	0.81	100	PA1200LT12590SA
PV1500LT15090	1-1/2"	2.80	4.48	0.81	170	PA1500LT15090SA
PV2000LT20090	2"	3.33	5.48	0.88	270	PA2000LT20090SA
PV2500LT25090	2-1/2"	3.83	10.92	1.00	380	
PV3000LT30090	3"	4.58	12.3	1.00	420	
PV4000LT40090	4"	5.58	14.7	1.13	620	



#### 90° w/ Ground

Item Number	Trade Size	A	B	C	Weight Per 100 (lbs)	Aluminum Item Number
PV0300LT3890G	3/8"	1.10	1.55	0.56	30	
PV0500LT5090G	1/2"	1.46	1.98	0.56	30	PA0500LT5090GSA
PV0700LT7590G	3/4"	1.96	2.85	0.75	40	PA0700LT7590GSA
PV1000LT10090G	1"	1.96	3.10	0.75	60	PA1000LT10090GSA
PV1200LT12590G	1-1/4"	2.33	3.79	0.81	100	PA1200LT12590GSA
PV1500LT15090G	1-1/2"	3.33	4.48	0.81	170	PA1500LT15090GSA
PV2000LT20090G	2"	3.89	5.48	0.88	270	PA2000LT20090GSA
PV2500LT25090G	2-1/2"	4.52	10.92	1.00	380	
PV3000LT30090G	3"	5.27	12.3	1.00	420	
PV4000LT40090G	4"	6.21	14.7	1.13	620	



PVC Conduit & Fittings

Allied Tube & Conduit® Catalog

800.882.5543