

■ B potterycrafts

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Basalt Fleck Stoneware Clay

Product number P1552

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Ceramic clay or natural modelling clay. Designed for pottery, artistic ceramics.

1.3. Details of the supplier of the safety data sheet

Potterycrafts (UK)	Fired Up Kilns (AUS)
Campbell Road,	10 Helen Street,
Stoke on Trent, Staffordshire UK ST4 4ET	Heidelberg West 3081 Victoria Australia
Tel +44 (0)1782 745000	Tel +61 (0) 473 748 870
sales@potterycrafts.co.uk	hello@firedupkilns.com.au

1.4. Emergency telephone number

UK +44(0) 1782 745000 Office hours. AUS +61(0) 473 748 870 Office hours

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification	
Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects.

No other Hazards.

2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Hazard statements	NC : Not Classified
Precautionary statements	Avoid generating and breathing dust from product in the dry state.
Contains	Fine Fraction Crystalline Silica

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	CE/ EINECS	CAS	Concentration	Classification
Quartz	238-455-4	14808-60-7	>20% (*)	Substance with occupation exposure limit.
Classification				
STOT RE 1 – H	1372			

(*) The respirable crystalline silica is less than 1%.

Composition comments

The product is supplied in a plastic state, when the clay dries, the hazards will be as described in the text.



SECTION 4: First aid measures

4.1. Description of first aid measures		
Inhalation	Not relevant.	
Ingestion	Rinse mouth thoroughly with water. Drink a few glasses of water or milk.	
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.	
Eye contact	Rinse with water. Get medical attention if any discomfort continues.	
4.2. Most important symptoms and effects, both acute and delayed		

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
5.2. Special hazards arising fro	m the substance or mixture
Specific hazards	No unusual fire or explosion hazards noted.
5.3. Advice for firefighters	N/A
Special protective equipment	Use protective equipment appropriate for surrounding materials.
for firefighters	

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13.

6.3. Methods and material for containment and cleaning up

 Methods for cleaning up
 Collect spillage with a shovel and broom, or similar and reuse, if possible. Dispose of waste

 to licensed waste disposal site in accordance with the requirements of the local Waste

 Disposal/Authority.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Do not eat, drink or smoke when using the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep in a cool place. Do not allow to freeze

7.3. Specific end use(s)



■ BY B potterycrafts

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Name	EINECS	N° CAS	VLA-EC ¹		VLA-ED ²	
			ppm	Mg/m ³	ppm	Mg/m ³
Crystalline silica respirable	238-878-4	14808-60-7	-	-	-	0.05
Quartz						
Occupational exposure limits						
Long-term exposure	limit (8-hour T\	VA): 4 mg/m3	3 resp.dust			
Fine Fraction Crystalline Silica	ı					
Long-term exposure	limit (8-hour TW	A): WEL 0.1	mg/m³			
WEL = Workplace Exposure Lin	nit					
Ingredient comments	Total Inhala	ole Dust 10mg/r	m3 - 8hr TWA To	otal respirable Du	st 4mg/m3 - 8hr ⁻	ΓWA
8.2. Exposure controls						
Appropriate engineering	Provide ade	Provide adequate general and local exhaust ventilation. Observe any occupational				
	exposure lin	nits for the produ	uct or ingredients.			
Eye/face protection	Eyewear co	mplying with an	approved standa	rd should be worn	if a risk assessme	ent
	indicates eye contact is possible. The following protection should be worn: Dust-resistant,			esistant,		
	chemical sp	ash goggles.				
Hand protection	Barrier cream applied before work may make it easier to clean the skin after exposure, but					
	does not pr	event absorptio	n through the sk	in.		
Hygiene measures	Wash hands	at the end of e	each work shift a	nd before eating,	smoking and usir	ng the toilet.
	When using	do not eat, drin	nk or smoke.			
Respiratory protection	No specific r	ecommendation	s. Protection aga	inst nuisance dus	t must be used wh	en the
		centration exce				

9.1. Information on basic physical and chemical properties

Appearance	Moist mineral mass with coarse specks
Colour	Unfired Beige, Fired Buff Brown
Odour	Odourless.
рН	pH (diluted solution): 7
Solubility(ies)	Insoluble in water.
9.2. Other information	

SECTION 10: Stability and reactivity

10.1. Reactivity	
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Material will lose water by evaporation.
10.3. Possibility of hazardous	s reactions
Possibility of hazardous	Not relevant.
Reactions	



■ B potterycrafts

10.4. Conditions to avoid	
Conditions to avoid	Not relevant.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a
	hazardous situation.
10.6. Hazardous decomposition	
Hazardous decomposition	No known hazardous decomposition products
products	
products	
SECTION 11: Toxicological infor	mation
11.1. Information on toxicologica	
Toxicological effects	No data recorded.
General information	Prolonged and/or massive exposure to respirable crystalline silica-containing dust may
	cause silicosis, a nodular pulmonary fibrosis caused by deposition in the lungs of fine
	respirable particles of crystalline silica.
Inhalation	Not hazardous in the form supplied. If dried and generated into a powder, excessive
imalation	exposure may cause chronic lung disease.
Ingestion	No harmful effects expected from quantities likely to be ingested by accident.
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Skill contact	Froionged contact may cause requess, initiation and dry skin.
SECTION 12: Ecological Informa	tion
Ecotoxicity	The product is not expected to be hazardous to the environment.
12.1. Toxicity	
12.2. Persistence and degradabil	ity
Persistence and degradability	The product contains only inorganic substances which are not biodegradable.
12.3. Bioaccumulative potential	The product contains only morganic substances which are not biodegradable.
12.4. Mobility in soil	
12.5. Results of PBT and vPvB as	ssassmant
	This product does not contain any substances classified as PBT or vPvB.
assessment	
12.6. Other adverse effects	
SECTION 13: Disposal considera	ations
13.1. Waste treatment methods	
General information	When handling waste, the safety precautions applying to handling of the product should
	be considered.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the
	local Waste Disposal Authority.
	······································



■ B potterycrafts

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

- 14.1. UN number
- 14.2. UN proper shipping name
- 14.3. Transport hazard class(es)
- 14.4. Packing group
- 14.5. Environmental hazards
- 14.6. Special precautions for user
- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended).
	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009
	No. 716).
EU legislation	Dangerous Substances Directive 67/548/EEC.
	Dangerous Preparations Directive 1999/45/EC.
	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
	December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
	Chemicals (REACH) (as amended).
Guidance	Workplace Exposure Limits EH40.
	Introduction to Local Exhaust Ventilation HS(G)37.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by	Product Regulations Dept
Revision date	05/01/2024
Revision	2
Supersedes date	9/12/2018
SDS number	0125
SDS status	Approved.
Hazard statements in full	H372 Causes damage to organs (Respiratory system, lungs) through prolonged or repeated

H372 Causes damage to organs (Respiratory system, lungs) through prolonged or repeate exposure, if inhaled.

Disclaimer.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.