

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Identification

Product Name: Saguaro

Other means of identification

Product Code(s) FG00780

Synonyms 39437S

Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on use

Details of the supplier of the safety data sheet

Fired Up Kilns (AUS)

20 Helen Street, Heidelberg West 3081 Victoria Australia Tel +61 (0) 3 7013 9025 hello@firedupkilns.com.au

Emergency telephone number

AUS +61(0) 3 7013 9025 Office hours.

AUSTRALIAN POISONS INFORMATION CENTRE 24 HOUR SERVICE 13 11 26

POLICE / FIRE / AMBULANCE 000

SECTION 2: Hazards identification

Classification

Skin sensitization Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard Statements

Danger

H317 - May cause an allergic skin reaction

Physical state Liquid

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace

Wear protective gloves

Precautionary Statements - Response

Specific treatment (see .? on this label)

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

No information available.



SECTION 3: Composition/information on ingredients

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
Quartz	14808-60-7	5 - <10
Wollastonite (Ca(SiO3))	13983-17-0	10 - 20
Kaolin	1332-58-7	3 - <5
Zircon	14940-68-2	1 - <3
Aluminum oxide (Al2O3)	1344-28-1	1 - <3
C.I. Pigment Yellow 159	68187-15-5	1 - <3
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	0.1 - 1

SECTION 4: First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contactWash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion Rinse mouth.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid breathing vapors or mists. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

SECTION 5: Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.



SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take

off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or

level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other

recommended limit. At this time, the other relevant constituents have no known exposure

limits from the sources listed here.

CHEMICAL NAME	ACGIH TLV	OSHA PEL	NIOSH
Quartz 14808-60-7	TWA: 0.025 mg/m3 respirable particulate matter	TWA: 50 µg/m3 (vacated) TWA: 0.1 mg/m3 respirable dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m 3 TWA respirable fraction	IDLH: 50 mg/m3 respirable dust TWA: 0.05 mg/m3 respirable dust
Wollastonite (Ca(SiO3)) 13983-17-0	TWA: 1 mg/m3 inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica	TWA: 15 mg/m3 total dust TWA: 5 mg/m3 respirable fraction (vacated) TWA: 15 mg/m3 total dust (vacated) TWA: 5 mg/m3 respirable fraction	TWA: 10 mg/m3 total dust TWA: 5 mg/m3 respirable dust
Kaolin 1332-58-7	TWA: 2 mg/m3 particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m3 total dust TWA: 5 mg/m3 respirable fraction (vacated) TWA: 10 mg/m3 total dust (vacated) TWA: 5 mg/m3 respirable fraction	TWA: 10 mg/m3 total dust TWA: 5 mg/m3 respirable dust
Zircon 14940-68-2	STEL: 10 mg/m3 Zr TWA: 5 mg/m3 Zr	TWA: 5 mg/m3 Zr (vacated) TWA: 5 mg/m3 Zr (vacated) STEL: 10 mg/m3 Zr	IDLH: 25 mg/m3 Zr TWA: 5 mg/m3 except Zirconium tetrachloride Zr STEL: 10 mg/m3 Zr

ſ	Aluminum oxide	TWA: 1 mg/m3 respirable	TWA: 15 mg/m3 total dust	-
	(Al2O3)	particulate matter	TWA: 5 mg/m3 respirable	
	1344-28-1		fraction	
			(vacated) TWA: 10 mg/m3 total	
			dust	
			(vacated) TWA: 5 mg/m3	
			respirable fraction	
ĺ	C.I. Pigment	STEL: 10 mg/m3 Zr	TWA: 5 mg/m3 Zr	IDLH: 25 mg/m3 Zr
	Yellow 159	TWA: 5 mg/m3 Zr	(vacated) TWA: 5 mg/m3 Zr	TWA: 5 mg/m3 except
	68187-15-5		(vacated) STEL: 10 mg/m3 Zr	Zirconium tetrachloride Zr
			· · · · · · · · · · · · · · · · · · ·	STEL: 10 mg/m3 Zr

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Liquid

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Appearance

Color

Odor

Odor threshold

Property pH	<u>Values</u> No data available	Remarks • Method None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air	Tto data dvandbio	None known
Upper flammability or explosive	No data available	None known
limits	Tto data dvandbio	
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
-		



Other information

Explosive properties

Explosive propertiesNo information availableOxidizing propertiesNo information availableVOC Content (%)No information available

SECTION 10: Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

Ingestion Specific test data for the substance or mixture is not available

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Acute toxicity

Numerical measures of toxicity

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 21,717.30 mg/kg **ATEmix (dermal)** 86,515.40 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Wollastonite (Ca(SiO3)) 13983-17-0	> 5000 mg/kg (Rat)	-	-
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Aluminum oxide (Al2O3) 1344-28-1	> 5000 mg/kg (Rat)	-	-
C.I. Pigment Yellow 159 68187-15-5	-	-	> 5.5 mg/L (Rat) 4 h
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol 4719-04-4	= 763 mg/kg (Rat)	> 4000 mg/kg (Rat)	= 0.4 mg/L (Rat) 4 h = 0.338 mg/L (Rat) 4 h



Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group1	Known	Х
Wollastonite (Ca(SiO3)) 13983-17-0	-	Group 3	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicityNo information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Target organ effects Respiratory system, Eyes, Skin, Lungs, Gastrointestinal tract (GI).

Aspiration hazard No information available.

Other adverse effects

Interactive effects

SECTION 12: Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
1,3,5-Triazine-1,3,5(2H,4 H,6H)-triethanol 4719-04-4	-	LC50: =16.07mg/L (96h, Danio rerio)	-	•

Persistence and degradability

Bioaccumulation There is no data for this product.

Other adverse effects No information available.



SECTION 13: Disposal considerations

Disposal methods

Waste from residues/unused products Dispose of waste in accordance with environmental legislation. Dispose of waste in accordance

with local legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

DOT Not regulated

UN number or ID number UN3082 Packing group

SECTION 15: Regulatory information

International Inventories

TSCA Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Quartz	14808-60-7	Present	Active
Wollastonite (Ca(SiO3))	13983-17-0	Present	Active
Nepheline syenite	37244-96-5	-	Unknown*
Kaolin	1332-58-7	Present	Active
Zircon	14940-68-2	Present	Active
C.I Pigment Yellow 159	68187-15-5	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
Sodium carboxymethyl cellulose	9004-32-4	Present	Active
C.I Pigment Blue			
1,3,5-Triazine-1,3,5(2H,4H,6H)- triethanol	4719-04-4	Present	Active
C.I Pigment Red 232	68412-79-3	Present	Active
Polyphosphoric acids, sodium salts	68915-31-1	Present	Active
Ethanolamine	141-43-5	Present	Active

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. AIIC **NZIoC** Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals



US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
Aluminum oxide (Al2O3) – 1344-28-1	1.0	

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	Х
Quartz 14808-60-7	Х	Х	Х
Wollastonite (Ca(SiO3)) 13983-17-0	Х	Х	Х
Kaolin 1332-58-7	Х	Х	Х
Aluminum oxide (Al2O3) 1344-28-1	X	X	Χ
C.I. Pigment Blue 71 68186-95-8	Х	-	-
Ethanolamine 141-43-5	X	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

SECTION 16: Other information

NFPA Health hazards 2 Flammability 0 Instability 0 Special hazards - HMIS Health hazards 2 Flammability 0 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend * = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation



Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 09-Aug-2022 Revision Note

AUSTRALIAN POISONS INFORMATION CENTRE 24

HOUR SERVICE 13 11 26

POLICE / FIRE / AMBULANCE 000

Disclaimer.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.