

# Chhattisgarh Public Service Commission

## Notations :

- Options shown in green color and with ✓ icon are correct.
- Options shown in red color and with ✗ icon are incorrect.

Question Paper Name:	Dental Surgeon
Subject Name:	Dental Surgeon
Duration:	180
Calculator:	None
Magnifying Glass Required?:	No
Ruler Required?:	No
Eraser Required?:	No
Scratch Pad Required?:	No
Rough Sketch/Notepad Required?:	No
Protractor Required?:	No

## Elective Subject 1

Group Maximum Duration :	120
Group Minimum Duration :	120
Revisit allowed for view? :	No
Revisit allowed for edit? :	No

## Dental Surgeon

Mandatory or Optional:	Mandatory
Display Number Panel:	Yes
Group All Questions:	No

Question Number : 1 Question Id : 5403043301 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The major sign of Hypoventilation is:

## Options :

- ✗ Hypoxia
- ✗ Cyanosis
- ✗ Bronchitis
- ✓ Dyspnoea
- ✗ Hypercapnea

Question Number : 1 Question Id : 5403043301 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The major sign of Hypoventilation is:

Options :

1. ✗ Hypoxia
2. ✗ Cyanosis
3. ✗ Bronchitis
4. ✓ Dyspnoea
5. ✗ Hypercapnea

Question Number : 2 Question Id : 5403043302 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

When the Diaphragm contracts during inspiration, the intrapleural pressure becomes:

Options :

1. ✓ More negative
2. ✗ Positive
3. ✗ Does not effect
4. ✗ Less negative
5. ✗ Equal to intra alveolar pressure

Question Number : 2 Question Id : 5403043302 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

When the Diaphragm contracts during inspiration, the intrapleural pressure becomes:

Options :

1. ✓ More negative
2. ✗ Positive
3. ✗ Does not effect
4. ✗ Less negative
5. ✗ Equal to intra alveolar pressure

Question Number : 3 Question Id : 5403043303 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Bilirubin in liver is conjugated with:

Options :

1. ✗ Taurine
2. ✗ Acetyl CoA
3. ✗ Glutamine
4. ✓ Glucuronic acid

5. ✖ Glycine

Question Number : 3 Question Id : 5403043303 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Bilirubin in liver is conjugated with:

Options :

1. ✖ Taurine
2. ✖ Acetyl CoA
3. ✖ Glutamine
4. ✔ Glucuronic acid
5. ✖ Glycine

Question Number : 4 Question Id : 5403043304 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following is not an enzyme from pancreatic juice?

Options :

1. ✖ Lipase
2. ✖ Trypsin
3. ✔ Pepsin
4. ✖ Amylase
5. ✖ Chymotrypsin

Question Number : 4 Question Id : 5403043304 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following is not an enzyme from pancreatic juice?

Options :

1. ✖ Lipase
2. ✖ Trypsin
3. ✔ Pepsin
4. ✖ Amylase
5. ✖ Chymotrypsin

Question Number : 5 Question Id : 5403043305 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following glands has the highest secretions in our body?

Options :

1. ✖ Salivary

2. ✖ Lacrimal
3. ✖ Fundic
4. ✔ Gastric
5. ✖ Sweat

Question Number : 5 Question Id : 5403043305 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following glands has the highest secretions in our body?

Options :

1. ✖ Salivary
2. ✖ Lacrimal
3. ✖ Fundic
4. ✔ Gastric
5. ✖ Sweat

Question Number : 6 Question Id : 5403043306 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

For the x-ray operator, which of the following is the best method for radiation protection?

Options :

1. ✖ Added filtration
2. ✖ Standing 6 feet away from x-ray tube
3. ✖ Wearing a lead apron
4. ✔ Standing behind a lead barrier
5. ✖ Following the "Position and Distance" rule

Question Number : 6 Question Id : 5403043306 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

For the x-ray operator, which of the following is the best method for radiation protection?

Options :

1. ✖ Added filtration
2. ✖ Standing 6 feet away from x-ray tube
3. ✖ Wearing a lead apron
4. ✔ Standing behind a lead barrier
5. ✖ Following the "Position and Distance" rule

Question Number : 7 Question Id : 5403043307 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The facial aspect of an IOPAR film is determined by:

Options :

1. ✖ Film with aluminium cover side
2. ✖ Anatomic land marks
3. ✖ Curvature of arch
4. ✖ Concavity of the embossed dot
5. ✔ Convexity of the embossed dot

Question Number : 7 Question Id : 5403043307 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The facial aspect of an IOPAR film is determined by:

Options :

1. ✖ Film with aluminium cover side
2. ✖ Anatomic land marks
3. ✖ Curvature of arch
4. ✖ Concavity of the embossed dot
5. ✔ Convexity of the embossed dot

Question Number : 8 Question Id : 5403043308 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

For greater contrast of images on a radiograph, which of the following kvp settings is required?

Options :

1. ✖ 80 kvp
2. ✖ 60 kvp
3. ✖ 75 kvp
4. ✔ 65 kvp
5. ✖ 90 kvp

Question Number : 8 Question Id : 5403043308 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

For greater contrast of images on a radiograph, which of the following kvp settings is required?

Options :

1. ✖ 80 kvp
2. ✖ 60 kvp
3. ✖ 75 kvp
4. ✔ 65 kvp



5. ✖ 90 kvp

Question Number : 9 Question Id : 5403043309 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which film is used for caries detection?

Options :

1. ✖ D speed

2. ✖ E speed

3. ✖ B speed

4. ✖ C speed

5. ✔ F speed

Question Number : 9 Question Id : 5403043309 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which film is used for caries detection?

Options :

1. ✖ D speed

2. ✖ E speed

3. ✖ B speed

4. ✖ C speed

5. ✔ F speed

Question Number : 10 Question Id : 5403043310 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The best radiographic view of TMJ is taken by:

Options :

1. ✖ OPG

2. ✖ Transorbital view

3. ✖ Reverse Towne's view

4. ✔ Transpharyngeal

5. ✖ Panorex

Question Number : 10 Question Id : 5403043310 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The best radiographic view of TMJ is taken by:

Options :

1. ✖ OPG

- 2. ✖ Transorbital view
- 3. ✖ Reverse Towne's view
- 4. ✔ Transpharyngeal
- 5. ✖ Panorax

Question Number : 11 Question Id : 5403043311 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The clinical feature of Gingiva in children-

Options :

- 1. ✖ non-keratinized
- 2. ✖ more keratinized more stippled
- 3. ✖ less keratinized more stippled
- 4. ✔ more keratinized less stippled
- 5. ✖ less keratinized less stippled

Question Number : 11 Question Id : 5403043311 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The clinical feature of Gingiva in children-

Options :

- 1. ✖ non-keratinized
- 2. ✖ more keratinized more stippled
- 3. ✖ less keratinized more stippled
- 4. ✔ more keratinized less stippled
- 5. ✖ less keratinized less stippled

Question Number : 12 Question Id : 5403043312 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The periodontal ligament is thinnest at \_\_\_\_\_.

Options :

- 1. ✖ cemento enamel junction
- 2. ✖ apex
- 3. ✖ coronal
- 4. ✖ crestal
- 5. ✔ fulcrum of axis of rotation

Question Number : 12 Question Id : 5403043312 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The periodontal ligament is thinnest at \_\_\_\_\_.

Options :

1. ✖ cementoenamel junction
2. ✖ apex
3. ✖ coronal
4. ✖ crestal
5. ✔ fulcrum of axis of rotation

Question Number : 13 Question Id : 5403043313 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Supragingival plaque causes:

Options :

1. ✔ Gingivitis
2. ✖ Cervical caries
3. ✖ Periodontitis
4. ✖ Pericoronitis
5. ✖ Ulcers

Question Number : 13 Question Id : 5403043313 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Supragingival plaque causes:

Options :

1. ✔ Gingivitis
2. ✖ Cervical caries
3. ✖ Periodontitis
4. ✖ Pericoronitis
5. ✖ Ulcers

Question Number : 14 Question Id : 5403043314 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following organisms is not responsible for periodontal disease?

Options :

1. ✖ Eubacterium
2. ✖ Bacteriodes
3. ✔ Neisseria
4. ✖ Eikenella
5. ✖ Wolinella



Question Number : 14 Question Id : 5403043314 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following organisms is not responsible for periodontal disease?

Options :

1. ✖ Eubacterium
2. ✖ Bacteriodes
3. ✔ Neisseria
4. ✖ Eikenella
5. ✖ Wolinella

Question Number : 15 Question Id : 5403043315 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

\_\_\_\_\_ is a bacterial enzyme which causes breakdown of periodontal fibers in periodontitis.

Options :

1. ✖ Coagulase
2. ✖ Lactic acid
3. ✖ Hyaluronidase
4. ✔ Collagenase
5. ✖ Amylase

Question Number : 15 Question Id : 5403043315 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

\_\_\_\_\_ is a bacterial enzyme which causes breakdown of periodontal fibers in periodontitis.

Options :

1. ✖ Coagulase
2. ✖ Lactic acid
3. ✖ Hyaluronidase
4. ✔ Collagenase
5. ✖ Amylase

Question Number : 16 Question Id : 5403043316 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The primary etiological factor in the development of furcation defect is:

Options :

1. ✖ calculus
2. ✖ root infection
3. ✖ occlusal trauma

- 4. ☒ plaque
- 5. ☐ cemental caries

Question Number : 16 Question Id : 5403043316 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

The primary etiological factor in the development of furcation defect is:

Options :

- 1. ☐ calculus
- 2. ☐ root infection
- 3. ☐ occlusal trauma
- 4. ☒ plaque
- 5. ☐ cemental caries

Question Number : 17 Question Id : 5403043317 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Which one of the following statements is false?

Options :

- 1. ☒ Eubacterium found in normal healthy periodontium.
- 2. ☐ Gram negative anaerobic cocci associated with juvenile periodontitis.
- 3. ☐ Supragingival plaque causes gingivitis.
- 4. ☐ Rhamnose is not associated with dental plaque.
- 5. ☐ P.gingivalis is a periodontal pathogen.

Question Number : 17 Question Id : 5403043317 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Which one of the following statements is false?

Options :

- 1. ☒ Eubacterium found in normal healthy periodontium.
- 2. ☐ Gram negative anaerobic cocci associated with juvenile periodontitis.
- 3. ☐ Supragingival plaque causes gingivitis.
- 4. ☐ Rhamnose is not associated with dental plaque.
- 5. ☐ P.gingivalis is a periodontal pathogen.

Question Number : 18 Question Id : 5403043318 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

How does the plaque differ from materia alba?

Options :

1. ✖ Presence of saliva
2. ✖ Absence of glycoprotein
3. ✖ Presence of bacteria
4. ✖ Absence of bacteria
5. ✔ Presence of glycoprotein

Question Number : 18 Question Id : 5403043318 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

How does the plaque differ from materia alba?

Options :

1. ✖ Presence of saliva
2. ✖ Absence of glycoprotein
3. ✖ Presence of bacteria
4. ✖ Absence of bacteria
5. ✔ Presence of glycoprotein

Question Number : 19 Question Id : 5403043319 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

The ability to alter the ground substance of the periodontal ligament is by:

Options :

1. ✖ Collagenase
2. ✖ Amylase
3. ✖ Dextranase
4. ✖ Mucinase
5. ✔ Hyaluronidase

Question Number : 19 Question Id : 5403043319 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

The ability to alter the ground substance of the periodontal ligament is by:

Options :

1. ✖ Collagenase
2. ✖ Amylase
3. ✖ Dextranase
4. ✖ Mucinase
5. ✔ Hyaluronidase

Question Number : 20 Question Id : 5403043320 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The following criteria by which periodontal microorganisms may be judged to be dental pathogens by Sigmund Socransky, except:

Options :

1. ✖ be associated with disease with increase in number of organisms at diseases sites
2. ✖ be eliminated or decreased with treatment
3. ✖ demonstrate post response
4. ✖ demonstrate virulence factors
5. ✔ On the basis of life span

Question Number : 20 Question Id : 5403043320 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The following criteria by which periodontal microorganisms may be judged to be dental pathogens by Sigmund Socransky, except:

Options :

1. ✖ be associated with disease with increase in number of organisms at diseases sites
2. ✖ be eliminated or decreased with treatment
3. ✖ demonstrate post response
4. ✖ demonstrate virulence factors
5. ✔ On the basis of life span

Question Number : 21 Question Id : 5403043321 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Periodontal pocket wall between tooth and bone is called\_\_\_\_\_.

Options :

1. ✖ true pocket
2. ✖ suprabony pocket
3. ✖ pseudo pocket
4. ✖ gingival pocket
5. ✔ infrabony pocket

Question Number : 21 Question Id : 5403043321 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Periodontal pocket wall between tooth and bone is called\_\_\_\_\_.

Options :

1. ✖ true pocket
2. ✖ suprabony pocket



- 3. ✖ pseudo pocket
- 4. ✖ gingival pocket
- 5. ✔ infrabony pocket

Question Number : 22 Question Id : 5403043322 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The following are the features of ANUG except for:

Options :

- 1. ✖ causes gnawing radiating pain
- 2. ✔ causes chronic inflammation of gingiva
- 3. ✖ necrosis of interdental papilla
- 4. ✖ associated with decrease resistance to infection
- 5. ✖ sloughing of the necrotic tissue presents as a pseudomembrane

Question Number : 22 Question Id : 5403043322 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The following are the features of ANUG except for:

Options :

- 1. ✖ causes gnawing radiating pain
- 2. ✔ causes chronic inflammation of gingiva
- 3. ✖ necrosis of interdental papilla
- 4. ✖ associated with decrease resistance to infection
- 5. ✖ sloughing of the necrotic tissue presents as a pseudomembrane

Question Number : 23 Question Id : 5403043323 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The important role in the formation of PDL attachment is by:

Options :

- 1. ✖ epithelial rests
- 2. ✖ inner enamel epithelium
- 3. ✖ epithelial diaphragm
- 4. ✔ Hertwig's epithelial root sheath
- 5. ✖ outer enamel epithelium

Question Number : 23 Question Id : 5403043323 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1



The important role in the formation of PDL attachment is by:

Options :

1. ✖ epithelial rests
2. ✖ inner enamel epithelium
3. ✖ epithelial diaphragm
4. ✔ Hertwig's epithelial root sheath
5. ✖ outer enamel epithelium

Question Number : 24 Question Id : 5403043324 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In healthy gingiva, the gingival sulcus extends\_\_\_\_\_.

Options :

1. ✖ 0-3mm
2. ✖ 1-4mm
3. ✖ 1-2mm
4. ✔ 0-2mm
5. ✖ 2-4mm

Question Number : 24 Question Id : 5403043324 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In healthy gingiva, the gingival sulcus extends\_\_\_\_\_.

Options :

1. ✖ 0-3mm
2. ✖ 1-4mm
3. ✖ 1-2mm
4. ✔ 0-2mm
5. ✖ 2-4mm

Question Number : 25 Question Id : 5403043325 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The soft deposit on surface of the teeth which can be easily cleaned is:

Options :

1. ✖ Plaque
2. ✖ Microniche
3. ✖ Calculus
4. ✔ Materia alba
5. ✖ Biofilm

Question Number : 25 Question Id : 5403043325 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The soft deposit on surface of the teeth which can be easily cleaned is:

Options :

1. ✘ Plaque
2. ✘ Microniche
3. ✘ Calculus
4. ✔ Materia alba
5. ✘ Biofilm

Question Number : 26 Question Id : 5403043326 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Who is considered as the "Father of modern Orthodontics"?

Options :

1. ✘ Calvin case
2. ✘ Henry A Baker
3. ✔ Edward H Angle
4. ✘ Emerson Angell
5. ✘ Martin Dewey

Question Number : 26 Question Id : 5403043326 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Who is considered as the "Father of modern Orthodontics"?

Options :

1. ✘ Calvin case
2. ✘ Henry A Baker
3. ✔ Edward H Angle
4. ✘ Emerson Angell
5. ✘ Martin Dewey

Question Number : 27 Question Id : 5403043327 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following is not an active component of Fixed orthodontic appliance?

Options :

1. ✘ Arch wire
2. ✔ Ligature wire
3. ✘ Springs

4. ✖ Elastic chains

5. ✖ Separators

Question Number : 27 Question Id : 5403043327 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following is not an active component of Fixed orthodontic appliance?

Options :

1. ✖ Arch wire

2. ✔ Ligature wire

3. ✖ Springs

4. ✖ Elastic chains

5. ✖ Separators

Question Number : 28 Question Id : 5403043328 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The most commonly used method of wound closure is by \_\_\_\_\_.

Options :

1. ✖ continuous suture

2. ✖ mattress suture

3. ✔ interrupted suture

4. ✖ continuous locked suture

5. ✖ subcuticular suture

Question Number : 28 Question Id : 5403043328 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The most commonly used method of wound closure is by \_\_\_\_\_.

Options :

1. ✖ continuous suture

2. ✖ mattress suture

3. ✔ interrupted suture

4. ✖ continuous locked suture

5. ✖ subcuticular suture

Question Number : 29 Question Id : 5403043329 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The most common cause of chronic inflammation of the gingival inflammation in a preschool child is:

Options :

1. ✖ Aphthous stomatitis

2. ✖ ANUG
3. ✔ Acute Herpetic gingivostomatitis
4. ✖ Chronic periodontitis
5. ✖ Vitamin B deficiency

Question Number : 29 Question Id : 5403043329 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The most common cause of chronic inflammation of the gingival inflammation in a preschool child is:

Options :

1. ✖ Aphthous stomatitis
2. ✖ ANUG
3. ✔ Acute Herpetic gingivostomatitis
4. ✖ Chronic periodontitis
5. ✖ Vitamin B deficiency

Question Number : 30 Question Id : 5403043330 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Buttressing bone formation is seen in:

Options :

1. ✖ Periodontal abscess
2. ✔ Trauma from occlusion
3. ✖ Gingival abscess
4. ✖ Congenital abnormality
5. ✖ Food impaction

Question Number : 30 Question Id : 5403043330 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Buttressing bone formation is seen in:

Options :

1. ✖ Periodontal abscess
2. ✔ Trauma from occlusion
3. ✖ Gingival abscess
4. ✖ Congenital abnormality
5. ✖ Food impaction

Question Number : 31 Question Id : 5403043331 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1



On which basis angular bone defects are classified?

Options :

1. ✖ Number of pockets
2. ✖ Depth of pockets
3. ✖ Number of walls included
4. ✖ Type of pockets
5. ✔ Number of walls remaining

Question Number : 31 Question Id : 5403043331 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

On which basis angular bone defects are classified?

Options :

1. ✖ Number of pockets
2. ✖ Depth of pockets
3. ✖ Number of walls included
4. ✖ Type of pockets
5. ✔ Number of walls remaining

Question Number : 32 Question Id : 5403043332 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The periodical ligament of a tooth which has lost its antagonist shows on radiograph as:

Options :

1. ✖ Increased density
2. ✔ Narrowing of PDL space
3. ✖ Widening of PDL space
4. ✖ Radiolucence at apex
5. ✖ Sclerotic change

Question Number : 32 Question Id : 5403043332 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The periodical ligament of a tooth which has lost its antagonist shows on radiograph as:

Options :

1. ✖ Increased density
2. ✔ Narrowing of PDL space
3. ✖ Widening of PDL space
4. ✖ Radiolucence at apex



5. ✖ Sclerotic change

Question Number : 33 Question Id : 5403043333 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Which type of load is most destructive to the periodontium of teeth?

Options :

- 1. ✖ Vertical
- 2. ✖ Occlusal
- 3. ✖ Oblique
- 4. ✖ Apical
- 5. ✔ Horizontal

Question Number : 33 Question Id : 5403043333 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Which type of load is most destructive to the periodontium of teeth?

Options :

- 1. ✖ Vertical
- 2. ✖ Occlusal
- 3. ✖ Oblique
- 4. ✖ Apical
- 5. ✔ Horizontal

Question Number : 34 Question Id : 5403043334 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

The following are the signs and symptoms of trauma from occlusion except:

Options :

- 1. ✖ Sensitivity to percussion
- 2. ✖ Widening of periodontal space
- 3. ✔ Periodontal pockets
- 4. ✖ Root reception
- 5. ✖ Thickening of lamina dura

Question Number : 34 Question Id : 5403043334 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

The following are the signs and symptoms of trauma from occlusion except:

Options :

- 1. ✖ Sensitivity to percussion

- 2. ✖ Widening of periodontal space
- 3. ✔ Periodontal pockets
- 4. ✖ Root reception
- 5. ✖ Thickening of lamina dura

Question Number : 35 Question Id : 5403043335 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following tooth furcation has poor prognosis?

Options :

- 1. ✖ max 1<sup>st</sup> molar
- 2. ✖ mand 2<sup>nd</sup> premolar
- 3. ✖ mand 1<sup>st</sup> molar
- 4. ✔ max 1<sup>st</sup> premolar
- 5. ✖ mand 1<sup>st</sup> premolar

Question Number : 35 Question Id : 5403043335 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following tooth furcation has poor prognosis?

Options :

- 1. ✖ max 1<sup>st</sup> molar
- 2. ✖ mand 2<sup>nd</sup> premolar
- 3. ✖ mand 1<sup>st</sup> molar
- 4. ✔ max 1<sup>st</sup> premolar
- 5. ✖ mand 1<sup>st</sup> premolar

Question Number : 36 Question Id : 5403043336 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following can be determined most accurately by radiographs only?

Options :

- 1. ✖ Periodontal pocket
- 2. ✖ Periodontal abscess
- 3. ✖ Caries
- 4. ✔ Anatomical root length
- 5. ✖ Bifurcation involvement

Question Number : 36 Question Id : 5403043336 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following can be determined most accurately by radiographs only?

Options :

1. ✖ Periodontal pocket
2. ✖ Periodontal abscess
3. ✖ Caries
4. ✔ Anatomical root length
5. ✖ Bifurcation involvement

Question Number : 37 Question Id : 5403043337 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following instruments has a two-point contact and tooth?

Options :

1. ✖ Sickle
2. ✔ Hoe
3. ✖ Curette
4. ✖ Cumin scaler
5. ✖ File

Question Number : 37 Question Id : 5403043337 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following instruments has a two-point contact and tooth?

Options :

1. ✖ Sickle
2. ✔ Hoe
3. ✖ Curette
4. ✖ Cumin scaler
5. ✖ File

Question Number : 38 Question Id : 5403043338 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Following are the reasons for sharpening of dental instruments except:

Options :

1. ✖ Decrease muscle fatigue
2. ✖ Increase working efficiency
3. ✔ Prevent heat buildup
4. ✖ Decrease working slippage & tissue damage

5. ✖ Increase tactile sensation

Question Number : 38 Question Id : 5403043338 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Following are the reasons for sharpening of dental instruments except:

Options :

1. ✖ Decrease muscle fatigue
2. ✖ Increase working efficiency
3. ✔ Prevent heat buildup
4. ✖ Decrease working slippage & tissue damage
5. ✖ Increase tactile sensation

Question Number : 39 Question Id : 5403043339 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In case of broken curette tips in the periodontal pocket which instrument is used for removal?

Options :

1. ✖ Prophy-jet
2. ✖ Another curette
3. ✔ Schwartz periotriever
4. ✖ EVA system
5. ✖ Barnhart instrument

Question Number : 39 Question Id : 5403043339 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In case of broken curette tips in the periodontal pocket which instrument is used for removal?

Options :

1. ✖ Prophy-jet
2. ✖ Another curette
3. ✔ Schwartz periotriever
4. ✖ EVA system
5. ✖ Barnhart instrument

Question Number : 40 Question Id : 5403043340 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Sometimes after scaling, hard black deposits can be seen which may be due to:

Options :

1. ✖ Patients with tobacco chewing habits



2. ✖ Blood clot formation on tooth surface
3. ✖ Poor oral hygiene
4. ✔ Shrinkage of gingiva
5. ✖ Improper scaling

Question Number : 40 Question Id : 5403043340 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Sometimes after scaling, hard black deposits can be seen which may be due to:

Options :

1. ✖ Patients with tobacco chewing habits
2. ✖ Blood clot formation on tooth surface
3. ✖ Poor oral hygiene
4. ✔ Shrinkage of gingiva
5. ✖ Improper scaling

Question Number : 41 Question Id : 5403043341 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In a patient with severe gingival recession, which tooth brushing technique should be used?

Options :

1. ✖ Bass
2. ✖ Charter
3. ✔ Stillman
4. ✖ Fones
5. ✖ Roll

Question Number : 41 Question Id : 5403043341 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In a patient with severe gingival recession, which tooth brushing technique should be used?

Options :

1. ✖ Bass
2. ✖ Charter
3. ✔ Stillman
4. ✖ Fones
5. ✖ Roll

Question Number : 42 Question Id : 5403043342 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1



Indications of Gingivectomy is:

Options :

1. ✖ infra bony pockets
2. ✖ aesthetic regions
3. ✖ pocket depth below Mucogingival junction
4. ✔ supra bony pockets
5. ✖ edema of gingiva

Question Number : 42 Question Id : 5403043342 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Indications of Gingivectomy is:

Options :

1. ✖ infra bony pockets
2. ✖ aesthetic regions
3. ✖ pocket depth below Mucogingival junction
4. ✔ supra bony pockets
5. ✖ edema of gingiva

Question Number : 43 Question Id : 5403043343 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which instrument is used for Gingivectomy?

Options :

1. ✖ Scaler
2. ✔ Kirkland
3. ✖ Merrifield
4. ✖ Orbans
5. ✖ Burkett's

Question Number : 43 Question Id : 5403043343 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which instrument is used for Gingivectomy?

Options :

1. ✖ Scaler
2. ✔ Kirkland
3. ✖ Merrifield
4. ✖ Orbans
5. ✖ Burkett's

Question Number : 44 Question Id : 5403043344 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The most important factor to be considered in Periodontal flap is:

Options :

1. ✖ Length of free gingiva
2. ✔ Amount of attached gingiva
3. ✖ Depth of vestibule
4. ✖ Frenum attachment
5. ✖ Sulcular depth

Question Number : 44 Question Id : 5403043344 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The most important factor to be considered in Periodontal flap is:

Options :

1. ✖ Length of free gingiva
2. ✔ Amount of attached gingiva
3. ✖ Depth of vestibule
4. ✖ Frenum attachment
5. ✖ Sulcular depth

Question Number : 45 Question Id : 5403043345 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

For pocket elimination & to increase width of attached gingiva, which Flap technique is considered?

Options :

1. ✖ Modified widman flap
2. ✖ Lateral pedicel flap
3. ✔ Apically displaced flap
4. ✖ Coronally displaced flap
5. ✖ Papilla preservation flap

Question Number : 45 Question Id : 5403043345 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

For pocket elimination & to increase width of attached gingiva, which Flap technique is considered?

Options :

1. ✖ Modified widman flap
2. ✖ Lateral pedicel flap

3. ☒ Apically displaced flap
4. ☐ Coronally displaced flap
5. ☐ Papilla preservation flap

Question Number : 46 Question Id : 5403043346 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

The Mucogingival surgical technique used to deepen the vestibule by:

Options :

1. ☐ free gingival grafts
2. ☐ laterally displaced pedicle graft
3. ☐ coronally displaced flap
4. ☒ free autogenous grafts
5. ☐ apically displaced flap

Question Number : 46 Question Id : 5403043346 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

The Mucogingival surgical technique used to deepen the vestibule by:

Options :

1. ☐ free gingival grafts
2. ☐ laterally displaced pedicle graft
3. ☐ coronally displaced flap
4. ☒ free autogenous grafts
5. ☐ apically displaced flap

Question Number : 47 Question Id : 5403043347 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Lugol's or Schiller's solution is used to stain:

Options :

1. ☒ Keratinized gingiva
2. ☐ Plaque
3. ☐ Attached gingiva
4. ☐ Calculus
5. ☐ Non-keratinized gingiva

Question Number : 47 Question Id : 5403043347 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Lugol's or Schiller's solution is used to stain:

Options :

1. ☒ Keratinized gingiva
2. ☐ Plaque
3. ☐ Attached gingiva
4. ☐ Calculus
5. ☐ Non-keratinized gingiva

Question Number : 48 Question Id : 5403043348 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Occlusal night guards are given to:

Options :

1. ☐ To guard the dentition
2. ☒ To alter the muscle forces
3. ☐ Reduce pocket formation
4. ☐ Prevent bruxism
5. ☐ Permit elongation of teeth

Question Number : 48 Question Id : 5403043348 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Occlusal night guards are given to:

Options :

1. ☐ To guard the dentition
2. ☒ To alter the muscle forces
3. ☐ Reduce pocket formation
4. ☐ Prevent bruxism
5. ☐ Permit elongation of teeth

Question Number : 49 Question Id : 5403043349 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In Leukemic patients gingival bleeding occurs during scaling due to:

Options :

1. ☐ Decreased Ca level in blood
2. ☐ Increased leukocytes
3. ☐ Increased Ca level in blood
4. ☐ Deficiency in clotting factor



5. ✓ Platelet disorder

Question Number : 49 Question Id : 5403043349 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In Leukemic patients gingival bleeding occurs during scaling due to:

Options :

1. ✗ Decreased Ca level in blood
2. ✗ Increased leukocytes
3. ✗ Increased Ca level in blood
4. ✗ Deficiency in clotting factor
5. ✓ Platelet disorder

Question Number : 50 Question Id : 5403043350 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

A butt joint is creating Cavo surface angle:

Options :

1. ✗  $70^{\circ}$  joint
2. ✓  $90^{\circ}$  joint
3. ✗  $120^{\circ}$  joint
4. ✗  $80^{\circ}$  joint
5. ✗  $180^{\circ}$  joint

Question Number : 50 Question Id : 5403043350 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

A butt joint is creating Cavo surface angle:

Options :

1. ✗  $70^{\circ}$  joint
2. ✓  $90^{\circ}$  joint
3. ✗  $120^{\circ}$  joint
4. ✗  $80^{\circ}$  joint
5. ✗  $180^{\circ}$  joint

Question Number : 51 Question Id : 5403043351 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

A prepared cavity is best protected from moisture by:



Options :

1. ✘ cotton rolls
2. ✘ air spray
3. ✘ saliva ejector
4. ✔ rubber dam
5. ✘ paper napkin

Question Number : 51 Question Id : 5403043351 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

A prepared cavity is best protected from moisture by:

Options :

1. ✘ cotton rolls
2. ✘ air spray
3. ✘ saliva ejector
4. ✔ rubber dam
5. ✘ paper napkin

Question Number : 52 Question Id : 5403043352 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Eburnation of the dentin is seen in which type of caries?

Options :

1. ✘ acute caries
2. ✔ arrested caries
3. ✘ proximal caries
4. ✘ chronic caries
5. ✘ root caries

Question Number : 52 Question Id : 5403043352 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Eburnation of the dentin is seen in which type of caries?

Options :

1. ✘ acute caries
2. ✔ arrested caries
3. ✘ proximal caries
4. ✘ chronic caries
5. ✘ root caries

Question Number : 53 Question Id : 5403043353 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In a class II cavity preparation on a maxillary 1<sup>st</sup> molar, which of the pulp horns are likely to get exposed?

Options :

1. ✖ Distolingual
2. ✖ Distolingual & Distobuccal
3. ✔ Mesiolingual & Mesiobuccal
4. ✖ Mesiolingual & Distobuccal
5. ✖ Distolingual & Mesiobuccal

Question Number : 53 Question Id : 5403043353 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In a class II cavity preparation on a maxillary 1<sup>st</sup> molar, which of the pulp horns are likely to get exposed?

Options :

1. ✖ Distolingual
2. ✖ Distolingual & Distobuccal
3. ✔ Mesiolingual & Mesiobuccal
4. ✖ Mesiolingual & Distobuccal
5. ✖ Distolingual & Mesiobuccal

Question Number : 54 Question Id : 5403043354 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Class IV cavity involves:

Options :

1. ✖ proximal surface involving incisal edge of posterior teeth
2. ✖ involves buccal surface of anterior teeth
3. ✔ proximal surface involving incisal edge of anterior teeth
4. ✖ proximal surface not involving incisal edge of anterior teeth
5. ✖ gingival surface of anterior teeth

Question Number : 54 Question Id : 5403043354 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Class IV cavity involves:

Options :

1. ✖ proximal surface involving incisal edge of posterior teeth
2. ✖ involves buccal surface of anterior teeth

- 3. ☒ proximal surface involving incisal edge of anterior teeth
- 4. ☐ proximal surface not involving incisal edge of anterior teeth
- 5. ☐ gingival surface of anterior teeth

Question Number : 55 Question Id : 5403043355 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The most common cause of fracture at the isthmus of class II dental amalgam restoration is:

Options :

- 1. ☐ improper condensation
- 2. ☐ moisture contamination during amalgam restoration
- 3. ☐ delayed expansion
- 4. ☐ inadequate width at isthmus
- 5. ☒ inadequate depth at isthmus

Question Number : 55 Question Id : 5403043355 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The most common cause of fracture at the isthmus of class II dental amalgam restoration is:

Options :

- 1. ☐ improper condensation
- 2. ☐ moisture contamination during amalgam restoration
- 3. ☐ delayed expansion
- 4. ☐ inadequate width at isthmus
- 5. ☒ inadequate depth at isthmus

Question Number : 56 Question Id : 5403043356 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In class V cavity wall is absent in:

Options :

- 1. ☐ Gingival wall
- 2. ☒ Pulpal wall
- 3. ☐ Mesial wall
- 4. ☐ Distal wall
- 5. ☐ Axial wall

Question Number : 56 Question Id : 5403043356 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In class V cavity wall is absent in:

Options :

1. ✖ Gingival wall
2. ✔ Pulpal wall
3. ✖ Mesial wall
4. ✖ Distal wall
5. ✖ Axial wall

Question Number : 57 Question Id : 5403043357 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Following are the indications for cavity varnish under amalgam restorations except:

Options :

1. ✖ Improve marginal seal
2. ✔ Prevent galvanic currents reaching pulp
3. ✖ Prevents micro leakage
4. ✖ Prevents discoloration
5. ✖ Reduces post-operative sensitivity

Question Number : 57 Question Id : 5403043357 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Following are the indications for cavity varnish under amalgam restorations except:

Options :

1. ✖ Improve marginal seal
2. ✔ Prevent galvanic currents reaching pulp
3. ✖ Prevents micro leakage
4. ✖ Prevents discoloration
5. ✖ Reduces post-operative sensitivity

Question Number : 58 Question Id : 5403043358 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Advantages of composites over unfilled resins are as following, which one is false?

Options :

1. ✖ Low polymerization shrinkage
2. ✖ Low water absorption
3. ✖ Lower coefficient of thermal expansion
4. ✔ High color stability



5. ✖ High abrasive resistance

Question Number : 58 Question Id : 5403043358 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Advantages of composites over unfilled resins are as following, which one is false?

Options :

1. ✖ Low polymerization shrinkage
2. ✖ Low water absorption
3. ✖ Lower coefficient of thermal expansion
4. ✔ High color stability
5. ✖ High abrasive resistance

Question Number : 59 Question Id : 5403043359 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Which of the following abrasives is maximum in hardness?

Options :

1. ✔ Boron carbide
2. ✖ Sand
3. ✖ Emery
4. ✖ Silicon carbide
5. ✖ Aluminium oxide

Question Number : 59 Question Id : 5403043359 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Which of the following abrasives is maximum in hardness?

Options :

1. ✔ Boron carbide
2. ✖ Sand
3. ✖ Emery
4. ✖ Silicon carbide
5. ✖ Aluminium oxide

Question Number : 60 Question Id : 5403043360 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Internal resorption treatment is carried out by \_\_\_\_\_ method.

Options :

1. ✖ Pulpotomy

2. ✖ PA curettage
3. ✔ Extirpation of pulp & calcium hydroxide dressing
4. ✖ Extirpation of pulp & formocresol dressing
5. ✖ Pulp capping

Question Number : 60 Question Id : 5403043360 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Internal resorption treatment is carried out by \_\_\_\_\_ method.

Options :

1. ✖ Pulpotomy
2. ✖ PA curettage
3. ✔ Extirpation of pulp & calcium hydroxide dressing
4. ✖ Extirpation of pulp & formocresol dressing
5. ✖ Pulp capping

Question Number : 61 Question Id : 5403043361 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following is a disinfectant, sterilizing agent & antiseptic?

Options :

1. ✖ Hydrogen peroxide
2. ✔ Sodium hypochlorite
3. ✖ Glutaraldehyde
4. ✖ Formaldehyde
5. ✖ Methylated spirit

Question Number : 61 Question Id : 5403043361 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following is a disinfectant, sterilizing agent & antiseptic?

Options :

1. ✖ Hydrogen peroxide
2. ✔ Sodium hypochlorite
3. ✖ Glutaraldehyde
4. ✖ Formaldehyde
5. ✖ Methylated spirit

Question Number : 62 Question Id : 5403043362 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following statements is false about Gutta-percha?

Options :

1. ✖ Can be sterilized by heating.
2. ✖ They brittle with time.
3. ✖ It has 2 forms alpha & beta.
4. ✔ Composition: 60-70% GP and 20% Zno
5. ✖ Composition : 20% GP & 60 –70% Zno

Question Number : 62 Question Id : 5403043362 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following statements is false about Gutta-percha?

Options :

1. ✖ Can be sterilized by heating.
2. ✖ They brittle with time.
3. ✖ It has 2 forms alpha & beta.
4. ✔ Composition: 60-70% GP and 20% Zno
5. ✖ Composition : 20% GP & 60 –70% Zno

Question Number : 63 Question Id : 5403043363 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The calcified root canals can be cleared using\_\_\_\_\_.

Options :

1. ✖ Hydrogen peroxide 3%
2. ✔ EDTA 17%
3. ✖ Sodium hypochlorite 2.6%
4. ✖ Saline
5. ✖ Formocresol

Question Number : 63 Question Id : 5403043363 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The calcified root canals can be cleared using\_\_\_\_\_.

Options :

1. ✖ Hydrogen peroxide 3%
2. ✔ EDTA 17%
3. ✖ Sodium hypochlorite 2.6%

4. ✖ Saline

5. ✖ Formocresol

Question Number : 64 Question Id : 5403043364 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The vertical root fracture of tooth, seen with GP obturation is due to:

Options :

1. ✖ Lateral condensation

2. ✔ Vertical compression of warm GP points

3. ✖ Sectional filling

4. ✖ Use of spreader

5. ✖ Injection molding technique

Question Number : 64 Question Id : 5403043364 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The vertical root fracture of tooth, seen with GP obturation is due to:

Options :

1. ✖ Lateral condensation

2. ✔ Vertical compression of warm GP points

3. ✖ Sectional filling

4. ✖ Use of spreader

5. ✖ Injection molding technique

Question Number : 65 Question Id : 5403043365 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In sedation, more than 40% of N<sub>2</sub>O causes:

Options :

1. ✖ Anoxia

2. ✖ Apnea

3. ✔ Amnesia

4. ✖ Diffusion hypoxia

5. ✖ Ataxia

Question Number : 65 Question Id : 5403043365 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In sedation, more than 40% of N<sub>2</sub>O causes:

Options :



1. ✖ Anoxia
2. ✖ Apnea
3. ✔ Amnesia
4. ✖ Diffusion hypoxia
5. ✖ Ataxia

Question Number : 66 Question Id : 5403043366 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

In child psychology, which one of the following is not a Behavioral theory?

Options :

1. ✖ Hierarchy of needs
2. ✖ Social learning theory
3. ✖ Classical conditioning
4. ✖ Conditioning
5. ✔ Psychosocial theory

Question Number : 66 Question Id : 5403043366 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

In child psychology, which one of the following is not a Behavioral theory?

Options :

1. ✖ Hierarchy of needs
2. ✖ Social learning theory
3. ✖ Classical conditioning
4. ✖ Conditioning
5. ✔ Psychosocial theory

Question Number : 67 Question Id : 5403043367 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

In case of Nursing bottle caries, the first teeth to become affected are:

Options :

1. ✖ Mandibular molars
2. ✖ Maxillary & mandibular anterior teeth
3. ✔ Maxillary anterior teeth
4. ✖ Mandibular canines
5. ✖ Mandibular anterior teeth

Question Number : 67 Question Id : 5403043367 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In case of Nursing bottle caries, the first teeth to become affected are:

Options :

1. ✘ Mandibular molars
2. ✘ Maxillary & mandibular anterior teeth
3. ✔ Maxillary anterior teeth
4. ✘ Mandibular canines
5. ✘ Mandibular anterior teeth

Question Number : 68 Question Id : 5403043368 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The size of Rubber dam used in children is:

Options :

1. ✘ 6x6"
2. ✔ 5x5"
3. ✘ 3x3"
4. ✘ 4x4"
5. ✘ 8x8"

Question Number : 68 Question Id : 5403043368 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The size of Rubber dam used in children is:

Options :

1. ✘ 6x6"
2. ✔ 5x5"
3. ✘ 3x3"
4. ✘ 4x4"
5. ✘ 8x8"

Question Number : 69 Question Id : 5403043369 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The contraindications for the use of Rubber dam in children, except:

Options :

1. ✔ Un co-operative child
2. ✘ Upper respiratory infections
3. ✘ Presence of fixed ortho appliance
4. ✘ Recently erupted tooth

5. ✖ Allergy to latex

Question Number : 69 Question Id : 5403043369 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

The contraindications for the use of Rubber dam in children, except:

Options :

1. ✔ Un co-operative child
2. ✖ Upper respiratory infections
3. ✖ Presence of fixed ortho appliance
4. ✖ Recently erupted tooth
5. ✖ Allergy to latex

Question Number : 70 Question Id : 5403043370 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

One of the following is false about Ellis & Dewey classification:

Options :

1. ✖ Class 3 – Fracture involving dental pulp
2. ✖ Class 4 – Non-vital tooth
3. ✖ Class 5 – Avulsion
4. ✔ Class 7 – Fracture of crown en masse
5. ✖ Class 6 – Root fracture with or without crown fracture

Question Number : 70 Question Id : 5403043370 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

One of the following is false about Ellis & Dewey classification:

Options :

1. ✖ Class 3 – Fracture involving dental pulp
2. ✖ Class 4 – Non-vital tooth
3. ✖ Class 5 – Avulsion
4. ✔ Class 7 – Fracture of crown en masse
5. ✖ Class 6 – Root fracture with or without crown fracture

Question Number : 71 Question Id : 5403043371 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

\_\_\_\_\_ is an indication for Direct pulp capping.

Options :

1. ✖ Pain at night

- 2. ✖ Spontaneous pain
- 3. ✔ Traumatic exposures in dry clean field
- 4. ✖ Tooth mobility
- 5. ✖ Excess bleeding at the exposure site

Question Number : 71 Question Id : 5403043371 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

\_\_\_\_\_ is an indication for Direct pulp capping.

Options :

- 1. ✖ Pain at night
- 2. ✖ Spontaneous pain
- 3. ✔ Traumatic exposures in dry clean field
- 4. ✖ Tooth mobility
- 5. ✖ Excess bleeding at the exposure site

Question Number : 72 Question Id : 5403043372 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Inflammation of \_\_\_\_\_ is called as Cellulitis.

Options :

- 1. ✖ Skin
- 2. ✖ Muscle
- 3. ✔ Deep fascia
- 4. ✖ Lymph nodes
- 5. ✖ Subcutaneous tissue

Question Number : 72 Question Id : 5403043372 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Inflammation of \_\_\_\_\_ is called as Cellulitis.

Options :

- 1. ✖ Skin
- 2. ✖ Muscle
- 3. ✔ Deep fascia
- 4. ✖ Lymph nodes
- 5. ✖ Subcutaneous tissue

Question Number : 73 Question Id : 5403043373 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1



The fascial spaces involved in Ludwig's angina are:

Options :

1. ✖ Bilateral sublingual spaces
2. ✖ Unilateral submandibular & sublingual spaces
3. ✖ Bilateral submandibular & sublingual spaces
4. ✖ Unilateral submandibular, sublingual & submental spaces
5. ✔ Bilateral submandibular, sublingual & submental spaces

Question Number : 73 Question Id : 5403043373 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The fascial spaces involved in Ludwig's angina are:

Options :

1. ✖ Bilateral sublingual spaces
2. ✖ Unilateral submandibular & sublingual spaces
3. ✖ Bilateral submandibular & sublingual spaces
4. ✖ Unilateral submandibular, sublingual & submental spaces
5. ✔ Bilateral submandibular, sublingual & submental spaces

Question Number : 74 Question Id : 5403043374 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The type of epidemic disease, which spreads by person to person contact and evolve more slowly is called\_\_\_\_\_.

Options :

1. ✖ Pandemic
2. ✔ Prosodemic
3. ✖ Endemic
4. ✖ Sporadic
5. ✖ Epidemic

Question Number : 74 Question Id : 5403043374 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The type of epidemic disease, which spreads by person to person contact and evolve more slowly is called\_\_\_\_\_.

Options :

1. ✖ Pandemic
2. ✔ Prosodemic
3. ✖ Endemic

- 4. ✖ Sporadic
- 5. ✖ Epidemic

Question Number : 75 Question Id : 5403043375 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

The concept of prevention, in modern days has become broad based and includes four levels of prevention.  
Find out the wrong option.

Options :

- 1. ✔ Case control prevention
- 2. ✖ Primordial prevention
- 3. ✖ Primary prevention
- 4. ✖ Secondary prevention
- 5. ✖ Tertiary prevention

Question Number : 75 Question Id : 5403043375 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

The concept of prevention, in modern days has become broad based and includes four levels of prevention.  
Find out the wrong option.

Options :

- 1. ✔ Case control prevention
- 2. ✖ Primordial prevention
- 3. ✖ Primary prevention
- 4. ✖ Secondary prevention
- 5. ✖ Tertiary prevention

Question Number : 76 Question Id : 5403043376 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Level of Fluoride in drinking water should be:

Options :

- 1. ✖ 2.0 parts/million
- 2. ✔ 1.0 parts/million
- 3. ✖ 10 parts/million
- 4. ✖ 0.1 parts/million
- 5. ✖ 0.01 parts/ million

Question Number : 76 Question Id : 5403043376 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Level of Fluoride in drinking water should be:

Options :

1. ✖ 2.0 parts/million
2. ✔ 1.0 parts/million
3. ✖ 10 parts/million
4. ✖ 0.1 parts/million
5. ✖ 0.01 parts/ million

Question Number : 77 Question Id : 5403043377 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The infection which has the shortest incubation period:

Options :

1. ✔ Typhoid
2. ✖ Measles
3. ✖ Hepatitis-A
4. ✖ Mumps
5. ✖ Chickenpox

Question Number : 77 Question Id : 5403043377 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The infection which has the shortest incubation period:

Options :

1. ✔ Typhoid
2. ✖ Measles
3. ✖ Hepatitis-A
4. ✖ Mumps
5. ✖ Chickenpox

Question Number : 78 Question Id : 5403043378 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following statements is wrong?

Options :

1. ✖ Koplik's spots seen in measles
2. ✔ Roth spot seen in typhoid
3. ✖ Forchheimer spots seen in rubella

4. ✖ Herberden's nodes seen in osteoarthritis
5. ✖ Bitots spot seen in vitamin A deficiency (eye)

Question Number : 78 Question Id : 5403043378 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Which of the following statements is wrong?

Options :

1. ✖ Koplik's spots seen in measles
2. ✔ Roth spot seen in typhoid
3. ✖ Forchheimer spots seen in rubella
4. ✖ Herberden's nodes seen in osteoarthritis
5. ✖ Bitots spot seen in vitamin A deficiency (eye)

Question Number : 79 Question Id : 5403043379 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Glasgow coma scale provides a grading of coma by using all, except:

Options :

1. ✖ Consciousness
2. ✔ Sensory loss
3. ✖ Eye opening
4. ✖ Motor response
5. ✖ Verbal response

Question Number : 79 Question Id : 5403043379 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Glasgow coma scale provides a grading of coma by using all, except:

Options :

1. ✖ Consciousness
2. ✔ Sensory loss
3. ✖ Eye opening
4. ✖ Motor response
5. ✖ Verbal response

Question Number : 80 Question Id : 5403043380 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

In conn's disease, there is an excess production of \_\_\_\_\_.

Options :



1. ✖ Glucocorticoids
2. ✖ Adrenaline
3. ✖ Noradrenaline
4. ✔ Aldosterone
5. ✖ Cortisol

Question Number : 80 Question Id : 5403043380 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

In conn's disease, there is an excess production of\_\_\_\_\_.

Options :

1. ✖ Glucocorticoids
2. ✖ Adrenaline
3. ✖ Noradrenaline
4. ✔ Aldosterone
5. ✖ Cortisol

Question Number : 81 Question Id : 5403043381 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Which of the following is not a characteristic feature of Diabetes mellitus?

Options :

1. ✖ Glucosuria
2. ✖ Kussmaul breathing
3. ✔ Ketoalkalosis
4. ✖ Acetone breath
5. ✖ Multiple fleeting periodontal abscesses

Question Number : 81 Question Id : 5403043381 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Which of the following is not a characteristic feature of Diabetes mellitus?

Options :

1. ✖ Glucosuria
2. ✖ Kussmaul breathing
3. ✔ Ketoalkalosis
4. ✖ Acetone breath
5. ✖ Multiple fleeting periodontal abscesses

Question Number : 82 Question Id : 5403043382 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

In case of Hypothyroidism, which of the following is false?

Options :

1. ✖ Bradycardia
2. ✖ Iron deficiency anemia
3. ✖ Weight gain
4. ✔ Heat intolerance
5. ✖ Alopecia

Question Number : 82 Question Id : 5403043382 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In case of Hypothyroidism, which of the following is false?

Options :

1. ✖ Bradycardia
2. ✖ Iron deficiency anemia
3. ✖ Weight gain
4. ✔ Heat intolerance
5. ✖ Alopecia

Question Number : 83 Question Id : 5403043383 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Hypertrophy of filiform papillae involved in which condition?

Options :

1. ✖ Benign migratory glossitis
2. ✖ Riboflavin deficiency
3. ✔ Lingua villosa
4. ✖ Scarlet fever
5. ✖ Geographic tongue

Question Number : 83 Question Id : 5403043383 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Hypertrophy of filiform papillae involved in which condition?

Options :

1. ✖ Benign migratory glossitis
2. ✖ Riboflavin deficiency
3. ✔ Lingua villosa
4. ✖ Scarlet fever

## 5. ✖ Geographic tongue

Question Number : 84 Question Id : 5403043384 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which one of the following is not a characteristic feature of Treacher Collins syndrome/ Mandibulofacial dysostosis?

Options :

1. ✖ Hypoplasia of facial bones
2. ✔ Delayed closure of fontanel
3. ✖ Malformation of ears
4. ✖ Macrostomia with abnormal high palate
5. ✖ Patients have Bird like or Fish like face

Question Number : 84 Question Id : 5403043384 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which one of the following is not a characteristic feature of Treacher Collins syndrome/ Mandibulofacial dysostosis?

Options :

1. ✖ Hypoplasia of facial bones
2. ✔ Delayed closure of fontanel
3. ✖ Malformation of ears
4. ✖ Macrostomia with abnormal high palate
5. ✖ Patients have Bird like or Fish like face

Question Number : 85 Question Id : 5403043385 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following is an oral pre cancer lesion?

Options :

1. ✖ Pseudomembranous candidiasis
2. ✖ Leukemia
3. ✖ Oral hairy leukoplakia
4. ✔ Speckled leukoplakia
5. ✖ White sponge nevus

Question Number : 85 Question Id : 5403043385 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following is an oral pre cancer lesion?

Options :

1. ✖ Pseudomembranous candidiasis
2. ✖ Leukemia
3. ✖ Oral hairy leukoplakia
4. ✔ Speckled leukoplakia
5. ✖ White sponge nevus

Question Number : 86 Question Id : 5403043386 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Heavy metals cause gingival pigmentation. Bush red/deep blue linear pigmentation in marginal gingiva is seen because of:

Options :

1. ✖ Arsenic
2. ✖ Silver
3. ✖ Bismuth
4. ✔ Lead
5. ✖ Mercury

Question Number : 86 Question Id : 5403043386 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Heavy metals cause gingival pigmentation. Bush red/deep blue linear pigmentation in marginal gingiva is seen because of:

Options :

1. ✖ Arsenic
2. ✖ Silver
3. ✖ Bismuth
4. ✔ Lead
5. ✖ Mercury

Question Number : 87 Question Id : 5403043387 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Multiple fractures are seen in:

Options :

1. ✖ Osteoporosis
2. ✔ Osteogenesis imperfecta
3. ✖ Osteomyelitis
4. ✖ Rickets
5. ✖ Osteitis deformans



Question Number : 87 Question Id : 5403043387 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Multiple fractures are seen in:

Options :

1. ✘ Osteoporosis
2. ✔ Osteogenesis imperfecta
3. ✘ Osteomyelitis
4. ✘ Rickets
5. ✘ Osteitis deformans

Question Number : 88 Question Id : 5403043388 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

During extraction of which maxillary tooth, it is most likely to displace a root into maxillary sinus?

Options :

1. ✘ 1<sup>st</sup> premolar
2. ✔ 1<sup>st</sup> molar
3. ✘ Canine
4. ✘ 2<sup>nd</sup> premolar
5. ✘ 2<sup>nd</sup> molar

Question Number : 88 Question Id : 5403043388 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

During extraction of which maxillary tooth, it is most likely to displace a root into maxillary sinus?

Options :

1. ✘ 1<sup>st</sup> premolar
2. ✔ 1<sup>st</sup> molar
3. ✘ Canine
4. ✘ 2<sup>nd</sup> premolar
5. ✘ 2<sup>nd</sup> molar

Question Number : 89 Question Id : 5403043389 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In a pregnant woman, the right time for extraction is?

Options :

1. ✘ 1<sup>st</sup> trimester

- 2. ☒ 2<sup>nd</sup> trimester
- 3. ☐ 3<sup>rd</sup> trimester
- 4. ☐ 1<sup>st</sup> & 2<sup>nd</sup> trimester
- 5. ☐ 1<sup>st</sup> & 3<sup>rd</sup> trimester

Question Number : 89 Question Id : 5403043389 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In a pregnant woman, the right time for extraction is?

Options :

- 1. ☐ 1<sup>st</sup> trimester
- 2. ☒ 2<sup>nd</sup> trimester
- 3. ☐ 3<sup>rd</sup> trimester
- 4. ☐ 1<sup>st</sup> & 2<sup>nd</sup> trimester
- 5. ☐ 1<sup>st</sup> & 3<sup>rd</sup> trimester

Question Number : 90 Question Id : 5403043390 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Clinical examination of an adult patient sustaining a subcondylar fracture on left side shows:

Options :

- 1. ☐ Trismus & bilateral crepitus
- 2. ☐ Intra oral bleeding
- 3. ☐ Deviation of mandible to the right on opening
- 4. ☒ Inability to deviate the mandible to the right
- 5. ☐ Mandible deviates towards the side of fracture

Question Number : 90 Question Id : 5403043390 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Clinical examination of an adult patient sustaining a subcondylar fracture on left side shows:

Options :

- 1. ☐ Trismus & bilateral crepitus
- 2. ☐ Intra oral bleeding
- 3. ☐ Deviation of mandible to the right on opening
- 4. ☒ Inability to deviate the mandible to the right
- 5. ☐ Mandible deviates towards the side of fracture

Question Number : 91 Question Id : 5403043391 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following is used to restrict X-ray beam?

Options :

1. ✗ Increase kvp
2. ✗ Aluminium filter
3. ✓ Collimation of beam
4. ✗ Decrease target object distance
5. ✗ Use a grid

Question Number : 91 Question Id : 5403043391 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following is used to restrict X-ray beam?

Options :

1. ✗ Increase kvp
2. ✗ Aluminium filter
3. ✓ Collimation of beam
4. ✗ Decrease target object distance
5. ✗ Use a grid

Question Number : 92 Question Id : 5403043392 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The main reason for placing an Aluminium filter in the primary beam of radiation is for:

Options :

1. ✗ Decrease development time
2. ✗ Increase image sharpness
3. ✗ Reduce exposure time
4. ✓ Reduce radiation to the patient
5. ✗ Increase exposure time

Question Number : 92 Question Id : 5403043392 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The main reason for placing an Aluminium filter in the primary beam of radiation is for:

Options :

1. ✗ Decrease development time
2. ✗ Increase image sharpness

- 3. ✖ Reduce exposure time
- 4. ✔ Reduce radiation to the patient
- 5. ✖ Increase exposure time

Question Number : 93 Question Id : 5403043393 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The most radiosensitive cell of our body is?

Options :

- 1. ✖ Muscle cell
- 2. ✖ Cartilage cell
- 3. ✖ Nerve cell
- 4. ✖ Red blood cells
- 5. ✔ White blood cells

Question Number : 93 Question Id : 5403043393 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The most radiosensitive cell of our body is?

Options :

- 1. ✖ Muscle cell
- 2. ✖ Cartilage cell
- 3. ✖ Nerve cell
- 4. ✖ Red blood cells
- 5. ✔ White blood cells

Question Number : 94 Question Id : 5403043394 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The characteristic feature of secondary syphilis is?

Options :

- 1. ✖ Hutchinson's triad
- 2. ✖ Painless palpable inguinal lymph nodes
- 3. ✔ Snail track ulcers
- 4. ✖ Rhagades
- 5. ✖ Gumma

Question Number : 94 Question Id : 5403043394 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The characteristic feature of secondary syphilis is?

Options :



1. ✘ Hutchinson's triad
2. ✘ Painless palpable inguinal lymph nodes
3. ✔ Snail track ulcers
4. ✘ Rhagades
5. ✘ Gumma

Question Number : 95 Question Id : 5403043395 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Budd-Chiari syndrome is most commonly due to:

Options :

1. ✘ IVC obstruction
2. ✔ Hepatic vein obstruction
3. ✘ Splenomegaly
4. ✘ Acute portal hypertension
5. ✘ Congenital portal hypertension

Question Number : 95 Question Id : 5403043395 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Budd-Chiari syndrome is most commonly due to:

Options :

1. ✘ IVC obstruction
2. ✔ Hepatic vein obstruction
3. ✘ Splenomegaly
4. ✘ Acute portal hypertension
5. ✘ Congenital portal hypertension

Question Number : 96 Question Id : 5403043396 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Increased level of SGOT is seen primarily in:

Options :

1. ✘ Addison disease
2. ✘ Uncontrolled diabetes
3. ✔ Liver disease
4. ✘ Epilepsy
5. ✘ Renal disease

Question Number : 96 Question Id : 5403043396 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Increased level of SGOT is seen primarily in:

Options :

1. ✗ Addison disease
2. ✗ Uncontrolled diabetes
3. ✓ Liver disease
4. ✗ Epilepsy
5. ✗ Renal disease

Question Number : 97 Question Id : 5403043397 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

H. pylori infection causes the following, except:

Options :

1. ✗ Gastric carcinoma
2. ✓ Fundal gastritis
3. ✗ Gastric ulcer
4. ✗ Duodenal ulcer
5. ✗ Gastric lymphoma

Question Number : 97 Question Id : 5403043397 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

H. pylori infection causes the following, except:

Options :

1. ✗ Gastric carcinoma
2. ✓ Fundal gastritis
3. ✗ Gastric ulcer
4. ✗ Duodenal ulcer
5. ✗ Gastric lymphoma

Question Number : 98 Question Id : 5403043398 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The causes of metabolic alkalosis is:

Options :

1. ✗ Diarrhoea
2. ✓ Vomiting
3. ✗ Hypovolemic shock
4. ✗ Alcoholism

5. ✖ Diabetic ketoacidosis

Question Number : 98 Question Id : 5403043398 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The causes of metabolic alkalosis is:

Options :

1. ✖ Diarrhoea

2. ✔ Vomiting

3. ✖ Hypovolemic shock

4. ✖ Alcoholism

5. ✖ Diabetic ketoacidosis

Question Number : 99 Question Id : 5403043399 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Bleeding time is prolonged in:

Options :

1. ✖ Factor VIII deficiency

2. ✖ Christmas factor deficiency

3. ✔ Von Willebrand Disease

4. ✖ Leukemia

5. ✖ Vitamin K deficiency

Question Number : 99 Question Id : 5403043399 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Bleeding time is prolonged in:

Options :

1. ✖ Factor VIII deficiency

2. ✖ Christmas factor deficiency

3. ✔ Von Willebrand Disease

4. ✖ Leukemia

5. ✖ Vitamin K deficiency

Question Number : 100 Question Id : 5403043400 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In beta-thalassemia, the red blood cells are typically:

Options :

1. ✖ Macrocytic hyper chromic

2. ✖ Macrocytic normochromic
3. ✔ Microcytic hypochromic
4. ✖ Normocytic hypochromic
5. ✖ Normocytic normochromic

Question Number : 100 Question Id : 5403043400 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In beta-thalassemia, the red blood cells are typically:

Options :

1. ✖ Macrocytic hyper chromic
2. ✖ Macrocytic normochromic
3. ✔ Microcytic hypochromic
4. ✖ Normocytic hypochromic
5. ✖ Normocytic normochromic

#### General Knowledge

Group Maximum Duration :	60
Group Minimum Duration :	60
Revisit allowed for view? :	No
Revisit allowed for edit? :	No

#### GK of Chhattisgarh

Mandatory or Optional:	Mandatory
Display Number Panel:	Yes
Group All Questions:	No


Question Number : 101 Question Id : 5403043401 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Who inaugurated congress building in 1940 at Raipur?

Options :

1. ✖ Jawaharlal Nehru
2. ✔ Shri Vallabh Bhai Patel
3. ✖ Shri Ravi Shankar Shukla
4. ✖ Shri Narayan Meghawale
5. ✖ None of the other options





Question Number : 101 Question Id : 5403043401 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

1940 में, रायपुर में कांग्रेस भवन का उद्घाटन किसने किया था?

Options :

1. ✗ जवाहर लाल नेहरू
2. ✓ श्री वल्लभ भाई पटेल
3. ✗ श्री रवि शंकर शुक्ल
4. ✗ श्री नारायण मेघावाले
5. ✗ इनमें से कोई नहीं

Question Number : 102 Question Id : 5403043402 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

When Raipur was commissionary formed?

Options :

1. ✓ 1862 =
2. ✗ 1876
3. ✗ 1880
4. ✗ 1885
5. ✗ 1911

Question Number : 102 Question Id : 5403043402 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

रायपुर कमिशनरी कब बना?

Options :

1. ✓ 1862
2. ✗ 1876
3. ✗ 1880
4. ✗ 1885
5. ✗ 1911

Question Number : 103 Question Id : 5403043403 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Identify the name of the person of Chhattisgarh, who was the main worker of Swarajya party?

Options :

1. ✓ E. Raghavendra Rao

2. ✖ Pt. Lochan Prasad Pandey
3. ✖ Pyare Lal Gupta
4. ✖ Thakur Chhedi Lal
5. ✖ None of the other options

Question Number : 103 Question Id : 5403043403 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

छत्तीसगढ़ के एक ऐसे व्यक्ति का नाम बताओ, जो स्वराज्य दल का प्रमुख कार्यकर्ता था।

Options :

1. ✔ ई. राघवेन्द्र राव
2. ✖ पं. लोचन प्रसाद पांडे
3. ✖ प्यारे लाल गुप्त
4. ✖ ठाकुर छेदीलाल
5. ✖ इनमें से कोई नहीं

Question Number : 104 Question Id : 5403043404 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

What was the purpose of Gandhiji coming to Chhattisgarh, for the second time?

Options :

1. ✖ To do civil disobedience movement
2. ✖ To give support to Khadi
3. ✖ Women welfare
4. ✔ Welfare of Harijan
5. ✖ None of the other options

Question Number : 104 Question Id : 5403043404 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

गांधी जी का छत्तीसगढ़ में दूसरी बार आने का क्या उद्देश्य था?

Options :

1. ✖ सविनय अवज्ञा आंदोलन करना
2. ✖ खादी का समर्थन करना
3. ✖ महिला कल्याण
4. ✔ हरिजन उद्धार

5. ✖ इनमें से कोई नहीं

Question Number : 105 Question Id : 5403043405 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Who is known as 'Gandhi of Chhattisgarh'?

Options :

1. ✖ Pandit Lochan Prasad Pandey
2. ✖ Mukutdhar Pandey
3. ✔ Pt. Sunder Lal Sharma
4. ✖ Thakur Chhedilal
5. ✖ None of the other options

Question Number : 105 Question Id : 5403043405 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

किसे छत्तीसगढ़ का गांधी कहा जाता है?

Options :


1. ✖ पंडित लोचन प्रसाद पांडे
2. ✖ मुकुटधर पांडे
3. ✔ पं. सुंदर लाल शर्मा
4. ✖ ठाकुर छेदीलाल
5. ✖ इनमें से कोई नहीं

Question Number : 106 Question Id : 5403043406 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

The biggest princely estate of Chhattisgarh was \_\_\_\_\_.

Options :

1. ✖ Raigarh
2. ✖ Khairagarh
3. ✔ Bastar
4. ✖ Saranggarh
5. ✖ None of the other options



Question Number : 106 Question Id : 5403043406 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

छत्तीसगढ़ की सबसे बड़ी रियासत \_\_\_\_\_ थी।

Options :

1. ✖ रायगढ़
2. ✖ खैरागढ़
3. ✔ बस्तर
4. ✖ सारंगगढ़
5. ✖ इनमें से कोई नहीं

Question Number : 107 Question Id : 5403043407 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Who hoisted the flag on 15 August 1947 at Gandhi-Chowk in Raipur?

Options :

1. ✖ Shivdas Doga
2. ✖ Pt. Laxminarayan Das
3. ✖ Thakur Pyarelal
4. ✔ Waman Rao Lakhe
5. ✖ None of the other options

Question Number : 107 Question Id : 5403043407 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

15 अगस्त 1947 को रायपुर के गांधी चौक में किसने झंडा फहराया था?

Options :

1. ✖ शिवदास डागा
2. ✖ पं. लक्ष्मी नारायण दास
3. ✖ ठाकुर प्यारेलाल
4. ✔ वामन राव लाखे
5. ✖ इनमें से कोई नहीं

Question Number : 108 Question Id : 5403043408 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Who was with Gandhiji during his first Chhattisgarh visit?

Options :

1. ✖ Vinoba Bhave
2. ✖ Dr. Rajendra Prasad
3. ✔ Shaukat Ali
4. ✖ Chittaranjan Das



5. ✖ None of the other options

Question Number : 108 Question Id : 5403043408 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

गांधी जी के प्रथम छत्तीसगढ़ प्रवास में उनके साथ कौन थे?

Options :

1. ✖ विनोबा भावे
2. ✖ डा. राजेन्द्र प्रसाद
3. ✔ शौकत अली
4. ✖ चितरंजन दास
5. ✖ इनमें से कोई नहीं

Question Number : 109 Question Id : 5403043409 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Ramgiri described in Meghdoot is situated in which district of Chhattisgarh?

Options :

1. ✖ Janjgir- champa
2. ✖ Jashpur
3. ✔ Surguja
4. ✖ Dantewara
5. ✖ None of the other options

Question Number : 109 Question Id : 5403043409 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

मेघदूत में वर्णित रामगिरि, छत्तीसगढ़ के किस जिले में है?

Options :

1. ✖ जांजगीर चांपा
2. ✖ जशपुर
3. ✔ सरगुजा
4. ✖ दंतेबाड़ा
5. ✖ इनमें से कोई नहीं

Question Number : 110 Question Id : 5403043410 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Who had formed Vanarsena during the civil disobedience movement in Chhattisgarh?

Options :

1. ✖ Yati Yatan Lal
2. ✖ Pt. Sunderlal Sharma
3. ✖ Khubchand Baghel
4. ✔ Vasudev Devras
5. ✖ None of the other options

Question Number : 110 Question Id : 5403043410 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

छत्तीसगढ़ में सविनय अवज्ञा आन्दोलन के दौरान वानरसेना का गठन किसने किया था?

Options :

1. ✖ यति यतन लाल
2. ✖ पं. सुन्दरलाल शर्मा
3. ✖ खुबचंद बघेल
4. ✔ वासुदेव देवरस
5. ✖ इनमें से कोई नहीं

Question Number : 111 Question Id : 5403043411 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Where is the oldest theater place situated in Chhattisgarh?

Options :

1. ✔ Sarguja
2. ✖ Baster
3. ✖ Sirpur
4. ✖ Bilaspur
5. ✖ None of the other options

Question Number : 111 Question Id : 5403043411 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

छत्तीसगढ़ में सबसे पुराना नाट्य स्थल कहाँ पर स्थित है?

Options :

1. ✔ सरगुजा
2. ✖ बस्तर
3. ✖ सिरपुर

4. ✖ बिलासपुर
5. ✖ इनमें से कोई नहीं

Question Number : 112 Question Id : 5403043412 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Who was the originator or father of Janjgir city?

Options :

1. ✔ Jajalya Dev
2. ✖ Someshwar Dev
3. ✖ Jaysingh Dev
4. ✖ Ram Dev
5. ✖ None of the other options

Question Number : 112 Question Id : 5403043412 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

जाँजगीर शहर का जन्मदाता किसे कहा जाता है?

Options :

1. ✔ जाजल्यदेव
2. ✖ सोमेश्वर देव
3. ✖ जयसिंह देव
4. ✖ रामदेव
5. ✖ इनमें से कोई नहीं

Question Number : 113 Question Id : 5403043413 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Which place has the maximum height in Chhattisgarh?

Options :

1. ✔ Gaurata
2. ✖ Mainpat
3. ✖ Deogarh
4. ✖ Bandargarh
5. ✖ None of the other options

Question Number : 113 Question Id : 5403043413 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

छत्तीसगढ़ में सर्वाधिक ऊँचाई वाला स्थान कौनसा है?

Options :

1. ✓ गौरलता
2. ✗ मैनापाट
3. ✗ देवगढ़
4. ✗ बंदरगढ़
5. ✗ इनमें से कोई नहीं

Question Number : 114 Question Id : 5403043414 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Madam Silli dam is situated in which district?

Options :

1. ✓ Dhamtari
2. ✗ Raigarh
3. ✗ Koriya
4. ✗ Sarguja
5. ✗ None of the other options

Question Number : 114 Question Id : 5403043414 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

माइम सिल्ली बाँध किस जिले में है?

Options :

1. ✓ धमतरी
2. ✗ रायगढ़
3. ✗ कोरिया
4. ✗ सरगुजा
5. ✗ इनमें से कोई नहीं

Question Number : 115 Question Id : 5403043415 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which district has maximum schedule tribe's population in Chhattisgarh?

Options :

1. ✗ Jashpur
2. ✗ Sarguja
3. ✗ Kanker



4. ☒ Dantewara
5. ☐ None of the other options

Question Number : 115 Question Id : 5403043415 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

छत्तीसगढ़ राज्य में सर्वाधिक अनुसूचित जनजाति वाला जिला कौन सा है?

Options :

1. ☐ जशपुर
2. ☐ सरगुजा
3. ☐ कांकेर
4. ☒ दंतेवाड़ा
5. ☐ इनमें से कोई नहीं

Question Number : 116 Question Id : 5403043416 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

In Sarguja basin structure, which rock series is more abundant?

Options :

1. ☐ Cuddapah
2. ☐ Vindhyan
3. ☒ Gondwana
4. ☐ Dharwar
5. ☐ None of the other options

Question Number : 116 Question Id : 5403043416 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

सरगुजा बेसिन की संरचना में किस क्रम की चट्टानें अधिक हैं?

Options :

1. ☐ कडप्पा
2. ☐ विन्ध्यान
3. ☒ गोंडवाना
4. ☐ धारवाड़
5. ☐ इनमें से कोई नहीं

Question Number : 117 Question Id : 5403043417 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

'Gomarda sanctuary' is situated in which district of Chhattisgarh?

Options :

1. ✖ Raipur
2. ✖ Surguja
3. ✖ Dantewara
4. ✖ Bilaspur
5. ✔ None of the other options

Raigarh

Question Number : 117 Question Id : 5403043417 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

‘गोमरदा अभयारण्य’ छत्तीसगढ़ के किस जिले में स्थित है?

Options :

1. ✖ रायपुर
2. ✖ सरगुजा
3. ✖ दन्तेवाड़ा
4. ✖ बिलासपुर
5. ✔ इनमें से कोई नहीं

Question Number : 118 Question Id : 5403043418 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In Jashpur district, forests are known as \_\_\_\_\_.

Options :

1. ✖ Jangal
2. ✖ Kanan
3. ✔ Dhab
4. ✖ Dabh
5. ✖ None of the other options

Question Number : 118 Question Id : 5403043418 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

जशपुर जिले में वनों को किस नाम से जाना जाता है?

Options :

1. ✖ जंगल
2. ✖ कानन
3. ✔ ढाब

4. ✖ दाभ

5. ✖ इनमें से कोई नहीं

Question Number : 119 Question Id : 5403043419 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which is the oldest sanctuary in Chhattisgarh state?

Options :

1. ✖ Pamed

2. ✔ Sitanadi

3. ✖ Gomarda

4. ✖ Samarsot

5. ✖ None of the other options

Question Number : 119 Question Id : 5403043419 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

छत्तीसगढ़ राज्य का सबसे पुराना अभयारण्य कौनसा है?

Options :

1. ✖ पामेड

2. ✔ सीतानदी

3. ✖ गोमरदा

4. ✖ समरसोत

5. ✖ इनमें से कोई नहीं

Question Number : 120 Question Id : 5403043420 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which district in Chhattisgarh has the densest forest?

Options :

1. ✖ Korla

2. ✖ Bijapur

3. ✖ Kondagaon

4. ✔ Narayanpur

5. ✖ None of the other options

Question Number : 120 Question Id : 5403043420 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

छत्तीसगढ़ राज्य में वन घनत्व सबसे अधिक किस जिले में है?

Options :

1. ✖ कोरिया
2. ✖ बीजापुर
3. ✖ कौडागांव
4. ✔ नारायणपुर
5. ✖ इनमें से कोई नहीं

Question Number : 121 Question Id : 5403043421 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which animal is specially protected in Udanti sanctuary?

Options :

1. ✖ Leopard
2. ✖ Indian antelope
3. ✖ Tiger
4. ✖ Crocodile
5. ✔ None of the other options

Reipure Gariaband  
Wild buffalo.

Question Number : 121 Question Id : 5403043421 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

उदन्ती अभयारण्य में किस वन्य प्राणी को विशेष रूप से संरक्षण प्रदान किया गया है?

Options :

1. ✖ तेन्दुआ
2. ✖ सांभर
3. ✖ बाघ
4. ✖ मगरमच्छ
5. ✔ इनमें से कोई नहीं

Question Number : 122 Question Id : 5403043422 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Jhoom cultivation is popular amongst which tribe of Chhattisgarh State?

Options :

1. ✖ Halba
2. ✔ Maria
3. ✖ Muria
4. ✖ Bharia



5. ✖ None of the other options

Question Number : 122 Question Id : 5403043422 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

झूम खेती छत्तीसगढ़ राज्य में किस जनजाति में प्रचलित है?

Options :

- 1. ✖ हल्बा
- 2. ✔ माड़िया
- 3. ✖ मुड़िया
- 4. ✖ भारिया
- 5. ✖ इनमें से कोई नहीं

Question Number : 123 Question Id : 5403043423 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

When was Chhattisgarh State declared as herbal state?

Options :

- 1. ✖ 2000
- 2. ✖ 2002
- 3. ✔ 2001
- 4. ✖ 2003
- 5. ✖ None of the other options

Question Number : 123 Question Id : 5403043423 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

छत्तीसगढ़ राज्य को कब हर्बल राज्य घोषित किया गया?

Options :

- 1. ✖ 2000
- 2. ✖ 2002
- 3. ✔ 2001
- 4. ✖ 2003
- 5. ✖ इनमें से कोई नहीं

Question Number : 124 Question Id : 5403043424 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

What is the meaning of village, according to Panchayat Raj Act of Chhattisgarh?

Options :

1. ☒ A village specified by the governor through public notification
2. ☐ A village specified by the collector through public notification
3. ☐ A village specified by the commissioner through public notification
4. ☐ A village specified by the chief electoral officer through public notification
5. ☐ None of the other options

Question Number : 124 Question Id : 5403043424 Question Type : MCQ Display Question Number : Yes Single Line Question  
 Option : No Option Orientation : Vertical  
 Correct : 2 Wrong : 1

छत्तीसगढ़ पंचायत राज अधिनियम के अनुसार ग्राम का अर्थ क्या है?

Options :

1. ☒ राज्यपाल द्वारा लोक अधिसूचना के माध्यम से ग्राम के रूप में विनिर्दिष्ट
2. ☐ कलेक्टर द्वारा लोक अधिसूचना के माध्यम से ग्राम के रूप में विनिर्दिष्ट
3. ☐ आयुक्त द्वारा लोक सूचना के माध्यम से ग्राम के रूप में विनिर्दिष्ट
4. ☐ मुख्य निर्वाचन अधिकारी द्वारा लोक सूचना के माध्यम से ग्राम के रूप में विनिर्दिष्ट
5. ☐ इनमें से कोई नहीं

(Gram Sabha)  
243(8)

Question Number : 125 Question Id : 5403043425 Question Type : MCQ Display Question Number : Yes Single Line Question  
 Option : No Option Orientation : Vertical  
 Correct : 2 Wrong : 1

Who is not responsible for quorum in the meetings of Gram Sabha?

Options :

1. ☐ Sarpanch
2. ☐ Panch
3. ☒ Deputy Sarpanch
4. ☐ Sarpanch and Panch
5. ☐ None of the other options

1/20

Vidhan Sabha

Question Number : 125 Question Id : 5403043425 Question Type : MCQ Display Question Number : Yes Single Line Question  
 Option : No Option Orientation : Vertical  
 Correct : 2 Wrong : 1

ग्रामसभा की बैठकों में गणपूर्ति के लिए कौन उत्तरदायी नहीं है?

Options :

1. ☐ सरपंच
2. ☐ पंच
3. ☒ उप सरपंच

4. ✖ सरपंच और पंच  
5. ✖ इनमें से कोई नहीं

Question Number : 126 Question Id : 5403043426 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Which of the following is a body corporate?

Options :

1. ✖ Zila Panchayat  
2. ✖ Janpad Panchayat  
3. ✖ Gram Panchayat  
4. ✔ All of the other options  
5. ✖ None of the other options

Question Number : 126 Question Id : 5403043426 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

निम्न में से कौनसा निगमित निकाय है?

Options :

1. ✖ जिला पंचायत  
2. ✖ जनपद पंचायत  
3. ✖ ग्राम पंचायत  
4. ✔ उपर्युक्त सभी  
5. ✖ इनमें से कोई नहीं

Question Number : 127 Question Id : 5403043427 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

If two candidates get equal votes in the election of vice-president of municipal council, then what will happen?

Options :

1. ✖ President will give casting vote  
2. ✖ There shall be Repolling  
3. ✔ It will be decided by lot  
4. ✖ Election commission will decide  
5. ✖ None of the other options

Question Number : 127 Question Id : 5403043427 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

यदि नगरपालिका परिषद् के उपाध्यक्ष के चुनाव में दो अभ्यर्थियों को समान मत मिले तो क्या होगा?

Options :

1. ✖ अध्यक्ष निर्णायक मत देगा
2. ✖ मतदान दुबारा होगा
3. ✔ लॉट द्वारा निर्णय होगा
4. ✖ निर्वाचन आयोग निर्णय लेगा
5. ✖ इनमें से कोई नहीं

Question Number : 128 Question Id : 5403043428 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Who presides over the first meeting of municipal council?

Options :

1. ✖ President
2. ✔ Competent officer as directed by collector
3. ✖ Chief Executive Officer
4. ✖ Senior Councilor
5. ✖ None of the other options

Question Number : 128 Question Id : 5403043428 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

नगरपालिका परिषद् की पहली बैठक की अध्यक्षता कौन करता है?

Options :

1. ✖ अध्यक्ष
2. ✔ कलेक्टर द्वारा निर्देशित सक्षम अधिकारी
3. ✖ मुख्य कार्यपालन अधिकारी
4. ✖ वरिष्ठ पार्षद
5. ✖ इनमें से कोई नहीं

Question Number : 129 Question Id : 5403043429 Question Type : MCQ Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1



Which of the following is matched?

- (I) ✓ Chief Minister will be appointed by governor.
- (II) ✗ Other ministers, will be appointed by governor on advice of Chief Minister.
- (III) Council of ministers shall be collectively responsible to the state legislative assembly. ②
- (IV) Governor shall administer the ministers, the oath of office and secrecy. ✓
- (V) Minister shall hold office till the pleasure of governor.

Options :

- 1. ✗ (I) (III) (V)
- 2. ✗ (II) (IV) (V)
- 3. ✗ (I) (III) (IV)
- 4. ✓ (I) (II) (V)
- 5. ✗ None of the other options

Question Number : 129 Question Id : 5403043429 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

निम्न में से क्या सुमेलित है?

- (I) मुख्यमंत्री की नियुक्ति राज्यपाल द्वारा की जाएगी।
- (II) अन्य मंत्री, मुख्यमंत्री की सलाह पर राज्यपाल द्वारा नियुक्त किए जाएंगे।
- (III) मंत्रिपरिषद् सामूहिक रूप से राज्य विधानसभा के प्रति उत्तरदायी होगी।
- (IV) राज्यपाल मंत्रियों को पद और गोपनीयता की शपथ दिलाएगा।
- (V) मंत्री राज्यपाल के प्रसाद पर्यन्त पद पर बने रहेंगे।

Options :

- 1. ✗ (I) (III) (V)
- 2. ✗ (II) (IV) (V)
- 3. ✗ (I) (III) (IV)
- 4. ✓ (I) (II) (V)
- 5. ✗ उपर्युक्त में से कोई नहीं

Question Number : 130 Question Id : 5403043430 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

What is not correct of the following?

Options :

- 1. ✗ There shall be a council of ministers with the chief minister at the head to aid and advice the governor in the exercise of his functions. ✓
- 2. ✓ The governor may require the council of ministers to reconsider such advice. ✓

3. ✖ Court can't enquire about the advice given on matters by the council of ministers to the governor.
4. ✖ State legislative will determine about the salary of council of ministers.
5. ✖ Council of ministers will be collectively responsible to the state legislative assembly.

Question Number : 130 Question Id : 5403043430 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

निम्न में से सही क्या नहीं है?

Options :

1. ✖ राज्यपाल को उसके कार्यों में सहायता और परामर्श देने के लिए मुख्यमंत्री की अध्यक्षता में एक मंत्रिपरिषद् होगी।
2. ✔ राज्यपाल, मंत्रिपरिषद् को किसी परामर्श पर पुनर्विचार के लिए कह सकेगा।
3. ✖ राज्यपाल को मंत्रिपरिषद् के सलाह देने के विषय में, न्यायालय जांच नहीं कर सकता।
4. ✖ मंत्रिपरिषद् के वेतन के विषय में राज्य विधानमण्डल निश्चय करेगी।
5. ✖ मंत्रिपरिषद् राज्य विधानसभा के प्रति सामूहिक रूप से उत्तरदायी होगी।

Question Number : 131 Question Id : 5403043431 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Who coordinates, evaluates, monitors and guides the activities of Janpad Panchayat and Gram Panchayat?

Options :

1. ✖ State govt.
2. ✖ Panchayat and Rural Development Dept.
3. ✔ Zila Panchayat ✔
4. ✖ All of the other options
5. ✖ None of the other options

Question Number : 131 Question Id : 5403043431 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

जनपद पंचायतों और ग्राम पंचायतों के क्रियाकलापों का समन्वय, मूल्यांकन और मार्गदर्शन कौन करता है?

Options :

1. ✖ राज्य सरकार
2. ✖ पंचायत और ग्रामीण विकास विभाग
3. ✔ जिला पंचायत

4. ✖ उपर्युक्त सभी
5. ✖ इनमें से कोई नहीं

Question Number : 132 Question Id : 5403043432 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Rishabh Tirth is situated in which district of Chhattisgarh?

Options :

1. ✖ Korba
2. ✔ Janjgir-Champa
3. ✖ Raigarh
4. ✖ Bilaspur
5. ✖ None of the other options

Question Number : 132 Question Id : 5403043432 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

ऋषभतीर्थ छत्तीसगढ़ के किस जिले में स्थित है?

Options :

1. ✖ कोरबा
2. ✔ जांजगीर-चांपा
3. ✖ रायगढ़
4. ✖ बिलासपुर
5. ✖ इनमें से कोई नहीं

Question Number : 133 Question Id : 5403043433 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

\_\_\_\_\_ is considered as birth place of the founder of Pushtimarg Mahaprabhu  
Vallabhacharya.

Options :

1. ✖ Rajim
2. ✖ Shivarinarayana
3. ✖ Narayanpur
4. ✔ Champaranya
5. ✖ None of the other options

Question Number : 133 Question Id : 5403043433 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical



Correct : 2 Wrong : 1

पुष्टिमार्ग के संस्थापक महाप्रभु वल्लभाचार्य का जन्मस्थल क्या माना जाता है?

Options :

1. ✖ राजिम
2. ✖ शिवरीनारायण
3. ✖ नारायणपुर
4. ✔ चम्पारण्य ✓ Raipur ✓
5. ✖ इनमें से कोई नहीं

Question Number : 134 Question Id : 5403043434 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

The confluence of Shivnath and Kharun river is at which place?

Options :

1. ✖ Rajim
2. ✖ Shivrinarayan
3. ✔ Somnath ✓
4. ✖ Angarmoti
5. ✖ None of the other options

Question Number : 134 Question Id : 5403043434 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

शिवनाथ तथा खारून नदी का संगम किस स्थान पर है?

Options :

1. ✖ राजिम
2. ✖ शिवरीनारायण
3. ✔ सोमनाथ ✓
4. ✖ अंगारमोती
5. ✖ इनमें से कोई नहीं

Question Number : 135 Question Id : 5403043435 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

An ornament called 'Keyure' in Chhattisgarh, is worn on which part of body?

Options :

1. ✖ On legs
2. ✔ On the arms ✓



3. ✖ On the waist
4. ✖ In ears
5. ✖ None of the other options

Question Number : 135 Question Id : 5403043435 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

एक आभूषण जो छत्तीसगढ़ में "केयूर" कहा जाता है, यह शरीर के किस स्थान में पहना जाता है?

Options :

1. ✖ पैर
2. ✔ बाँह
3. ✖ कमर
4. ✖ कान
5. ✖ इनमें से कोई नहीं

Question Number : 136 Question Id : 5403043436 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Jaitkham is related to which of the following?

Options :

1. ✖ Kabirpanthi
2. ✔ Satnami ✓
3. ✖ Ramnami
4. ✖ Urao
5. ✖ None of the other options

Handwritten notes in red ink: गुरु चासीपाद → गिरोदपुरी → Kaipuri

Question Number : 136 Question Id : 5403043436 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

जैतखाम निम्न में से किससे संबंधित है?

Options :

1. ✖ कबीरपंथी
2. ✔ सतनामी
3. ✖ रामनामी
4. ✖ उरांव
5. ✖ इनमें से कोई नहीं

Question Number : 137 Question Id : 5403043437 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which Parva from these is related to the wedding of Shiv-Parvati in Chhattisgarh?

Options :

1. ✗ Hareli
2. ✗ Teeja
3. ✓ Gaura
4. ✗ Akti
5. ✗ None of the other options

Question Number : 137 Question Id : 5403043437 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

छत्तीसगढ़ में इनमें से कौनसा पर्व शिव-पार्वती विवाह से संबंधित है?

Options :

1. ✗ हरेली
2. ✗ तीजा
3. ✓ गौरा
4. ✗ अक्ती
5. ✗ इनमें से कोई नहीं

Question Number : 138 Question Id : 5403043438 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Who perform "Mandari Dance"?

Options :

1. ✓ Muria
2. ✗ Bhatra
3. ✗ Oraon
4. ✗ Korwa
5. ✗ None of the other options

Question Number : 138 Question Id : 5403043438 Question Type : MCQ Display Question Number : Yes Single Line Question

Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

"मांदरी नृत्य" कौन करते हैं?

Options :

1. ✓ मुरिया
2. ✗ भतरा
3. ✗ उरांव

4. ✖ कोरवा

5. ✖ इनमें से कोई नहीं

Question Number : 139 Question Id : 5403043439 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Out of the following, which dance is performed by ORAON scheduled tribe?

Options :

1. ✖ Dandari

2. ✖ Maopata

3. ✔ Sarhul

4. ✖ Hulkipata

5. ✖ None of the other options

Question Number : 139 Question Id : 5403043439 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

निम्नांकित में से उरांव अनुसूचित जनजाति कौन सा नृत्य करते हैं?

Options :

1. ✖ डंडारी

2. ✖ माओपाटा

3. ✔ सरहुल

4. ✖ हुल्की पाटा

5. ✖ इनमें से कोई नहीं

Question Number : 140 Question Id : 5403043440 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which women hockey player from Chhattisgarh has received Arjun award?

Options :

1. ✖ Radha Yadav

2. ✖ Neha Bajaj

3. ✔ Saba Anjum

4. ✖ Tandra Roychoudhary

5. ✖ None of the other options

Question Number : 140 Question Id : 5403043440 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

छत्तीसगढ़ की किस महिला हाकी खिलाड़ी को अर्जुन पुरस्कार मिला है?

Options :

1. ✖ राधा यादव
2. ✖ नेहा बजाज
3. ✔ सबा अंजुम
4. ✖ तन्द्रा राय चौधरी
5. ✖ इनमें से कोई नहीं

Question Number : 141 Question Id : 5403043441 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Who amongst these has had his education in Chhattisgarh also?

Options :

1. ✔ Mohd. Hidayatullah ✔
2. ✖ Dr. Jakir hussain
3. ✖ Dr. Radhakrishnan
4. ✖ Dr. Rajendra Prasad
5. ✖ None of the other options

Question Number : 141 Question Id : 5403043441 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

इनमें से किसकी शिक्षा छत्तीसगढ़ में भी हुई?

Options :

1. ✔ मो. हिदायतुल्लाह
2. ✖ डा. जाकिर हुसेन
3. ✖ डा. राधाकृष्णन
4. ✖ डा. राजेन्द्र प्रसाद
5. ✖ इनमें से कोई नहीं

Question Number : 142 Question Id : 5403043442 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

With which Chauka Aarti is related?

Options :

1. ✔ Kabirpanth ✔
2. ✖ Satnam Panth



- 3. ✖ Aghorpanth
- 4. ✖ Sanatan
- 5. ✖ None of the other options

Question Number : 142 Question Id : 5403043442 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

चौका आरती किससे संबंधित है?

Options :

- 1. ✔ कबीरपंथ
- 2. ✖ सतनाम पंथ
- 3. ✖ अघोरपंथ
- 4. ✖ सनातन
- 5. ✖ इनमें से कोई नहीं

Question Number : 143 Question Id : 5403043443 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

Khichadi and laddus of til are prepared on which festival day?

Options :

- 1. ✔ Makar Sankranti
- 2. ✖ Deepavali
- 3. ✖ Bhai-duj
- 4. ✖ Holi
- 5. ✖ None of the other options

Question Number : 143 Question Id : 5403043443 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical  
Correct : 2 Wrong : 1

किस त्यौहार के दिन, खिचड़ी और तिल के लड्डू बनाए जाते हैं?

Options :

- 1. ✔ मकर संक्रांति
- 2. ✖ दीपावली
- 3. ✖ भाईदूज
- 4. ✖ होली
- 5. ✖ इनमें से कोई नहीं

Question Number : 144 Question Id : 5403043444 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which folk singing of Chhattisgarh has a role of Raagi?

Options :

1. ✗ Sua
2. ✗ Panthi
3. ✗ Dadriya
4. ✓ Pandwani
5. ✗ None of the other options

Tegjan Bai

Question Number : 144 Question Id : 5403043444 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

छत्तीसगढ़ के किस लोक गायन में, रागी की भूमिका होती है?

Options :

1. ✗ सुआ
2. ✗ पंथी
3. ✗ ददरिया
4. ✓ पंडवानी
5. ✗ इनमें से कोई नहीं

Question Number : 145 Question Id : 5403043445 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following is known as the energy capital of Chhattisgarh state?

Options :

1. ✗ Raipur
2. ✗ Bilaspur
3. ✗ Raigarh
4. ✗ Rajnandgaon
5. ✓ None of the other options

Korba

Question Number : 145 Question Id : 5403043445 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

निम्नलिखित में से कौन छत्तीसगढ़ राज्य की 'उर्जा राजधानी' के नाम से जाना जाता है?

Options :

1. ✗ रायपुर
2. ✗ बिलासपुर

3. ✖ रायगढ़  
4. ✖ राजनांदगांव  
5. ✔ इनमें से कोई नहीं

Question Number : 146 Question Id : 5403043446 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Which of the following districts have corundum deposits?

Options :

1. ✖ Ambikapur and Narayanpur  
2. ✖ Raipur and Gariaband  
3. ✔ Dantewada and Bijapur  
4. ✖ Gariaband and Bijapur  
5. ✖ None of the other options

AI

Bauxite

Question Number : 146 Question Id : 5403043446 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

निम्न में से किन जिलों में कोरुण्डम खनिजों का भंडार है?

Options :

1. ✖ अम्बिकापुर एवं नारायणपुर  
2. ✖ रायपुर एवं गरियाबन्द  
3. ✔ दन्तेवाड़ा एवं बीजापुर  
4. ✖ गरियाबन्द एवं बीजापुर  
5. ✖ इनमें से कोई नहीं

Question Number : 147 Question Id : 5403043447 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

Where is the traditional Chhattisgarhi taste centre 'garh kalewa' situated?

Options :

1. ✖ Durg  
2. ✔ Raipur  
3. ✖ Dhamteri  
4. ✖ Bhilai  
5. ✖ None of the other options

Question Number : 147 Question Id : 5403043447 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

पारंपरिक छत्तीसगढ़ी व्यंजन आस्वाद केन्द्र 'गढ़ कलेवा' कहाँ स्थित है?

Options :

1. ✖ दुर्ग
2. ✔ रायपुर
3. ✖ धमतरी
4. ✖ भिलाई
5. ✖ इनमें से कोई नहीं

Question Number : 148 Question Id : 5403043448 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In which district of Chhattisgarh, a woman gave birth to five children together recently?

Options :

1. ✖ Surajpur
2. ✖ Jashpur
3. ✔ Sarguja
4. ✖ Balrampur
5. ✖ None of the other options

Question Number : 148 Question Id : 5403043448 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

हाल ही में छत्तीसगढ़ के किस जिले में, एक महिला ने एक साथ पांच बच्चों को जन्म दिया है?

Options :

1. ✖ सूरजपुर
2. ✖ जशपुर
3. ✔ सरगुजा
4. ✖ बलरामपुर
5. ✖ इनमें से कोई नहीं

Question Number : 149 Question Id : 5403043449 Question Type : MCQ Display Question Number : Yes Single Line Question  
Option : No Option Orientation : Vertical

Correct : 2 Wrong : 1

In which disease the tablets of DEC is to be taken?

Options :



1. ✓ Filariasis
2. ✗ Sickle cell
3. ✗ H.I.V
4. ✗ Typhoid
5. ✗ None of the other options

Question Number : 149 Question Id : 5403043449 Question Type : MCQ Display Question Number : Yes Single Line Question  
 Option : No Option Orientation : Vertical  
 Correct : 2 Wrong : 1

डी.ई.सी (डाई ईथाइल कार्बाथाइजिन साइट्रेट) की गोलियों का सेवन, किस रोग में करना होता है?

Options :


1. ✓ फाइलेरियासिस
2. ✗ सिकल सेल
3. ✗ एच.आई.वी
4. ✗ टाइफाइड
5. ✗ इनमें से कोई नहीं

Question Number : 150 Question Id : 5403043450 Question Type : MCQ Display Question Number : Yes Single Line Question  
 Option : No Option Orientation : Vertical  
 Correct : 2 Wrong : 1

At present, who is the nominated member amongst these in Chhattisgarh legislative assembly?

Options :

1. ✗ Shri Arun Bora
2. ✗ Shri Keshav Chandra
3. ✗ Shri Deepak Baiz
4. ✓ Shri Beznard Rodrix
5. ✗ None of the other options



Question Number : 150 Question Id : 5403043450 Question Type : MCQ Display Question Number : Yes Single Line Question  
 Option : No Option Orientation : Vertical  
 Correct : 2 Wrong : 1

वर्तमान में इनमें से कौन छत्तीसगढ़ विधान सभा में मनोनीत सदस्य हैं?

Options :

1. ✗ श्री.अरूण बोरा
2. ✗ श्री.केशव चन्द्रा
3. ✗ श्री.दीपक बैज

4. ✓ श्री.बनार्ड रोड्रिक्स

5. ✗ इनमें से कोई नहीं